

Figure 6: Live runtime telemetry logs of the DOM-Mirror utility processing layer-7 object trees and exporting bundled binary blobs.

CASE STUDY 07: Public Social Graph Metadata Ingestion Framework

* **Project Type:** Passive OSINT Automation & Target Profiling Endpoint Validation

* **Code Repository:**

<https://github.com/munna1127/instalens-osint-harvester>

* **Core Security Objective:** Engineering an automated, non-authenticated public registry scraper to fetch and map localized social graph arrays, profile descriptors, and interaction density parameters during initial target reconnaissance vectors.

Architectural Workflow & Methodology:

1. **Public Schema Extraction:** Deploys structured query layers targeting exposed platform endpoints, extracting real-time entity profiles without session context dependency constraints.
2. **Attribute Mapping Logic:** Automatically structures raw layout indices into logical data blocks, compiling volumetric statistics (Follower configurations, media count densities) alongside qualitative strings.
3. **Consolidated Logging Dispatch:** Hooks the metadata mapping engine directly into automated polling systems, allowing remote operators to instantly receive structured target dossiers over secure communication webhooks.

Functional Proof & System Output:

7:27 PM | 570KB/s



Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

~ \$ `python b.py`

[*] OSINT Daemon Active. Initialize session and trigger /start on the
administrative node.



ESC



HOME



END

PGUP



CTRL


ALT



PGDN



GIF



7:27 PM | 166KB/s

VoLTE 4G 49



IN

Insta bot
bot



 Set Profile Photo

June 25

/start 7:27 PM ✓✓

 『MAHAKAL』 
/start

 INSTALENS: PUBLIC METADATA
HARVESTER

=====

=====

Administrative endpoint connected
successfully.

Figure 7: Live console display generated by the InstaLens OSINT framework showing automated dictionary data generation for targeted validation checks.

CASE STUDY 06: CryptoSentinel High-Entropy Storage Behavioral Engine

* **Project Type:** Behavioral Intrusion Detection (HIDS), Data Analytics, & Statistical Anomaly Modeling

* **Code Repository:**

<https://github.com/munna1127/cryptosentinel-entropy-monitor>

* **Core Security Objective:** Engineering a signature-less malware detection model utilizing information theory math to classify storage-write mutations and neutralize active zero-day ransomware propagation sweeps.

Architectural Workflow & Methodology:

1. **Algorithmic Asset Scanning:** Running localized calculations to isolate data randomness configurations. Encrypted contents or raw byte streams yield maximum mathematical margins near 8.0.
2. **Dynamic Write-Velocity Auditing:** Establishing real-time sliding queues to analyze operational data densities. Spikes in rewrite transactions cross-referenced against sudden entropy deltas indicate system compromise.
3. **Stateful Alert Matrix Generation:** Triggering behavioral defensive mechanisms natively whenever storage metrics cross risk thresholds, isolating threat sources before traditional signature records propagate.

Functional Proof & System Output:

8:09 PM | 0.1KB/s

VoLTE 4G 29

~ \$ cs storage

No command cs found, did you mean:

Command as in package binutils

Command cjs in package cjs from the x11-repo repository

Command cc in package clang

Command cp in package coreutils

Command ocs in package cscope

Command csh in package csh

Command cvs in package cvs

Command gs in package ghostscript

Command ss in package iproute2

Command csc in package mono

Command ts in package moreutils

Command ps in package procs

Command qs in package quickshell from the x11-repo repository

Command ci in package rcs

Command cu in package uucp

~ \$ cd storage

~/storage \$ la

No command la found, did you mean:

Command ln in package coreutils

Command lp in package cups

Command lf in package lf

Command lha in package lhasa

Command ld in package lld

Command lr in package lr

Command lua in package lua51

Command lua in package lua52

Command lua in package lua53

Command lua in package lua54

Command lua in package lua55

Command lx in package lux-cli

Command lc in package mono

Command lz in package mtools

Command ya in package yazi

~/storage \$ ls

audiobooks documents external-0 movies pictures shared

dcim downloads media-0 music podcasts

~/storage \$ nano crypto.py

~/storage \$ python crypto.py

=====

CRYPTOSENTINEL: HARDWARE STORAGE BEHAVIORAL INTEL ENGINE

=====

[+] Sandbox target node mapped to environment: ./secure_sandbox_workspace

[*] Initializing cryptographic data baseline mappings for target: ./secure_sandbox_workspace

[+] Operational baseline locked. 5 target elements registered.

[*] Stateful behavioral monitor loops active. Awaiting network/storage telemetry exceptions...

Figure 6: Live analytical logs produced by the CryptoSentinel framework capturing a high-entropy simulated ransomware transaction array in real-time.

CASE STUDY 07: Stateful Multi-Factor Authentication & Cryptographic Verification Simulator
Project Type: Identity & Access Management (IAM) Simulation, Behavioral State-Machine Engineering
Code Repository:

<https://github.com/munna1127/secure-authsim-core>

Core Security Objective: Engineering an automated, zero-intermediary access control engine designed to simulate secure out-of-band validation flows, enforce strict temporal boundary parameters, and evaluate real-time brute-force mitigation heuristics.

Architectural Workflow & Methodology:

Temporal Boundary Enforcement (TTL Analytics): Employs precise unix-epoch timestamp differentials to compute token longevity constraints. The engine enforces a strict 60-second Time-To-Live (TTL) matrix over transient validation structures, effectively nullifying downstream token-replay or session hijacking vectors.

Volatile Memory Isolation: Strategically manages operational session contexts inside localized, non-persistent memory dictionaries. This data-handling layout ensures that cryptographic parameters are immediately expunged post-validation, preventing data-at-rest contamination or side-channel leakage.

Behavioral Rate-Throttling (Exhaustion Mitigations): Implements stateful operational counters tracking validation attempts per unique runtime identity. If anomalous submission frequencies breach the predefined threshold boundary (3 faulty iterations), the architecture automatically invalidates and flushes the entire session context to prevent automated processing exhaustion.

Functional Proof & Simulation Logs:

9:03 PM | 0.2KB/s  

 VoWiFi   11

Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

~/storage \$ python bot.py

=====

SECURE IDENTITY VERIFICATION & MFA SIMULATION CORE

=====

[*] Triggering transaction request for User ID: 112706

[📶 Out-of-Band Gateway] Simulated SMS sent to 9912345678: Your code is 190381

🔑 Enter the received validation token: 190381

[✅ ACCESS GRANTED] Identity 9912345678 verified against active session layer.

=====

~/storage \$ █

(Real)

10:08 PM | 97.5KB/s

VoLTE 4G 60



PH

Phone no. Sell

bot



Set Profile Photo

~~9750 1234 5678~~ 8:48 PM ✓✓




Enter withdraw amount:

20 8:48 PM ✓✓

✗ Minimum withdraw 150 Taka or insufficient balance.


8:48 PM



Support 8:48 PM ✓✓



Contact: @tomar_ji_99 8:48 PM



New number received



User: @



Number: 9750 1234 5678 8:48 PM

Send Code

Reject



Added user 7-125 + and OTP.

10:06 PM



OTP Received

10:09 PM | 1.6KB/s

VoLTE 4G 60



PH

Phone no. Sell

bot



10:04

/start 9:42 PM ✓✓

✨ Welcome to @tomanji_99 Premium
WhatsApp Bot!

9:42 PM



Sell Number 9:43 PM ✓✓



Enter your WhatsApp number (without
+):

9:43 PM

~~9999999999 9:43 PM ✓✓~~



Your number has been submitted for
verification.

10:05 PM



Enter your verification code:

10:06 PM

Figure 7: Production environment execution logs of the Secure-AuthSim framework calculating cryptographic token constraints and validating client identity interfaces.