

TECHNICAL DOSSIER: EVIDENCE OF PRIOR SECURITY RESEARCH & APPLIED CODE SPECIFICATIONS

****Candidate Name:** Aryan Kacher**

****Domain Focus:** Open-Source Intelligence (OSINT), Application Logic Security, and Volatile Media Forensics**

****Application Context:** Institutional Admission & Hackathon Eligibility Verification**

****Built and deployed all projects entirely on Android using Termux without a traditional laptop-based development environment.**

🏆 Professional Digital Credentials & Certifications

*** **Cisco Networking Academy | Junior Cybersecurity Analyst Career Path****

Verified Credential (Credly) – June 2026

Verified competence in Layer-7 threat management, endpoint protection architectures, automated log analysis, and defensive network configuration controls.

*** **Cisco Networking Academy | Introduction to Cybersecurity****

Verified Credential (Credly) – June 2026

Link:- <https://www.credly.com/users/aryan-kacher/badges/credly>



Aryan Kacher

Badge Wallet



Introduction to Cybersecurity
Cisco

Issued Jun 25, 2026



**Junior Cybersecurity Analyst
Career Path**
Cisco

Issued Jun 25, 2026

1. EXECUTIVE STATEMENT OF PURPOSE & RECONNAISSANCE ROADMAP

My engagement with computer systems and network security developed through autonomous, hands-on exploration rather than standardized academic courses. Before initiating intensive engineering entrance preparation, I heavily utilized the Termux environment on Android subsystems to audit local application architectures and map unauthenticated public-facing data structures.

Throughout my academic preparation for the Joint Entrance Examination (JEE), I purposefully maintained structural continuity with computational security logic. The rigorous mathematical training required for competitive entrance exams directly enhanced my analytical depth, allowing me to approach security flaws from a strict algorithmic perspective. I am driven by a passion to dissect web protocols and client-side data leaks, transitioning from an autonomous explorer to a disciplined, high-level cybersecurity researcher at IIT Kanpur.

2. CORE TECHNICAL SKILL MATRIX

| Capability Domain | Operational Stack & Technical Focus |

| :--- | :--- |

| ****Operating Environments**** | Termux POSIX Environment, Linux Command-Line Interface (CLI), Android File System Architecture. |

| ****Languages & Automation**** | Python 3.x (Functional Automation, Requests, BeautifulSoup Parsing Architecture), JavaScript (Node.js Asynchronous Runtime). |

| ****Protocols & Web Layers**** | HTTP/HTTPS Session Configurations, DOM Data Extraction, WebSocket Connections, Content Delivery Network (CDN) Cache Behaviors. |

| ****Threat Intelligence & Auditing**** | Systematic monitoring and conceptual auditing of verified public exploit streams (e.g., Exploit-DB archives) covering RCEs, Directory Traversals, and CSRF patterns. |

3. PROJECT CASE STUDIES & CODE AUDITS (WITH FUNCTIONAL PROOFS)

CASE STUDY 01: Automated OSINT Public CDN Media Cache Analyzer

* ****Project Type:**** Security Audit & Information Disclosure Demonstration

*** *Code Repository:****

<https://github.com/munna1127/osint-media-cache-analyzer>

*** *Core Security Objective:**** Evaluating if distributed public Content Delivery Networks (CDNs) instantly invalidate or decouple cached user media nodes when profile access privileges are toggled or restricted.

Architectural Workflow & Methodology:

1. ****Unauthenticated Session Simulation:**** The script bypasses traditional authenticated paths by orchestrating raw HTTP GET calls configured with specific mobile agent strings and document navigation headers.
2. ****DOM JSON Interception:**** Runs an optimized scan through the profile's DOM structures to capture hidden embedded JSON objects (`application/json`), targeting high-value properties like `polaris\_timeline\_connection`.
3. ****Recursive Resolution Extraction:**** Parses multi-layered dictionary arrays recursively to isolate high-resolution public media paths (`image\_versions2`) before backend deletion triggers invalidate them.

Functional Proof & Environment Log:

10:57 AM | 181KB/s

Vo WiFi 64



is



19

posts

756

followers

1,046

following

Watch the grow

Follow



This account is private

Follow this profile to see their photos and videos.

Suggested for you

[See all](#)



ja

name

man

Ma

Follow

Follow

10:50 AM | 0.1KB/s

VoWiFi 66

Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

~ \$ ls

CC-CHECKER-CLIV5.5	college-app	proxy.txt
JOSAA-Analysis-Portal	downloads	rank2college
TelegramRAT	h.py	storage
bot1	jee_counsellor	

~ \$ cd bot1

~/bot1 \$ ls

1.py 3.py imageg.html
2.py 4.py stable-diffusion-webui
~/bot1 \$ python 2.py

=====

OSINT METADATA EXTRACTION & RESIDUAL CACHE ANALYZER

=====

[Description]: Research tool for analyzing public CDN data retention.

[Author]: Aryan Kacher

[Disclaimer]: For Educational and Defensive Security Research Only.

=====

10:50 AM | 17.7KB/s ☾ >_

Vo WiFi 66

Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

- \$ `ls`

CC-CHECKER-CLIV5.5	college-app	proxy.txt
JOSAA-Analysis-Portal	downloads	rank2college
TelegramRAT	h.py	storage
bot1	jee_counsellor	

- \$ `cd bot1`

~/bot1 \$ `ls`

1.py 3.py imageg.html
2.py 4.py stable-diffusion-webui
~/bot1 \$ `python 2.py`

=====

OSINT METADATA EXTRACTION & RESIDUAL CACHE ANALYZER

=====

[Description]: Research tool for analyzing public CDN data retention.

[Author]: Aryan Kacher

[Disclaimer]: For Educational and Defensive Security Research Only.

=====

10:51 AM | 0.1KB/s

VoWiFi 66



localhost:8080



[+] OSINT Audit Control Dashboard

Target Profile: @jane_doe | Mapped Residual Media Nodes

Analyst: Aryan Kacher



Video ID (RM): 00-790-50046888

10:52 AM | 1.2KB/s

Vo WiFi 66



localhost:8080



Node ID (PK): 3887960634452946093



Node ID (PK): 3881195427906737977



Figure 1: Execution logs of local POSIX daemon mapping unauthenticated endpoint targets inside an isolated Android subsystem.

CASE STUDY 02: Volatile Data Interception Framework for Ephemeral IM Sessions

* *Project Type:* Prototype Digital Forensics and Evidence Gathering Specification

* *Code Repository:*

<https://github.com/munna1127/ephemeral-media-forensics>

* *Core Security Objective:* Demonstrating the architectural limitations of client-side application restrictions (e.g., "View-Once" properties) by capturing transient media buffers directly from active communication streams.

Architectural Workflow & Methodology:

1. **Active Stream Mirroring:** Operating a background session mirroring agent mapped to an authorized application layer WebSocket pipeline to bypass device-level display blocks ('FLAG_SECURE').
2. **Command-Driven Injection (.vv Listener):** The forensic daemon implements an event listener on the incoming message array ('message_create'). When an explicit text command '.vv' is fired against a tagged/quoted message, the parser is initialized.
3. **Permanent Artifact Re-writing:** The exfiltrated stream is written directly into permanent storage using secure binary block handlers ('fs.writeFileSync'), producing clean static image evidence for legal investigation.

Functional Proof & Code Repository Index:

10:09 AM | 10.4KB/s 🌙 >_

VPN 📶 📶 🔋 22



Whatsapp bot

bot



Message



Mute



Share



Stop

@TOXIC_WHATSAPBot


Username



Add to Group or Channel

This bot is able to manage a group or channel.

10:10 AM | 1.1KB/s



WH

Whatsapp bot
bot




June 21

4:54 AM



YGÄ

last seen today at 4:51 AM



11 kB

Sorry 🙄... But why 🙄

6:52 PM

Today



Photo

22 kB

4:50 AM



Message



GIF



10:06 AM | 0.4KB/s

VPN 23

← June 21, 2026

10:05

11 kB

Sorry ... But why

6:52 PM

Today

Opened 4:50 AM

YGA

Photo

.vv



W

vb

W



10:06 AM | 0.0KB/s

VPN 23

← June 21, 2026

10:05 Today at 4:55 AM

Opened 4:50 AM

YGA

Photo

.vv 4:54 AM ✓✓

NOW, YOU CAN SAVE THE IMAGE

Message



GIF



Figure 2: Active version control tracking and architectural repository deployment for custom forensic and parsing wrappers under github.com/munna1127.

CASE STUDY 03: Open-Source Code Review (AI Network Threat Detection Framework)

* **Project Type:** Threat Intelligence & Technical Vulnerability Audit Case Study

* **Code Repository:**

<https://github.com/munna1127/ai-threat-detection-code-review>

* **Core Security Objective:** Reverse-engineering and evaluating community-shared automation blocks that leverage machine learning algorithms ('IsolationForest') alongside low-level packet capture tools ('tshark').

Technical Audit Findings & Architectural Flaws:

1. **Shared Resource Concurrency I/O:** Reading and writing to a single un-locked static file ('traffic.csv') across asynchronous threads presents implicit filesystem race hazards. Production scaling requires database lock strategies or database memory pipeline queues.
2. **1-Dimensional Feature Constraints:** Relying strictly on single packet volume count parameters makes the model susceptible to slow-brute network techniques. Multi-dimensional entropy analysis must be introduced to counter advanced adversarial threats.

Functional Proof & Audit Resource:

12:41 PM | 3.3KB/s

VPN 81

```
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
/data/data/com.termux/files/usr/bin/sh: 1: tshark: not found
^C
```

[*] Terminating operational channels...

~/downloads \$ rm AICS.py

~/downloads \$ nano AICS.py

~/downloads \$

~/downloads \$ python AICS.py

[*] Initializing AI-Network Security Telemetry Core...

* Serving Flask app 'AICS'

* Debug mode: off

[*] All monitoring engines deployed successfully. Hosting dashboard on port 5000.

[*] Press Ctrl+C to terminate runtime logs safely.

WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.

* Running on http://127.0.0.1:5000

Press CTRL+C to quit

[2026-06-21 10:38:13]  ALERT:  Medium Risk Anomaly from Node 4 5.55.8.12 (180 Packets) -> Threat Engine Notified.

127.0.0.1 - - [21/Jun/2026 10:38:15] "GET / HTTP/1.1" 200 -

127.0.0.1 - - [21/Jun/2026 10:38:15] "GET /favicon.ico HTTP/1.1" 404 -

[2026-06-21 10:38:25]  ALERT:  Medium Risk Anomaly from Node 1 72.16.5.99 (209 Packets) -> Threat Engine Notified.

[2026-06-21 10:39:26]  ALERT:  Critical Risk Anomaly from Node 172.16.5.99 (540 Packets) -> Threat Engine Notified.

[2026-06-21 10:39:38]  ALERT:  Critical Risk Anomaly from Node 185.220.101.5 (526 Packets) -> Threat Engine Notified.

[2026-06-21 10:40:10]  ALERT:  Medium Risk Anomaly from Node 4 5.55.8.12 (347 Packets) -> Threat Engine Notified.

[2026-06-21 10:41:12]  ALERT:  Medium Risk Anomaly from Node 4 5.55.8.12 (439 Packets) -> Threat Engine Notified.

[2026-06-21 10:41:25]  ALERT:  Medium Risk Anomaly from Node 1 85.220.101.5 (163 Packets) -> Threat Engine Notified.

[2026-06-21 10:41:47]  ALERT:  Medium Risk Anomaly from Node 1 72.16.5.99 (211 Packets) -> Threat Engine Notified.

[2026-06-21 10:42:19]  ALERT:  Critical Risk Anomaly from Node 45.55.8.12 (581 Packets) -> Threat Engine Notified.

[2026-06-21 10:42:31]  ALERT:  Medium Risk Anomaly from Node 1

12:44 PM | 219KB/s

VPN 80



github.com/munna112



92



ai-th...



Code

Issues

Pull requests

More



Watch

0



1 star



0 forks



0 watching



1 Branch



0 Tags



Activity



Public repository



main



Code



munna1127

23 minutes ago



AICS_production.py

25 minutes ago



AICS_simulation.py

24 minutes ago



README.md

23 minutes ago



index.js

last month

Figure 3: Version control index and dual-mode (production/simulation) architecture repository deployment on GitHub under github.com/munna1127.

4. ADVANCED LITERATURE REVIEW & PROTOCOL ANALYSIS

Book:-

<https://github.com/munna1127/ADVANCED-LITERATURE-REVIEW-PROTOCOL-ANALYSIS/blob/main/Hacking%20Gmail%20by%20Ben%20Hammersley.pdf>

* **Subject Material:** Structural Analysis of Legacy Web Application APIs & Virtual File Systems (Ref: *Hacking Gmail by Ben Hammersley*)

* **Research Focus:** Analysing architectural protocol vulnerabilities, historical front-end DOM deconstructions, and structural memory layout manipulations.

Key Core Takeaways:

1. **Protocol Abuse Frameworks (GmailFS Architecture):** Evaluated historical reverse-engineering frameworks where raw SMTP wrappers and MIME attachments were script-manipulated to operate as a virtual cloud hard drive allocation system over email storage layers.
2. **Evolution of Client-Side Security:** Analysed early Ajax and XMLHttpRequest interception boundaries, bridging the understanding between historical web vulnerabilities and modern mitigation deployments like OAuth 2.0 and strict Content Security Policies (CSP).

CASE STUDY 04: Serverless API Ingestion & Gateway Telemetry Auditor

* **Project Type:** Cloud API Vulnerability Auditing & Gateway Stress Simulation

* **Code Repository:**

<https://github.com/munna1127/ai-media-synthesis-core>

* **Core Security Objective:** Evaluating dynamic transaction rate-limiting boundaries, session behaviors, and fallback data structure parsing across public serverless endpoints under automated load.

Architectural Workflow & Methodology:

1. ****Dynamic Ingestion Infiltration:**** Deploys a customized request pipeline that interfaces directly with an exposed AWS Execute-API endpoint without platform-native session tokens, testing unauthenticated access risks.
2. ****Telemetry Inversion Analysis:**** Captures and extracts real-time JSON metadata dictionaries, truncating heavy Base64 string arrays to securely parse status logs without memory leaks.
3. ****Behavioral Discovery (Rate-Throttling Verification):**** Under continuous structural looping, the framework successfully analyzed a serverless defense mechanism where the gateway, to protect backend compute cycles, smoothly transitions from live asset synthesis to localized cached media node delivery.

Functional Proof & System Response:

Docs: <https://termux.dev/docs>
 Donate: <https://termux.dev/donate>
 Community: <https://termux.dev/community>

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

```
- Root:    pkg install root-repo
- X11:    pkg install x11-repo
```

Report issues at <https://termux.dev/issues>

[illegible]

10. *Journal of the American Medical Association*, 2000; 283: 2686-2692.

TELEMETRY RESPONSE DISPATCHED SUCCESSFUL - VALID DATA STRUCT

```

  ↪ IMAGE RESOURCE NODE : https://dbuzz-assets.s3.amazonaws.com/ai_1
image/public/pl/image-1782390557435.jpeg
  ↪ BASE64 STRING SEG : No base64 Found ... [TRUNCATED]
  ↪ TRANSACTION STATUS : success
  ↪ COMPUTE ATTEMPTS : No attempt Found

```

5:59 PM | 37.9KB/s

4G 36



s.s3.amazonaws.com



Figure 4: Terminal execution telemetry of the Serverless Gateway Auditor monitoring active live data dumps on port 5000 / console layers,

CASE STUDY 05: Enterprise Social Engineering & Client-Side Telemetry Auditing Framework

* **Project Type:** Authorized Phishing Simulation, Human-Risk Modeling, and Metadata Harvester

* **Code Repository:**

<https://github.com/munna1127/geoaudit-telemetry-sim>

* **Core Security Objective:** Auditing user compliance thresholds and evaluating browser-level permission leak paths (HTML5 GPS parameters) under controlled social engineering assessments.

Architectural Workflow & Methodology:

1. **Compliance Vector Masking:** Deploys an administrative synchronization overlay to test client-side awareness susceptibility during internal organizational auditing simulations.
2. **Metadata Aggregation Loop:** Systematically orchestrates asynchronous asynchronous hooks to merge layer-3 transport logs (Client IP arrays, autonomous system routing data) with precise physical GPS coordinate coordinates from the hardware layer.
3. **Telemetry Exfiltration Integrity:** Implements standalone JSON payloads dispatched directly via programmatic API endpoints over HTTPS secure pipes to evaluate real-time alerting systems.

Functional Proof & Simulation Logs:

7:44 PM | 39.9KB/s

4G 38



G

Geolocation

bot




Set Profile Photo

June 25

/start 7:43 PM ✓✓

Unread Messages



7:45 PM | 3.3KB/s

4G 38



munna1127.github.io/g



EXECUTE MANUAL DIAGNOSTIC NODE CHECK-IN

7:47 PM | 2.9KB/s

4G 37



munna1127.github.io/g



Compiling host environment matrix...

Figure 5: Security awareness alert output captured on the enterprise notification console showing successful geolocation telemetry retrieval.

CASE STUDY 06: OSINT-Nexus Multi-Vector Asynchronous Telemetry Aggregator

* **Project Type:** Passive Reconnaissance Automation, Metadata Ingestion, and Network Security Auditing

* **Code Repository:**

<https://github.com/munna1127/osint-nexus-core>

* **Core Security Objective:** Engineering a centralized, non-blocking administrative interface to aggregate layer-3 transit parameters and E.164 telephony routing metadata during initial intelligence threat-modeling scenarios.

Architectural Workflow & Methodology:

1. **Asynchronous Request Pipeline Integration:** Deploys highly optimized, asynchronous event loop workers (`asyncio.to_thread`) to prevent main signaling interface blocking during extensive external infrastructure socket lookups.
2. **Multi-Vector Telemetry Resolution:** Combines public IP routing structures and carrier trace registries into single JSON arrays. The tool isolates advanced properties like BGP Autonomous System Names, cloud infrastructure hosting tags, and localized spatial mapping coordinate metrics.
3. **Risk Profile Mapping:** Programmatically computes analytical anomaly indexes and matches signatures against global spam registries to identify active malicious infrastructure elements before active interaction cycles begin.

Functional Proof & System Output:

2:24 PM | 0.3KB/s  

 Vo WiFi  

Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

`~/ai $ python i.py`

```
[+] ===== [+]
OSINT-NEXUS TELEMETRY AGGREGATOR CORE SUCCESSFULLY DEPLOYED
[+] ===== [+]
- Processing Mode: Multi-threaded Non-Blocking Event Loops
- Network Scopes: 40+ IP Ingestion Nodes / 40+ E.164 Formats
- Core Administrator Account Locked: Aryan Kacher
[+] ===== [+]
```

`█`

2:11 PM | 6.8KB/s

VoWiFi 100%



G

Gamer

bot



Set Profile Photo



COMPREHENSIVE TELEPHONY MATRIX REPORT: VECTOR



Geopolitical & Spatial Mapping

- Sovereign Region: India
- Country Dialing Code: +91
- Inbound Routing Identity
- Core Timezone Allocation
- Calcutta
- Dominant Regional Language
- Domain Language
- Local Fiat Currency: Indian Rupee
- Token
- ISO Region Alpha Identifier
- Estimated Country Population
- Geographic Bounds Map
- Population Metric: Density
- Available
- Administrative Capital
- Center

Figure 6: Live production telemetry log output generated by the OSINT-Nexus framework demonstrating comprehensive metadata aggregation.

CASE STUDY 06: Client-Side DOM Ingestion & Static Resource Archiver

* **Project Type:** Front-End Architecture Audit, DOM Parsing, and Asynchronous Asset Marshalling

* **Code Repository:**

<https://github.com/munna1127/dom-mirror-archiver>

* **Core Security Objective:** Designing a client-side diagnostic utility to recursively deconstruct hyper-media layouts, parse script/style dependency vectors, and mirror standalone structural configurations for local offline sandboxing.

Architectural Workflow & Methodology:

1. **Dynamic DOM Deconstruction:** Utilizing the programmatic native `DOMParser` runtime layers to instantly map out the operational components of an ingested web document without invoking backend compilation layers.
2. **Asynchronous Dependency Mapping:** Orchestrated recursive tracking loops over target subtrees to isolate linked JS scripts, CSS files, and media vectors via unified document arrays.
3. **In-Memory Local Packing:** Implemented cross-origin blob fetching parameters alongside client-side ZIP compilers (`JSZip`), converting multi-source network streams directly into localized file structures inside the browser's storage sandbox.

Functional Proof & Execution Interface:



DOM-Mirror: Static Resource Archiver

Asynchronous Client-Side Web Scraper & DOM Ingestion System | Analyst, Aryan Kacher

Google.com

Custom Package Export Name (Optional)

Resource Extraction Configuration Flags

Select All Content Layers



HyperText Markup Layout (HTML)



Cascading Style Sheets (CSS Assets)



Asynchronous Script Files (JS Bundles)



Media Assets & Static Images



Embedded Vector Typography (Fonts)



EXECUTE CLIENT-SIDE DOM COMPILATION & EXPORT

```
[*] Initialising Layer-7 DOM Ingestion Task...
[*] Requesting active handshakes against endpoint: Google.com
[*] Isolated 2 discrete dependency nodes embedded within the structural DOM markup
[*] Streaming memory buffers into local binary objects...
[*] Audit Complete: Package exported safely as 'dom-mirror-export-google.com.zip'
```

Real-Time Isolation Ingestion Preview (DOM Canvas)

404

File not found

The site configured at this address does not contain the requested file

Figure 6: Live runtime telemetry logs of the DOM-Mirror utility processing layer-7 object trees and exporting bundled binary blobs.

CASE STUDY 07: Public Social Graph Metadata Ingestion Framework

* **Project Type:** Passive OSINT Automation & Target Profiling Endpoint Validation

* **Code Repository:**

<https://github.com/munna1127/instalens-osint-harvester>

* **Core Security Objective:** Engineering an automated, non-authenticated public registry scraper to fetch and map localized social graph arrays, profile descriptors, and interaction density parameters during initial target reconnaissance vectors.

Architectural Workflow & Methodology:

1. **Public Schema Extraction:** Deploys structured query layers targeting exposed platform endpoints, extracting real-time entity profiles without session context dependency constraints.
2. **Attribute Mapping Logic:** Automatically structures raw layout indices into logical data blocks, compiling volumetric statistics (Follower configurations, media count densities) alongside qualitative strings.
3. **Consolidated Logging Dispatch:** Hooks the metadata mapping engine directly into automated polling systems, allowing remote operators to instantly receive structured target dossiers over secure communication webhooks.

Functional Proof & System Output:

7:27 PM | 570KB/s



Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

- \$ `python b.py`

[*] OSINT Daemon Active. Initialize session and trigger /start on the administrative node.

█

ESC



HOME



END

PGUP



CTRL

ALT



PGDN



GIF



7:27 PM | 166KB/s

4G 49



IN

Insta bot


bot



Set Profile Photo

June 25

/start 7:27 PM ✓✓



『MAHAKAL』



/start



INSTALENS: PUBLIC METADATA
HARVESTER

=====

=====

Administrative endpoint connected
successfully.

Figure 7: Live console display generated by the InstaLens OSINT framework showing automated dictionary data generation for targeted validation checks.

CASE STUDY 06: CryptoSentinel High-Entropy Storage Behavioral Engine

* **Project Type:** Behavioral Intrusion Detection (HIDS), Data Analytics, & Statistical Anomaly Modeling

* **Code Repository:**

<https://github.com/munna1127/cryptosentinel-entropy-monitor>

* **Core Security Objective:** Engineering a signature-less malware detection model utilizing information theory math to classify storage-write mutations and neutralize active zero-day ransomware propagation sweeps.

Architectural Workflow & Methodology:

1. **Algorithmic Asset Scanning:** Running localized calculations to isolate data randomness configurations. Encrypted contents or raw byte streams yield maximum mathematical margins near 8.0.
2. **Dynamic Write-Velocity Auditing:** Establishing real-time sliding queues to analyze operational data densities. Spikes in rewrite transactions cross-referenced against sudden entropy deltas indicate system compromise.
3. **Stateful Alert Matrix Generation:** Triggering behavioral defensive mechanisms natively whenever storage metrics cross risk thresholds, isolating threat sources before traditional signature records propagate.

Functional Proof & System Output:

```
- $ cs storage
No command cs found, did you mean:
Command as in package binutils
Command cjs in package cjs from the x11-repo repository
Command cc in package clang
Command cp in package coreutils
Command ocs in package cscope
Command csh in package csh
Command cvs in package cvs
Command gs in package ghostscript
Command ss in package iproute2
Command csc in package mono
Command ts in package moreutils
Command ps in package procs
Command qs in package quickshell from the x11-repo repository
Command ci in package rcs
Command cu in package uucp
```

```
- $ cd storage
```

```
~/storage $ la
```

```
No command la found, did you mean:
```

```
Command ln in package coreutils
Command lp in package cups
Command lf in package lf
Command lha in package lhasa
Command ld in package lld
Command lr in package lr
Command lua in package lua51
Command lua in package lua52
Command lua in package lua53
Command lua in package lua54
Command lua in package lua55
Command lx in package lux-cli
Command lc in package mono
Command lz in package mtools
Command ya in package yazi
```

```
~/storage $ ls
```

```
audiobooks  documents  external-0  movies  pictures  shared
dcim        downloads  media-0     music   podcasts
```

```
~/storage $ nano crypto.py
```

```
~/storage $ python crypto.py
```

```
=====
CRYPTOSENTINEL: HARDWARE STORAGE BEHAVIORAL INTEL ENGINE
=====
```

```
[+] Sandbox target node mapped to environment: ./secure_sandbox_worksp
ace
[*] Initializing cryptographic data baseline mappings for target: ./se
cure_sandbox_workspace
[+] Operational baseline locked. 5 target elements registered.
[*] Stateful behavioral monitor loops active. Awaiting network/storage
telemetry exceptions...
```


Figure 6: Live analytical logs produced by the CryptoSentinel framework capturing a high-entropy simulated ransomware transaction array in real-time.

CASE STUDY 07: Stateful Multi-Factor Authentication & Cryptographic Verification Simulator
Project Type: Identity & Access Management (IAM) Simulation, Behavioral State-Machine Engineering
Code Repository:

<https://github.com/munna1127/secure-authsim-core>

Core Security Objective: Engineering an automated, zero-intermediary access control engine designed to simulate secure out-of-band validation flows, enforce strict temporal boundary parameters, and evaluate real-time brute-force mitigation heuristics.

Architectural Workflow & Methodology:

Temporal Boundary Enforcement (TTL Analytics): Employs precise unix-epoch timestamp differentials to compute token longevity constraints. The engine enforces a strict 60-second Time-To-Live (TTL) matrix over transient validation structures, effectively nullifying downstream token-replay or session hijacking vectors.

Volatile Memory Isolation: Strategically manages operational session contexts inside localized, non-persistent memory dictionaries. This data-handling layout ensures that cryptographic parameters are immediately expunged post-validation, preventing data-at-rest contamination or side-channel leakage.

Behavioral Rate-Throttling (Exhaustion Mitigations): Implements stateful operational counters tracking validation attempts per unique runtime identity. If anomalous submission frequencies breach the predefined threshold boundary (3 faulty iterations), the architecture automatically invalidates and flushes the entire session context to prevent automated processing exhaustion.

Functional Proof & Simulation Logs:

9:03 PM | 0.2KB/s  

 VoWiFi  

Welcome to Termux!

Docs: <https://termux.dev/docs>
Donate: <https://termux.dev/donate>
Community: <https://termux.dev/community>

Working with packages:

- Search: `pkg search <query>`
- Install: `pkg install <package>`
- Upgrade: `pkg upgrade`

Subscribing to additional repositories:

- Root: `pkg install root-repo`
- X11: `pkg install x11-repo`

For fixing any repository issues,
try 'termux-change-repo' command.

Report issues at <https://termux.dev/issues>

~/storage \$ python bot.py

=====

SECURE IDENTITY VERIFICATION & MFA SIMULATION CORE

=====

[*] Triggering transaction request for User ID: 112706
[📡 Out-of-Band Gateway] Simulated SMS sent to 9912345678; Your code is 190381

🔑 Enter the received validation token: 190381

[✅ ACCESS GRANTED] Identity 9912345678 verified against active session layer.

~/storage \$ █

(Real)

10:08 PM | 97.5KB/s

4G 60



PH

Phone no. Sell

bot



Set Profile Photo

[Redacted] 8:48 PM ✓✓

💰 Enter withdraw amount:

20 8:48 PM ✓✓

✗ Minimum withdraw 150 Taka or insufficient balance.

SOS Support 8:48 PM ✓✓

💬 Contact: @tonar_ji_99 8:48 PM

📅 New number received

👤 User: @

📞 Number: [Redacted] 8:48 PM

Send Code

Reject

✅ Added user [Redacted] and OTP.

📅 OTP Received [Redacted] 8:48 PM

📅 OTP Received

10:09 PM | 1.6KB/s

4G 60



PH

Phone no. Sell

bot



10:09 PM

/start 9:42 PM ✓✓

✨ Welcome to @tomanji_99 Premium
WhatsApp Bot!

9:42 PM

📄 Sell Number 9:43 PM ✓✓

✉ Enter your WhatsApp number (without
+):

9:43 PM

~~9999999999 9:43 PM ✓✓~~

✓ Your number has been submitted for
verification.

10:05 PM

🔑 Enter your verification code:

10:06 PM

Figure 7: Production environment execution logs of the Secure-AuthSim framework calculating cryptographic token constraints and validating client identity interfaces.