

1100 asout 10
9. Select maven goto advance give the group id
name org. asba
10. Sernove main class 11. Create dependencies in org. dibda copy the Org. dibda copy the Org. dibda copy the Org. dibda copy the Org. dibda copy The org. dibda copy The present name greload Org. dibda copy The present name greload
in org. dibda
11. Create dependencies the github.
dépendences code fon
dependencies code from the github. dependencies code from the github. 12. go to maves dick on the project name greload all projects. all projects. 2 iava classes WC-Mapper, Reduce, Runny
all hojects. Reduce, Runny
12. go to mover dick on all hojects. Runny all hojects. 13. create the 3 java classes WC-Mapper, Reduce, Runny copy har code from gathub. Copy har code from gathub. to sou like> click on moven clear enter and
13. Creale mi gode kom github.
Copy the click on moven clear
all example 1001 kills
copy he code kom githus. 14. create jan file> click on moven clear enter and moven enter. moven enter. Will be created which tool any jar file.
moven enter. 15. target folder will be created which tonlary jour file. 15. target folder berninal create the tentile intell 2. the 16. goto wounter terminal create the tentile intell 2. the
it auto ubunta tentin
a while the
18. Write some text with repeated words
18. Write some tend
A CIKU AT X
as cot input-took about the state of
19. contil + 0 Enter with 19. 20. cat input tool 21. create the folder on the localhost hadoop to -interest input 2
21. Create 12 3
a consider the state of the consideration of the co
22. hadoop to -put inputation!

23. back to the local host check the fle system.
lack to the titelli go to terminal hadash in
bred lucek 2-1.0-5 NAPSHOT. jas org. asbda. WC-numer
int 2 / Tubul 1. Troll or Im
25. back to the local hort check the file system.
25. back to the local note the
which on owhat the
28. halloop Is -cat louthw/2/hael00000
28. halloop de partir de partir de la partir
My War Workstation.
Cubantu 64-bit I
-s open VM Wase Workstation. (utomin 64-bit J -hower on.
- check hadod . Version [3.4.4] - check hadod . Version [3.4.4] - check java - version [1.8.0-432]
- check java - veesan [J. 8.0-432]
-> To stail hadoop file system check stail-au. sh
Here all date moder will scar I here in landach system.
- To see withat Kind of pocas active heocoesing statu).
- the ck java - veering [J. 8.0-432] To stail hadoop file system check stait-allish Flere all date moder with start] To see what kind of moder are these in hadoop system. The see is that kind of moder are these in hadoop system. The see is that kind of machine processing starting).
- for fresh node percent clear halloop -3.4.01 sin 1 mil - fort
- gen steet-all-sh my the tripped Eath in 1/0/2
hoole not not to

>type: localhost: 9870/dfsheath. How #-lab-overnew [this is hadoop file system, changes done in command prompt are veen here J. - go to show application and open Sutelli J IDEA Committy - goto = to file -> new -> hoject -> give name as -> Lab 2. sdet as moven, used for automotion - go b advance sethigs: - keep grouded: - org. data science -> dick on create _ dick on the Window -Right dick on Main and Welete - sold of - org-datasience y highlightet. - Anduit, under 2/proprentier type < the pardonier > < dependences> - copy post code kom github deprices that of githus.com/ suhikumar 1992 - haste it inside IN <defrancies </defences only. - Charge The version in it from 3.3.3 to 3.4.0 _ 70 relevant; dut on m symbol on systet -> Tap on das a preject, dirk on refeel....

- Alor we need to create the classer, so go to gother reporter.
The DC-Mopler. that.
organ duce on org. data sicience - new-saraday
Combite none 101, 1 WC-Mapher.
Romane line 3 of pusheday
- hoste the copied tent from orthub WC-Mappa. on
- Smilasly execute Other two classes !- WC - Reducer
In order to coe atugar die in
The Con Market Topics - rol declared
Theat mean
- dick on myn dean and dick Enter.
again dick some the and that an
MA (1) (0 as 10 d
to tou late the dest tolder is control in which i foot the
the Lab2-1.0-SNAPBHOT. jan should be created under larget folder.
-target folder.
To creat wood ble ithe name data isd ant.
- Inthe type: This is DSBDA less. To
In tile type: This is DSBDA less. The save it cital to and entry and swell the cital to and entry and swell the cital to and entry and swell the cital to
when type cat csd. tut " mkdis /sdc.
- then type cat csdInt - Ment Create a directory: - hadoop to - mkdis / sode. in termed
(M) Jumilla of

Cside. [while he boowere Dredery] > huh the file into folder i - hadap to - but esd-tot lasde _ under csd folder csdc file y there. Hence file y in hadeop de system. Now program and input are heady; it heed to run one. - goto intellij IDEA in the bottom terminal [2] dick on it and type: hadoop for taget/ Lab2 - 1.0 - SNAPSKONT jar org. dat recense. WC-Runner leedclosd-that / neek 20 mlpt - click Enter - after 100%. I check brown click on weet 2 at put. map 100-1. Reduce 1001. Thead the file 32k. - hadoop show jax shace target / Lab2-1.0-SNAPSHOT, Jax share org. datavience f. WC Runnor share/csdc/csd. tot Shace / beek 20 mpt. The transfer of the state of th

who when I define without a without a state of the ties the only within

file information-paril-00000 Chonnood Hod Ity fle (Hout 32K) Tail to fle (6430) Lusda Block information - - 1310,ck0/ Black 15: 10737418234. Black poul 19 = 1 BP-6 6314 52 3617122 ... General stamp: 1008 7 master) totalist of envailability : 3/m delet - portaged indefendation SKON dat recene. word. ज्यीची Hile Contents DSBDA 2 W dose