

Global surface temperature change detection (before 1970 - after 1990)

Merlin Unterfinger, Geography UZH

Olivier Niklaus, Geography UZH

4 7 2017

Abstract


Spatial continuity of global temperature point measurements is analysed by creating H-Scatterplots, autocovariance plots and variograms. Universal Kriging is applied to interpolate global temperature maps from point measurements. Global layers of elevation, sun incidence angle, atmospheric distance and continentality are created and used in the Universal Kriging as explaining variables. Afterwards difference images are calculated and interpreted.

Contents


1 Data	2
2 Spatial continuity	3
2.1 H-scatterplots and autocovariance	3
2.1.1 Winter before 1970	3
2.1.2 Winter after 1990	4
2.1.3 Summer before 1970	5
2.1.4 Summer after 1990	6
2.2 Empirical Variogram	7
2.2.1 Winter before 1970	7
2.2.2 Winter after 1990	8
2.2.3 Summer before 1970	9
2.2.4 Summer after 1990	10
2.3 Fitted Semivariogram	11
2.3.1 Winter before 1970	11
2.3.2 Winter after 1990	12
2.3.3 Summer before 1970	13
2.3.4 Summer after 1990	14
3 Universal Kriging	15
3.1 Continentality	15
3.2 Surface gradient (North-South)	15
3.3 Sun inclination angle	16
3.4 Atmospheric distance	17
3.5 Interpolation	18
3.5.1 Winter before 1970	18
3.5.2 Winter after 1990	21
3.5.3 Summer before 1970	24
3.5.4 Summer after 1990	27
4 Difference images	30
4.1 Winter	30
4.2 Summer	30

1 Data

All measurements and validation points




id	meanWi_before1970	meanSu_before1970	meanWi_after1990	meanSu_after1990	elev
1	11.83	23.27	13.09	24.75	7
2	10.21	22.43	11.35	23.94	4
3	10.83	22.78	11.32	24.76	25
4	10.30	22.00	11.44	24.02	2
5	6.13	22.37	7.00	24.56	694
6	8.14	24.90	9.35	26.15	715




2 Spatial continuity

2.1 H-scatterplots and autocovariance


2.1.1 Winter before 1970




2.1.2 Winter after 1990



2.1.3 Summer before 1970




2.1.4 Summer after 1990




2.2 Empirical Variogram


2.2.1 Winter before 1970




2.2.2 Winter after 1990



2.2.3 Summer before 1970




2.2.4 Summer after 1990




2.3 Fitted Semivariogram

2.3.1 Winter before 1970


Exponential: 10km




Spherical: 10km



Gaussian: 10km




Mat: 10km




2.3.2 Winter after 1990


Exponential: 10km




Spherical: 10km



Gaussian: 10km




Mat: 10km




2.3.3 Summer before 1970


Exponential: 10km




Spherical: 10km



Gaussian: 10km




Mat: 10km




2.3.4 Summer after 1990


Exponential: 10km




Spherical: 10km



Gaussian: 10km




Mat: 10km




3 Universal Kriging


3.1 Continentiality



3.2 Surface gradient (North-South)




3.3 Sun inclination angle




3.4 Atmospheric distance

Atmospheric distance, winter



Atmospheric distance, summer




3.5 Interpolation


3.5.1 Winter before 1970

```
##  
## Call:  
## lm(formula = meansum ~ elev + cont + hsun + dist, data = temp1970w@data)  
##  
## Residuals:  
##      Min       1Q   Median       3Q      Max  
## -33.810  -2.784   0.214   3.457  20.484  
##  
## Coefficients:  
##             Estimate Std. Error t value Pr(>|t|)  
## (Intercept) 51.962582589 1.564478648 33.21 <2e-16 ***  
## elev        -0.002549821 0.000194058 -13.14 <2e-16 ***  
## cont        -0.0000004780 0.0000000247 -19.35 <2e-16 ***  
## hsun        -0.305771718 0.020306009 -15.06 <2e-16 ***  
## dist        -70.813823990 1.785091328 -39.67 <2e-16 ***  
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 5.372 on 2873 degrees of freedom  
## Multiple R-squared:  0.8517, Adjusted R-squared:  0.8515  
## F-statistic: 4126 on 4 and 2873 DF, p-value: < 2.2e-16
```

Residual Values




Relative Residual Values




```
## [1] "Observed autocorrelation: 0.201681906011682"  
## [1] "P-value of H0 (residuals are randomly distributed): 0"  
## [using universal kriging]  
## [1] "Observed RMSE (5% validation data): 3.97°C"
```

Prediction: Winter before 1970




Uncertainty: Winter before 1970




3.5.2 Winter after 1990

```
##
## Call:
## lm(formula = meansum ~ elev + cont + hsun + dist, data = temp2010w@data)
##
## Residuals:
##    Min     1Q Median     3Q    Max 
## -33.163 -2.842  0.150  3.488 20.639 
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)    
## (Intercept) 50.2910205699  1.5548830793   32.34 <2e-16 ***
## elev        -0.0025632967  0.0001928681  -13.29 <2e-16 ***
## cont        -0.0000045176  0.0000002455  -18.40 <2e-16 ***
## hsun        -0.2789699428  0.0201814640  -13.82 <2e-16 ***
## dist       -67.6978745738  1.7741426545  -38.16 <2e-16 ***
## ---        
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1 
##
## Residual standard error: 5.339 on 2873 degrees of freedom
## Multiple R-squared:  0.8479, Adjusted R-squared:  0.8477 
## F-statistic: 4004 on 4 and 2873 DF, p-value: < 2.2e-16
```

Residual Values




Relative Residual Values




```
## [1] "Observed autocorrelation: 0.203411067711633"  
## [1] "P-value of H0 (residuals are randomly distributed): 0"  
## [using universal kriging]  
## [1] "Observed RMSE (5% validation data): 3.88°C"
```

Prediction: Winter after 1990




Uncertainty: Winter after 1990



3.5.3 Summer before 1970

```
##  
## Call:  
## lm(formula = meansum ~ elev + cont + hsun + dist, data = temp1970s@data)  
##  
## Residuals:  
##      Min       1Q   Median       3Q      Max  
## -82.327  -1.649    0.520    2.580   13.248  
##  
## Coefficients:  
##              Estimate Std. Error t value Pr(>|t|)  
## (Intercept) 82.2753262511  1.6484125647 49.91 <2e-16 ***  
## elev        -0.0031589084  0.0002044696 -15.45 <2e-16 ***  
## cont         0.0000030460  0.0000002603  11.70 <2e-16 ***  
## hsun        -0.8090570698  0.0213954214 -37.81 <2e-16 ***  
## dist        -71.5021513597  1.8808610643 -38.02 <2e-16 ***  
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 5.661 on 2873 degrees of freedom  
## Multiple R-squared:  0.37, Adjusted R-squared:  0.3691  
## F-statistic: 421.8 on 4 and 2873 DF, p-value: < 2.2e-16
```

Residual Values




Relative Residual Values




```
## [1] "Observed autocorrelation: 0.136074168039311"  
## [1] "P-value of H0 (residuals are randomly distributed): 0"  
## [using universal kriging]  
## [1] "Observed RMSE (5% validation data): 8.42°C"
```

Prediction: Summer before 1970




Uncertainty: Summer before 1970



3.5.4 Summer after 1990

```
##  
## Call:  
## lm(formula = meansum ~ elev + cont + hsun + dist, data = temp2010s@data)  
##  
## Residuals:  
##      Min       1Q   Median       3Q      Max  
## -82.933  -1.722   0.513   2.597  14.207  
##  
## Coefficients:  
##              Estimate Std. Error t value Pr(>|t|)  
## (Intercept) 82.3823644112  1.6554907256 49.76 <2e-16 ***  
## elev        -0.0029954190  0.0002053476 -14.59 <2e-16 ***  
## cont         0.0000027085  0.0000002614  10.36 <2e-16 ***  
## hsun        -0.8017893042  0.0214872918 -37.31 <2e-16 ***  
## dist        -70.8130862521  1.8889373417 -37.49 <2e-16 ***  
## ---  
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  
##  
## Residual standard error: 5.685 on 2873 degrees of freedom  
## Multiple R-squared:  0.3593, Adjusted R-squared:  0.3584  
## F-statistic: 402.7 on 4 and 2873 DF,  p-value: < 2.2e-16
```

Residual Values




Relative Residual Values




```
## [1] "Observed autocorrelation: 0.137007208564942"  
## [1] "P-value of H0 (residuals are randomly distributed): 0"  
## [using universal kriging]  
## [1] "Observed RMSE (5% validation data): 8.8°C"
```

Prediction: Summer after 1990




Uncertainty: Summer after 1990



4 Difference images

4.1 Winter

Temperature change: Winter (before 1970 – after 1990)



4.2 Summer

Temperature change: Summer (before 1970 – after 1990)

