

	PRODUCT NAME: MUNTRA PRACTICE MANAGEMENT SYSTEM ("MPMS") CURRENT PRODUCT VERSION IS SHOWN IN THE SOFTWARE (VERSION X.Y.Z).
   	
	UDI-DI: 07350168550002 UDI-PI: DISPLAYED WITHIN THE SOFTWARE (SEE SETTINGS SECTION AFTER LOGIN)
	MUNTRA AB NARVAVÄGEN 12, 115 22 STOCKHOLM, SWEDEN Website: muntra.se Phone: +46840906890 E-mail: support@muntra.se Date of manufacture: Displayed within the software (see Settings section after login)

Muntra Patient Management System ("MPMS") Instructions For Use

Doc. No.	Date of First Issue	Last Issue No.	Last Issue Date
15-01	23 Oct 2019	Rev8	14 Aug 2026

A physical copy of this document should be regarded as an "uncontrolled copy". The holder of an uncontrolled copy is responsible for checking the accuracy of the document. Muntra's internal handling and review of documents is only done in the electronic version.

If you would like to receive a printed version of the Instructions for Use (IFU), please contact Muntra by email at support@muntra.se. Printed copies are provided free of charge upon request and will be dispatched within 7 calendar days of receipt of the request.

If you require this document in another language, please contact us at support@muntra.se. We will provide a translated version as soon as possible, in accordance with local requirements.

Where to access this IFU: This Instructions for Use document is published electronically and is available at the following locations:

- Muntra support site: <https://support.muntra.com/what-are-muntras-instructions-for-use/q/155>
- GitHub repository: <https://github.com/muntra-dev/ifu>
- Within the MPMS application, accessible from the in-application support section
- Linked from the Muntra commercial website: <https://www.muntra.se/>

1. Labeling and Symbols

Publication date: 2026-08-14

Revision number: Rev8

Basic UDI-DI: 735016855MPMS01FV

UDI-DI (GTIN): 07350168550002

The UDI carrier is also displayed on the software label within the application (About/Label screen).

The current software version is displayed in the application's About screen.

	MPMS is a medical device undergoing conformity assessment under Regulation (EU) 2017/745 (MDR) with Notified Body Intertek (NB 2862). MDR certification is ongoing and CE marking under the MDR will be applied upon successful completion of the assessment.
	Manufacturer: Muntra AB Narvavägen 12 115 22 Stockholm Sweden Phone: +46 (0)8-40 90 68 90 E-mail: support@muntra.se Website: https://muntra.se The date of manufacture is shown in the software.
	Read all instructions before use!
	The catalog number is MPMS Rev7. Current product version is shown in the software (Version x.y.z).
	WARNING ! This symbol alerts the user to the risk of possible injury, death or other serious adverse reactions.
	CAUTION ! This symbol alerts the user to the risk of possible injury, death or other serious adverse reactions.

2. Important Safety Precautions

**WARNING !**

MPMS supports clinical decisions but does not replace professional judgment. Always verify critical data and use your own clinical expertise when interpreting information.

- The product must be installed properly before being put into clinical use.
- The product may only be used by authorized personnel.
- The product may only be used in accordance with its intended use.
- Read the Instructions For Use before using the product and follow all safety precautions.
- Any incident or harm to a patient or operator that might be caused by the product must be reported to the manufacturer or distributor.

⚠ **Warning:** The user understands that the diagnosis is performed using a PNG X-ray image and not a DICOM image.

Precautions:

- Each user account is personal and must not be shared.
- The care provider is responsible for verifying the patient's identity before treatment.
- It is incumbent on the clinic to obtain patient approval to store patient data in line with GDPR.

2.1 Limitations of 2D Radiographic Imaging

The Image Handling module of MPMS processes and displays two-dimensional (2D) radiographic images only. Users must understand the inherent limitations of 2D radiographic imaging before relying on MPMS for diagnostic or treatment-planning purposes.

⚠ **Warning:** MPMS supports 2D radiographic images in PNG format. It does **not** support three-dimensional (3D) imaging modalities such as cone-beam computed tomography (CBCT). Images requiring 3D reconstruction or volumetric analysis cannot be reviewed using MPMS.

⚠ **Warning:** Measurements performed on 2D radiographic images are approximations. Distances and angles may be subject to projection geometry errors, including magnification, geometric distortion, and superimposition of overlying anatomical structures. Measured values must not be used as the sole basis for surgical planning or implant placement.

⚠ **Warning:** 2D radiographic images cannot reveal all pathological conditions. Certain findings — including, but not limited to, early interproximal caries, hairline root fractures, small periapical lesions, and lesions superimposed by adjacent anatomy — may not be visible on a 2D image. The absence of a finding on a 2D radiograph does not exclude the presence of disease.

i Note: For surgical procedures or treatment planning that requires precise spatial information (for example, implant placement, evaluation of impacted teeth, or assessment of the inferior alveolar nerve), the clinician should consider supplementary imaging modalities such as CBCT, in accordance with the ALARA (As Low As Reasonably Achievable) principle.

i Note: The diagnostic value of any radiographic image depends on proper exposure technique, correct patient positioning, and the clinician's professional competence. MPMS does not compensate for deficiencies in image acquisition; it is the responsibility of the clinician to retake images of insufficient diagnostic quality.

3. Product Description

3.1 Product Variants

MPMS is available in two variants.

- Version 1 is available through the browser.
- Version 2 is a so-called desktop application.

The desktop application is developed with the same code base as version 1.

The purpose of the desktop application is to enable MPMS to communicate with X-ray sensors and/or image management software on the user's computer.

4. Regulatory Information

MPMS is intended to be classified as a Class IIa medical device under Regulation (EU) 2017/745 (MDR), Rule 11. The device is currently undergoing conformity assessment with Notified Body Intertek (NB 2862); CE marking under the MDR will be applied upon successful completion of the assessment. The product is in compliance with European standards according to table 2.

The medical device component of MPMS is the Image Handling Module (Class IIa, Rule 11). The Third-Party X-Ray Software Integration module and the administrative modules are not medical devices and fall outside the scope of Regulation (EU) 2017/745. See the Classification Justification Document (Doc 012) for the complete module classification.

Table 2. Compliance with European standards

Standard	Name/Description
IEC 62304:2015-06	Medical device software – Software life cycle processes
IEC 62366-1:2015	Medical devices - Part 1: Application of usability engineering to medical devices
ISO 13485:2016	Quality management systems – Requirements for regulatory purposes
ISO 14971:2019	Medical Devices – Application of Risk Management to Medical Devices
IEC 80001-1:2010-10	Application of risk management for IT-networks incorporating medical devices – Part 1: Roles, responsibilities and activities
ISO 27001:2013	Information technology — Security techniques — Information security management systems — Requirements
MEDDEV 2.12/2 rev2	Post-market Clinical Follow-up Studies
MEDDEV 2.7/1 revision 4	Clinical Evaluation: A Guide for Manufacturers and Notified Bodies
Regulation (EU) 2017/745 (MDR)	Medical Devices Regulation

4.1 Medical Device Scope

MPMS is a multi-module software platform. The CE marking with Notified Body number 2862 applies exclusively to the medical device modules listed below. The remaining modules are distributed as part of the MPMS commercial platform but fall outside the scope of the CE marking under Regulation (EU) 2017/745.

Classification	Modules	CE Mark Scope
Class IIa (Rule 11)	Image Handling	Undergoing MDR conformity assessment — NB 2862 (CE mark to be applied on certification)
Class I (SaMD)	E-Prescription	Medical device; regulated by Swedish eHealth Agency. Not within scope of NB 2862 conformity assessment.
Outside MDR scope	Third-Party X-Ray Software Integration; Electronic Health Records; Medical History; Periodontal Registration; Treatment Plans; Patient Risk Evaluation; Patient Analysis; Documents; Government Audits; Pre-Assessment Claims; Patient Data Management; Appointments Management; Scheduling and Booking; Financials; Referrals; Quality Management – Incidents	Not medical devices — outside MDR scope

5. Intended Use

MPMS is intended to be a tool to support decision-making and management of patient information in dentistry treatments, and to contain a Dental Imaging Software intended for imaging acquisition, storage, manipulation and diagnosis of dental images.

i Note: MPMS is a diagnostic support tool. It does not replace independent clinical examination or professional judgement. The treating clinician retains full responsibility for all diagnostic and treatment decisions.

5.1 Intended User

MPMS is intended to be used by licensed dentists, licensed dental hygienists, dental practitioners and other practitioners assisting the caregiver.

5.2 Intended Patient Population

MPMS is applicable to all types of dentistry patients. The intended purpose of the product is applicable regardless of age, gender, weight and health condition. Muntra does not apply any limitations to the patient target group.

5.3 Indications

When used for diagnostic purposes, the device will be used to diagnose and document diseases and conditions such as dental caries, periodontal disease, tooth and jaw injuries, in orthodontic treatment and other conditions that are encountered by general practitioners and specialists in the dental care field.

⚠ **Warning:** The user understands that the diagnosis is performed using a PNG X-ray image and not a DICOM image.

⚠ **Warning:** When reviewing diagnostic images, conduct a systematic examination of all images in the series. Be aware of confirmation bias — avoid focusing solely on areas of suspected pathology.

5.4 Contraindications

There are no known contraindications.

5.5 Side Effects

The primary undesirable side effect is a faulty diagnosis that leads to incorrect treatment and / or medication. No events of these potential side-effects have been recorded during the clinical trial, nor during the post-market clinical follow-up trial to date. The undesirable side-effects are considered acceptable.

5.6 Storage

MPMS is not a consumable device and thus has no shelf lifetime. The device lifetime is ongoing as long as the technology is applicable for the clinical need. MPMS has a guaranteed lifetime of 5 years per license agreement, renewable by software updates and support contracts.

5.7 Safety Characteristics

The MPMS software has been clinically evaluated to verify that it does not negatively impact patient safety when used as intended by licensed dental professionals. The system does not control or influence medical treatment directly but supports clinical decisions by displaying patient information and diagnostic images. As such, the primary risks associated with MPMS involve the **presentation of incomplete, altered, or missing information**.

To mitigate these risks, MPMS has been developed and validated with the following key safety principles:

- **Accessibility:** Ensures that relevant patient data and images are always available when needed during treatment.
- **Traceability:** Enables clear attribution of all actions and changes in the system to specific users, fulfilling legal documentation requirements.
- **Correctness:** Protects against data corruption or loss by applying automated backups, secure access controls, and redundant hosting infrastructure.
- **Privacy:** Limits access to sensitive patient data based on user role and ensures compliance with GDPR and cybersecurity standards.

The intended user of MPMS is a qualified healthcare professional with clinical training. Therefore, **no special training is required to operate the software safely**, but user support and documentation are provided for onboarding and ongoing use.

⚠ **Warning:** The user understands that the diagnosis is performed using a PNG X-ray image and not a DICOM image.

5.8 Performance Characteristics

MPMS is intended to support diagnostic decision-making in dentistry by allowing the practitioner to:

- Access and record structured clinical notes,
- Acquire, view, and manipulate dental images,
- Document diagnoses and treatment decisions.

The system includes a fully integrated dental imaging module capable of:

- Acquiring images via compatible X-ray devices,
- Storing and organizing image files (PNG and JPEG formats),
- Performing image manipulations such as **zoom, crop, rotate, flip, and linear measurement**.

i Note: MPMS supports PNG and JPEG image formats. Images in unsupported formats are automatically rejected by the system and will not be available for diagnostic use.

5.9 Expected Clinical Benefits

MPMS supports dental professionals in diagnosing and managing conditions such as dental caries, periodontal disease, and jaw injuries by providing integrated access to patient data and diagnostic images.

The key clinical benefits include:

- Improved diagnostic support through high-quality image acquisition and manipulation tools (zoom, rotate, measure).
- More accurate treatment planning and follow-up with structured records and time-based

comparisons.

- Reduced risk of errors by minimizing manual data handling and system fragmentation.
- Faster access to patient information, including in emergency situations, via a secure, cloud-based platform.
- Enhanced patient outcomes, including reduced pain, fewer complications, and improved quality of life.

6. Installation



WARNING!

The X-ray imaging system must be properly calibrated according to the Installation instructions! Inferior image quality could cause a risk of misdiagnosis or malpractice.

Before the product may be put to clinical use, it must be installed properly according to the [installation instructions](#).

Installation is performed on one or several computers in a network. All computers may or may not connect to a common server that stores the X-ray software's database with patient information and images. Each computer in a treatment room is a workstation with connected equipment such as sensors and cameras as well as third party software such as drivers. In Muntra, settings are stored centrally. Each workstation may have additional settings that may be different between computers.

When installing a workstation, the correct plugins needed for the attached equipment are selected. The drivers for the equipment as well as the plugin may contain additional settings, e.g. for image enhancement. Adjustment of these settings, calibration of the X-ray imaging system and monitor calibration must be performed according to the [installation instructions](#) before clinical use takes place.

Refer to the instructions on [installation](#), [clinic settings](#) and [user settings](#) for further details.

i Note: A list of supported imaging hardware (sensors, cameras) is maintained in the [installation documentation](#). Only use imaging devices confirmed as compatible with MPMS. For devices not on the supported list, contact Muntra AB before attempting clinical use.



WARNING!

MPMS relies on a stable internet connection for optimal performance. Poor or unstable connectivity may lead to delayed response times, unsaved data, limited access to external systems, and reduced image quality. Always ensure a reliable internet connection to avoid disruption and ensure safe, accurate clinical use.

6.1 IT & Information Security



WARNING!

While MPMS implements robust security measures, users are responsible for maintaining a secure working environment. Always follow best practices for IT security, including using strong passwords, locking your device when unattended, avoiding suspicious links or downloads, and reporting any unusual activity. User vigilance is essential to ensure patient data remains protected.

Muntra places the highest priority on information security and follows industry best practices for protecting patient data and clinical workflows. While users are always encouraged to maintain strong security hygiene locally, the Muntra system is designed to protect against unauthorized access, even in the event of local vulnerabilities.

Access to Muntra requires secure multi-factor authentication (MFA), using an identity that is not stored locally on the device. Each login session is verified against Muntra's central authentication servers. All communication between client devices and Muntra's servers is encrypted.

No sensitive patient data is stored locally on client computers. All information within the system is processed and stored securely on Muntra's cloud infrastructure, operated by certified providers that comply with applicable standards for security and availability.

Permissions and access levels are managed centrally by each clinic's administrator. This allows for strict control of access to both patient and business-critical information, in accordance with GDPR and other applicable regulations.

6.2 System Requirements

To ensure safe and effective use of MPMS, the following minimum system requirements apply:

Display requirements for diagnostic image review:

- Minimum display resolution: 1920 × 1080 pixels (Full HD)
- Recommended display size for diagnostic image review: 23–24 inches (minimum 23 inches)
- Position the workstation to minimise direct light and glare on the display during diagnostic image review
- Allow the monitor a minimum of 5 minutes warm-up time before performing diagnostic image review
- An IPS or PVA panel is recommended over TN panels for optimum diagnostic image quality.

⚠ Warning: Use of a display that does not meet the minimum resolution of 1920 × 1080 pixels and a minimum size of 23 inches may impair diagnostic interpretation of radiographic images and increase the risk of misdiagnosis. Diagnostic image review must not be performed on displays below these specifications.

Browser and connectivity:

- A supported, up-to-date web browser (refer to <https://support.muntra.se> for the current list of supported browsers)
- A stable internet connection is required (MPMS is a cloud-based application)

Image acquisition (CaptureBackend):

- Windows workstation with .NET Framework 4.7.2 or later
- Compatible imaging hardware (see Section 6 for supported devices)

7. Instructions for Use



WARNING!

Using MPMS with software, hardware and/or internet-connection that do not comply with Muntra's System requirements may cause information in MPMS to be corrupted or wrongly perceived and thus influence the user's decision in healthcare negatively.

CAUTION

Backups are currently not performed in real time, but every night.

Below is a presentation of the basic functionality of the software. Please note that the appearance and functionality may differ depending on current settings and connected equipment. All patient information in the examples below is fictitious.

7.1 Patient Data Management

MPMS supports management of patient records and personal data. The user is able to create a new patient, find patients, edit personal information and more.

7.1.1 Patient search

The patient search feature in Muntra is available at all times, regardless of where you are in the system. You can search for a patient using any of the following details: name, personal identity number, address, postal code, city, phone number, or patient ID.

To initiate a search, enter at least two characters. To select a patient from the list, simply click on the desired row.

As a logged-in user, you can also access a list of your 8 most recently searched patients by clicking the dropdown arrow in the search field. This allows for faster navigation and continuity in patient work.

7.2 Time Management

MPMS' time management functionality covers tactical planning, scheduling of patient treatments, appointment management and appointment reminders. This includes e.g.

- setting post-treatment appointment reminders for the patient
- creating, editing and deleting patient appointments
- creating and scheduling emails, text messages and mail to maximize the chance that the patient appears for the appointment

Refer to the instructions on [time management](#) for further details.

7.3 Treatment

MPMS' treatment functionality encompasses a wide variety of treatment-related processes covering planning, execution and follow-up.

7.3.1 Treatment Planning

MPMS' treatment planning functionality aims to enable the formulation of a plan for improving the patient's health status. This includes defining an easy-to-understand patient document describing the proposed treatment procedure. It includes planning and hence also relates to claims management.

Refer to the instructions on [treatment planning](#) for further details.

7.3.2 Medical Records Management



CAUTION!

Always control/check the patient's medical history before starting a treatment.

MPMS' provides support for caregivers to define, store, edit and remove medical records in accordance with applicable laws and regulations.

Refer to the instructions on [medical records management](#) for further details.

7.3.3 Medical Prescription

MPMS' e-prescription module enables the caregiver to create and send an electronic prescription that can instantly be expedited at any local pharmacy (selected markets apply).

Refer to the instructions on [medical prescription](#) for further details.

7.3.4 Referrals

MPMS' referral module enables the caregiver to instantly share referrals with any caregiver registered in MPMS. This includes secure, mutual consultation responses between e.g. general and specialist caregivers.

Refer to the instructions on [referrals](#) for further details.

7.3.5 X-Ray




CAUTION!

Functions for image analysis, diagnosis, measurements and approval must only be used by a licensed healthcare practitioner, such as a dentist or a dental hygienist. Otherwise, there is a risk of misdiagnosis or malpractice.

MPMS integrates seamlessly against applicable X-ray software solutions. Also, MPMS has its own image capture and image handling functionality.

- ⚠ **Warning:** The user understands that the diagnosis is performed using a PNG X-ray image and not a DICOM image.
- ⚠ **Warning:** If an acquired image is of insufficient diagnostic quality (e.g. due to motion artefacts, incorrect exposure, or positioning errors), the image should be retaken before it is used for clinical decision-making.
- ⚠ **Warning:** In the event of a network interruption, acquired images are buffered locally on the workstation. Before closing the session, confirm that all images have been successfully uploaded to the server.

7.3.5.1 X-Ray User Interface



To open the Muntra X-ray interface, click the image icon located in the top-right corner of MPMS. This will launch the imaging view for the currently selected patient.


In this view, all previously captured radiographs and images for the patient are displayed. The interface is divided into two columns:

- The left column shows structured image mounts for easier comparison and diagnosis.
- The right column displays individual (“loose”) images that are not part of a mount.

This layout enables efficient review of historical images alongside new acquisitions.

To open an image, simply double click on that image.


7.3.5.2 Manipulating Images



In MPMS, you can easily manipulate dental images to support diagnosis and treatment. When an image is opened, you will see a toolbar above the image and an additional tool menu to the left. These menus contain a variety of functions such as zoom, rotate, flip, crop, and measurement tools. Each icon represents a feature designed to help you adjust and interpret the image effectively.

⚠ **Warning:** Always verify image orientation (left/right, upper/lower jaw) before using the image for diagnosis or treatment planning. Use the rotate and flip tools to correct orientation if needed.


In the top menu you will find:




To rotate an image in MPMS, simply click on the rotate icon in the toolbar above the image. Each click will rotate the image 90 degrees clockwise. Repeat as needed to reach the desired orientation.



To flip an image in MPMS, click on the flip icon in the toolbar above or beside the image. Use the horizontal flip icon to mirror the image left to right. Use the vertical flip icon to flip the image upside down.




To zoom in or out on an image in MPMS, you can: Click the zoom icon in the toolbar above or beside the image to activate zoom mode. Use your mouse scroll wheel to zoom in and out directly.




To measure distances in an image in MPMS click the measure icon in the image toolbar to activate the measuring tool. Then, left-click on the image, hold the button down, drag to your desired endpoint, and release to complete the measurement. The measured distance will appear as a line with values displayed directly on the image.


In the left menu, you will find:



To adjust the image in MPMS, click the adjust icon in the image toolbar. This will open a menu with options for brightness, contrast, saturation, inversion, and greyscale. Click and drag the slider next to each setting from left to right or right to left to adjust the image to your preference. Changes are applied in real time, allowing you to fine-tune the image for optimal visibility.



To crop an image in MPMS, click the crop icon in the image toolbar. Then, click and drag to select the area you want to keep. Confirm the crop to apply the change.



To draw on an image in MPMS, Click the draw icon in the image toolbar. Choose your desired line thickness and color (if applicable). Left-click and drag on the image to draw freehand.

7.3.5.3 Calibrate an image

**WARNING!**

Always calibrate before measuring. Incorrect or missing calibration may lead to inaccurate results and affect diagnosis. If using generic calibration, measurements are only approximate. The measurement tool in Muntra X-ray provides indicative values only and cannot verify calibration accuracy. Use with clinical judgment.



To calibrate an image, click the Calibration icon. Then, click and hold the left mouse button while dragging a line across the image to define the calibration distance. Once you release the mouse button, a dialog box will appear where you can enter the real-world length of the line you've drawn. This value will be used to calibrate measurements within the image.

7.3.6 File Handling

MPMS file storage capabilities enable caregivers to quickly and securely save and back up documents. This can relate to e.g. treatment history, financials and government communication. Refer to the instructions on [file handling](#) for further details.

7.4 Financials

MPMS' facilitates handling of claims, invoices and payments. All financial transactions are reflected in each organization's accounting and reporting.

7.4.1 Claims Handling

MPMS' enables caregivers to make claims against government authorities, to ensure applicable subsidies are reimbursed correctly and securely.

Refer to the instructions on [claims handling](#) for further details.

7.4.2 Invoicing

MPMS' invoicing functionality includes both direct patient payments and regular invoices. It enables a number of different features to create customer receivables, handle advance and up-front payments, and ensure the clinic is reimbursed effectively.

Refer to the instructions on [invoicing](#) for further details.

7.4.3 Accounting

MPMS has full support for generating bookkeeping for the organization, in line with local laws and regulations.

Refer to the instructions on [accounting](#) for further details.

7.4.4 Reporting

Caregivers are able to improve performance for the organization and clinic, using simple and transparent reports.

Refer to the instructions on [reporting](#) for further details.

7.5 Other

7.5.1 Sourcing

Caregivers using MPMS gain access to Muntra partners that provide additional value-adding services. This includes e.g. payment and invoice service providers. MPMS' sourcing module enables the management of these partners.

Refer to the instructions on [sourcing](#) for further details.

8. Reporting Problems

If an accident or incident occurs when MPMS is used, with injury to a patient or a user, or if a situation occurs where injury or malpractice could have occurred, Muntra AB must be notified immediately in order to investigate the event and to report the incident to the authorities.

The purpose of these instructions for use is to provide a sufficient description of the product to be put to its intended use in a safe and efficient way. It is important that all users of the system have read the instructions for use and follow all safety precautions. If errors or omissions are discovered in the instructions for use, kindly notify Muntra AB.

User support is primarily provided by Muntra AB via telephone, e-mail, chat messaging or remote connection to solve problems.

8.1 Reporting of serious incidents

All serious incidents involving the use of Muntra Journal must be reported to the manufacturer and to the competent authority in the country where the incident occurred.

According to Regulation (EU) 2017/745 (MDR), a serious incident is defined as any incident that directly or indirectly led, might have led, or could lead to any of the following:

- The death of a patient, user, or another person,
- A temporary or permanent serious deterioration of a patient's, user's, or another person's state of health,
- A serious public health threat.

In Sweden, the competent authority is the Medical Products Agency (Läkemedelsverket). Contact details are available at www.mpa.se.

8.2 Errors in Connected Equipment

A variety of equipment from other vendors can be connected to Muntra, such as sensors and cameras. If the equipment cannot be connected or is not working properly, first check that it is supported by MPMS and that it has been properly installed according to the [installation instructions](#). Then contact the distributor who supplied or installed the equipment for troubleshooting. If the problem seems to be due to an error in the application, contact Muntra AB.

8.3 Application Errors

If an application error occurs in MPMS, a special error message with an error code is displayed. It is important to notify Muntra AB for troubleshooting so the product can be improved. All application errors are stored in a log.

Additionally, the most common errors are explained and if possible resolved in [Muntra's error handling](#).

9 Revision History

Revision No.	Date	Description of Change	Approved By
Rev0	2019-10-23	Initial release of the IFU	Niels Rask-Andersen
Rev1	2020-11-18	Updated intended use, added installation guidance	Niels Rask-Andersen
Rev2	2021-07-05	Added CE mark, labeling clarification, updated safety precautions	Niels Rask-Andersen
Rev3	2022-05-19	Revised to include medical symbols, updated product description	Niels Rask-Andersen
Rev4	2025-03-30	Transitioned from MDD to MDR, added safety & performance information, expected benefits.	Pontus Green
Rev5	2026-02-22	Added PNG/DICOM disclaimer (Sections 2, 5.3, 5.7, 7.3.5). Added ISO 14971 risk control statements: diagnostic support tool disclaimer (5), confirmation bias warning (5.3), supported image formats (5.8), supported hardware reference (6), image quality retake guidance (7.3.5), network buffering notice (7.3.5), image orientation verification (7.3.5.2).	Pontus Green

Revision No.	Date	Description of Change	Approved By
Rev6	2026-03-01	Added notified body identification (Section 4). Added medical device scope and module classification (Section 4.1). Added user precautions (Section 2). Added display and system requirements (Section 6.2). Added software lifetime statement (Section 5.6).	Pontus Green
Rev7	2026-05-10	Updated to address Intertek NC Maj 1 (TD00674-001, Round 2). (1) Added Section 2.1 — Limitations of 2D Radiographic Imaging (MDR Annex I 23.4(s), 23.4(g)). (2) Added 7-day delivery commitment for printed IFU copies (Reg. (EU) 2021/2226, Art. 4(2)). (3) Added explicit list of eIFU access locations on the cover page. (4) Qualified CE marking statements (Sections 1, 4, 4.1) to reflect that MDR conformity assessment is ongoing. (5) Updated Section 6.2 display requirements to 1920 × 1080 px and 23-24 inches, aligned with hazard RM-RAD-03 risk control measures.	Pontus Green
Rev8	2026-08-14	Added Basic UDI-DI and UDI-DI, panel type recommendation, module scope statement, and software version reference per IFU Consistency Checklist (EIFU-02).	Pontus Green