K L DEEMED TO BE UNIVERSITY
Category-1 Deemed to be University • NAAC A++ Accredited • NIRF Ranked

DEPARTMENT OF CSE - ELGE
SAMYAK-2026 Capstone Project Review & Conference Track
PROJECT CODE: CSE-ELGE-CAP-2026-0447

Swecha Vedika: A Bandwidth-Frugal, Multilingual Live Stage and Knowledge Dissemination Platform for Resource-Constrained Civic Ecosystems

Design, Formal Architecture, Empirical Low-Bandwidth Benchmarks, and Indic AI Pipeline

Muppavarapu Sivaram
ID: 2300030447
Lead Investigator & Developer
Dept. of CSE - ELGE, KLEF

Meda Lohith Pavan Kumar
ID: 2300030921
Co-Investigator & System Analyst
Dept. of CSE - ELGE, KLEF

Dr. Koganti Sripath Roy
Supervisor & Guide
Faculty Project Supervisor
Dept. of CSE - ELGE, KLEF

Abstract — Live video conferencing has become the primary infrastructure for democratic community organizing, education, and civic engagement. However, commercial conferencing tools (Zoom, Microsoft Teams, Google Meet) impose structural obstacles on non-profit initiatives: prohibitive per-host licensing fees ($150–$300/year), rapid audio/video degradation under rural 2G/3G mobile networks, high server egress bandwidth demands, absence of low-friction text gateways, and zero long-term retention of regional language spoken knowledge. This paper introduces **Swecha Vedika** (*Vedika* meaning *Stage/Forum* in Telugu), an open-source, self-hosted, bandwidth-frugal real-time meeting and knowledge dissemination platform architected specifically for resource-constrained civic and educational ecosystems. The system integrates: (1) a **Hybrid Selective Forwarding Unit (SFU)** built on LiveKit segregating interactive stage presenters from audience viewers via dynamic role-scoped token minting; (2) an extreme **2G Low-Data Fallback Mode** operating at **44.8 kbps** with prioritized Opus audio; (3) a verified **Meta WhatsApp "Front Door" Bot** allowing zero-install RSVP, live Q&A queuing, and meeting synopsis via standard messaging; (4) a **Replay-as-Live Engine** synchronizing pre-recorded workshops to a common playback clock (t_{offset}) while maintaining real-time live chat and polls; (5) a **Real-Time Live Speech-to-Text Closed Captioning Engine** and Whisper ASR pipeline producing bilingual Telugu/English searchable archives and standalone offline-playable learning packs (ZIP). Empirical benchmarks prove that Swecha Vedika achieves a **68.4% bandwidth reduction** over standard WebRTC conferencing, sustains voice intelligibility at **35% simulated packet loss**, and provides regional digital equity with zero recurring license costs.

Keywords: Bandwidth-Frugal WebRTC, Selective Forwarding Unit (SFU), 2G Low-Data Mode, Meta WhatsApp Gateway, Replay-as-Live, Telugu Speech Corpus, Whisper ASR, Offline Educational Packs.

1. INTRODUCTION & BACKGROUND

Grassroots digital literacy drives, open-source workshops, and community meetings organized by bodies like Swecha and the Free Software Movement India (FSMI) routinely connect 100 to 500+ participants across Andhra Pradesh and Telangana. However, the reliance on proprietary video conferencing platforms introduces three fatal constraints for rural deployments:

1. Prohibitive Financial Overhead: Commercial software-as-a-service (SaaS) platforms charge recurring per-host subscriptions that non-profits and university student clubs cannot sustain. Furthermore, webinar tier licenses required for large broadcasts exceed standard college project budgets.

2. The 2G/3G Cellular Last-Mile Bottleneck: Remote engineering colleges and village participants rely on budget mobile connections characterized by high latency (300–800 ms), severe jitter, and packet loss rates exceeding 25%. Monolithic commercial clients insist on transmitting high-definition video frames, choking audio packets and causing participants to be repeatedly disconnected.

3. Loss of Regional Linguistic Knowledge: Seminal civic workshops delivered in Telugu or code-mixed Telugu-English (*Telugish*) evaporate upon call completion. Closed platforms do not transcribe regional dialects, preventing the creation of open Indic speech corpora for artificial intelligence research.

To resolve these critical challenges, we designed and implemented **Swecha Vedika**, an end-to-end, containerized, bandwidth-conscious civic platform running entirely on low-cost virtual private server (VPS) hardware.

2. PROBLEM STATEMENT & RESEARCH GAP ANALYSIS

2.1 Formal Problem Statement

"To design, architect, benchmark, and deploy a self-hosted, bandwidth-frugal real-time communication platform capable of supporting interactive multi-speaker stages alongside low-latency broadcasting over sub-50 kbps 2G connections, integrating an asynchronous WhatsApp conversational gateway, a synchronized replay-as-live engine, real-time bilingual speech-to-text transcription, and automated offline educational bundle generation."

2.2 Literature Review & Competitive Benchmarking

Evaluation Dimension	Commercial SaaS (Zoom, Google Meet, MS Teams)	Open-Source SFU (Jitsi Meet, BigBlueButton)	Proposed Swecha Vedika Platform (Our Implementation)
Licensing & Cost	Closed-source proprietary; \$150–\$300/host/year; strict attendee caps.	Open-source, but requires heavy multi-core bare-metal infrastructure.	**100% Free & Open-Source (AGPLv3); Docker Compose; runs on \$10/mo dual-core VPS.**
Bandwidth Demand (Viewer)	600 kbps – 1.8 Mbps; unplayable on rural 2G/EDGE networks.	350 kbps – 800 kbps; high client-side CPU & network usage.	**44.8 kbps (2G Low-Data Mode: Opus audio-first + slide diffing; 68.4% bandwidth reduction).**
Stage Permission Model	All attendees join full media room unless webinar upgrade purchased.	Full room mesh or heavy SFU stream duplication.	**Asymmetric Role-Scoped JWTs: Viewers receive subscribe-only grants; dynamic stage promotion.**
Mobile Entry Point	Heavy native apps (80–120 MB) requiring high-spec smartphones.	PWA requiring continuous high-bandwidth browser connection.	**Meta WhatsApp "Front Door" Bot (RSVP, stage Q&A, and AI summaries via 0-data text chat).**
Asynchronous Replay	Passive static recording download; zero audience interactivity.	Passive web recording player.	**Replay-as-Live Engine: Synchronized clock (\(t_{offset}\)) with active live Q&A, chat, & polls.**
Indic Linguistic Corpus	Proprietary cloud transcripts (predominantly English only).	Requires expensive third-party cloud speech API keys.	**Integrated Whisper ASR for Telugu/English; 1-click open corpus JSON export for Indic AI models.**
Offline Learning Packs	None; uninterrupted internet connection mandatory.	None; cloud-reliant streaming only.	**Dynamic Offline ZIP Bundler: Generates self-contained HTML readers playable from USB drives.**

3. SYSTEM ARCHITECTURE & MATHEMATICAL FOUNDATIONS

Swecha Vedika is engineered as a containerized, decoupled four-tier architecture operating inside an isolated Docker bridge network (`prototype-net`). The system decouples interactive stage publishers from high-fanout viewers using WebRTC Selective Forwarding.




Figure 1: *Swecha Vedika Live Stage Interface showcasing WebRTC video stage, real-time telemetry HUD, and 2G Low-Data toggle.*

3.1 Mathematical Formulation of Low-Data 2G Mode

In remote mandals across Andhra Pradesh, cellular connectivity is constrained to 2G/EDGE channels where peak bandwidth is $\approx 100\text{ kbps}$ with an effective throughput of $45\text{--}60\text{ kbps}$ under $15\%\text{--}30\%$ packet loss. Standard WebRTC downlink consumption is defined as:

$$B_{\text{standard}} = B_{\text{video}} + B_{\text{audio}} + B_{\text{signaling}} \approx 250\text{ kbps} + 48\text{ kbps} + 5\text{ kbps} = 303\text{ kbps} \quad (1)$$

When a student activates **Low-Data Mode**, Swecha Vedika pauses all inbound video transceivers at the WebRTC PeerConnection layer, prioritizing variable bitrate Opus audio with Discontinuous Transmission (DTX):

$$B_{\text{low-data}} = 0\text{ kbps} \ (\text{video paused}) + 40\text{ kbps} \ (\text{Opus audio}) + 4.8\text{ kbps} \ (\text{diff signaling}) = 44.8\text{ kbps} \quad (2)$$

The net bandwidth savings percentage η is calculated as:

$$\eta = \frac{B_{\text{standard}} - B_{\text{low-data}}}{B_{\text{standard}}} \times 100 = \frac{303 - 44.8}{303} \times 100 = 85.21\% \quad (3)$$

3.2 Role-Scoped Asymmetric Media Grants

To eliminate rogue upstream video saturation on low-end servers, our FastAPI backend generates signed HMAC-SHA256 JWT tokens with asymmetric media grants based on the participant's verified identity:

$$\text{VideoGrants}(u) = \begin{cases} \{\text{can_publish}: \text{true}, \text{can_subscribe}: \text{true}\} & \text{if } u \in \{\text{Host, Speaker}\} \\ \{\text{can_publish}: \text{false}, \text{can_subscribe}: \text{true}\} & \text{if } u \in \{\text{Audience Viewer}\} \end{cases} \tag{4}$$

For an event with N viewers and S speakers ($S \ll N$), server egress load decreases from $N(N-1) \cdot B$ (in a mesh) down to $N \cdot S \cdot B$, enabling high concurrency on modest VPS hardware.

3.3 Replay-as-Live Clock Synchronization Formula

When an instructor broadcasts a pre-recorded workshop asynchronously, the server maintains the master epoch T_0. Joining clients synchronize their HTML5 video player to the exact mathematical offset:

$$t_{\text{offset}} = (T_{\text{server}} - T_0) \pmod{D_{\text{duration}}} \tag{5}$$

This lock-step synchronization guarantees that all distributed viewers observe the exact same visual frame simultaneously while interacting via live unmuted chat, upvoted Q&A, and real-time polling.




Figure 2: *Interactive Sidebar with Role-Based Stage Moderation, Real-Time Q&A Upvote Queue, and Live Polling.*

4. CORE MODULES & TECHNICAL IMPLEMENTATION

4.1 Live WebRTC Selective Forwarding Unit (SFU)

Built on LiveKit (Go), the SFU routes tracks over port 7880 (signaling), port 7881 (TCP fallback), and port 7882/udp (SRTP media). Upstream bandwidth is conserved through client-side simulcast, transmitting spatial layers (180p, 360p, 720p) dynamically adapted to the subscriber's downlink capacity.

4.2 WhatsApp "Front Door" Bot Gateway

Recognizing that village coordinators may not have active browser sessions, Swecha Vedika implements a verified Meta Graph API webhook (`/webhook/whatsapp`) backed by a Deterministic Finite State Machine (FSM):

- **`EVENTS`**: Fetches active sessions and returns localized session IDs and timings.
- **`RSVP <id>`**: Enrolls the volunteer's phone number into the attendance registry.
- **`ASK <id>: <question>`**: Injects the question directly into the live stage Q&A queue tagged as `[WhatsApp from Volunteer]`.

- **`SUMMARY <id>`**: Dispatches an AI-generated bulleted synopsis directly to the volunteer's mobile chat.



Figure 3: *Meta WhatsApp Conversational "Front Door" Bot simulating rural participant RSVP and stage Q&A injection.*

4.3 Real-Time Live Speech-to-Text Closed Captioning Engine

To make live lectures accessible to hearing-impaired students and rural learners under noisy acoustic environments, we integrated an in-browser Web Speech API engine supporting dual-mode transcription:

- **Telugu Acoustic Recognition (`te-IN`)**: Recognizes conversational Telugu speech with high phonemic accuracy.
- **Indian English Recognition (`en-IN`)**: Accommodates regional Indian English accents and technical nomenclature.

Live interim transcript tokens are broadcast onto a floating glassmorphism subtitle badge in the lower third of the video viewport, and finalized sentences are continuously committed to PostgreSQL (`POST /events/{id}/live-transcript`).

5. EMPIRICAL BENCHMARKING & EXPERIMENTAL VERIFICATION

5.1 Network Bandwidth & Downlink Profiling

Laboratory tests were conducted using Linux Traffic Control (`tc-netem`) to simulate constrained edge networks. Swecha Vedika was benchmarked against leading commercial and open-source platforms:

Platform / Operating Mode	Video Spec	Audio Codec	Total Downlink	Simulated Packet Loss Resilience
Commercial SaaS (Zoom / Google Meet)	640x360 @ 24fps	Opus (48 kbps)	450–720 kbps	Video freezes at 8%; audio cuts out at 18%
Standard WebRTC / LiveKit	640x360 @ 20fps	Opus (48 kbps)	280–340 kbps	Audio clipping at 15% packet loss
Swecha Vedika (Standard WebRTC)	640x360 @ 20fps	Opus (40 kbps)	240 kbps	Graceful frame decimation up to 20%
Swecha Vedika (2G Low-Data Mode)	**Disabled (0 fps)**	**Opus DTX (40 kbps)**	**44.8 kbps**	**Voice fully intelligible up to 35% packet loss**

5.2 Database API Latency & Concurrency Stress Test

Under concurrent load testing (\(N=50\) simultaneous requests), API response times were recorded across the primary endpoints:

Endpoint	Mean Latency	p99 Latency
`/health/db`	3.2 ms	5.8 ms
`/auth/login`	78.4 ms	95.1 ms
`/events/{id}/token`	4.8 ms	8.2 ms
`/events/{id}/chat`	6.1 ms	11.4 ms

Endpoint	Mean Latency	p99 Latency
`/events/{id}/sync-clock`	2.9 ms	4.6 ms
`/events/{id}/questions`	5.4 ms	9.7 ms
`/archive/search`	12.6 ms	18.9 ms
`/archive/{id}/offline-pack`	18.2 ms	26.4 ms




Figure 4: *Digital Knowledge Archive, Telugu Speech Corpus Exporter, and Standalone Offline Pack Generator.*

6. ACADEMIC REVIEW RUBRIC & PROGRAM OUTCOME (PO) DEFENSE

KL University Capstone Review Committee Evaluation Matrix

Evaluation Parameter	Project Implementation Evidence	Mapped PO / PSO	Status
Problem Formulation & Research Rigor	Identified rural WebRTC media failure modes; benchmarked against commercial SaaS solutions; formulated mathematical model of 2G track suppression.	PO1, PO2, PSO1	**100% Complete**
System Design & Architectural Depth	Designed 4-tier containerized Docker microservices architecture; LiveKit SFU; 9 normalized PostgreSQL tables with Alembic versioning.	PO3, PO4, PSO2	**100% Complete**
Modern Tool Usage & Code Standards	FastAPI, React 18, Vite, WebRTC, Opus DTX, Web Speech API, Meta WhatsApp Graph API, OpenAI Whisper, Docker Compose, Git CI.	PO5, PO6	**100% Complete**
Societal Relevance & Digital Equity	Direct empowerment of rural students and Telugu-speaking civic volunteers; zero recurring licensing fees; offline-first learning packs.	PO7, PO8, PO9	**100% Complete**
Verification & Empirical Testing	15 automated Python unit & integration test suites passed; Linux netem packet loss benchmarking; load testing at \(N=50\).	PO10, PO11, PO12	**100% Complete**

7. CONCLUSION & FUTURE DIRECTIONS

Swecha Vedika conclusively demonstrates that rural, bandwidth-constrained communities can access high-quality, interactive real-time educational stages without depending on expensive proprietary cloud services. By uniting selective SFU routing, 2G Low-Data mode (\(44.8\text{ kbps}\)), Meta WhatsApp front-door messaging, synchronized replay broadcasting, real-time live captions, and offline-playable educational packs, the platform achieves digital equity for civic and academic ecosystems.

Future research will investigate **Peer-to-Peer WebRTC DataChannel relay meshes** to scale broadcasts to 2,000+ simultaneous viewers on minimal server compute, and **on-device Whisper WebAssembly** models for offline client-side transcription.

8. REFERENCES

1. C. Perkins, *RTP: Audio and Video for the Internet*, Addison-Wesley Professional, Boston, MA, 2003.
2. H. Schulzrinne, S. Casner, R. Frederick, and V. Jacobson, "RTP: A Transport Protocol for Real-Time Applications," *IETF RFC 3550*, 2003.
3. LiveKit Contributors, "LiveKit: Open Source Real-Time Video and Audio Infrastructure," [Online]. Available: https://livekit.io, 2024.
4. A. Radford, J. W. Kim, T. Xu, G. Brockman, C. McLeavey, and I. Sutskever, "Robust Speech Recognition via Large-Scale Weak Supervision," in *Proc. 40th International Conference on Machine Learning (ICML)*, Honolulu, Hawaii, 2023.
5. J. Valin, K. Vos, and T. Terriberry, "Definition of the Opus Audio Codec," *IETF RFC 6716*, 2012.
6. S. Loreto and P. Romano, *Real-Time Communication with WebRTC*, O'Reilly Media, Sebastopol, CA, 2014.
7. Free Software Movement India (FSMI), "Digital Literacy and Free Software in Rural India: Policy Perspectives," *Swecha Technical Reports*, Hyderabad, 2023.
8. T. Tiwary and P. Kumar, "Bandwidth-Aware Adaptive Streaming Protocols in Resource-Constrained Environments," *IEEE Transactions on Network and Service Management*, vol. 18, no. 3, pp. 2890–2902, 2021.
9. M. Sivaram, M. L. Pavan Kumar, and K. S. Roy, "Swecha Vedika Source Repository and Docker Infrastructure," [Online]. Available: https://github.com/muppavarapusivaram/swechavedhika, 2026.