

DESIGN A: VIDEO TRAINING MANUAL SCRIPT

Insider Threat Intelligence Hub — Steps & Live Case Triage Walkthrough (October 26th, 2010)

This document contains the official production-ready audio narration script for the **Design A (Legacy View)** training video. It is customized to follow the updated master triage dashboard controls, detail the step-by-step feature cross-checking workflow, and explicitly integrate the Office of Research Ethics (ORE) protocols for voluntary participation and bypass entries.



CRITICAL ETHICS COMPLIANCE NOTE (ORE MANDATE):

In order to support voluntary participation, participants are never forced to provide a substantive response. Because the system requires sequential form inputs to programmatically compile backend database files and unlock forensic data export, specific structural bypass entries (such as selecting blank default dropdowns or typing "Pass"/"N/A") must be actively detailed in this manual.

I. CHRONOLOGICAL VIDEO SCENE WORKFLOW

Step 1: Dashboard Interface Initialization

The video starts with a wide screen capture showing the default dashboard loading state (which defaults to the Design B Explainable AI suite). The voiceover instructs the user on how to correctly shift to the legacy workspace.

"Welcome to the training module for the Insider Threat Intelligence Hub. In this session, we will walkthrough a live, single-day triage example using our traditional statistical workspace, Design A. The system initializes into the Explainable AI Suite by default, so our very first action must be to shift our layout framework. Move your cursor to the top-right architecture selector group and click the button labeled **Design A (Legacy View)**. The workspace will dynamically organize into the **Master Triage Control Panel** at the top of the screen and the **Legacy Dashboard Panel Framework** directly below it. We will navigate these sections systematically from left to right."

Step 2: Case Selection (Case Study: October 26th, 2010)

The screen zooms in on the Master Control Panel at the top left, showing the chronological timeline and the anomalies table. The cursor selects the specific case row for October 26th, 2010.

"Start your analysis inside the Master Triage Control Panel at the top left. Monitor the **Date-wise Anomaly Score Timeline** chart to identify historical cutoff breaches. For this evaluation trial, locate the timeline coordinate for **October twenty-sixth, twenty-ten**. Move your cursor down to the **Detected Anomalies Table** and click directly on the row for October twenty-sixth, twenty-ten to load this specific alert profile into your workspace. Note the verified metadata for this day: the neural network has flagged an **Anomaly Magnitude of zero point one one six zero two**, with a **Safety Deviation Headroom of plus zero point zero three seven four two**, under a **Severe Outlier Track** label. To inspect the raw data variations for this day, you can interact with the toggle switch on the right side of the card header to **Show Timeline Z-Scores**."

Step 3: Screening Primary and Secondary Features via the Threat Indicator Table

The video perspective transitions down to the lower left of the screen, focusing on the Threat Indicator table. The mouse hovers over the scenario help icon to trigger the scenario parameter requirements tooltip.

"With the date selected, shift your attention down to the **Legacy Dashboard Panel Framework** and look at the **Threat Indicator Panel**. Open the scenario checklist tooltip to cross-reference the behavioral tracking rules for targets S-one through S-five. Examine the rows inside the threat indicator table to check if your primary features are present. For October twenty-sixth, you will immediately spot that a primary feature is highlighted and marked in red. Match this primary indicator to your checklist tooltip, which explicitly confirms an active **Scenario S-one, Wikileaks Access Profile**. Because this red-marked primary flag is active, you must immediately cross-check its assigned secondary features to see if they are displaying concurrent volatility."

Step 4: Cross-Referencing with the Autoencoder Input Features Panel

The camera pans to the Autoencoder Input Features grid situated adjacent to the indicators. The mouse tracks down the table, showing how green rows are dismissed while red/purple rows are flagged.

"Next, cross-check these red-highlighted features directly with the adjacent **Autoencoder Input Features Panel**. As you scan the feature rows, apply our strict signal filtering rules: if any autoencoder input signal shows green, it signifies a completely stable, normal baseline state—skip it entirely. Instead, focus on the active **purple, red, and orange signals** showing anomalous structural deviations. For this case, your audit reveals that the primary flag, Wikileaks Access Count, is active, and its designated secondary features—Thumb Drive Usage Count and After-Hours Activity Count—simultaneously demonstrate highly abnormal, deviant structural metrics relative to their stable historical baselines."

Step 5: Operational Disposition & Dropdown Classifications

The camera moves back up to the master table row controls on the right, clicking "Confirm Threat" and selecting "S1" from the case dropdown, then clicking the confidence dropdown.

"Based on this structural audit, we will formulate our final operational disposition verdict. Because the autoencoder panel confirms severe secondary deviations and the matching S-one primary indicator is present in the threat indicator table, a full validation of scenario criteria has been met. Move back up to the row controls on the right and click the binary option button to **Confirm Threat**. Then, utilize the **Case Closure Classification** dropdown menu to select the verified compromise track, **S-one: Removable Storage Exfiltration / IP Loss**. Directly to the right, use the **Analyst Confidence Level** dropdown to log your diagnostic certainty, selecting **Level five - Highly Confident** due to definitive forensic confirmation."

Step 6: ORE Voluntary Participation & Bypasses

The screen centers on the bottom feedback controls, highlighting how an analyst can legally skip questions to preserve complete voluntary autonomy.

*"Please note an important protocol regarding voluntary participation: In accordance with institutional research ethics, you are never forced to provide a substantive answer and have full autonomy to skip any question. However, because the local dashboard requires an input sequence to programmatically compile database files and unlock the final forensic export option, you must use a structural bypass if you wish to skip a question. For the dropdown menus, you can select the explicit **Pass / Prefer Not to Answer** options to skip them. For the **Analyst Case Justification Narrative** box below, outline your tactical diagnostic summary and mitigation sign-off rationale, or simply type **Pass** or **N/A** into the text area to satisfy the software constraint. Lastly, log your subjective workload via the **NASA-TLX Sliders** for Mental Demand and Frustration Level, leaving them at their default middle values of eleven if skipping. Complete the session by typing **Pass** or **N/A** in the **Strategy Feedback text field**, or describe the exact extent to which these calculated numerical Z-scores cross-validated or replaced your manual raw log searches. Click **Export Forensic Evidence Package** to securely compile your database logs and conclude the cycle."*