

'Meating' consumer expectations: More work required to improve acceptability of plant-based meat alternative products



Megan Flint ^{a,*} , Fiona Leroy ^b, Simon Bowles ^a , Anthony Lynn ^a, Jenny R. Paxman ^a

^a Food and Nutrition Subject Group, Sheffield Hallam University, Sheffield, S1 1WB, UK

^b Institute Agro Dijon, 26 Bd Dr Petitjean, 21079, Dijon, France

ARTICLE INFO

Keywords:

Plant-based meat alternatives
consumer acceptance
Sensory evaluation
Check-all-that-apply
Product information
Familiarity

ABSTRACT

Plant-based meat alternatives (PBMA) offer a steppingstone towards healthier, more sustainable food systems. However, product acceptability is pivotal to successful consumer adoption and PBMAs must deliver a positive sensory experience. This study reports consumer acceptability and sensorial characterisation of five commercially available PBMA categories versus meat-based equivalents, stratified by exposure to product information (closed/open condition) and participants familiarity with PBMAs (habitual/habitual non-consumer). Naïve assessors were recruited to participate in sensory evaluation of plant-based burgers ($n = 96$), meatballs ($n = 53$), breaded 'chicken' ($n = 62$), plain 'chicken' ($n = 47$), and sausages ($n = 23$) versus meat-based equivalents. Acceptability was measured on a nine-point hedonic scale and sensorial characterisation was determined via check-all-that-apply questioning. In all cases but one, PBMAs were significantly less acceptable versus meat-based equivalents ($p < .05$). Overall burger acceptability was significantly higher in the closed versus open label condition ($p = .046$) and in habitual versus habitual non-consumers ($p = .047$). Condition and familiarity did not influence other PBMA categories. PBMA products were more frequently associated with off-flavours alongside a dry appearance and texture. Alternately, meat-based products were associated with meaty and umami flavours and a juicy texture. This study generates preliminary findings which indicate the need for evidence-based product development to improve PBMA acceptability, accelerate consumer adoption, and promote individual and planetary health.

1. Introduction

Overconsumption of meat, particularly red and processed meat, has been shown to be detrimental to both human health and planetary sustainability (Rust et al., 2020; Szenderák et al., 2022; Tso and Forde, 2021; Zahari et al., 2022). Meanwhile extensive evidence suggests that plant-based diets are associated with a wide range of health benefits including the prevention and/or management of non-communicable diseases (Dinu et al., 2017; Haghhighatdoost et al., 2023; Harland and Garton, 2016; Naghshi et al., 2020). There is therefore a collective sense of urgency across a range of stakeholders to reimagine our current food system to address this by facilitating a reduction in meat consumption whilst concomitantly increasing our reliance on plant-based foods (Caputo et al., 2023; Neville et al., 2017; Kwasny et al., 2022; Rust et al., 2020; Willett et al., 2019). Plant-based meat alternatives (PBMA) may offer a steppingstone to accelerate this dietary shift to meet public health and climate change targets (Alae-Carew et al., 2022; Department for

Environment Food & Rural Affairs, 2022; Kwasny et al., 2022; Pastorino et al., 2023).

Consumer concern for animal welfare, environmental sustainability and personal health are widely cited as drivers towards increased plant-based consumption (Onwezen et al., 2021; Rizzo et al., 2023; Szejda et al., 2020). However, consumer engagement and acceptance of PBMA products is dependent on a wider range of complex factors (Jahn et al., 2021; Szenderák et al., 2022; Tyndall et al., 2024). Previous authors have purported that level of familiarity with a product can act as both a driver and barrier to engagement with novel food products (Barrena and Sánchez, 2013; Beacom et al., 2021; Coucke et al., 2023; Rini et al., 2024). Thus, novel PBMAs may both appeal to individuals keen to try new foods, and deter neophobic consumers (Gonera et al., 2021; Jahn et al., 2021). Prior familiarity has been noted to have a positive influence upon consumers PBMA purchase and consumption behaviour (Bryant et al., 2019; Hoek et al., 2013). In addition, increased awareness of PBMA-related information may promote consumer familiarity with

* Corresponding author.

E-mail address: m.flint@shu.ac.uk (M. Flint).

these products (Ai et al., 2023).

Product packaging, ingredients, nutritional information, nutritional claims and any health claims associated with their consumption have been shown to influence sensory evaluation and willingness to purchase PBMA (Ang et al., 2023; Baptista and Schifferstein, 2023; Estell et al., 2021; Martin et al., 2021). Chang and colleagues (2012) reported the negative impact on purchasing intent for PBMA that listed soy as an ingredient. Conversely, statements of sensory likeness to meat ("tastes like meat", for example) positively influenced consumer perceptions (Fiorentini et al., 2020). However, a key barrier to consumer adoption for omnivorous consumers is their inability to effectively mimic the desirable sensorial attributes of their meat-based equivalents (Alcorta et al., 2021; Beacom et al., 2021; Hoek et al., 2011; International Food Information Council, 2020; Jahn et al., 2021; Michel et al., 2021; Szenderák et al., 2022; Tyndall et al., 2024; Van Loo et al., 2017; Weinrich, 2019).

Replication of desirable meat-associated sensory characteristics in novel PBMA poses a significant challenge to food manufacturers. The ingredients used in PBMA can both limit desirable taste and texture, attributable to the higher fat content of meat-based equivalents and can generate undesirable beany off-flavours and a gritty mouthfeel, where legumes are included as a protein source (Asgar et al., 2010; Boukid, 2021; Fiorentini et al., 2020; Giacalone et al., 2022; Sha and Xiong, 2020). Thus, PBMA are often perceived inferior to their meat-based counterparts in terms of overall acceptability. Consumers associated meat-based products with the term 'delicious' whilst PBMA were associated with 'disgust' (Michel et al., 2021) and preferred meat-versus plant-based burgers despite being informed that all burgers tasted the same (Slade, 2018). However, *actual* (as opposed to *perceived*) acceptance offers a more accurate insight (Caputo et al., 2023; Slade, 2018).

Previous sensory studies with untrained consumer panels have consistently reported a general preference for meat-based products versus their PBMA although these have been largely limited to a single product category (Caputo et al., 2023; Grasso et al., 2022; Schouteten et al., 2016; Sogari et al., 2023, 2024) and limited consideration of chicken (Ettinger et al., 2022; Godschalk-Broers et al., 2022), sausage (Neville et al., 2017; Nguyen et al., 2023) and meatball alternatives (Giezenaar et al., 2024). There is a paucity of evidence regarding the impact of prior familiarity (habitual consumption/habitual non-consumption) with PBMA products, where only burger and sausage products have been considered (Neville et al., 2017).

Therefore, there is a need for further studies to address these limitations and investigate a wider range of emerging and underrepresented PBMA product categories. Consideration must also be given to the influence of prior level of familiarity and impact of product information upon acceptability and sensorial characterisation. Thus, the current study had three objectives: 1) to determine consumer acceptability and to sensorily characterise commercially available plant-based burgers versus meat-based equivalents under closed/open label conditions; 2) to segment naïve assessors into habitual consumers/habitual non consumer of PBMA products; 3) to replicate this for a further four underrepresented PBMA product categories. Herein, we report, for the first time, the acceptability and sensorial characterisation of five PBMA categories under closed versus open label conditions between habitual consumers and habitual non-consumers of PBMA products. These novel findings will increase knowledge regarding consumer perceptions of a range of PBMA categories, including those which are currently underrepresented in the research field. Such knowledge has the potential to influence new product development and marketing strategies to accelerate adoption of PBMA which may promote sustainable outcomes for both future individual and planetary health.

2. Materials and methods

2.1. Plant- versus meat-based burger products

2.1.1. Sample Selection

A comprehensive online search of dominant UK supermarkets and food suppliers (Tesco, Sainsbury's, ASDA, Morrisons's, Waitrose, Aldi, The Co-op, M&S, Iceland and Ocado) was conducted between May 2022 and May 2023 to identify PBMA burgers and equivalent meat burgers available for purchase. Contemporary price-point data were recorded between September and October 2023 from supermarket websites. Nutritional information (per 100 g) and price (per 1 kg) data for eligible plant-and meat-based burger products (Table S1) were used to generate a nutritional composition 'heatmap'. While PBMA products are designed to mimic the nutritional profile of their meat-based equivalents, previous studies have demonstrated significant compositional differences both within and between product categories (Alessandrini et al., 2021; Curtain and Grafenauer, 2019). Such variation in nutritional composition has previously been noted to influence sensorial experience (Cutroneo et al., 2022; Forde and de Graaf, 2022); a fundamental limitation of previous studies within the research field (Sogari et al., 2023). In light of this, Schouteten and colleagues (2016) called for studies where, apart from main protein source, products have a similar composition. A key aim of this study was to minimise the influence of variation in nutritional composition. Therefore, plant-versus meat-based burger pairs ($n = 3$, respectively) were selected with the least variation across nutritional categories (per 100 g energy [kcal]; total fat; carbohydrate and protein), with a maximum tolerance limit of 20% applied to at least three nutritional categories within the heatmap (Table 1; Table 2) (Flint et al., 2024).

2.1.2. Participants

Ninety-six naïve assessors were recruited via convenience sampling methods which included physical and electronic posters, social media, email communication, virtual learning environment messaging to students at Sheffield Hallam University and word-of-mouth. Individuals who expressed an interest in the study completed a pre-screen questionnaire, deployed via Qualtrics (Qualtrics, Provo, UT). Questions regarding age, gender, dietary pattern, and any allergy/intolerance were asked to assess eligibility against strict inclusion criteria: 18–60 years old, willing to consume meat and no allergy/intolerance to study products. Individuals aged 60 and over were excluded due to the purported decline in sensory function in adults at this age (Cavazzana et al., 2018; Kondo et al., 2020). The pre-screen questionnaire also required individuals to report their frequency of consumption of any PBMA products (informed by Knaapila et al., 2022) to determine segmentation into habitual consumers and habitual non-consumers ($n = 46$; $n = 50$, respectively). Since no participant selected 'prefer not to say' when reporting their gender, data were presented as male or female. Thus the resultant panel consisted of 54 female and 42 male assessors with a mean age of 32.4 (SD 12.0) years.

2.1.3. Sensory evaluation

All testing took place at Sheffield Hallam University's industry standard sensory facilities in which assessors were separated in individual booths with controlled lighting, temperature and air flow (BS EN ISO 8589, 2014). Each booth was equipped with a cup of still tap water, unsalted cracker (Carr's Table Water, Carr's of Carlisle Ltd, England), napkin, and metal knife and fork. All responses were recorded on paper by participants. A welcome sheet provided instructions and also informed participants that part 1 involved a blind tasting of plant- and meat-based samples whilst in part 2 samples would be presented with product information to read. Written instructions were reinforced verbally throughout the session. All participants gave their written informed consent to participate. This study was conducted according to the guidelines of the Declaration of Helsinki, and approved by the Ethics

Table 1

Mean energy density (kcal/100 g) and macronutrient content (g/100 g) \pm SD of 6 burger products (3 plant-based, 3 meat-based, respectively).

Burgers	Energy Mean \pm SD (kcal/100 g)	Total Fat Mean \pm SD (g/100 g)	Carbohydrate Mean \pm SD (g/100 g)	Protein Mean \pm SD (g/100 g)
Meat-Based	245.67 \pm 13.65	17.47 \pm 2.59	3.67 \pm 0.64	18.13 \pm 2.40
Plant-Based	235.67 \pm 17.6	16.73 \pm 2.41	3.83 \pm 0.31	15.93 \pm 1.68

Table 2

Burger product pairs.

Product Pair	PB Burgers	PB Cooking Method	PB Product Cost (per 1 kg)	MB Burgers	MB Cooking Method	MB Product Cost (per 1 kg)
1	16 % pea protein	Grill	£22.50	82 % beef	Oven	£7.71
2	60 % pea protein	Oven	£15.00	93 % beef	Grill	£15.44
3	18 % pea protein	Grill	£13.22	86 % beef	Oven	£7.71

Committee of Sheffield Hallam University (Date 11/05/22; Reference ER42087634).

Burger samples were prepared following manufacturer guidance 45-min before a panel ensuring standardised sample preparation and presentation and kept warm using hot plates (*Buffalo Appliances, Bristol*).

Adopting a 6-block randomised, cross-over design, assessors tasted the burgers, coded with 3-digit codes using a monadic approach, firstly under closed-label conditions then open-label, where products were presented alongside brand, packaging, ingredients and nutritional information. Under the 3-digit code for each burger, photographs of product packaging were provided on a paper handout alongside a clear copy of the ingredients and nutritional information. Assessors were instructed to read the information prior to recording their responses.

Overall product acceptability was rated on a nine-point hedonic scale (1 = dislike extremely to 9 = like extremely). Sensory attributes, informed by Neville and colleagues (2017) (Table 3), were presented and assessors were instructed to Check-All-That-Apply (CATA) for each sample.

Table 3

List of sensorial attributes for evaluation of plant- and meat-based burger products.

Burgers (Neville et al., 2017)	
Texture	Juicy Dry Granular Greasy Easy to cut Difficult to cut Hard Soft
Flavour	Sweet Peppery Smokey/Grill Off-flavor Meaty Wheaty
Appearance	Dark brown colour Light brown colour Dry Oily Processed Uneven colour

2.2. Additional PBMA product categories

The method outlined in section 2.1 was redeployed for four further product categories (meatballs, breaded ‘chicken’, plain ‘chicken’ and sausages). The effect of variation in product composition on sensory evaluation was minimised using similar methods as described for burgers to select ‘best fit’ PBMA and meat comparators (Table 4).

2.2.1. Participants

The sampling methods described in section 2.1.2 were used to recruit sensory panels of naïve assessors (Table 5).

2.2.2. Sensory evaluation

The only variation in method of sensory analysis from that described in 2.1.3 was the sensory attributes list presented in each CATA which were adjusted for suitability by product category informed by current literature (Barros et al., 2019; Ettinger et al., 2022; Neville et al., 2017; Park et al., 2022; Sow and Grongnet, 2010) (Table 6).

2.3. Data analysis

Visual inspection of QQ plots indicated the data were sufficiently normally distributed for statistical analysis using parametric methods. Mixed model ANOVAs were conducted to compare overall acceptability between products, conditions (open/closed label) and familiarity (habitual/habitual non-consumers of PBMAs). Products (6 levels) and condition (2 levels) were within-subject factors and familiarity (2 levels) was a between-subject factor. Where ANOVA findings were significant, post-hoc Bonferroni tests were performed to compare mean differences and adjust for multiple comparisons. CATA data were analysed using Pearson Chi-squared tests to identify whether any sensorial attributes were more likely to be assigned to plant-versus meat-based products. The data are displayed as radar charts with significant associations highlighted using triangles ($p < .005$) and diamonds ($p < .001$).

IBM SPSS Statistics, version 26 (SPSS Inc, Chicago) was used to conduct all statistical analyses. Statistical significance was set at $P < .05$.

3. Results

3.1. Plant- versus meat-based burger products

3.1.1. Product acceptability

A mixed model ANOVA with a Greenhouse-Geisser correction showed that there was a significant main effect of burger product on mean acceptability ratings, ($F(3.896, 327.271) = 31.435, p = <0.001$). Post hoc tests using the Bonferroni correction revealed some significant differences both within the plant-based burgers products and between the plant-versus meat-based burger products (Fig. 1A). Plant-based burger 3 was perceived significantly less acceptable than all other burger samples (all $p < .001$). Plant-based burger 2 was significantly less acceptable than all three meat-based burgers. Plant-based burger 1 was perceived to be the most favourable plant-based burger with acceptability ratings not significantly different to meat-based burger 1 and 3 ($p = 1.000, p = .087$, respectively). However, acceptability of meat-based burger 2 was significantly greater than all three plant-based samples ($p < .05$).

There was a significant interaction effect between participant’s prior level of familiarity with PBMAs and burger acceptability ratings ($p =$

Table 4

Mean energy density (kcal/100 g) and macronutrient content (g/100 g) \pm SD of 6 plant-versus meat-based products (3 plant-based, 3 meat-based products, respectively).

	Energy Mean \pm SD (kcal/100 g)	Total Fat Mean \pm SD (g/100 g)	Carbohydrate Mean \pm SD (g/100 g)	Protein Mean \pm SD (g/100 g)
Meatballs	226.83 \pm 45.04 (110.0–325.0)	14.40 \pm 5.40 (2.4–25.2)	4.30 \pm 2.46 (1.1–11.0)	19.96 \pm 3.30 (12.0–25.3)
Plant-Based Meatballs	248.67 \pm 14.50 (234.0–263.0)	17.30 \pm 2.72 (14.3–19.6)	7.17 \pm 2.97 (4.4–10.3)	14.20 \pm 2.23 (11.7–16.0)
Breaded Chicken	239.22 \pm 27.57 (142.0–288.0)	12.09 \pm 2.85 (2.4–25.2)	17.38 \pm 3.43 (10.0–23.0)	14.49 \pm 2.66 (4.6–21.0)
Plant-Based 'Breaded Chicken'	269.67 \pm 30.62 (251.0–305.0)	13.50 \pm 2.18 (12.0–16.0)	21.93 \pm 2.69 (20.0–25.0)	12.73 \pm 1.10 (12.0–14.0)
Plain Chicken	131.16 \pm 17.29 (106.0–168.0)	3.09 \pm 2.15 (1.1–10.0)	0.64 \pm 0.46 (0.0–2.4)	25.25 \pm 3.05 (19.0–32.2)
Plant-Based 'Plain Chicken'	148.67 \pm 16.07 (137.0–167.0)	3.73 \pm 1.01 (2.8–4.8)	2.13 \pm 1.69 (0.2–3.3)	22.53 \pm 1.36 (21.0–23.6)
Sausages	257.71 \pm 48.58 (117.0–336.0)	18.77 \pm 6.30 (2.8–32.0)	7.42 \pm 4.59 (0.6–18.0)	14.30 \pm 2.80 (2.8–32.0)
Plant-Based Sausages	234.00 \pm 18.33 (214.0–250.0)	13.77 \pm 2.04 (12.0–16.0)	8.90 \pm 5.35 (5.0–15.0)	14.20 \pm 3.02 (11.0–17.0)

Table 5

Meatball, breaded chicken, plain chicken and sausage products evaluated.

Product Pair	PBMA Products	PB Cooking Method	PB Product Cost (per 1 kg)	MB Equivalents	MB Cooking Method	MB Product Cost (per 1 kg)
Meatballs n = 53 assessors (26 male and 27 female; mean age = 27.9, SD 6.5 years; n = 34 habitual PBMA consumers and 19 habitual non-consumers)						
1	22 % pea protein	Oven	£11.11	80 % beef	Oven	£5.83
2	14 % pea protein	Oven	£20.00	87 % beef	Oven	£10.60
3	8.1 % soya protein	Oven	£13.30	55 % pork; 15 % beef	Oven	£6.00
Breaded 'Chicken' n = 62 assessors (32 male and 30 female; mean age = 27.1, SD 5.8 years; n = 39 habitual PBMA consumers and 23 habitual non-consumers)						
1	12 % soya protein	Oven	£10.20	50 % chicken breast	Oven	£8.79
2	36 % soya protein	Oven	£6.25	45 % chicken breast	Oven	£3.44
3	29 % pea protein	Oven	£12.00	51 % chicken breast	Oven	£7.19
Plain 'Chicken' n = 47 assessors (21 male and 26 female; mean age = 27.2, SD 7.3 years; n = 26 habitual PBMA consumers and 21 habitual non-consumers)						
1	Unspecified amount soy protein	Pan Fry	£10.94	96 % chicken breast	Pan Fry	£6.32
2	88 % soy protein	Pan Fry	£19.69	100 % chicken breast	Pan Fry	£7.88
3	30 % soy protein	Pan Fry	£19.41	100 % chicken breast	Pan Fry	£9.39
Sausages n = 23 assessors (7 male and 16 female; mean age = 33.5, SD 12.6 years; n = 10 habitual PBMA consumers and 13 habitual non-consumers)						
1	16 % pea protein	Pan Fry	£20.00	1: 72 % pork	Grill	£9.38
2	1 % soy protein	Pan Fry	£14.00	2: 77 % pork	Grill	£1.65
3	23 % pea protein	Oven	£9.55	3: 42 % pork	Grill	£5.07

.047). Habitual PBMA consumers rated plant-based burgers more acceptable versus habitual non-consumers (Fig. 1B). There was also a significant main effect of tasting condition (closed/open label) on burger product acceptability ($F(1, 84) = 4.096, p = .046$) (Fig. 1C). However, this influence was no longer significant when participant's prior level of familiarity was controlled for ($p = .263$).

3.1.2. Sensory check-all-that-apply

3.1.2.1. Plant-versus meat-based burgers. Fig. 2 illustrates the frequency with which naïve assessors checked sensory attributes to describe plant- and meat-based burgers. Nineteen out of twenty sensory attributes were significantly differently assigned by assessors between plant-and meat-based burger products (Table S2).

The meat-based burgers were more frequently associated with the attributes "meaty", "juicy", "easy-to-cut", "oily", "greasy", "soft", "light brown colour" and "peppery". These products received low counts for the attributes "wheaty" and "off-flavour". Conversely, plant-based burgers received higher counts for these attributes as well as "dry", "granular", "dry appearance", "processed", "dark brown colour", "sweet", "hard", "difficult-to-cut" and "uneven colour".

3.1.2.2. Closed versus open label condition. There were also significant differences in the sensory attributes of plant and meat-based burgers under closed versus open label conditions (Table S2). The attributes "hard", "dark brown colour" and "processed" received higher counts for plant-versus meat-based burgers in the closed label condition only. Plant-based burgers were also more frequently associated with "difficult-to-cut" and "sweet" versus meat-based burgers within the open label condition only. Although "light brown colour" was more

associated with meat-based burgers in the closed condition, this attribute was more frequently assigned to plant-based in the open label condition. Under both conditions, plant-based burgers were more associated with the terms "dry", "granular", "off-flavour", "wheaty", "dry appearance" and "uneven colour". Conversely, meat-based burgers were more associated with "juicy", "greasy", "easy-to-cut", "soft", "peppery", "meaty" and "oily". "Smokey/grill" was the only attribute assigned similarly to plant-and meat-based burgers under both closed and open label conditions.

3.1.2.3. Habitual consumer versus habitual non-consumer. The sensorial characterisation of plant-and meat-based burgers also significantly differed between habitual consumers and habitual non-consumers of PBMA (Table S2). Habitual PBMA consumers associated plant-based burgers more with "sweet", "smokey/grill" and "dark brown colour" and meat-based burgers with "light brown colour". In contrast, habitual non-consumers of PBMA perceived plant-based burgers to be "difficult-to-cut", "hard" and "processed" whereas they perceived meat-based burgers to be "soft". Between both habitual consumers and habitual non-consumers, the attributes "dry texture", "granular", "off-flavour", "wheaty", "dry appearance" and "uneven colour" were more frequently assigned to plant-versus meat-based burgers. Conversely, meat-based burgers were more "juicy", "greasy", "easy-to-cut", "peppery", "meaty" and "oily" for both habitual consumers and habitual non-consumers.

3.2. Additional PBMA product categories

3.2.1. Product acceptability

The significant main effect of product type found for burgers was

Table 6

List of sensorial attributes for evaluation of plant- and meat-based products.

	Meatballs (Neville et al., 2017)	Breaded 'Chicken' (Barros et al., 2019; Ettinger et al., 2022)	Plain 'Chicken' (Park et al., 2022; Sow and Gronqvist, 2010)	Sausages (Neville et al., 2017)
Texture	Juicy Dry Granular Greasy Easy to cut Difficult to cut Hard Soft	Crunchy Hard Soft Juicy Crisp Moist Cardboard Dry	Chewy Juicy Firm Tender Smooth Springy Hard Fibrous	Dry Fibrous Soft Hard Easy to cut Difficult to cut Greasy Poor mouthfeel Moist
Flavour	Sweet Peppery Smokey/ Grill Off-flavour Meaty	Sweet Salty Bitter Sour Savoury	Sweet Bitter Astringent Salty Umami	Meaty Wheaty Herby Peppery Off-flavour/unpleasant aftertaste
	Wheaty	Beany Fatty Nutty Off-flavour Chicken Aftertaste No aftertaste Meaty		
Appearance	Dark brown colour Light brown colour Dry Oily Processed Uneven colour	Bright internal appearance Dark internal appearance Fatty Low fatty	Brown Yellow White	Dry Coarse Visible herbs Pale colour Fatty

replicated within the four further product subcategories; meatballs ($F(3.142, 94.260) = 4.915, p = .003$), breaded 'chicken' ($F(3.533, 134.256) = 22.828, p < 0.001$); plain 'chicken' ($F(3.124, 112.462) = 21.171, p < .001$) and sausages ($F(3.444, 61.996) = 3.009, p = .031$) as illustrated in Fig. 3. Similarly, post-hoc tests using the Bonferroni correction revealed significant differences both within plant-based

products and between the plant-versus meat-based products for meatballs, breaded 'chicken' and plain 'chicken'. While the overall test revealed a significant main effect of sausage product on mean acceptability ratings, post-hoc tests did not demonstrate significant differences between individual products.

Plant-based meatballs 1 and 3 were rated significantly less acceptable than meat-based meatball 3 ($p = .006$ and $p = .015$, respectively; Fig. 3A). Plant-based breaded 'chicken' 2 was rated significantly less acceptable than all other breaded chicken samples (all $p < .05$; Fig. 3B). While acceptance of meat-based breaded chicken 2 was not significantly different to plant-based breaded 'chicken' 1 and 3 (both $p = 1.000$), acceptability ratings for meat-based breaded chicken 1 and 3 were significantly greater compared to all plant-based samples ($p < .05$). The three plant-based plain 'chicken' products were perceived significantly less acceptable compared to the three meat-based samples (all $p < .05$; Fig. 3C). The analysis also revealed variability within the meat-based plain chicken products: meat-based plain chicken 1 was significantly more acceptable than meat-based plain chicken products 2 and 3 ($p = .030, p = .003$, respectively).

3.2.2. Sensory check-all-that-apply

Fig. 4 illustrates the frequency with which naïve assessors assigned CATA terms for plant-and meat-based meatballs, breaded 'chicken', plain 'chicken' and sausage products. Assessors associated plant-based meatballs with the attributes "dry", "off-flavour", "wheaty", "light brown colour" and "dry appearance". In contrast, "juicy", "meaty", "greasy", "dark brown colour", "oily" and "uneven colour" were more frequently assigned to the meat-based equivalents. For breaded 'chicken', the plant-based products received a higher count for "soft", "bitter", "beany", "nutty", "off-flavour", "wheaty", and "dark internal appearance" compared to meat-based products which were associated with "crunchy", "crisp", "chicken", "meaty", and "fatty appearance". Within the plain 'chicken' category, plant-based products were more frequently assigned to the attributes "smooth", "bitter", "astringent", "salty" and "brown". In contrast, meat-based chicken was associated with "tender texture", "umami" and "white". For sausage products, plant-based products received a higher count for "dry", "fibrous", "poor mouthfeel", "unpleasant aftertaste/off flavor", "wheaty", "coarse" and "dry appearance". In contrast meat-based sausages were more frequently described as "moist", "easy to cut", "soft", "meaty", "fatty", "pale", and "visible herbs".

Sensory attributes used to describe plant-and meat-based products within these subcategories also varied according to tasting condition and assessors' level of familiarity with PBMA (see Table S3 for more details). For example, the attribute "nutty" was more associated with plant-based breaded chicken within the open label condition and by habitual PBMA consumers (Table S3).




Fig. 1. Acceptability rating of six burger products (3 plant-based, 3 meat-based, respectively). A, plant-based versus meat-based evaluated by naïve assessors ($n = 96$) B, plant-based versus meat-based evaluated by a naïve panel of habitual consumers and habitual non-consumers of PBMA ($n = 50$ and $n = 46$, respectively) C, plant-based versus meat-based under closed and open label tasting conditions evaluated by naïve assessors ($n = 96$). Data are presented as mean and 95% confidence intervals and different letters represent statistically significant differences in product type acceptability ($p \leq .05$).




Fig. 2. Radar chart of CATA attributes assigned by naïve assessors to describe plant-and meat-based burger product. $\Delta p < .05$, $\diamond p < .001$.

4. Discussion

Herein we present the acceptability data and sensorial attributes of five commercially available PBMA product categories versus meat-based equivalents in closed versus open label conditions for both habitual and habitual non-consumers of PBMA products. PBMA products were consistently rated as less acceptable by naïve assessors than meat comparator products across different product categories though this was affected both by how informed assessors were when tasting and the degree of prior familiarity with the product type.

Our findings add to the existing body of evidence (Ettinger et al., 2022; Godschalk-Broers et al., 2022; Neville et al., 2017; Sogari et al., 2023) highlighting plant-based burgers do not currently offer an acceptable and sensorially comparable alternative to meat-based equivalents. We have also reported variation between plant-based burger products whereby plant-based burger 3 was significantly less acceptable versus other plant-based burgers in addition to meat burgers. Conversely, plant-based burger 1 was rated similar to meat-based burger 1 and 3. The composition and technologies employed to develop plant-based products are highly variable. Plant-based burgers 1 and 3 both utilised pea protein as a key ingredient, though plant-based burger 1 had a higher fat content compared to plant-based burger 3 which may have improved texture, mouthfeel and thus overall acceptability (Asgar et al., 2010; Starowicz et al., 2022).

Assessors generally expressed greater acceptability of burgers in closed versus open label conditions, contradicting previous work which found plant-based burgers were rated significantly more acceptable in an open versus closed label condition (Caputo et al., 2023; Grasso et al.,

2022; Sogari et al., 2023). Furthermore, it is well documented that information signalling credence can influence an individual's perceptions and acceptance of a food product (Fernqvist and Ekelund, 2014). For example, on-pack information regarding associated health benefits have been noted to increase willingness to purchase PBMA (Estell et al., 2021). However, Chang and colleagues (2012) argued that product information can also have a negative impact on consumer perception of PBMA (e.g., knowledge of soy ingredient); a possible explanation for the findings reported here. The complexity of PBMA ingredients employed to simulate meat-based equivalents may also contribute to lower acceptability as this compromises the current trend for minimally processed, clean label (containing ≤ 5 natural ingredients) (Asioli et al., 2017; Boukid, 2021; Flint et al., 2023). Variance in research findings reported here and in prior published work may be further explained by exploring the product familiarity effect. We found that a significant effect of condition (closed/open label) failed to hold true once product familiarity was accounted for. We found a significant interaction effect between participants prior level of familiarity and burger acceptability, with habitual PBMA consumers demonstrating greater acceptance of PBMA burgers than habitual non-consumers. This finding supports the body of evidence associating increased familiarity with improved attitude towards and acceptance of PBMA (Andreani et al., 2023; Beacom et al., 2021; Giacalone et al., 2022; Heijink et al., 2023; Hoek et al., 2011).

Previous work by Neville and colleagues (2017) identified a greater preference for both meat-and plant-based burgers among PBMA consumers versus non-consumers reinforcing the importance of fostering an understanding of the needs and barriers of the specific target consumer




Fig. 3. Naïve assessor assigned acceptability ratings of plant-based meat alternative products versus meat-based equivalent products ($n = 3$, respectively) A, meatball products ($n = 53$ assessors) B, breaded chicken products ($n = 62$ assessors) C, plain chicken products ($n = 47$ assessors) D, sausage products ($n = 23$ assessors). Data are presented as mean and 95% confidence intervals and different letters represent statistically significant differences in product type acceptability ($p \leq .05$).

segment for developers, manufacturers and retailers (Flint et al., 2023). Such knowledge may inform the development of tailored marketing and educational campaigns to increase familiarity with, and thus acceptance of PBMA products (Andreani et al., 2023; He et al., 2020; Safdar et al., 2022). Strategies should adopt a whole-systems approach and incorporate a range of stakeholders. For example, early education in young individuals may help to transform social and cultural norms regarding plant-based eating (Abe-Inge et al., 2024; d'Angelo et al., 2020). Nudging strategies such as repositioning of PBMA products within supermarkets may also increase visibility (Coucke et al., 2022; Safdar et al., 2022) while media channels may increase awareness of the benefits associated with PBMA adoption (Abe-Inge et al., 2024; d'Angelo et al., 2020; Szejda and Parry, 2020). For example, Ai and colleagues (2023) noted that dissemination of product-related information via certain channels (e.g., newspaper, television and internet resources) may promote familiarity across various consumer subgroups.

Delivering positive sensorial experience is critical to promote and encourage repeated consumption (Appiani et al., 2023). Many PBMA marketing campaigns promote their similarity to meat, drawing on notions of extant familiarity. However, slogans such as “tastes like meat” require that products deliver on this expectation if they are to be successful in a crowded marketplace (Appiani et al., 2023; Fiorentini et al., 2020). In cases where consumer expectation does not align with the actual experience, disconfirmation occurs. There are four theoretical frameworks which illustrate the different outcomes of such disconfirmation; assimilation, contrast, generalised negativity and assimilation-contrast (Anderson, 1973; Piqueras-Fiszman and Spence,

2015). Anderson (1973) highlighted that within each framework, provision of product information influenced consumers product rating in contrast to the blind condition where no information was provided.

The sensorial characterisation of plant-versus meat-based burgers reported here concur with previously published work in which meat-based burgers are associated with attributes such as meaty and juicy and plant-based burgers are characterised as dry in texture and appearance, with perceived wheaty and off-flavours (Godschalk-Broers et al., 2022; Grasso et al., 2022; Neville et al., 2017; Schouteten et al., 2016). Some of these attributes have been noted to negatively impact consumer acceptability of burger products (Neville et al., 2017).

Dry appearance and texture may be the result of poor water-binding capacity and/or fat content, both of which are crucial in the successful replication of desirable mouthfeel and perceived juiciness (Boukid, 2021; Moss et al., 2023). Quantity of plant-based protein can further influence mouthfeel (Moss et al., 2023). Yuliarti and colleagues (2021) reported increased pea protein produced lower acceptance of textural properties. Furthermore, legume protein has been associated with off-flavouring and an unpleasant mouthfeel (Moss et al., 2023). Salt, spices and other flavourings are often added to mask these off-flavours (Asgar et al., 2010; Giacalone et al., 2022; Sha and Xiong, 2020). Likewise colourants can assist replication of meat-based visual cues such as a ‘red colouring’ (Boukid, 2021). However, both temperature and pH can lead to colour degradation and the attribution of “uneven colour” to plant-based burger products has previously been described (Kyriakopoulou et al., 2019).

In this study, assessors perceived plant-based burgers as “processed”




Fig. 4. Radar chart of CATA attributes assigned by naïve assessors to describe plant-and meat-based A, meatball products ($n = 53$ assessors) B, breaded 'chicken' products ($n = 62$ assessors) C, plain 'chicken' products ($n = 47$ assessors) D, sausage products ($n = 23$ assessors). $\Delta p < .05 \diamond p < .001$.

in the closed label condition, though this did not hold true for open label. Ineffective replication of meat burgers, despite considerable commercial product development, may have led to an 'unnatural' and confusing appearance in closed label conditions. When assessors subsequently received product information a so-called 'halo effect' may have led assessors to perceive these as healthier for human and/or planetary health diluting scepticism regarding degree of processing (Ang et al., 2023; MacDiarmid, 2021; Sucapane et al., 2021).

Meatiness and juiciness have been reported to be key desirable attributes driving acceptance of burger products (Godschalk-Broers et al., 2022; Neville et al., 2017). Godschalk-Broers and colleagues (2022) cited these attributes to contribute to 47% of the liking of plant-based burgers. However, many plant-based burgers currently lack these qualities and dryness, bland and off-flavouring are key barriers to consumer acceptance (Grasso et al., 2022; Neville et al., 2017). This reinforces the crucial need to address these sensorial challenges to increase consumer adoption of such products.

Increased diversity in the PBMA industry has emphasised the need to consider emerging PBMA categories to improve understanding regarding the evolving market (Li et al., 2023). The current study also investigated meatballs, breaded 'chicken', plain 'chicken' and sausage plant-versus meat products, categories currently underrepresented in this field (Andreani et al., 2023).

Our findings show that the PBMA subcategories face similar challenges to burgers with significant variation existing both within and between plant-versus meat-based products. Typically, PBMA were perceived less acceptable than their meat-based counterparts (with the exception of plant-based breaded 'chicken' 1; Fig. 3B).

The variation within the plant-based breaded 'chicken' category could be attributable to factors such as protein source. For example, plant-based product 1 contained wheat protein and demonstrated significantly higher acceptability in contrast to plant-based product 2 (soy-based). Previous work on nuggets also found consumers demonstrated greater acceptability for wheat-based nuggets though the authors highlighted notable variation in acceptability for soy-based nuggets suggesting different processing methods are linked to varying degrees of acceptability (Ettinger et al., 2022).

Plain 'chicken' was the least acceptable product category: all plant-based products were rated less acceptable versus their meat-based equivalents (Fig. 3C). Whole muscle products, such as chicken breasts, are more challenging to replicate compared to processed meat products due to their complex structure (Jahn et al., 2021; McClements and Grossmann, 2021). Godschalk-Broers and colleagues (2022) found 12 of 13 plant-based 'chicken' alternatives were significantly less liked compared to the single control meat-based product. The authors reported the one plant-based product demonstrating similar acceptability to the meat-based control contained 76% milk, an animal-derived ingredient noted to resemble meaty flavours (Zhu and Xiao, 2017). Alternately, all three plain 'chicken' alternatives used in our present study were soy-based. Godschalk-Broers and colleague's (2022) study was not conducted in a controlled environment and while the setting of participants homes may offer a more accurate tasting context, their findings may have been influenced by confounding variables (e.g., variation in cooking time).

Plant-based samples in subcategories other than burgers were frequently described, in the current study, to have off-flavours such as

"wheaty", "beany", "bitter", "astringent" and "nutty". Additionally, dry texture and appearance were also associated with meatball and sausage products in line with previous research (Ettinger et al., 2022; Godschalk-Broers et al., 2022; Neville et al., 2017). Ettinger and colleagues (2022) stated that attributes associated with plant-based nuggets were linked to lower acceptability. Aforementioned factors such as product composition, water-retention efficacy and the type and quantity of protein and fat may contribute to these perceptions (Boukid, 2021; Fiorentini et al., 2020; Giacalone et al., 2022; Moss et al., 2023). The association between plant-based plain 'chicken' and a "salty" flavour may simply be the result of a typically higher salt content with plant-versus meat-based chicken products, a common characteristic of most PBMA products (Alessandrini et al., 2021; Curtain and Grafenauer, 2019; SafeFood, 2020; Tonheim et al., 2022).

Unsurprisingly the meat-based samples were more associated with the flavours such as "meaty", "chicken", "umami" and textural attributes such as "tender," "juicy" and "easy-to-cut". Previous research has identified these characteristics as desirable and drivers of product acceptability (Ettinger et al., 2022; Godschalk-Broers et al., 2022; Neville et al., 2017). Similarly, the qualities "crispy" and "crunchy" have also been deemed pleasant characteristics associated with nugget products (Ettinger et al., 2022).

In contrast to burgers, the lack of influence of condition and familiarity upon product acceptability may be related to the novelty of the smaller subcategories limiting consumer familiarity. For example, while plant-based burger products are well-established in the market, consumer familiarity in relation to emerging entrants such as plain 'chicken' and meatballs may be limited (He et al., 2020). It is possible though that the lack of influence of condition and familiarity in the subcategories work was because it was undertaken with fewer assessors compared to the burger category work. Throughout the work, and indicative of the rapidly changing product landscape for PBMAAs, supply chain challenges impacted product availability, reformulation and nutritional composition. For example, on product arrival, the final sausage product pair 3 only fell within the 20% tolerance limit across two of the nutritional categories within the heatmap. Future research should also consider the challenge of product availability. For example, Ettinger and colleagues (2022) recognised and accounted for such variation by selecting products which were consistently available over a period of store visits.

Throughout this work, it is likely that the restricted sample size limits the generalisability of the findings to the wider population, particularly for some subcategories of products. Segmentation upon analysis may have further compounded this issue. Our findings may therefore be considered preliminary, and further studies, with larger sample sizes of habitual consumers and habitual non-consumers of PBMAAs, are warranted to corroborate our novel findings with regard to the acceptability of emerging or more unusual PBMA product categories. The study aimed to minimise variation in nutritional composition to address the limitation of previous studies. Further work would benefit from continued efforts to control for the influence of variation in product composition, which remains exceptionally challenging when testing commercially available products. It should also be noted that while the controlled nature of the laboratory environment promotes internal validity in the current study, the artificial nature of the consumption setting limits the representability. Thus caution should be applied when extrapolating these preliminary findings to real world consumption contexts.

5. Conclusion

This study reports consumer acceptability and sensorial characterisation of plant-based burgers and four additional underrepresented PBMA product categories versus meat-based equivalents, stratified by exposure to product information and by prior level of familiarity with PBMAAs. There was a significant main effect of product type on acceptability rating across all product categories whereby the majority of PBMAAs were perceived to be less acceptable compared to their meat-

based equivalent. This emphasises the significant challenge product developers need to address to facilitate production of desirable PBMAAs for retail. However, due to the sample size and context of the test, which was conducted in a laboratory environment, our findings should be interpreted as preliminary and need to be confirmed in larger studies undertaken in a real-world consumption context.

Our preliminary findings emphasise the need for manufacturers to place particular attention on removing characteristics such as wheaty off-flavours and increasing desirable attributes such as juicy texture to successfully mimic meat-based equivalents. Thus, future research is warranted to increase understanding regarding the influence of specific protein source/quantity and innovative processing methods are required to improve consumer acceptability. The possible influence of product information also warrants further investigation to evaluate specific types of messaging and how this can be appropriately applied to increase familiarity and facilitate effective educational and marketing strategies within prescribed constraints. Such knowledge may support evidence based PBMA development and manufacturing practice. Furthermore, identifying the needs and barriers within specific consumer subgroups will enable manufacturers to tailor PBMA products to meet consumer demand which may accelerate sustained consumer adoption of PBMAAs across the consumer population. This has the potential to facilitate the required dietary transition to reduce meat and increase plant-based consumption which may contribute to enhanced individual and planetary health.

Implications for gastronomy

Food manufacturers need to strike a careful balance between creating a desirable gastronomic experience whilst ensuring the sustained delivery of nutritious food. Shifting dietary patterns at a population level to reduce meat and increase plant-based food consumption are inhibited by the challenge of creating an equivalent organoleptic experience. While plant-based meat alternatives may offer a stepping-stone to accelerate the transition towards healthier, more sustainable food systems, our study articulates that sensorial barriers remain. In particular, the plant-based industry needs to focus on eradicating undesirable characteristics associated with plant-based meat alternatives. A deeper understanding of consumers' perceptions of plant-based meat alternative products that influence purchasing behaviour is required to support optimal recipe development and appropriate marketing strategies for future wholesale adoption.

CRediT authorship contribution statement

Megan Flint: Writing – review & editing, Writing – original draft, Visualization, Validation, Supervision, Project administration, Methodology, Investigation, Formal analysis, Data curation, Conceptualization. **Fiona Leroy:** Writing – review & editing, Project administration, Investigation, Data curation, Conceptualization. **Simon Bowles:** Writing – review & editing, Supervision, Methodology, Funding acquisition, Conceptualization. **Anthony Lynn:** Writing – review & editing, Supervision, Methodology, Funding acquisition, Conceptualization. **Jenny R. Paxman:** Writing – review & editing, Supervision, Methodology, Funding acquisition, Conceptualization.

Informed consent statement

Informed consent was obtained from all subjects involved in the study.

Ethical statement

Ethical approval for the involvement of human subjects in this study was granted by Sheffield Hallam University Research Ethics Committee (ER42087634, 11.05.22).

Funding

M. F. is supported by a Sheffield Business School GTA Studentship, Sheffield Hallam University. This research did not receive any specific grant from funding agencies in the public, commercial or non-for-profit sectors. For the purpose of open access, the author has applied a Creative Commons Attribution (CC BY) licence to any Author Accepted Manuscript version arising from this submission.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have inappropriately influenced the work reported in this paper.

Acknowledgments

With thanks to Dr Cecile Morris for her constructive feedback on the manuscript and to Elizabeth Houghton, Angelia Mulyani, Sojimol Kun-nath Sebastian, Sreelakshmi Muraleedharan Nair, Akshay Suresh Kumar, Subha Subramaniam and Akhila Madineni for their support with data collection. The authors would also like to thank the panellists who volunteered for this trial.

Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.ijgfs.2025.101102>.

Data availability

Data will be made available on request.

References

- Abe-Inge, V., Aidoo, R., Moncada de la Fuente, M., Kwofie, E.M., 2024. Plant-based dietary shift: current trends, barriers, and carriers. *Trends Food Sci. Technol.* 143, 104292. <https://doi.org/10.1016/j.tifs.2023.104292>.
- Ai, P., Contreras-Yap, S., Ho, S.S., 2023. Plant-based meat and the perceived familiarity Gap hypothesis: the role of health and environmental consciousness. *Int. J. Commun.* 17, 1147–1168.
- Alae-Carew, C., Green, R., Stewart, C., Cook, B., Dangour, A.D., Scheelbeek, P.F.D., 2022. The role of plant-based alternative foods in sustainable and healthy food systems: consumption trends in the UK. *Sci. Total Environ.* 807, 151041. <https://doi.org/10.1016/j.scitotenv.2021.151041>.
- Alcorta, A., Porta, A., Táregua, A., Alvarez, M.D., Pilar Vaquero, M., 2021. Foods for plant-based diets: challenges and innovations. *Foods* 10 (2), 1–23. <https://doi.org/10.3390/foods10020293>.
- Alessandrini, R., Brown, M.K., Pombo-Rodrigues, S., Bhageerutty, S., He, F.J., Macgregor, G.A., 2021. Nutritional quality of plant-based meat products available in the UK: a cross-sectional survey. *Nutrients* 13 (12), 4225. <https://doi.org/10.3390/nu13124225>.
- Anderson, R.E., 1973. Consumer dissatisfaction: the effect of disconfirmed expectancy on perceived product performance. *J. Mark. Res.* 10, 38–44. <https://doi.org/10.2307/3149407>.
- Andreani, G., Sogari, G., Marti, A., Froldi, F., Dagevos, H., Martini, D., 2023. Plant-based meat alternatives: technological, nutritional, environmental, market, and social challenges and opportunities. *Nutrients* 15 (2), 452. <https://doi.org/10.3390/NU15020452>.
- Ang, M.Y.A., Pontes, N., France, C., 2023. The influence of health star rating labels on plant-based foods: the moderating role of consumers' believability. *Food Qual. Prefer.* 107, 104827. <https://doi.org/10.1016/j.foodqual.2023.104827>.
- Appiani, M., Cattaneo, C., Laureati, M., 2023. Sensory properties and consumer acceptance of plant-based meat, dairy, fish and eggs analogs: a systematic review. *Front. Sustain. Food Syst.* 7. <https://doi.org/10.3389/fsufs.2023.1268068>.
- Asgar, M.A., Fazilah, A., Huda, N., Bhat, R., Karim, A.A., 2010. Nonmeat protein alternatives as meat extenders and meat analogs. *CRFSPS* 9 (5), 513–529. <https://doi.org/10.1111/j.1541-4337.2010.00124.x>.
- Asioli, D., Aschemann-Witzel, J., Caputo, V., Vecchio, R., Annunziata, A., Næs, T., Varela, P., 2017. Making sense of the “clean label” trends: a review of consumer food choice behavior and discussion of industry implications. *Food Res. Int.* 99, 58–71. <https://doi.org/10.1016/J.FOODRES.2017.07.022>.
- Baptista, I.Y.F., Schifferstein, H.N.J., 2023. Milk, mylk or drink: do packaging cues affect consumers' understanding of plant-based products? *Food Qual. Prefer.* 108, 104885. <https://doi.org/10.1016/j.foodqual.2023.104885>.
- Barrena, R., Sánchez, M., 2013. Neophobia, personal consumer values and novel food acceptance. *Food Qual. Prefer.* 27 (1), 72–84. <https://doi.org/10.1016/j.foodqual.2012.06.007>.
- Barros, J.C., Gois, T.S., Pires, M.A., Rodrigues, I., Trindade, M.A., 2019. Sodium reduction in enrobed restructured chicken nuggets through replacement of NaCl with CaCl₂. *J. Food Sci. Technol.* 56 (8), 3587–3596. <https://doi.org/10.1007/s13197-019-03777-8>.
- Beacom, E., Bogue, J., Repar, L., 2021. Market-oriented development of plant-based food and beverage products: a usage segmentation approach. *J. Food Prod. Mark.* 27 (4), 204–222. <https://doi.org/10.1080/10454446.2021.1955799>.
- Boukid, F., 2021. Plant-based meat analogues: from niche to mainstream. *Eur. Food Res. Technol.* 247 (2), 297–308. <https://doi.org/10.1007/s00217-020-03630-9>.
- Bryant, C., Szejda, K., Parekh, N., Deshpande, V., Tse, B., 2019. A survey of consumer perceptions of plant-based and clean meat in the USA, India, and China. *Front. Sustain. Food Syst.* 3 (11). <https://doi.org/10.3389/fsufs.2019.00011>.
- Caputo, V., Sogari, G., Van Loo, E.J., 2023. Do plant-based and blend meat alternatives taste like meat? A combined sensory and choice experiment study. *Appl. Econ. Perspect. Policy.* 45 (1), 86–105. <https://doi.org/10.1002/aapp.13247>.
- Cavazzana, A., Röhrborn, A., Garthus-Niegel, S., Larsson, M., Hummel, T., Croy, I., 2018. Sensory-specific impairment among older people. An investigation using both sensory thresholds and subjective measures across the five senses. *PLoS One* 13 (8), 1–15. <https://doi.org/10.1371/journal.pone.0202969>.
- Chang, J.B., Moon, W., Balasubramanian, S.K., 2012. Consumer valuation of health attributes for soy-based food: a choice modelling approach. *Food Pol.* 37 (3), 335–342. <https://doi.org/10.1016/J.FOODPOL.2012.03.001>.
- Coucke, N., Slabbinck, H., Vermeir, I., 2023. Consumer preferences towards plant-based, hybrid and cultivated meat analogues offered in different meal contexts and at various consumption moments: a choice-based conjoint experimental design and an online survey. *Food Qual. Prefer.* 112, 105006. <https://doi.org/10.1016/j.foodqual.2023.105006>.
- Coucke, N., Vermeir, I., Slabbinck, H., Geuens, M., Choueiki, Z., 2022. How to reduce agri-environmental impacts on ecosystem services: the role of nudging techniques to increase purchase of plant-based meat substitutes. *Ecosyst. Serv.* 56, 101444. <https://doi.org/10.1016/j.ecoserv.2022.101444>.
- Curtain, F., Grafenauer, S., 2019. Plant-based meat substitutes in the flexitarian age: an audit of products on supermarket shelves. *Nutrients* 11 (11), 1–14. <https://doi.org/10.3390/nu11112603>.
- Cutroneo, S., Angelino, D., Tedeschi, T., Pellegrini, N., Martini, D., 2022. Nutritional quality of meat analogues: results from the food labelling of Italian products (FLIP) Project. *Front. Nutr.* 9, 1–12. <https://doi.org/10.3389/fnut.2022.852831>.
- d'Angelo, C., Gloinson, E., Draper, A., Guthrie, S., 2020. Food consumption in the UK: trends, attitudes and drivers. https://www.rand.org/pubs/research_reports/RR4379.html. (Accessed 6 September 2024).
- Department for Environment Food & Rural Affairs, 2022. Government food strategy. <https://www.gov.uk/government/publications/government-food-strategy/government-food-strategy#executive-summary>. (Accessed 11 December 2023).
- Dinu, M., Abbate, R., Gensini, G.F., Casini, A., Sofi, F., 2017. Vegetarian, vegan diets and multiple health outcomes: a systematic review with meta-analysis of observational studies. *Crit. Rev. Food Sci. Nutr.* 57 (17), 3640–3649. <https://doi.org/10.1080/10408398.2016.1138447>.
- Estell, M., Hughes, J., Grafenauer, S., 2021. Plant protein and plant-based meat alternatives: consumer and nutrition professional attitudes and perceptions. *Sustainabilty* 13 (3), 1–18. <https://doi.org/10.3390/su13031478>.
- Ettinger, L., Falkeisen, A., Knowles, S., Gorman, M., McSweeney, M.B., Barker, S., Moss, R., 2022. Consumer perception and acceptability of plant-based alternatives to chicken. *Foods* 11 (15), 2271. <https://doi.org/10.3390/foods11152271>.
- Fernqvist, F., Ekelund, L., 2014. Credence and the effect on consumer liking of food – a review. *Food Qual. Prefer.* 32, 340–353. <https://doi.org/10.1016/J.FOODQUAL.2013.10.005>.
- Fiorentini, M., Kinchla, A.J., Nolden, A.A., 2020. Role of sensory evaluation in consumer acceptance of plant-based meat analogs and meat extenders: a scoping review. *Foods* 9 (9). <https://doi.org/10.3390/foods9091334>.
- Flint, M., Bowles, S., Lynn, A., Paxman, J.R., 2023. Novel plant-based meat alternatives: future opportunities and health considerations. *Proc. Nutr. Soc.* 82 (3), 370–385. <https://doi.org/10.1017/S0029665123000034>.
- Flint, M., Leroy, F., Bowles, S., Lynn, A., Paxman, J.R., 2024. The acceptability and sensory attributes of plant-based burger products under open and closed label conditions. *Proc. Nutr. Soc.* 82 (5), 278. <https://doi.org/10.1017/S0029665123003774>.
- Forde, C.G., de Graaf, K., 2022. Influence of sensory properties in moderating eating behaviors and food intake. *Front. Nutr.* 9, 1–6. <https://doi.org/10.3389/fnut.2022.841444>.
- Giacalone, D., Clausen, M.P., Jaeger, S.R., 2022. Understanding barriers to consumption of plant-based foods and beverages: insights from sensory and consumer science. *Curr. Opin. Food Sci.* 48, 100919. <https://doi.org/10.1016/j.cofs.2022.100919>.
- Giezelaar, C., Jonathan, A., Foster, M., Hort, J., 2024. Effects of intrinsic and extrinsic product characteristics related to protein source, health and environmental sustainability, on product choice and sensory evaluation of meatballs and plant-based alternatives. *Food Qual. Prefer.* 113, 105070. <https://doi.org/10.1016/j.foodqual.2023.105070>.
- Godschalk-Broers, L., Sala, G., Scholten, E., 2022. Meat analogues: relating structure to texture and sensory perception. *Foods* 11 (15). <https://doi.org/10.3390/foods11152227>.
- Gonera, A., Svanes, E., Bugge, A.B., Hatlebakk, M.M., Prexl, K.M., Ueland, Ø., 2021. Moving consumers along the innovation adoption curve: a new approach to

- accelerate the shift toward a more sustainable diet. *Sustainability* 13 (8). <https://doi.org/10.3390/su13084477>.
- Grasso, S., Rondoni, A., Bari, R., Smith, R., Mansilla, N., 2022. Effect of information on consumers' sensory evaluation of beef, plant-based and hybrid beef burgers. *Food Qual. Prefer.* 96, 104417. <https://doi.org/10.1016/J.FOODQUAL.2021.104417>.
- Haghhighatdoost, F., Mohammadifard, N., Zakeri, P., Najafian, J., Sadeghi, M., Roohafza, H., Sarrafazadegan, N., 2023. Differences in all-cause mortality risk associated with animal and plant dietary protein sources consumption. *Sci. Rep.* 13 (1), 1–9. <https://doi.org/10.1038/s41598-023-30455-9>.
- Harland, J., Garton, L., 2016. An update of the evidence relating to plant-based diets and cardiovascular disease, type 2 diabetes and overweight. *Nutr. Bull.* 41 (4), 323–338. <https://doi.org/10.1111/nbu.12235>.
- He, J., Evans, N.M., Liu, H., Shao, S., 2020. A review of research on plant-based meat alternatives: driving forces, history, manufacturing, and consumer attitudes. *Compr. Rev. Food Sci. Food Saf.* 19 (5), 2639–2656. <https://doi.org/10.1111/1541-4337.12610>.
- Heijink, V., Espeny, A., Schuenemann, F., 2023. A comparison of influencing factors on attitudes towards plant-based, insect-based and cultured meat alternatives in Germany. *Food Qual. Prefer.* 110, 104966. <https://doi.org/10.1016/j.foodqual.2023.104966>.
- Hoek, A.C., Elzerman, J.E., Hageman, R., Kok, F.J., Luning, P.A., Graaf, C. de, 2013. Are meat substitutes liked better over time? A repeated in-home use test with meat substitutes or meat in meals. *Food Qual. Prefer.* 28 (1), 253–263. <https://doi.org/10.1016/j.foodqual.2012.07.002>.
- Hoek, A.C., Luning, P.A., Weijzen, P., Engels, W., Kok, F.J., de Graaf, C., 2011. Replacement of meat by meat substitutes. A survey on person- and product-related factors in consumer acceptance. *Appetite* 56 (3), 662–673. <https://doi.org/10.1016/j.appet.2011.02.001>.
- International Food Information Council, 2020. A consumer survey on plant alternatives to animal meat. <https://foodinsight.org/wp-content/uploads/2020/05/IFIC-Plant-Alternatives-to-Animal-Meat-Survey-2.0.pdf>. (Accessed 15 January 2024).
- Jahn, S., Furchheim, P., Strässner, A.M., 2021. Plant-based meat alternatives: motivational adoption barriers and solutions. *Sustainability* 13 (23), 1–17. <https://doi.org/10.3390/su132313271>.
- Knaapila, A., Michel, F., Jouppila, K., Sontag-Strohm, T., Piironen, V., 2022. Millennials' consumption of and attitudes toward meat and plant-based meat alternatives by consumer segment in Finland. *Foods* 11 (3), 456. <https://doi.org/10.3390/foods11030456>.
- Kondo, K., Kikuta, S., Ueha, R., Suzukawa, K., Yamasoba, T., 2020. Age-related olfactory dysfunction: epidemiology, pathophysiology, and clinical management. *Front. Aging Neurosci.* 12, 1–16. <https://doi.org/10.3389/fnagi.2020.00208>.
- Kwasny, T., Dobernig, K., Riefler, P., 2022. Towards reduced meat consumption: a systematic literature review of intervention effectiveness, 2001–2019. *Appetite* 168, 105739. <https://doi.org/10.1016/j.appet.2021.105739>.
- Kyriakopoulou, K., Dekkers, B., van der Goot, A.J., 2019. Plant-based meat analogues. In: Galanakis, C.M. (Ed.), *Sustainable Meat Production and Processing*. Elsevier Science & Technology, pp. 103–126.
- Li, J., Silver, C., Gómez, M.I., Milstein, M., Sogari, G., 2023. Factors influencing consumer purchase intent for meat and meat substitutes. *Future Foods* 7, 100236. <https://doi.org/10.1016/j.fufo.2023.100236>.
- MacDiarmid, J.I., 2021. The food system and climate change: are plant-based diets becoming unhealthy and less environmentally sustainable? *Proc. Nutr. Soc.* 81, 162–167. <https://doi.org/10.1017/S0029665121003712>.
- Martin, C., Lange, C., Marette, S., 2021. Importance of additional information, as a complement to information coming from packaging, to promote meat substitutes: a case study on a sausage based on vegetable proteins. *Food Qual. Prefer.* 87, 104058. <https://doi.org/10.1016/j.foodqual.2020.104058>.
- McClements, D.J., Grossmann, L., 2021. A brief review of the science behind the design of healthy and sustainable plant-based foods. *Npj Sci. Food.* 5, 17. <https://doi.org/10.1038/s41538-021-00099-y>.
- Michel, F., Hartmann, C., Siegrist, M., 2021. Consumers' associations, perceptions and acceptance of meat and plant-based meat alternatives. *Food Qual. Prefer.* 87, 104063. <https://doi.org/10.1016/j.foodqual.2020.104063>.
- Moss, R., LeBlanc, J., Gorman, M., Ritchie, C., Duizer, L., McSweeney, M.B., 2023. A prospective review of the sensory properties of plant-based dairy and meat alternatives with a focus on texture. *Foods* 12 (8), 1–18. <https://doi.org/10.3390/foods12081709>.
- Naghshi, S., Sadeghi, O., Willett, W.C., Esmailzadeh, A., 2020. Dietary intake of total, animal, and plant proteins and risk of all cause, cardiovascular, and cancer mortality: systematic review and dose-response meta-analysis of prospective cohort studies. *The BMJ* 370. <https://doi.org/10.1136/bmj.m2412>.
- Neville, M., Tarrega, A., Hewson, L., Foster, T., 2017. Consumer-oriented development of hybrid beef burger and sausage analogues. *Food Sci. Nutr.* 5 (4), 852–864. <https://doi.org/10.1002/fsn3.466>.
- Nguyen, H.T., Pham, T.H., Nguyen, T.D.H., 2023. Determine the sensory characteristics and drivers of liking for sausage products using check-all-that-apply method. *Chem. Eng. Trans.* 106, 967–972. <https://doi.org/10.3303/CET23106162>.
- Onwezen, M.C., Bouwman, E.P., Reinders, M.J., Dagevos, H., 2021. A systematic review on consumer acceptance of alternative proteins: pulses, algae, insects, plant-based meat alternatives, and cultured meat. *Appetite* 159, 105058. <https://doi.org/10.1016/j.appet.2020.105058>.
- Park, S., Kim, N., Kim, W., Moon, J., 2022. The effect of Korean native chicken breed information on consumer sensory evaluation and purchase behavior. *Food Sci. Anim. Resour.* 42 (1), 111–127. <https://doi.org/10.5851/kosfa.2021.e67>.
- Pastorino, S., Cornelisen, L., Cuevas Garcia-Dorado, S., Dangour, A.D., Milner, J., Milojevic, A., Scheelbeek, P., Wilkinson, P., Green, R., 2023. The future of meat and dairy consumption in the UK: exploring different policy scenarios to meet net zero targets and improve population health. *Glob. Sustain.* 6, 1–11. <https://doi.org/10.1017/sus.2023.9>.
- Piquerias-Fiszman, B., Spence, C., 2015. Sensory expectations based on product-extrinsic food cues: an interdisciplinary review of the empirical evidence and theoretical accounts. *Food Qual. Prefer.* 40, 165–179. <https://doi.org/10.1016/j.foodqual.2014.09.013>.
- Rini, L., Bayudan, S., Faber, I., Jietse Schouteten, J., Perez-Cueto, F.J.A., Bechtold, K.B., Gellynck, X., Bom Frøst, M., De Steur, H., 2024. The role of social media in driving beliefs, attitudes, and intentions of meat reduction towards plant-based meat behavioral intentions. *Food Qual. Prefer.* 113, 105059. <https://doi.org/10.1016/j.foodqual.2023.105059>.
- Rizzo, G., Testa, R., Cubero Dudinskaya, E., Mandolesi, S., Solfanelli, F., Zanol, R., Schifani, G., Migliore, G., 2023. Understanding the consumption of plant-based meat alternatives and the role of health-related aspects. A study of the Italian market. *IJGFS* 32, 100690. <https://doi.org/10.1016/j.ijgfs.2023.100690>.
- Rust, N.A., Riddings, L., Ward, C., Clark, B., Kehoe, L., Dora, M., Whittingham, M.J., McGowan, P., Chaudhary, A., Reynolds, C.J., Trivedy, C., West, N., 2020. How to transition to reduced-meat diets that benefit people and the planet. *Sci. Total Environ.* 718, 137208. <https://doi.org/10.1016/j.scitotenv.2020.137208>.
- Safdar, B., Zhou, H., Li, H., Cao, J., Zhang, T., Ying, Z., Liu, X., 2022. Prospects for plant-based meat: current standing, consumer perceptions, and shifting trends. *Foods* 11 (23), 1–20. <https://doi.org/10.3390/foods11233770>.
- SafeFood, 2020. Vegetarian meat substitutes. Retrieved from. <https://www.safefood.net/research-reports/vegetarian-meat-alternatives>. (Accessed 15 January 2024).
- Schouteten, J.J., De Steur, H., De Pelsmaeker, S., Lagast, S., Juvinal, J.G., De Bourdeaudhuij, I., Verbeke, W., Gellynck, X., 2016. Emotional and sensory profiling of insect-, plant- and meat-based burgers under blind, expected and informed conditions. *Food Qual. Prefer.* 52, 27–31. <https://doi.org/10.1016/j.foodqual.2016.03.011>.
- Sha, L., Xiong, Y.L., 2020. Plant protein-based alternatives of reconstructed meat: science, technology, and challenges. *Trends Food Sci. Technol.* 102, 51–61. <https://doi.org/10.1016/j.tifs.2020.05.022>.
- Slade, P., 2018. If you build it, will they eat it? Consumer preferences for plant-based and cultured meat burgers. *Appetite* 125, 428–437. <https://doi.org/10.1016/j.appet.2018.02.030>.
- Sogari, G., Caputo, V., Joshua Petterson, A., Mora, C., Boukid, F., 2023. A sensory study on consumer valuation for plant-based meat alternatives: what is liked and disliked the most? *Food Res. Int.* 169, 112813. <https://doi.org/10.1016/j.foodres.2023.112813>.
- Sogari, G., Grasso, S., Caputo, V., Gómez, M.I., Mora, C., Schouteten, J.J., 2024. Sensory, emotional, and appropriateness of plant- and meat-based burgers. *J. Food Sci.* 89 (5), 2974–2990. <https://doi.org/10.1111/1750-3841.17033>.
- Sow, T.M.A., Grongnet, J.F., 2010. Sensory characteristics and consumer preference for chicken meat in Guinea. *Poult. Sci.* 89 (10), 2281–2292. <https://doi.org/10.3382/pst.2010-00679>.
- Starowicz, M., Kubara Poznar, K., Zieliński, H., 2022. What are the main sensory attributes that determine the acceptance of meat alternatives? *Curr. Opin. Food Sci.* 48, 1–7. <https://doi.org/10.1016/j.cofs.2022.100924>.
- Scupanep, D., Roux, C., Sobol, K., 2021. Exploring how product descriptors and packaging colors impact consumers' perceptions of plant-based meat alternative products. *Appetite* 167, 105590. <https://doi.org/10.1016/j.appet.2021.105590>.
- Szejda, K., Parry, J., 2020. Strategies to accelerate consumer adoption of plant-based meat: recommendations from a comprehensive literature review. <https://gfi.org/wp-content/uploads/2021/01/FINAL-Consumer-Adoption-Strategic-Recommendations-Report.pdf>. (Accessed 6 September 2024).
- Szejda, K., Urbanovich, T., Wilks, M., 2020. Accelerating consumer adoption of plant-based meat: an evidence-based guide for effective practice. <https://gfi.org/wp-content/uploads/2021/01/NO-HYPERLINKED-REFERENCES-FINAL-COMBINED-accelerating-consumer-adoption-of-plant-based-meat.pdf>. (Accessed 6 September 2024).
- Szenderák, J., Fróna, D., Rákos, M., 2022. Consumer acceptance of plant-based meat substitutes: a narrative review. *Foods* 11 (9). <https://doi.org/10.3390/foods11091274>.
- Tonheim, L.E., Austad, E., Torheim, L.E., Henjum, S., 2022. Plant-based meat and dairy substitutes on the Norwegian market: comparing macronutrient content in substitutes with equivalent meat and dairy products. *J. Nutr. Sci.* 11, 1–8. <https://doi.org/10.1017/jns.2022.6>.
- Tso, R., Forde, C.G., 2021. Unintended consequences: nutritional impact and potential pitfalls of switching from animal- to plant-based foods. *Nutrients* 13 (8), 1–16. <https://doi.org/10.3390/nu13082527>.
- Tyndall, S.M., Maloney, G.R., Cole, M.B., Hazell, N.G., Augustin, M.A., 2024. Critical food and nutrition science challenges for plant-based meat alternative products. *Crit. Rev. Food Sci. Nutr.* 64 (3), 638–653. <https://doi.org/10.1080/10408398.2022.2107994>.
- Van Loo, E.J., Hoefkens, C., Verbeke, W., 2017. Healthy, sustainable and plant-based eating: perceived (mis)match and involvement-based consumer segments as targets for future policy. *Food Pol.* 69, 46–57. <https://doi.org/10.1016/j.foodpol.2017.03.001>.
- Weinrich, R., 2019. Opportunities for the adoption of health-based sustainable dietary patterns: a review on consumer research of meat substitutes. *Sustainability* 11 (15). <https://doi.org/10.3390/su11154028>.
- Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., Garnett, T., Tilman, D., DeClerck, F., Wood, A., Jonell, M., Clark, M., Gordon, L.J., Fanzo, J., Hawkes, C., Zurayk, R., Rivera, J.A., De Vries, W., Majele Sibanda, L., et al., 2019. Food in the Anthropocene: the EAT–Lancet Commission on healthy diets

- from sustainable food systems. Lancet 393, 447–492. [https://doi.org/10.1016/S0140-6736\(18\)31788-4](https://doi.org/10.1016/S0140-6736(18)31788-4). Article 10170.
- Yuliarti, O., Jun Kiat Kovis, T., Jun Yi, N., 2021. Structuring the meat analogue by using plant-based derived composites. J. Food Eng. 288, 110138. <https://doi.org/10.1016/j.jfoodeng.2020.110138>.
- Zahari, I., Östbring, K., Purhagen, J.K., Rayner, M., 2022. Plant-based meat analogues from alternative protein: a systematic literature review. Foods 11 (18), 2870. <https://doi.org/10.3390/foods11182870>.
- Zhu, G., Xiao, Z., 2017. Creation and imitation of a milk flavour. Food Funct. 8 (3), 1080–1084. <https://doi.org/10.1039/C7FO00034K>.