# HIPAA Security Rule Compliance Assessment Report

| | |
|---|---|
| **Report Identifier** | CIQ-20260426-234450 |
| **Assessment Name** | HIPAA Security Rule Assessment |
| **Date Generated** | 2026-04-26T23:44:50Z |
| **Tenant ID** | `4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` |
| **Tenant Name** | Contoso |
| **Frameworks Evaluated** | HIPAA Security Rule |
| **Classification** | CONFIDENTIAL — Authorized Recipients Only |
| **Tool** | PostureIQ AI Agent v1.0 |
| **Collection Method** | Azure Resource Manager API + Microsoft Graph API (Read-Only) |

**CONFIDENTIALITY NOTICE:** This document contains sensitive security and compliance information about the assessed environment. Distribution is restricted to authorized personnel only.

### Audit Attestation

| | |
|---|---|
| **Assessment Scope** | Control-plane configuration review of Azure and Microsoft Entra ID resources |

| | |
|---|---|
| **Data Integrity** | All evidence collected via read-only API calls; no tenant modifications were made |
| **Evidence Records** | 39,975 records collected and evaluated |
| **Report Hash (SHA-256)** | `b1e081cf751554f48dc0a7f06c667a19a78df9ab485d659db767ac2469e2acc6` |
| **Assessment Period** | 2026-04-26 23:44 UTC (point-in-time snapshot) |


1. Executive Summary
2. Scope & Methodology
3. Azure Inventory
4. Entra ID Inventory
5. Compliance Results
6. Resource Details
7. Remediation Plan
8. Evidence Gaps

## 1. Executive Summary

Compliance assessment results for tenant `4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` evaluated against the **HIPAA Security Rule** compliance framework(s).

| 25.1% | 41 | 9 | 24 | 9 |
|---|---|---|---|---|
| COMPLIANCE SCORE | TOTAL CONTROLS | COMPLIANT | NON-COMPLIANT | MISSING EVIDENCE |

**37,866**

EVIDENCE RECORDS

### Compliance Score

≥80% 60-79% <60%

### Control Status Distribution




Compliant (9) Non-Compliant (25) Partial (0)

Missing (9)

### Non-Compliant by Severity



### Assessed Environment Summary

| RESOURCE CATEGORY | COUNT |
|---|---|
| Azure Subscriptions | 4 |
| Azure Resource Groups | 67 |
| Azure Resources | 321 |
| Azure Role Assignments | 1,408 |
| Azure Policy Assignments | 180 |
| Storage Accounts | 20 |
| Key Vaults | 5 |
| Virtual Networks | 7 |
| NSG Rules | 17 |
| Defender Plans | 72 |
| Entra Directory Roles | 143 |
| Entra Conditional Access Policies | 6 |
| Entra Application Registrations | 69 |
| Entra Service Principals | 739 |

### Risk Category Definitions

**HIGH (Critical, High)**

Direct security impact with immediate exploitation potential. Missing fundamental controls (MFA, excessive privileges, absent encryption). **Remediation: 0-30 days.**

**MEDIUM**

Configuration gaps exploitable under certain conditions. Incomplete defense-in-depth. **Remediation: 30-90 days.**

**LOW**

Best-practice deviations with minimal direct security impact. **Remediation: 90-180 days.**

## 2. Assessment Scope & Methodology

### 2.1 Scope

This assessment covers control-plane configurations of:

- **Azure Resources:** All accessible subscriptions, resource groups, resources, RBAC assignments, policy assignments, and diagnostic settings across 4 subscription(s).
- **Microsoft Entra ID:** Tenant configuration, directory roles, conditional access policies, application registrations, service principals, and user/group demographics.

### 2.2 Methodology

PostureIQ AI Agent v1.0 performs the following pipeline:

1. **Evidence Collection** — Read-only calls to Azure Resource Manager and Microsoft Graph APIs.
2. **Normalization** — Collected data transformed into standardized evidence records.
3. **Evaluation** — Evidence mapped to compliance framework controls and evaluated.
4. **Reporting** — Findings generated with severity ratings and remediation guidance.

**Important Limitations:** This assessment evaluates control-plane configurations only. Data-plane analysis is outside scope. No tenant resources were created, modified, or deleted.

## 3. Azure Resource Inventory

Expand All  Collapse All

### ▼ 3.1 Subscriptions (4 total)

| SUBSCRIPTION ID | NAME | STATE |
|---|---|---|
| 0eb177bd-28b1-44da-b683-1508e1268aee | Prod | Enabled |
| 8054e434-49e0-4a21-bbea-3fee1c872b88 | Security | Enabled |
| 9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Infra | Enabled |
| d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | AI | Enabled |

### 3.2 Resource Type Distribution (321 resources total)

| RESOURCE TYPE | COUNT |
|---|---|
| Microsoft.Network/networkWatchers | 50 |
| Microsoft.Insights/workbooks | 23 |
| Microsoft.Storage/storageAccounts | 20 |
| Microsoft.EventGrid/systemTopics | 20 |
| Microsoft.Network/networkSecurityGroups | 13 |
| Microsoft.Compute/virtualMachines/extensions | 12 |
| Microsoft.CognitiveServices/accounts/projects | 11 |
| Microsoft.OperationalInsights/workspaces | 10 |
| Microsoft.Insights/dataCollectionRules | 10 |
| Microsoft.CognitiveServices/accounts | 10 |
| Microsoft.OperationsManagement/solutions | 8 |
| Microsoft.Web/connections | 8 |
| Microsoft.Network/publicIPAddresses | 8 |
| Microsoft.BotService/botServices | 8 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.Network/virtualNetworks | 7 |
| microsoft.insights/workbooks | 7 |
| microsoft.visualstudio/account | 7 |
| Microsoft.Insights/components | 6 |
| Microsoft.Network/networkInterfaces | 6 |
| Microsoft.KeyVault/vaults | 5 |
| Microsoft.Compute/virtualMachines | 5 |
| Microsoft.Compute/disks | 5 |
| Microsoft.ManagedIdentity/userAssignedIdentities | 5 |
| Microsoft.Insights/actiongroups | 4 |
| Microsoft.Security/automations | 4 |
| Microsoft.Insights/dataCollectionEndpoints | 4 |
| ManagementGroup | 3 |
| microsoft.insights/actiongroups | 3 |
| microsoft.network/networkWatchers/flowLogs | 3 |
| Microsoft.DevTestLab/schedules | 3 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.Web/serverFarms | 3 |
| Microsoft.ContainerRegistry/registries | 3 |
| Microsoft.App/containerApps | 3 |
| Microsoft.insights/scheduledqueryrules | 2 |
| Microsoft.Logic/workflows | 2 |
| Microsoft.Network/networkWatchers/flowLogs | 2 |
| Microsoft.Network/bastionHosts | 2 |
| Microsoft.Web/sites | 2 |
| Microsoft.App/managedEnvironments | 2 |
| Microsoft.Search/searchServices | 2 |
| Microsoft.Compute/diskEncryptionSets | 1 |
| microsoft.insights/dataCollectionEndpoints | 1 |
| Microsoft.Compute/virtualMachines/runCommands | 1 |
| Microsoft.PowerPlatform/accounts | 1 |
| microsoft.insights/components | 1 |
| Microsoft.SaaS/resources | 1 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.DurableTask/schedulers | 1 |
| Microsoft.Purview/accounts | 1 |
| Microsoft.Easm/workspaces | 1 |
| Microsoft.Fabric/capacities | 1 |

### 3.3 Per-Subscription Details (4 subscriptions)

▼ **Prod** — 6 resource groups, 9 resources, 280 RBAC assignments (27 privileged, 12 owners), 45 policies

### Resource Groups (6)

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
|---|---|---|
| All-PCIDSS-Resources-RG | Prod | eastus2 |
| Default-ActivityLogAlerts | Prod | eastus |
| McapsGovernance | Prod | westus2 |
| NetworkWatcherRG | Prod | eastus2 |
| all-pcidss-resources-rg | Prod | eastus2 |
| mcapsgovernance | Prod | westus2 |

### Resources by Type (9)

| RESOURCE TYPE | COUNT |
|---|---|
| `Microsoft.Insights/actiongroups` | 1 |
| `Microsoft.Network/virtualNetworks` | 1 |
| `Microsoft.Network/networkWatchers` | 1 |
| `Microsoft.KeyVault/vaults` | 1 |
| `Microsoft.Compute/diskEncryptionSets` | 1 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| `Microsoft.Network/networkSecurityGroups` | 1 |
| `Microsoft.Security/automations` | 1 |
| `Microsoft.Storage/storageAccounts` | 1 |
| `Microsoft.EventGrid/systemTopics` | 1 |

**Privileged Role Assignments (27)**

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
| --- | --- | --- | --- | --- |
| Owner | | ServicePrincipal | Subscription | Prod |
| Owner | | ServicePrincipal | Subscription | Prod |
| Contributor | | ServicePrincipal | Subscription | Prod |
| Owner | | User | Subscription | Prod |
| User Access Administrator | | ServicePrincipal | Subscription | Prod |
| Owner | | ServicePrincipal | Subscription | Prod |
| User Access Administrator | | User | Subscription | Prod |
| Owner | | User | ManagementGroup | Prod |
| Owner | | ServicePrincipal | ManagementGroup | Prod |
| Owner | | ServicePrincipal | ManagementGroup | Prod |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Owner | | ServicePrincipal | ManagementGroup | Prod |
| User Access Administrator | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Owner | | ServicePrincipal | ManagementGroup | Prod |
| Owner | | ServicePrincipal | ManagementGroup | Prod |
| Owner | | User | ManagementGroup | Prod |
| Owner | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |
| Contributor | | ServicePrincipal | ManagementGroup | Prod |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Contributor | | User | ManagementGroup | Prod |

**Policy Assignments (45)**

| POLICY | SCOPE | ENFORCEMENT |
|---|---|---|
| ASC DataProtection (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee) | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Defender for Containers provisioning ARC k8s Enabled | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Defender for Containers provisioning AKS Security Profile | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Defender for Containers provisioning Azure Policy Addon for Kubernetes | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| ASC provisioning default LA agent Linux Arc | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| ASC provisioning default LA agent Windows Arc | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| ASC OpenSourceRelationalDatabasesProtection (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee) | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Defender for SQL Servers on Machines provisioning (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee) | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| ASC Default (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee) | /subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee | Default |
| Configure virtual network to enable Flow Log and Traffic Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Flow logs should be configured and enabled for every network security group [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy a Flow Log resource with target virtual network [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure network security groups to enable traffic analytics | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Network Watcher flow logs should have traffic analytics enabled [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Microsoft cloud security benchmark | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP High [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy Diagnostic Settings for Network Security Groups [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy network watcher when virtual networks are created [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deny subscription creation at Tenant Root Managment Group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Audit resources in subscriptions under Tenant Root Management group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4.0.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Audit Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deny Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| MCAPSGov Deploy and Modify Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Block Azure RM Resource Creation | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST SP 800-53 Rev. [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP Moderate | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 -- [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST 800-171 R3 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.1.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| CIS Controls v8.1 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |
| NIST CSF v2.0 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |
| CIS Microsoft Azure Foundations Benchmark v1.3.0 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |
| CIS Microsoft Azure Foundations Benchmark v2.0.0 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |
| CIS Azure Foundations v3.0.0 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |

▼ **Security** — 9 resource groups, 69 resources, 291 RBAC assignments (28 privileged, 12 owners), 43 policies

### Resource Groups (9)

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
|---|---|---|
| Datalake | Security | eastus2 |
| Default-ActivityLogAlerts | Security | eastus |
| McapsGovernance | Security | westus2 |
| NetworkWatcherRG | Security | eastus |
| RG-LogAnalyticsWorkspace | Security | eastus |
| SecurityCopilot-RG | Security | eastus |
| datalake | Security | eastus |
| mcapsgovernance | Security | westus2 |
| rg-loganalyticsworkspace | Security | eastus |

### Resources by Type (69)

| RESOURCE TYPE | COUNT |
|---|---|
| `Microsoft.Insights/workbooks` | 22 |
| `Microsoft.Insights/dataCollectionRules` | 9 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.Web/connections | 8 |
| Microsoft.OperationsManagement/solutions | 7 |
| microsoft.insights/workbooks | 6 |
| Microsoft.Insights/dataCollectionEndpoints | 3 |
| Microsoft.insights/scheduledqueryrules | 2 |
| Microsoft.Logic/workflows | 2 |
| Microsoft.Storage/storageAccounts | 2 |
| Microsoft.EventGrid/systemTopics | 2 |
| Microsoft.Insights/actiongroups | 1 |
| Microsoft.OperationalInsights/workspaces | 1 |
| microsoft.insights/dataCollectionEndpoints | 1 |
| Microsoft.Insights/components | 1 |
| microsoft.insights/actiongroups | 1 |
| Microsoft.Security/automations | 1 |

**Privileged Role Assignments (28)**

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Owner | | ServicePrincipal | Subscription | Security |
| Owner | | ServicePrincipal | Subscription | Security |
| Contributor | | ServicePrincipal | Subscription | Security |
| Contributor | | ServicePrincipal | Resource | Security |
| Owner | | User | Subscription | Security |
| User Access Administrator | | ServicePrincipal | Subscription | Security |
| Owner | | ServicePrincipal | Subscription | Security |
| User Access Administrator | | User | Subscription | Security |
| Owner | | User | ManagementGroup | Security |
| Owner | | ServicePrincipal | ManagementGroup | Security |
| Owner | | ServicePrincipal | ManagementGroup | Security |
| Owner | | ServicePrincipal | ManagementGroup | Security |
| User Access Administrator | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Owner | | ServicePrincipal | ManagementGroup | Security |
| Owner | | ServicePrincipal | ManagementGroup | Security |
| Owner | | User | ManagementGroup | Security |
| Owner | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | ServicePrincipal | ManagementGroup | Security |
| Contributor | | User | ManagementGroup | Security |

**Policy Assignments (43)**

| POLICY | SCOPE | ENFORCEMENT |
|---|---|---|
| ASC OpenSourceRelationalDatabasesProtection (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88) | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| ASC DataProtection (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88) | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Defender for Containers provisioning ARC k8s Enabled | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Defender for Containers provisioning AKS Security Profile | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Defender for Containers provisioning Azure Policy Addon for Kubernetes | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| ASC Default (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88) | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Defender for SQL Servers on Machines provisioning (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88) | /subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88 | Default |
| Configure virtual network to enable Flow Log and Traffic Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Flow logs should be configured and enabled for every network security group [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy a Flow Log resource with target virtual network [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure network security groups to enable traffic analytics | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Network Watcher flow logs should have traffic analytics enabled [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft cloud security benchmark | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP High [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy Diagnostic Settings for Network Security Groups [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Deploy network watcher when virtual networks are created [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deny subscription creation at Tenant Root Managment Group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Audit resources in subscriptions under Tenant Root Management group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4.0.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Audit Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deny Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deploy and Modify Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Block Azure RM Resource Creation | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST SP 800-53 Rev. [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| FedRAMP Moderate | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 -- [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST 800-171 R3 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.1.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Controls v8.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST CSF v2.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.3.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| CIS Microsoft Azure Foundations Benchmark v2.0.0 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |
| CIS Azure Foundations v3.0.0 | `iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` | Default |

▼ **Infra** — 18 resource groups, 113 resources, 296 RBAC assignments (29 privileged, 12 owners), 47 policies

### Resource Groups (18)

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
|---|---|---|
| APPPROXY-POC-RG | Infra | eastus2 |
| AppProxy-POC-RG | Infra | eastus2 |
| Default-ActivityLogAlerts | Infra | eastus |
| DefaultResourceGroup-EUS | Infra | eastus |
| McapsGovernance | Infra | westus2 |
| NetworkWatcherRG | Infra | eastus |
| RG-ADLS-Governance-Retention | Infra | canadacentral |
| RG-ECMA2-POC-WUS2 | Infra | westus2 |
| RG-POC-SENTINEL | Infra | eastus2 |
| RG-POC-Sentinel | Infra | eastus |
| VM02_GROUP | Infra | eastus2 |
| appproxy-poc-rg | Infra | eastus2 |
| mcapsgovernance | Infra | westus2 |

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
|---|---|---|
| rg-adls-governance-retention | Infra | canadacentral |
| rg-ecma2-poc | Infra | eastus |
| rg-ecma2-poc-wus2 | Infra | westus2 |
| rg-poc-sentinel | Infra | eastus |
| vm02_group | Infra | eastus2 |

**Resources by Type (113)**

| RESOURCE TYPE | COUNT |
|---|---|
| `Microsoft.Network/networkSecurityGroups` | 12 |
| `Microsoft.Compute/virtualMachines/extensions` | 12 |
| `Microsoft.Storage/storageAccounts` | 10 |
| `Microsoft.EventGrid/systemTopics` | 10 |
| `Microsoft.Network/publicIPAddresses` | 8 |
| `Microsoft.Network/virtualNetworks` | 6 |
| `Microsoft.Network/networkInterfaces` | 6 |
| `Microsoft.Compute/virtualMachines` | 5 |
| `Microsoft.Compute/disks` | 5 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.OperationalInsights/workspaces | 4 |
| Microsoft.Network/networkWatchers | 3 |
| microsoft.network/networkWatchers/flowLogs | 3 |
| Microsoft.DevTestLab/schedules | 3 |
| Microsoft.Network/networkWatchers/flowLogs | 2 |
| Microsoft.Insights/components | 2 |
| Microsoft.Network/bastionHosts | 2 |
| Microsoft.KeyVault/vaults | 2 |
| Microsoft.ManagedIdentity/userAssignedIdentities | 2 |
| Microsoft.App/containerApps | 2 |
| Microsoft.Insights/actiongroups | 1 |
| Microsoft.Insights/dataCollectionEndpoints | 1 |
| microsoft.insights/workbooks | 1 |
| Microsoft.Insights/dataCollectionRules | 1 |
| Microsoft.Security/automations | 1 |
| microsoft.insights/actiongroups | 1 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| `Microsoft.Compute/virtualMachines/runCommands` | 1 |
| `Microsoft.Web/serverFarms` | 1 |
| `Microsoft.Web/sites` | 1 |
| `Microsoft.Insights/workbooks` | 1 |
| `Microsoft.CognitiveServices/accounts` | 1 |
| `Microsoft.CognitiveServices/accounts/projects` | 1 |
| `Microsoft.ContainerRegistry/registries` | 1 |
| `Microsoft.App/managedEnvironments` | 1 |

**Privileged Role Assignments (29)**

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
| --- | --- | --- | --- | --- |
| Owner | | ServicePrincipal | Subscription | Infra |
| Owner | | ServicePrincipal | Subscription | Infra |
| Contributor | | ServicePrincipal | Subscription | Infra |
| Contributor | | ServicePrincipal | Subscription | Infra |
| Contributor | | ServicePrincipal | Subscription | Infra |
| Owner | | User | Subscription | Infra |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| User Access Administrator | | ServicePrincipal | Subscription | Infra |
| Owner | | ServicePrincipal | Subscription | Infra |
| User Access Administrator | | User | Subscription | Infra |
| Owner | | User | ManagementGroup | Infra |
| Owner | | ServicePrincipal | ManagementGroup | Infra |
| Owner | | ServicePrincipal | ManagementGroup | Infra |
| Owner | | ServicePrincipal | ManagementGroup | Infra |
| User Access Administrator | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Owner | | ServicePrincipal | ManagementGroup | Infra |
| Owner | | ServicePrincipal | ManagementGroup | Infra |
| Owner | | User | ManagementGroup | Infra |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Owner | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | ServicePrincipal | ManagementGroup | Infra |
| Contributor | | User | ManagementGroup | Infra |

**Policy Assignments (47)**

| POLICY | SCOPE | ENFORCEMENT |
|---|---|---|
| ASC provisioning default LA agent Windows Arc | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| [Murali only to VM02 in Infra] Configure ChangeTracking Extension for Windows virtual machines | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2/resourcegroups/vm02_group | Default |
| ASC DataProtection (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2) | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Defender for Containers provisioning AKS Security Profile | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Defender for Containers provisioning Azure Policy Addon for Kubernetes | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Defender for Containers provisioning ARC k8s Enabled | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| ASC OpenSourceRelationalDatabasesProtection (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2) | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| ASC provisioning default LA agent Linux Arc | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Configure diagnostic settings for Azure Network Security Groups to Log Analytics workspace | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers-Custom | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| ASC Default (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2) | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Defender for SQL Servers on Machines provisioning (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2) | /subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2 | Default |
| Configure virtual network to enable Flow Log and Traffic Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Flow logs should be configured and enabled for every network security group [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy a Flow Log resource with target virtual network [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure network security groups to enable traffic analytics | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Network Watcher flow logs should have traffic analytics enabled [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft cloud security benchmark | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP High [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy Diagnostic Settings for Network Security Groups [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy network watcher when virtual networks are created [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Deny subscription creation at Tenant Root Managment Group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Audit resources in subscriptions under Tenant Root Management group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4.0.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Audit Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deny Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deploy and Modify Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Block Azure RM Resource Creation | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST SP 800-53 Rev. [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP Moderate | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 -- [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST 800-171 R3 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.1.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Controls v8.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST CSF v2.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.3.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v2.0.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| CIS Azure Foundations v3.0.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

▼ **AI** — 34 resource groups, 127 resources, 541 RBAC assignments (34 privileged, 19 owners), 45 policies

### Resource Groups (34)

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
|---|---|---|
| AzureStorageTestData-RG | AI | eastus2 |
| Default-ActivityLogAlerts | AI | eastus |
| DefaultResourceGroup-CUS | AI | centralus |
| DefaultResourceGroup-EUS | AI | eastus |
| DefaultResourceGroup-EUS2 | AI | eastus2 |
| ESIQNew-RG | AI | swedencentral |
| McapsGovernance | AI | westus2 |
| NetworkWatcherRG | AI | southafricanorth |
| PostureIQ-RG | AI | eastus2 |
| RG-AzureAIFoundary-FedRAMP-High | AI | eastus2 |
| RG-MFabric | AI | westus3 |
| RG-SecurityStore-Microsoft-com | AI | eastus2 |
| RG_Agent_Production_workspace | AI | eastus2 |

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
| --- | --- | --- |
| SearchIQ-RG | AI | eastus2 |
| VisualStudioOnline-202DBFC87B9B4BDBB7399090BB529FDC | AI | centralus |
| VisualStudioOnline-2D99876C9299450493402BCC306DF513 | AI | centralus |
| VisualStudioOnline-5BD10CFB85DD49289FAF4811939BFE73 | AI | centralus |
| VisualStudioOnline-8DE9C41F85E64DD79AF5C057AFCCDFC1 | AI | centralus |
| VisualStudioOnline-BCC1732A5B4F4BEFB4CC8734A70537E9 | AI | centralus |
| VisualStudioOnline-DC68136D511948EBBE9BA224D46A84A3 | AI | centralus |
| VisualStudioOnline-E2760F541A4143F4952C459E95792724 | AI | centralus |
| VisualStudioOnline-FCAC6E3D98B34B7189CD3AB0AF857368 | AI | centralus |
| azurestoragetestdata-rg | AI | eastus2 |
| dlg-rg-eus2 | AI | eastus2 |
| esiqnew-rg | AI | swedencentral |
| mcapsgovernance | AI | westus2 |
| rg-AIFutureInitiative | AI | eastus2 |
| rg-CompliSense | AI | eastus2 |
| rg-DefenderEASM | AI | eastus |

| RESOURCE GROUP | SUBSCRIPTION | LOCATION |
|---|---|---|
| rg-OpenAPI-Demo01 | AI | swedencentral |
| rg-TenantCompliance | AI | eastus2 |
| rg-aifutureinitiative | AI | eastus2 |
| rg-azureaifoundary-fedramp-high | AI | eastus2 |
| rg-tenantcompliance | AI | eastus2 |

**Resources by Type (127)**

| RESOURCE TYPE | COUNT |
|---|---|
| `Microsoft.Network/networkWatchers` | 46 |
| `Microsoft.CognitiveServices/accounts/projects` | 10 |
| `Microsoft.CognitiveServices/accounts` | 9 |
| `Microsoft.BotService/botServices` | 8 |
| `Microsoft.Storage/storageAccounts` | 7 |
| `Microsoft.EventGrid/systemTopics` | 7 |
| `microsoft.visualstudio/account` | 7 |
| `Microsoft.OperationalInsights/workspaces` | 5 |
| `Microsoft.ManagedIdentity/userAssignedIdentities` | 3 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.Insights/components | 3 |
| Microsoft.Search/searchServices | 2 |
| Microsoft.Web/serverFarms | 2 |
| Microsoft.KeyVault/vaults | 2 |
| Microsoft.ContainerRegistry/registries | 2 |
| Microsoft.PowerPlatform/accounts | 1 |
| microsoft.insights/components | 1 |
| microsoft.insights/actiongroups | 1 |
| Microsoft.SaaS/resources | 1 |
| Microsoft.Security/automations | 1 |
| Microsoft.OperationsManagement/solutions | 1 |
| Microsoft.DurableTask/schedulers | 1 |
| Microsoft.Web/sites | 1 |
| Microsoft.Purview/accounts | 1 |
| Microsoft.App/managedEnvironments | 1 |
| Microsoft.App/containerApps | 1 |

| RESOURCE TYPE | COUNT |
| --- | --- |
| Microsoft.Insights/actiongroups | 1 |
| Microsoft.Easm/workspaces | 1 |
| Microsoft.Fabric/capacities | 1 |

### Privileged Role Assignments (34)

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
| --- | --- | --- | --- | --- |
| Owner | | ServicePrincipal | Subscription | AI |
| Owner | | ServicePrincipal | Subscription | AI |
| Contributor | | ServicePrincipal | Subscription | AI |
| Owner | | ServicePrincipal | Resource | AI |
| Owner | | ServicePrincipal | Resource | AI |
| Owner | | ServicePrincipal | Resource | AI |
| Owner | | ServicePrincipal | Resource | AI |
| Owner | | ServicePrincipal | Resource | AI |
| Owner | | ServicePrincipal | ResourceGroup | AI |
| Owner | | ServicePrincipal | ResourceGroup | AI |
| Owner | | ServicePrincipal | ResourceGroup | AI |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Owner | | User | Subscription | AI |
| User Access Administrator | | ServicePrincipal | Subscription | AI |
| Owner | | ServicePrincipal | Subscription | AI |
| User Access Administrator | | User | Subscription | AI |
| Owner | | ServicePrincipal | ManagementGroup | AI |
| Owner | | ServicePrincipal | ManagementGroup | AI |
| Owner | | ServicePrincipal | ManagementGroup | AI |
| User Access Administrator | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Owner | | ServicePrincipal | ManagementGroup | AI |
| Owner | | ServicePrincipal | ManagementGroup | AI |
| Owner | | User | ManagementGroup | AI |

| ROLE | PRINCIPAL | TYPE | SCOPE | SUBSCRIPTION |
|---|---|---|---|---|
| Owner | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | ServicePrincipal | ManagementGroup | AI |
| Contributor | | User | ManagementGroup | AI |

**Policy Assignments (45)**

| POLICY | SCOPE | ENFORCEMENT |
|---|---|---|
| ASC DataProtection (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0) | `/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0` | Default |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers | `/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0` | Default |
| Defender for Containers provisioning AKS Security Profile | `/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0` | Default |
| Defender for Containers provisioning ARC k8s Enabled | `/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0` | Default |
| Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes | `/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0` | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Defender for Containers provisioning Azure Policy Addon for Kubernetes | /subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | Default |
| ASC OpenSourceRelationalDatabasesProtection (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0) | /subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | Default |
| ASC provisioning default LA agent Windows Arc | /subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | Default |
| ASC provisioning default LA agent Linux Arc | /subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | Default |
| ASC Default (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0) | /subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | Default |
| Defender for SQL Servers on Machines provisioning (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0) | /subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0 | Default |
| Configure virtual network to enable Flow Log and Traffic Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Flow logs should be configured and enabled for every network security group [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Enable allLogs category group resource logging for supported resources to Log Analytics [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Deploy a Flow Log resource with target virtual network [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Configure network security groups to enable traffic analytics | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Network Watcher flow logs should have traffic analytics enabled [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft cloud security benchmark | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP High [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy Diagnostic Settings for Network Security Groups [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy network watcher when virtual networks are created [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deny subscription creation at Tenant Root Managment Group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Audit resources in subscriptions under Tenant Root Management group | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4.0.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Audit Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deny Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| MCAPSGov Deploy and Modify Policies | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Block Azure RM Resource Creation | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST SP 800-53 Rev. [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| FedRAMP Moderate | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 -- [Murali] | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

| POLICY | SCOPE | ENFORCEMENT |
| --- | --- | --- |
| NIST 800-171 R3 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.1.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| PCI DSS v4 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Controls v8.1 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| NIST CSF v2.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v1.3.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Microsoft Azure Foundations Benchmark v2.0.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |
| CIS Azure Foundations v3.0.0 | iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 | Default |

### 3.4 Cross-Subscription Totals

| METRIC | TOTAL |
|---|---|
| Resource Groups | 67 |
| Resources | 321 |
| RBAC Assignments | 1408 |
| Privileged Assignments | 118 |
| Owner Assignments | 55 |
| Policy Assignments | 180 |

## 4. Microsoft Entra ID Resource Inventory

Expand All Collapse All

### 4.1 Tenant Information

| PROPERTY | VALUE |
|---|---|
| TenantId | 4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67 |
| DisplayName | Contoso |
| VerifiedDomains | [{'Name': 'MngEnvMCAP250477.onmicrosoft.com', 'IsDefault': True, 'IsInitial': True}] |
| LicensePlans | ['AzureAdvancedThreatAnalytics', 'TeamspaceAPI', 'MicrosoftKaizala', 'MultiFactorService', 'SharePoint', 'PowerBI', 'MixedRealityCollaborationServices', 'M365LabelAnalytics', 'ccibotsprod', 'MicrosoftOffice', 'ProcessSimple', 'OnlineService', 'Microsoft.ProjectBabylon', 'MicrosoftPrint', 'Windows', 'Adallom', 'ProjectProgramsAndPortfolios', 'Bing', 'DefenderforIoT', 'MIPExchangeSolutions', 'RMSOnline', 'WindowsUpdateforBusinessCloudExtensions', 'SCO', 'Modern-Workplace-Core-ITaas', 'CRM', 'Sway', 'LearningAppServiceInTeams', 'WhiteboardServices', 'WevEngine', 'MicrosoftEndpointDLP', 'M365Multi-TenantManagement', 'CustomerLockbox', 'OfficeForms', 'Deskless', 'MicrosoftCommunicationsOnline', 'AADPremiumService', 'VivaSkills', 'M365CommunicationCompliance', 'exchange', 'WindowsDefenderATP', 'YammerEnterprise', 'PowerAppsService', 'Chapter5FluidApp', 'MicrosoftStream', 'ProjectWorkManagement', 'Office365InsiderRisk', 'WorkplaceAnalytics', 'MicrosoftThreatProtection', 'To-Do'] |
| TechnicalNotificationMails | ['mchillakuru@microsoft.com'] |

## 4.2 Directory Roles

23 active roles (of 143 total definitions) have assigned members.

| ROLE | CLASSIFICATION | MEMBERS | ASSIGNED USERS / GROUPS |
|---|---|---|---|
| **SharePoint Administrator** | PRIVILEGED | 2 | Murali Chillakuru, Murali Chillakuru ( SA ) |
| **Application Administrator** | PRIVILEGED | 1 | Murali Chillakuru ( SA ) |
| **Global Administrator** | PRIVILEGED | 1 | Murali Chillakuru ( SA ) |
| **Security Administrator** | PRIVILEGED | 1 | Murali Chillakuru |
| **Global Reader** | | 4 | AI-Agents-Roles-To-Managed-Identities, Murali Chillakuru, Murali Chillakuru ( SA ) |
| **Security Reader** | | 3 | Murali Chillakuru, Murali Chillakuru ( SA ) |
| **Office Apps Administrator** | | 2 | Murali Chillakuru, Murali Chillakuru ( SA ) |
| **Purview Workload Content Reader** | | 2 | AI-Agents-Roles-To-Managed-Identities, Murali Chillakuru ( SA ) |
| **SharePoint Advanced Management Administrator** | | 2 | Murali Chillakuru, Murali Chillakuru ( SA ) |
| **SharePoint Embedded Administrator** | | 2 | Murali Chillakuru, Murali Chillakuru ( SA ) |
| **AI Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Agent ID Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Agent Registry Administrator** | | 1 | Murali Chillakuru ( SA ) |

| ROLE | CLASSIFICATION | MEMBERS | ASSIGNED USERS / GROUPS |
|---|---|---|---|
| **Azure DevOps Administrator** | | 1 | AI-Agents-Roles-To-Managed-Identities |
| **Compliance Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Compliance Data Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Directory Readers** | | 1 | AI-Agents-Roles-To-Managed-Identities |
| **Dynamics 365 Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **External Identity Provider Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Identity Governance Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Power Platform Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Purview Workload Content Administrator** | | 1 | Murali Chillakuru ( SA ) |
| **Teams Administrator** | | 1 | Murali Chillakuru ( SA ) |

### 4.3 Conditional Access Policies (6 policies)

| POLICY | STATE | REQUIRES MFA |
|---|---|---|
| Multifactor authentication for Microsoft partners and vendors | enabled | Yes |
| Reauthentication on signin risk for Microsoft partners and vendors | enabled | Yes |
| Secure password change on high user risk for Microsoft partners and vendors | enabled | Yes |
| Security info registration for Microsoft partners and vendors | enabled | No |
| Block all high risk agents from accessing all resources | enabled | No |
| Required Azure MFA | enabled | Yes |

### 4.4 Applications (69 registrations, 739 service principals)

## Application Registrations (69)

| APPLICATION | MULTI-TENANT | SIGN-IN AUDIENCE | PASSWORDS | CERTIFICATES | CREDENTIAL STATUS |
|---|---|---|---|---|---|
| MuraliAIAgentsDevWork-Resource-MuraliAIAgentsDevWork-Project-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| adls-gov-spa | No | `AzureADMyOrg` | 0 | 0 | None |
| POC-HR-Portal | No | `AzureADMyOrg` | 0 | 0 | None |
| complisense-resource-complisense-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| POC-Finance-App | No | `AzureADMyOrg` | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-FoundryForge-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| On-premises ECMA app (Murali) | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |

| APPLICATION | MULTI-TENANT | SIGN-IN AUDIENCE | PASSWORDS | CERTIFICATES | CREDENTIAL STATUS |
|---|---|---|---|---|---|
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| adls-gov-api | No | AzureADMyOrg | 1 | 0 | Valid |
| DLG-Agent | No | AzureADMyOrg | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-AzureStorageIQ-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| FedRAMP-High-FoundryResource-FedRAMP-High-Foundry-Project-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| On-premises SCIM app (Murali) | No | AzureADMyOrg | 0 | 0 | None |
| aifutureinitiative-funtionapp-authentication | No | AzureADMyOrg | 1 | 0 | Valid |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |

| APPLICATION | MULTI-TENANT | SIGN-IN AUDIENCE | PASSWORDS | CERTIFICATES | CREDENTIAL STATUS |
|---|---|---|---|---|---|
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| aifutureinitiativefunctionappA | No | AzureADMyOrg | 1 | 0 | Valid |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-PostureIQ-Dev-V100-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| MuraliAIAgentsDevWork-Resource-MuraliAIAgentsDevWork-Project-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| FedRAMP-High-FoundryResource-DefaultProject-NotForUse-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |

| APPLICATION | MULTI-TENANT | SIGN-IN AUDIENCE | PASSWORDS | CERTIFICATES | CREDENTIAL STATUS |
|---|---|---|---|---|---|
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| POC-HR-Portal | No | AzureADMyOrg | 0 | 0 | None |
| Azure Sentinel Content Deployment App (e9eebc16-b2fb-469d-b16f-bc1522c2918b) | No | AzureADMyOrg | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-Agent02-EntraResources-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-DataHalo-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-MicrosoftFoundryIQ-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| GetEntraResources-bot | No | AzureADMyOrg | 1 | 0 | Valid |
| GetEntraResourcesWithUserDelegated_Murali | No | AzureADMyOrg | 1 | 0 | Valid |
| Murali-GetAllEntraResources | No | AzureADMyOrg | 1 | 0 | Valid |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | AzureADMyOrg | 0 | 0 | None |
| POC-Finance-App | No | AzureADMyOrg | 0 | 0 | None |

| APPLICATION | MULTI-TENANT | SIGN-IN AUDIENCE | PASSWORDS | CERTIFICATES | CREDENTIAL STATUS |
|---|---|---|---|---|---|
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| searchiq-resource-searchiq-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| openapi-demo01-resource-openapi-demo01-AzureDevOpsIQ-V1-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-PostureIQ-Dev-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| MSproject-SAML App -Murali | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| dev-landing-app-mdcloud-local | No | `AzureADMyOrg` | 0 | 0 | None |

| APPLICATION | MULTI-TENANT | SIGN-IN AUDIENCE | PASSWORDS | CERTIFICATES | CREDENTIAL STATUS |
|---|---|---|---|---|---|
| MHackathonWS | No | `AzureADMyOrg` | 0 | 0 | None |
| POC-HR-Portal | No | `AzureADMyOrg` | 0 | 0 | None |
| MuraliAIAgentsDevWork-Resource-MuraliAIAgentsDevWork-Project-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| MuraliPOCTEST | No | `AzureADMyOrg` | 0 | 0 | None |
| EntraIdSamlDemo-Murali | No | `AzureADMyOrg` | 1 | 0 | Valid |
| openapi-demo01-resource-openapi-demo01-AzureDevOps-Assist-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| EnterpriseSecurityIQ-SPA | Yes | `AzureADMultipleOrgs` | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | No | `AzureADMyOrg` | 0 | 0 | None |

▼ **Service Principals (739 total)**

## Application (581)

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| Centralized Deployment | 257601fd-462f-4a21-b623-7f719f0f90f4 | Yes | |
| Azure DevOps | 499b84ac-1321-427f-aa17-267ca6975798 | Yes | |
| Microsoft Defender for Cloud Apps - Customer Experience | ac6dbf5e-1087-4434-beb2-0ebf7bd1b883 | Yes | |
| Azure Advanced Threat Protection | 7b7531ad-5926-4f2d-8a1d-38495ad33e17 | Yes | |
| OCaaS Client Interaction Service | c2ada927-a9e2-4564-aae2-70775a2fa0af | Yes | |
| M365 App Management Service | 0517ffae-825d-4aff-999e-3f2336b8a20a | Yes | |
| CommComplianceApp | 87251ad4-d513-4246-8138-b40d418b9005 | Yes | |
| Storage Data Management RP Prod FPA | 3a3b6b87-84e2-4ad2-aa37-d76c339371a4 | Yes | |
| Microsoft AppPlat EMA | dee7ba80-6a55-4f3b-a86c-746a9231ae49 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Defender for Cloud - Private Link Resource Provider | d0ef82bb-244a-4458-9eb4-24a9f093f2c4 | Yes | |
| Azure Update Manager | 8c420feb-03df-47cc-8a05-55df0cf3064b | Yes | |
| Microsoft Workplace Search Service | f3a218b7-5c8f-460b-93af-56b072788c15 | Yes | |
| Azure AD Identity Governance - Entitlement Management | 810dcf14-1858-4bf2-8134-4c369fa3235b | Yes | |
| Customer Service Trial PVA | 944861d3-5975-4f8b-afd4-3422c0b1b6ce | Yes | |
| AFOI-NC-RP-PME-PROD | 05cf5e27-931d-47ad-826d-cb9028d8bd7a | Yes | |
| IAMTenantCrawler | 66244124-575c-4284-92bc-fdd00e669cea | Yes | |
| Azure Machine Learning | 0736f41a-0425-4b46-bdb5-1563eff02385 | Yes | |
| openapi-demo01-resource-openapi-demo01-PostureIQ-Dev-V100-AgentIdentityBlueprint | 5f0d639e-ea19-463a-b3a3-285dca8ecacf | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | 5c191904-dd13-4616-99ac-7082af8367f5 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| FedRAMP-High-FoundryResource-DefaultProject-NotForUse-AgentIdentityBlueprint | 6906a2d5-8dec-4648-bd12-c7ffeca688c1 | Yes | |
| aciapi | c5b17a4f-cc6f-4649-9480-684280a2af3a | Yes | |
| CompliancePolicy | 644c1b11-f63f-45fa-826b-a9d2801db711 | Yes | |
| Arc Token Service | d00b5d58-cae5-42ad-ae0a-5a2e6f7ee6c9 | Yes | |
| Microsoft Cognitive Services | 7d312290-28c8-473c-a0ed-8e53749b6d6d | Yes | |
| Bot Service Resource Provider | e6650347-047f-4e51-9386-839384472ea5 | Yes | |
| CABProvisioning | 5da7367f-09c8-493e-8fd4-638089cddec3 | Yes | |
| Microsoft Teams - Teams And Channels Service | b55b276d-2b09-4ad2-8de5-f09cf24ffba9 | Yes | |
| Power Policy CM - PROD | c81c4f54-f70c-49e3-a01d-0a44ed684c5a | Yes | |
| Billing RP | 80dbdb39-4f33-4799-8b6f-711b5e3e61b6 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | dbeabb73-39a7-44dc-a7e8-c53fcedb94f4 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 59d0bc18-363c-42e5-9d0a-100854764941 | Yes | |
| Viva Skills | 75d4238e-b142-4d2d-aed9-232b830b8706 | Yes | |
| Security Copilot | 826870f9-9fbb-4f23-81b8-3a957080dfa2 | Yes | |
| MSFT Power Platform - Azure AD | 2bed6734-1911-40e6-ac44-00d79d70d2bc | Yes | |
| MicrosoftEndpointDLP | c98e5057-edde-4666-b301-186a01b4dc58 | Yes | |
| Azure Cost Management XCloud | 3184af01-7a88-49e0-8b55-8ecdce0aa950 | Yes | |
| Azure Machine Learning OpenAI | 61c50b89-703d-431d-8d80-1e8618748775 | Yes | |
| Office365 Zoom | 0d38933a-0bbd-41ca-9ebd-28c4b5ba7cb7 | Yes | |
| Customer Experience Platform PROD | 2220bbc4-4518-4fef-aac6-c6f32e9f9fd1 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft.Defender.Incident | e74a9aae-ce66-426d-b197-ef43a773faa8 | Yes | |
| Office Shredding Service | b97b6bd4-a49f-4a0c-af18-af507d1da76c | Yes | |
| Bot Framework Composer | ce48853e-0605-4f77-8746-d70ac63cc6bc | Yes | |
| Narada Notification Service | 51b5e278-ed7e-42c6-8787-7ff93e92f577 | Yes | |
| EntraIdSamlDemo-Murali | 4a958264-3c96-4485-88d3-0ec1dec4fa41 | Yes | |
| Azure Resource Graph | 509e4652-da8d-478d-a730-e9d4a1996ca4 | Yes | |
| ACR-Tasks-Network | 62c559cd-db0c-4da0-bab2-972528c65d42 | Yes | |
| Microsoft Defender for Cloud Servers Scanner Resource Provider | 0c7668b5-3260-4ad0-9f53-34ed54fa19b2 | Yes | |
| GetEntraResources-bot | 07f61595-696d-446a-b1a9-4d4a741d38c5 | Yes | |
| Bing | 9ea1ad79-fdb6-4f9a-8bc3-2b70f96e34c7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Invitation Acceptance Portal | 4660504c-45b3-4674-a709-71951a6b0763 | Yes | |
| Azure Update Manager | c476eb34-4c94-43bc-97fc-94ede0534615 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 6fe185d1-6760-47c5-b285-35c4616cfcd1 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | c060f9a9-5398-4236-8fcd-f71e3051d98c | Yes | |
| Azure Monitor Health Models Dataplane | f3d5b479-4d7f-4a81-9e00-09e2b452c04e | Yes | |
| EnterpriseSecurityIQ-SPA | ffb6f10d-6991-430e-b3d6-23a0101a92b1 | Yes | |
| DTS-ControlPlane | a2451b93-19e6-4171-9d8e-ef172b102521 | Yes | |
| Azure Reserved Instance Application | 4d0ad6c7-f6c3-46d8-ab0d-1406d5e6c86b | Yes | |
| Azure SQL Managed Instance to Microsoft.Network | 76c7f279-7959-468f-8943-3954880e0d8c | Yes | |
| Geneva Alert RP | 6bccf540-eb86-4037-af03-7fa058c2db75 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| TenantSearchProcessors | abc63b55-0325-4305-9e1e-3463b182a6dc | Yes | |
| AssistAPI | 2b8844d8-6c87-4fce-97a0-fbec9006e140 | Yes | |
| IAM Supportability | a57aca87-cbc0-4f3c-8b9e-dc095fdc8978 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 61e121c9-ddf7-4b53-9bc1-9422b7c0ee7b | Yes | |
| Azure Regional Service Manager | 5e5e43d4-54da-4211-86a4-c6e7f3715801 | Yes | |
| Office365 Shell SS-Server Default | 6872b314-67ab-4a16-98e7-a663b0f772c3 | Yes | |
| Microsoft Device Management Checkin | ca0a114d-6fbc-46b3-90fa-2ec954794ddb | Yes | |
| Azure Credential Configuration Endpoint Service | ea890292-c8c8-4433-b5ea-b09d0668e1a6 | Yes | |
| openapi-demo01-resource-openapi-demo01-AzureDevOpsIQ-V1-AgentIdentityBlueprint | ce9fd468-9127-461a-9743-c010fcbb9f64 | Yes | |
| KnowledgeServing | 322422d3-3e0e-4873-a6c9-d3b4a4c83c0f | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft 365 Security and Compliance Center | 80ccca67-54bd-44ab-8625-4b79c4dc7775 | Yes | |
| adls-gov-api | b9449920-47ee-4db0-aa81-053397cb3eb0 | Yes | |
| Windows Store for Business | 45a330b1-b1ec-4cc1-9161-9f03992aa49f | Yes | |
| Azure Machine Learning Compute | 607ece82-f922-494f-88b8-30effaf12214 | Yes | |
| Azure Purview | 73c2949e-da2d-457a-9607-fcc665198967 | Yes | |
| M365 Compliance Drive | cedebc57-38a2-4f0a-8472-dfcbba5b04c6 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-DataHalo-AgentIdentityBlueprint | 9269bd19-3d4a-4f86-ae24-446f624212aa | Yes | |
| Azure Multi-Factor Auth Connector | 1f5530b3-261a-47a9-b357-ded261e17918 | Yes | |
| ScheduledActions | 45164d96-544d-4a64-a1ca-3fb4bbb6eb18 | Yes | |
| openapi-demo01-resource-openapi-demo01-FoundryForge-AgentIdentityBlueprint | 13cf4898-d0a0-411a-ba6d-d045bcb25e4a | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| IP Risk Remediation Agent Blueprint | 4a427c29-a811-446e-a077-be1898a24a5d | Yes | |
| Microsoft Defender for Cloud Pricing Resource Provider | cbff9545-769a-4b41-b76e-fbb069e8727e | Yes | |
| networkcopilotRP | d66e9e8e-53a4-420c-866d-5bb39aaea675 | Yes | |
| AFOI-NC-PLATFORM-OPERATOR | 8a03a6c6-a900-45a9-bebd-735651dda856 | Yes | |
| Security Copilot | 7b7f48f0-62d0-4183-b9ad-c2b6b4fd7aff | Yes | |
| Hybrid RP Application | d2a590e7-6906-4a45-8f41-cecfdca9bca1 | Yes | |
| Azure Smart Alerts | 3af5a1e8-2459-45cb-8683-bcd6cccbcc13 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | a6dbcc75-30e7-4210-9a65-0f17cb263b72 | Yes | |
| Azure Guest Container Update Manager | c8f5141d-83e0-4e9a-84d0-bb6677e26f64 | Yes | |
| Microsoft Threat Protection Bicep Extension | 229c0a71-0789-4652-8054-3f547fcc66f0 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Demos | ab2f187f-4971-4cf3-b59c-d9e5b756016b | Yes | |
| Microsoft Partner Center | fa3d9a0c-3fb0-42cc-9193-47c7ecd2edbd | Yes | |
| Azure Application Change Service | 3edcf11f-df80-41b2-a5e4-7e213cca30d1 | Yes | |
| Bot Service CMEK Prod | 27a762be-14e7-4f92-899c-151877d6d497 | Yes | |
| openapi-demo01-resource-openapi-demo01-AgentIdentityBlueprint | 2093afda-bfdb-429b-bf86-34ba4a85414d | Yes | |
| Azure Cost Management Scheduled Actions | 6b3368c6-61d2-4a72-854c-42d1c4e71fed | Yes | |
| OneProfile Service | b2cc270f-563e-4d8a-af47-f00963a71dcd | Yes | |
| ProvisioningHealth | b6a9a780-a4a1-4955-a4f8-1fc23a3774f9 | Yes | |
| IC3 Long Running Operations Service | 21a8a852-89f4-4947-a374-b26b2db3d365 | Yes | |
| Azure Resource Manager | 797f4846-ba00-4fd7-ba43-dac1f8f63013 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Bot Service Token Store | 5b404cf4-a79d-4cfe-b866-24bf8e1a4921 | Yes | |
| Power Platform API | 8578e004-a5c6-46e7-913e-12f58912df43 | Yes | |
| Power BI Service | 00000009-0000-0000-c000-000000000000 | Yes | |
| Bing Search APIs | c19490b5-c092-426f-b1a2-674b279d4975 | Yes | |
| Office Online Service | e03a13ee-9730-4cae-8525-47559c8cf18a | Yes | |
| MicrosoftEntraIDReputationManagementServices | 81ca2f57-06b8-4597-9eee-ad8f700c5106 | Yes | |
| Microsoft Defender for Cloud for AI | 1efb1569-5fd6-4938-8b8d-9f3aa07c658d | Yes | |
| Microsoft Azure Policy Insights | 1d78a85d-813d-46f0-b496-dd72f50a3ec0 | Yes | |
| Azure Advisor | c39c9bac-9d1f-4dfb-aa29-27f6365e5cb7 | Yes | |
| AML Inferencing Frontdoor | 6608bce8-e060-4e82-bfd2-67ed4f60262f | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| SharePoint Framework Azure AD Helper | e29b5c86-b9ab-4a86-9a20-d10842007599 | Yes | |
| PROD-OpalAgenticApp | 2e9aeb53-f3fc-46d7-8ea6-fde52de14113 | Yes | |
| Microsoft Teams UIS | 1996141e-2b07-4491-927a-5a024b335c78 | Yes | |
| Fabric Identity Management | c0be6b4c-212d-4ca9-8a35-fd260fe22342 | Yes | |
| Microsoft Service Trust | d6fdaa33-e821-4211-83d0-cf74736489e1 | Yes | |
| POC-HR-Portal | c2475ed0-4661-4e66-89da-068bd65a26ed | Yes | |
| O365 Secure Score | 8b3391f4-af01-4ee8-b4ea-9871b2499735 | Yes | |
| Microsoft Substrate Management | 98db8bd6-0cc0-4e67-9de5-f187f1cd1b41 | Yes | |
| Microsoft Teams Graph Service | ab3be6b7-f5df-413d-ac2d-abf1e3fd9c0b | Yes | |
| MsgDataMgmt | 61a63147-3824-45f5-a186-ace3f4c9daeb | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Policy Insights Provider Data Plane | 8cae6e77-e04e-42ce-b5cb-50d82bce26b1 | Yes | |
| Dataverse | 00000007-0000-0000-c000-000000000000 | Yes | |
| Managed Service Identity | ef5d5c69-a5df-46bb-acaf-426f161a21a2 | Yes | |
| Cosmos DB Fleet Analytics | 657f5199-9902-4e65-bfba-5a92f98ee882 | Yes | |
| Office 365 Search Service | 66a88757-258c-4c72-893c-3e8bed4d6899 | Yes | |
| Microsoft Azure BatchAI | 9fcb3732-5f52-4135-8c08-9d4bbaf203ea | Yes | |
| Dynamic Alerts | 707be275-6b9d-4ee7-88f9-c0c2bd646e0f | Yes | |
| Skype Presence Service | 1e70cd27-4707-4589-8ec5-9bd20c472a46 | Yes | |
| CCM_Pricing_PROD | 91a53dc4-b25b-482c-8e83-8d7ac7065b17 | Yes | |
| Microsoft Azure Container Apps - Control Plane | 7e3bc4fd-85a3-4192-b177-5b8bfc87f42c | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| OCaaS Experience Management Service | 6e99704e-62d5-40f6-b2fe-90aafbe3a710 | Yes | |
| Azure Management Groups | f2c304cf-8e7e-4c3f-8164-16299ad9d272 | Yes | |
| Defender for Storage Advanced Threat Protection Resource Provider | 080765e3-9336-4461-b934-310acccb907d | Yes | |
| Azure ContainerApps Sessions | 2c7dd73f-7a21-485b-b97d-a2508fa152c3 | Yes | |
| Diagnostic Services Trusted Storage Access | 562db366-1b96-45d2-aa4a-f2148cef2240 | Yes | |
| Azure AD Notification | fc03f97a-9db0-4627-a216-ec98ce54e018 | Yes | |
| Security Copilot | bb5ffd56-39eb-458c-a53a-775ba21277da | Yes | |
| Call Quality Dashboard | c61d67cf-295a-462c-972f-33af37008751 | Yes | |
| Signup | b4bddae8-ab25-483e-8670-df09b9f1d0ea | Yes | |
| PROD Microsoft Defender For Cloud XDR | 3f6aecb4-6dbf-4e45-9141-440abdced562 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| aifutureinitiativefunctionappA | f39a143f-bbe2-4d53-9b31-f85c0f167c5e | Yes | |
| Microsoft Teams Admin Portal Service | 2ddfbe71-ed12-4123-b99b-d5fc8a062a79 | Yes | |
| GetEntraResourcesWithUserDelegated_Murali | c133409b-4b00-4f55-beb6-fd42321301e7 | Yes | |
| FedRAMP-High-FoundryResource-FedRAMP-High-Foundry-Project-AgentIdentityBlueprint | 3c38d1d2-dcc7-45c5-ad0f-f5d137993e55 | Yes | |
| Euclid | 2ca80e7c-4ad1-444f-88f5-58f92b71b7b0 | Yes | |
| SubscriptionRP | e3335adb-5ca0-40dc-b8d3-bedc094e523b | Yes | |
| Defender for IoT - Management | 3157152d-b5ae-4606-a145-6c660069bc5e | Yes | |
| Hybrid Connectivity RP | e18cedde-9458-482f-9dd1-558c597ac42e | Yes | |
| Azure Logic Apps | 7cd684f4-8a78-49b0-91ec-6a35d38739ba | Yes | |
| Microsoft B2B Admin Worker | 1e2ca66a-c176-45ea-a877-e87f7231e0ee | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Sentinel Content Deployment App (e9eebc16-b2fb-469d-b16f-bc1522c2918b) | c6b04a4a-c366-4bc4-a38d-563056850b32 | Yes | |
| MDA LCNC Power Platform Security Webhooks | 7cb67f16-9174-4dfc-989a-0d02aed8d3c3 | Yes | |
| Security Copilot Agent Management | 43d7b169-1d9e-4d32-8cd8-06c5974ed90c | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | de77d016-cc2b-4211-8e73-dbbf4a3d8544 | Yes | |
| Skype Teams Calling API Service | 26a18ebc-cdf7-4a6a-91cb-beb352805e81 | Yes | |
| Compute Recommendation Service | b9a92e36-2cf8-4f4e-bcb3-9d99e00e14ab | Yes | |
| Microsoft Azure Authorization Resource Provider | 1dcb1bc7-c721-498e-b2fa-bcddcea44171 | Yes | |
| Microsoft Graph Connectors Core | f8f7a2aa-e116-4ba6-8aea-ca162cfa310d | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | dc144ad5-f5bf-4393-92c9-f388d7683e0c | Yes | |
| openapi-demo01-resource-openapi-demo01-AzureStorageIQ-AgentIdentityBlueprint | 3c30455a-fcf2-4166-8063-e0433ab23a6e | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Cognitive Search | 880da380-985e-4198-81b9-e05b1cc53158 | Yes | |
| Configuration Manager Microservice | 557c67cf-c916-4293-8373-d584996f60ae | Yes | |
| CosmosDB Dedicated Instance | 36e2398c-9dd3-4f29-9a72-d9f2cfc47ad9 | Yes | |
| SharePoint Online Web Client Extensibility Isolated | 3bc2296e-aa22-4ed2-9e1e-946d05afa6a2 | Yes | |
| My Apps | 2793995e-0a7d-40d7-bd35-6968ba142197 | Yes | |
| IpLicensingService | 189cf920-d3d8-4133-9145-23adcc6824fa | Yes | |
| Microsoft Purview Platform | fd642066-7bfc-4b65-9463-6a08841c12f0 | Yes | |
| Azure Compute | 579d9c9d-4c83-4efc-8124-7eba65ed3356 | Yes | |
| MaintenanceResourceProvider | f18474f2-a66a-4bb0-a3c9-9b8d892092fa | Yes | |
| Office MRO Device Manager Service | ebe0c285-db95-403f-a1a3-a793bd6d7767 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Signup Api | 3829f069-1c33-45dd-84ab-2465f4282677 | Yes | |
| NetworkTrafficAnalyticsService | 1e3e4475-288f-4018-a376-df66fd7fac5f | Yes | |
| SecOps for Security Copilot | 3e28acb6-7793-4fff-9fcf-fb14fbaf42a9 | Yes | |
| Microsoft Defender For Cloud Billing | e3a3c6d7-bd80-4be5-88da-c2226a5d9328 | Yes | |
| Azure Portal | c44b4083-3bb0-49c1-b47d-974e53cbdf3c | Yes | |
| M365 License Manager | aeb86249-8ea3-49e2-900b-54cc8e308f85 | Yes | |
| Microsoft Operations Management Suite | d2a0a418-0aac-4541-82b2-b3142c89da77 | Yes | |
| Compute Artifacts Publishing Service | a8b6bf88-1d1a-4626-b040-9a729ea93c65 | Yes | |
| Azure Monitor Control Service | e933bd07-d2ee-4f1d-933c-3752b819567b | Yes | |
| Lifecycle Workflows | ce79fdc4-cd1d-4ea5-8139-e74d7dbe0bb7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Monitor Restricted | 035f9e1d-4f00-4419-bf50-bf2d87eb4878 | Yes | |
| complisense-resource-complisense-AgentIdentityBlueprint | 05f0a691-fbf9-4db5-badf-a02c9f00ba50 | Yes | |
| EASM API | b7faa489-a4c8-4b39-bb0c-842c3de2de6a | Yes | |
| Power Apps Service Customer Management Plane Backend | 3570e63c-5acf-4f3f-9f15-a49faa5120d3 | Yes | |
| AADReporting | 1b912ec3-a9dd-4c4d-a53e-76aa7adb28d7 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 4c42bcfc-bc8a-4315-bdb9-8dd931f04915 | Yes | |
| Microsoft Managed Policy Manager | 87e86b91-9ae3-4679-b68a-471fe50be746 | Yes | |
| Microsoft Teams User Profile Search Service | a47591ab-e23e-4ffa-9e1b-809b9067e726 | Yes | |
| Defender for IoT | df77edef-903d-416b-bcc0-cc8b91af54ea | Yes | |
| Marketplace Api | f738ef14-47dc-4564-b53b-45069484ccc7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Data Warehouse Polybase | 0130cc9f-7ac5-4026-bd5f-80a08a54e6d9 | Yes | |
| Cloud Infrastructure Entitlement Management | b46c3ac5-9da6-418f-a849-0a07a10b3c6c | Yes | |
| aifutureinitiative-funtionapp-authentication | 4bf0f9a5-16ac-46a6-adb3-8c7a202f0dfd | Yes | |
| CloudDevicePlatform-Azure | 79001cb7-a2f8-407e-a97f-4ae87e82f73b | Yes | |
| My Profile | 8c59ead7-d703-4a27-9e55-c96a0054c8d2 | Yes | |
| Azure Traffic Manager and DNS | 2cf9eb86-36b5-49dc-86ae-9a63135dfa8c | Yes | |
| Microsoft Azure AD Identity Protection | a3dfc3c6-2c7d-4f42-aeec-b2877f9bce97 | Yes | |
| Azure AD Application Proxy | 47ee738b-3f1a-4fc7-ab11-37e4822b007e | Yes | |
| ResourceHealthRP | 8bdebf23-c0fe-4187-a378-717ad86f6a53 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | fdf75781-35b9-4271-9fb5-7e538099cce3 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Linux VM Sign-In | ce6ff14a-7fdc-4685-bbe0-f6afdfcfa8e0 | Yes | |
| PushChannel | 4747d38e-36c5-4bc3-979b-b0ef74df54d1 | Yes | |
| Power Platform Policy Services CM - PROD | 342f61e2-a864-4c50-87de-86abc6790d49 | Yes | |
| Microsoft Intune SCCM Connector | 63e61dc2-f593-4a6f-92b9-92e4d2c03d4f | Yes | |
| Storage Resource Provider | a6aa9161-5291-40bb-8c5c-923b567bee3b | Yes | |
| Azure Lab Services | 1a14be2a-e903-4cec-99cf-b2e209259a0f | Yes | |
| Dunloe Dataplane Service | 89e7f920-bdc3-4e71-99e5-30d84827b610 | Yes | |
| PowerApps-Advisor | c9299480-c13a-49db-a7ae-cdfe54fe0313 | Yes | |
| TrafficControllerControlPlaneService | b8832d98-ee6e-4783-b4e5-31186a5def45 | Yes | |
| Microsoft Intune | 0000000a-0000-0000-c000-000000000000 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| CMAT | 64a7b174-5779-4506-b54c-fbb0d80f1c9b | Yes | |
| NFV Resource Provider | 328fd23b-de6e-462c-9433-e207470a5727 | Yes | |
| Microsoft Insider Risk Management | 1fe0d6b3-81f0-4cf5-9dfd-fbb297d7848c | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 54607622-eeee-4a47-a2c8-76f8ceba180c | Yes | |
| Azure ESTS Service | 00000001-0000-0000-c000-000000000000 | Yes | |
| Power BI Premium | cb4dc29f-0bf4-402a-8b30-7511498ed654 | Yes | |
| Power Platform Authorization Service PROD | 8d605dfc-1a04-4da6-9be2-8426724af3f3 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-PostureIQ-Dev-AgentIdentityBlueprint | d063a8e9-d56b-4832-8160-5c0e1a2632ad | Yes | |
| Office365DirectorySynchronizationService | 18af356b-c4fd-4f52-9899-d09d21397ab7 | Yes | |
| Teams Secure Score | 7638a109-ee1f-4107-b1ef-38675e07812c | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Device Registration Service | 01cb2876-7ebd-4aa4-9cc9-d28bd4d359a9 | Yes | |
| Marketplace Caps API | 184909ca-69f1-4368-a6a7-c558ee6eb0bd | Yes | |
| SharePoint Notification Service | 3138fe80-4087-4b04-80a6-8866c738028a | Yes | |
| OneNote | 2d4d3d8e-2be3-4bef-9f87-7875a61c29de | Yes | |
| M365 Label Analytics | 75513c96-801d-4559-830a-6754de13dd19 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | ff48b7c0-cba0-4497-808d-211ba08576f5 | Yes | |
| Azure AD Identity Protection | fc68d9e5-1f76-45ef-99aa-214805418498 | Yes | |
| Azure Container Scale Sets - CS2 | 63ea3c01-7483-456e-8073-d3fed34fbdda | Yes | |
| Azure Deployments | 3b990c8b-9607-4c2a-8b04-1d41985facca | Yes | |
| Defender for Cloud Apps - Power Platform Solution Deployer | 7598ef18-a171-4c40-b5b2-9b6df5d67a21 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Container Instance Service | 6bb8e274-af5d-4df2-98a3-4fd78b4cafd9 | Yes | |
| Power Virtual Agents | 96ff4394-9197-43aa-b393-6a41652e21f8 | Yes | |
| Skype for Business Online | 00000004-0000-0ff1-ce00-000000000000 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | ff8071ad-31b9-47a8-a17f-8b7a6449da1e | Yes | |
| Azure OSSRDBMS PostgreSQL Flexible Server AAD Authentication | 5657e26c-cc92-45d9-bc47-9da6cfdb4ed9 | Yes | |
| IC3 Tenant Provisioning | 62a112d5-f305-42a6-8ced-6b8e3f71fb0d | Yes | |
| Viva Learning | 2c9e12e5-a56c-4ba1-b768-7a141586c6fe | Yes | |
| Azure Security Insights Content As Code | 11413461-f071-4513-802f-acbb00576ed3 | Yes | |
| User Knowledge Base | 895b065c-5410-43db-9b44-bb0a3296083a | Yes | |
| Microsoft MCP Server for Enterprise | e8c77dc2-69b3-43f4-bc51-3213c9d915b4 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Office 365 Portal | 00000006-0000-0ff1-ce00-000000000000 | Yes | |
| MarketplaceAPI ISV | 20e940b3-4c77-4b0b-9a53-9e16a1b010a7 | Yes | |
| Azure RBAC Data Plane | 5861f7fb-5582-4c1a-83c0-fc5ffdb531a6 | Yes | |
| MSATenantRestrictions | 1a4b5304-a0fd-4017-8a3d-466fc083b73e | Yes | |
| Microsoft 365 Admin portal | 618dd325-23f6-4b6f-8380-4df78026e39b | Yes | |
| Microsoft Forms | c9a559d2-7aab-4f13-a6ed-e7e9c52aec87 | Yes | |
| Azure Managed HSM RP | 1341df96-0b28-43da-ba24-7a6ce39be816 | Yes | |
| EntraGDAP | bc56af95-7a3b-459f-98a9-bd86532b0e89 | Yes | |
| Conferencing Virtual Assistant | 9e133cac-5238-4d1e-aaa0-d8ff4ca23f4e | Yes | |
| Windows Azure Active Directory | 00000002-0000-0000-c000-000000000000 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft.Azure.SyncFabric | 00000014-0000-0000-c000-000000000000 | Yes | |
| Safelinks | 85eced78-2127-4b24-9418-95f0bbe3d145 | Yes | |
| Microsoft Defender for APIs Resource Provider | 56823b05-67d8-413a-b6ab-ad19d7710cf2 | Yes | |
| Azure Windows VM Sign-In | 372140e0-b3b7-4226-8ef9-d57986796201 | Yes | |
| console-m365d | f18b59c9-5926-4a65-8605-c23ec8c7e074 | Yes | |
| CAP NEPTUNE IL Prod | 39b598a1-5e44-4fd1-aa3f-9b8da16e20bb | Yes | |
| K8 Bridge | 319f651f-7ddb-4fc6-9857-7aef9250bd05 | Yes | |
| AzureDnsFrontendApp | a0be0c72-870e-46f0-9c49-c98333a996f7 | Yes | |
| easmApiDev | 9a751391-6e9f-4199-ad8d-360712a1285c | Yes | |
| Microsoft Modern Contact Master | 224a7b82-46c9-4d6b-8db0-7360fb444681 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| MicrosoftAutomanaged | 9ae330ab-d710-466b-851c-c828e7340846 | Yes | |
| MDC Data Sensitivity | bd6d9218-235b-4abd-b3be-9ff157dcf36c | Yes | |
| Data Classification Service | 7c99d979-3b9c-4342-97dd-3239678fb300 | Yes | |
| Azure Machine Learning Services | 18a66f5f-dbdf-4c17-9dd7-1634712a9cbe | Yes | |
| Entra App Platform System Application | 35e5e31d-b3e8-442b-9a8d-2f81f46938cf | Yes | |
| Microsoft Synapse Notebook Service | 1d3443bd-4cbc-483e-9f09-00ba7ee54655 | Yes | |
| Microsoft Defender For Cloud Discovery | ee45196f-bd15-4010-9a66-c8497a97a873 | Yes | |
| Azure Security for IoT | cfbd4387-1a16-4945-83c0-ec10e46cd4da | Yes | |
| SQLDBControlPlaneFirstPartyApp | ceecbdd6-288c-4be9-8445-74f139e5db19 | Yes | |
| Microsoft Teams AuditService | 978877ea-b2d6-458b-80c7-05df932f3723 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Skype and Teams Tenant Admin API | 48ac35b8-9aa8-4d74-927d-1f4a14a0b239 | Yes | |
| MCAPI AAD Bridge Service | bd11ca0f-4fd6-4bb7-a259-4a36693b6e13 | Yes | |
| Azure Container Apps Arc - Control Plane | 1459b1f6-7a5b-4300-93a2-44b4a651759f | Yes | |
| openapi-demo01-resource-openapi-demo01-MicrosoftFoundryIQ-AgentIdentityBlueprint | 9c18b121-6dda-4dbd-a691-61a21c273b94 | Yes | |
| Viva Engage | 00000005-0000-0ff1-ce00-000000000000 | Yes | |
| Highlights | be7e04e7-2f3f-4b14-80db-72a7c77775e6 | Yes | |
| Dynamics 365 Viva Sales | 4787c7ff-7cea-43db-8d0d-919f15c6354b | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 1c07e8b2-371c-49e5-b033-43fcc18b6f3b | Yes | |
| Azure DNS Managed Resolver | b4ca0290-4e73-4e31-ade0-c82ecfaabf6a | Yes | |
| Customer Service Trial PVA - readonly | 6abc93dc-978e-48a3-8e54-458e593ed8cf | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Office 365 Management APIs | c5393580-f805-4401-95e8-94b7a6ef2fc2 | Yes | |
| Microsoft Azure Signup Portal | 8e0e8db5-b713-4e91-98e6-470fed0aa4c2 | Yes | |
| Microsoft Intune Advanced Threat Protection Integration | 794ded15-70c6-4bcd-a0bb-9b7ad530a01a | Yes | |
| POC-Finance-App | a46fe913-13ab-4ce1-a424-3468b9a83513 | Yes | |
| MIP Exchange Solutions - Teams | 2c220739-d44d-4bf7-ba5f-95cf9fb7f10c | Yes | |
| Bot Framework Dev Portal | f3723d34-6ff5-4ceb-a148-d99dcd2511fc | Yes | |
| M365 Admin Services | 6b91db1b-f05b-405a-a0b2-e3f60b28d645 | Yes | |
| Automanage API Access | d828acde-4b48-47f5-a6e8-52460104a052 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 1c1ebd3d-8192-42e6-ba48-39889c7352d6 | Yes | |
| Azure Container Registry | 6a0ec4d3-30cb-4a83-91c0-ae56bc0e3d26 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Managed Service | 66c6d0d1-f2e7-4a18-97a9-ed10f3347016 | Yes | |
| Sway | 905fcf26-4eb7-48a0-9ff0-8dcc7194b5ba | Yes | |
| Substrate Conversation Intelligence Service | aa813f0e-407a-459d-93af-805f2bf10f33 | Yes | |
| managedenvironments-ar-tenant-connector | 14735148-5162-46ef-99a4-c1923d08a2cc | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | cc09e58e-0d8d-40b2-b175-1f442c7f2b91 | Yes | |
| Microsoft Teams Chat Aggregator | b1379a75-ce5e-4fa3-80c6-89bb39bf646c | Yes | |
| Discovery Service | d29a4c00-4966-492a-84dd-47e779578fb7 | Yes | |
| ComplianceWorkbenchApp | 92876b03-76a3-4da8-ad6a-0511ffdf8647 | Yes | |
| Azure Help Resource Provider | fd225045-a727-45dc-8caa-77c8eb1b9521 | Yes | |
| Office 365 Exchange Online | 00000002-0000-0ff1-ce00-000000000000 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| MTP Unified RBAC | 9abd8443-d92a-40e6-a9ec-e5b6d29bc724 | Yes | |
| Power Apps Service Data Plane Backend | b6fb6bd6-f0fb-4a60-beb1-4e50afd0eaa9 | Yes | |
| Microsoft Power Query | f3b07414-6bf4-46e6-b63f-56941f3f4128 | Yes | |
| Microsoft SharePoint Online - SharePoint Home | dcad865d-9257-4521-ad4d-bae3e137b345 | Yes | |
| Medeina Service PPE | c4de86e3-e322-4889-a781-968c76b6b325 | Yes | |
| ProjectWorkManagement | 09abbdfd-ed23-44ee-a2d9-a627aa1c90f3 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 59f98519-fcda-403f-9c0f-87c770649a1f | Yes | |
| Durable Task Scheduler | 887c6b43-ba92-4adb-a82b-73670fc48dac | Yes | |
| Azure Service Connector Resource Provider | c4288165-6698-45ba-98a5-48ea7791fed3 | Yes | |
| Defender for Cloud Apps - Microsoft Copilot Collector | 6d81daa3-fdfe-4d42-a619-5b89358c3838 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Flow CDS Integration Service | 0eda3b13-ddc9-4c25-b7dd-2f6ea073d6b7 | Yes | |
| Exchange Rbac | 789e8929-0390-42a2-8934-0f9dafb8ec89 | Yes | |
| Azure Storage | e406a681-f3d4-42a8-90b6-c2b029497af1 | Yes | |
| ME-SecurityScanner | f50d0784-cb84-4838-8b38-2fafa5860e72 | Yes | |
| Azure Storage Actions Resource Provider Service | 7d3471e1-ec8b-4655-92f3-bb331362b5ae | Yes | |
| Office 365 Reports | 507bc9da-c4e2-40cb-96a7-ac90df92685c | Yes | |
| 1ES Resource Management | 3cbcded7-0049-4401-9e00-5f4f10f75efe | Yes | |
| WeveEngine | 3c896ded-22c5-450f-91f6-3d1ef0848f6e | Yes | |
| Microsoft Information Protection Sync Service | 870c4f2e-85b6-4d43-bdda-6ed9a579b725 | Yes | |
| dev-landing-app-mdcloud-local | a5d35b70-456c-4ddd-b186-28ab9a676338 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Common Job Provider | a99783bc-5466-4cef-82eb-ebf285d77131 | Yes | |
| Liftr-PAN-Network | 6f51cf29-4ee9-4e00-9931-b627d22134e2 | Yes | |
| asmcontainerimagescanner | 918d0db8-4a38-4938-93c1-9313bdfe0272 | Yes | |
| Capacity | fbc197b7-9e9c-4f98-823f-93cb1cb554e6 | Yes | |
| Azure Bastion | 79d7fb34-4bef-4417-8184-ff713af7a679 | Yes | |
| DLG-Agent | bc8a88cc-1fa0-40c1-a1f5-23659939477e | Yes | |
| Azure Machine Learning Services Asset Notification | b8cf62f3-7cc7-4e32-ab3a-41370ef0cfcf | Yes | |
| CloudLicensingSystem | de247707-4e4a-47d6-89fd-3c632f870b34 | Yes | |
| SharePoint Home Notifier | 4e445925-163e-42ca-b801-9073bfa46d17 | Yes | |
| openapi-demo01-resource-openapi-demo01-AzureDevOps-Assist-AgentIdentityBlueprint | f65ef144-0c78-4995-8df5-1333ea64c3d7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Dynamics Data Integration | 2e49aa60-1bd3-43b6-8ab6-03ada3d9f08b | Yes | |
| GatewayRP | 486c78bf-a0f7-45f1-92fd-37215929e116 | Yes | |
| MHackathonWS | ef4a3f61-79e7-4303-9686-152557c7ded8 | Yes | |
| Azure Container Apps Arc - Data Plane | 409eb69a-5e20-4e1e-a8bf-c23300057950 | Yes | |
| Microsoft Defender for Cloud CIEM | a70c8393-7c0c-4c1e-916a-811bd476ee11 | Yes | |
| M365AdminSettingsService | 914fed76-dc75-4540-bf23-57624291b0ec | Yes | |
| ComplianceAuthServer | 9e5d84af-8971-422f-968a-354cd675ae5b | Yes | |
| Microsoft.SMIT | 8fca0a66-c008-4564-a876-ab3ae0fd5cff | Yes | |
| Microsoft Graph | 00000003-0000-0000-c000-000000000000 | Yes | |
| Group Configuration Processor | 1690c5aa-925a-4d0e-836b-722c795bd0d0 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| CPIM Service | bb2a2e3a-c5e7-4f0a-88e0-8e01fd3fc1f4 | Yes | |
| Microsoft Azure Container Apps - Data Plane | 3734c1a4-2bed-4998-a37a-ff1a9e7bf019 | Yes | |
| POC-HR-Portal | eb9ee864-7723-4d46-91f3-08f85015d45c | Yes | |
| Azure SQL Managed Instance to Azure AD Resource Provider | 9c8b80bc-6887-42d0-b1af-d0c40f9bf1fa | Yes | |
| Microsoft App Access Panel | 0000000c-0000-0000-c000-000000000000 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 66fe940a-3897-4d45-9226-1e55763bd102 | Yes | |
| Azure API Management | 8602e328-9b72-4f2d-a4ae-1387d013a2b3 | Yes | |
| CDX-SecurityScanner | a368aeaa-7651-4785-a0d8-fb74417eac2f | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | 98df939a-1c21-4cfd-b969-8ce5963f3700 | Yes | |
| Microsoft Exchange Online Protection | 00000007-0000-0ff1-ce00-000000000000 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| MicrosoftGuestConfiguration | e935b4a5-8968-416d-8414-caed51c782a9 | Yes | |
| Security Copilot | bb3d68c2-d09e-4455-94a0-e323996dbaa3 | Yes | |
| Power Platform Connector Management Service - PROD | 59534ab2-0027-4a45-b9ec-61d1b6b871c9 | Yes | |
| AAD App Management | f0ae4899-d877-4d3c-ae25-679e38eea492 | Yes | |
| CCM TAGS | 997dc448-eeab-4c93-8811-6b2c80196a16 | Yes | |
| Foundry MCP App | fcdfa2de-b65b-4b54-9a1c-81c8a18282d9 | Yes | |
| Azure Monitor Health Models | 36e21f15-cda0-45c2-9932-98f28a8bdb28 | Yes | |
| Azure Security Insights | 98785600-1bb7-4fb9-b9fa-19afe2c8a360 | Yes | |
| Messaging Augmentation Application | f7c7f738-cb99-4489-9da3-57b15655c430 | Yes | |
| AML Registries | 44b7b882-eb46-485c-9c78-686f6b67b176 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Messaging Bot API Application | 5a807f24-c9de-44ee-a3a7-329e88a00ffc | Yes | |
| Office 365 SharePoint Online | 00000003-0000-0ff1-ce00-000000000000 | Yes | |
| WindowsDefenderATP | fc780465-2017-40d4-a0c5-307022471b92 | Yes | |
| MuraliPOCTEST | 77c11db9-cba9-437f-97ad-e8e5c9bce887 | Yes | |
| Azure Information Protection | 5b20c633-9a48-4a5f-95f6-dae91879051f | Yes | |
| Microsoft Defender for Cloud | bceea168-88ac-4736-95dc-4ce488ffe324 | Yes | |
| commerce-copilot-firstpartyappid | a2e5d98b-c0e5-4191-b4ae-f6aa7e469ede | Yes | |
| Microsoft Customer Engagement Portal | 71234da4-b92f-429d-b8ec-6e62652e50d7 | Yes | |
| Cortana at Work Service | 2a486b53-dbd2-49c0-a2bc-278bdfc30833 | Yes | |
| Azure Analysis Services | 4ac7d521-0382-477b-b0f8-7e1d95f85ca2 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Graph Change Tracking | 0bf30f3b-4a52-48df-9a82-234910c4a086 | Yes | |
| Gatekeeper Prod App | 5bab4c7f-51c3-479b-a199-06b31afecc8f | Yes | |
| Teams Admin Monitoring Alerting Platform | f2537abf-644e-4a0d-9f7b-c91c45c643db | Yes | |
| MSproject-SAML App -Murali | 00cc57db-cb1c-49b5-bab6-409ee3e8f1ce | Yes | 3 |
| maven-prod | 9b975845-388f-4429-889e-eab1ef63949c | Yes | |
| Sentinel Platform Services | 4500ebfb-89b6-4b14-a480-7f749797bfcd | Yes | |
| Microsoft Threat Protection | 8ee8fdad-f234-4243-8f3b-15c294843740 | Yes | |
| Azure Cosmos DB Virtual Network To Network Resource Provider | 57c0fc58-a83a-41d0-8ae9-08952659bdfd | Yes | |
| Microsoft Azure Vnet Verifier | 6e02f8e9-db9b-4eb5-aa5a-7c8968375f68 | Yes | |
| Dynamics Lifecycle services | 913c6de4-2a4a-4a61-a9ce-945d2b2ce2e0 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Flow Service | 7df0a125-d3be-4c96-aa54-591f83ff541c | Yes | |
| Microsoft Teams ATP Service | 0fa37baf-7afc-4baf-ab2d-d5bb891d53ef | Yes | |
| ACR-Tasks-Prod | d2fa1650-4805-4a83-bcb9-cf41fe63539c | Yes | |
| PrivacyEngine | c94ede5f-b856-405a-bcd9-406285330a76 | Yes | |
| Microsoft Cloud App Security | 05a65629-4c1b-48c1-a78b-804c4abdd4af | Yes | |
| Microsoft O365 Scuba | 7ae5462d-d9d1-42f6-93ca-198d7b0ca997 | Yes | |
| Azure AD Identity Governance - Directory Management | ec245c98-4a90-40c2-955a-88b727d97151 | Yes | |
| Network Watcher | 7c33bfcb-8d33-48d6-8e60-dc6404003489 | Yes | |
| Azure Machine Learning Authorization App 2 | bf283ae6-5efd-44a8-b56a-2a7939982d60 | Yes | |
| MOD Demo Platform UnifiedApiConsumer | aff75787-e598-43f9-a0ea-7a0ca00ababc | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Azure Network Copilot | 40c49ff3-c6ae-436d-b28e-b8e268841980 | Yes | |
| Microsoft Rights Management Services | 00000012-0000-0000-c000-000000000000 | Yes | |
| Azure CosmosDB for PostgreSQL Microsoft EntraId | ecafc2d9-cf1a-49a7-b60f-e44e34a988d2 | Yes | |
| People Profile Event Proxy | 65c8bd9e-caac-4816-be98-0692f41191bc | Yes | |
| Azure SQL Virtual Network to Network Resource Provider | 76cd24bf-a9fc-4344-b1dc-908275de6d6d | Yes | |
| Microsoft Partner Center | fabfbdc4-5751-471c-ac43-3826fa1afc31 | Yes | |
| App Protection | c6e44401-4d0a-4542-ab22-ecd4c90d28d7 | Yes | |
| Office 365 Information Protection | 2f3f02c9-5679-4a5c-a605-0de55b07d135 | Yes | |
| Microsoft Teams AadSync | 62b732f7-fc71-40bc-b27d-35efcb0509de | Yes | |
| Microsoft Azure Stream Analytics | 66f1e791-7bfb-4e18-aed8-1720056421c7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| AD Hybrid Health | 6ea8091b-151d-447a-9013-6845b83ba57b | Yes | |
| Microsoft Container Registry | a4c95b9e-3994-40cc-8953-5dc66d48348d | Yes | |
| Syntex Resource Provider | 886b3ae5-8ee1-4bb4-a312-b35341a95909 | Yes | |
| Azure Container Registry Application | 76c92352-c057-4cc2-9b1e-f34c32bc58bd | Yes | |
| Azure Cosmos DB | a232010e-820c-4083-83bb-3ace5fc29d0b | Yes | |
| Cortana Runtime Service | 81473081-50b9-469a-b9d8-303109583ecb | Yes | |
| Office 365 Configure | aa9ecb1e-fd53-4aaa-a8fe-7a54de2c1334 | Yes | |
| Durable Task Scheduler Dashboard | 067cf55c-59b8-432f-a11d-d904de42e97d | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | b280e781-e58d-4e07-8dac-15f59d082c40 | Yes | |
| Microsoft Defender for Cloud Defender Kubernetes Agent | 6e2cffc9-52e7-4bfa-8155-be5c1dacd81c | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| RPSaaS Meta RP | f77c2a8f-8a0a-4776-8e0a-bcb2549610ca | Yes | |
| AFOI-NC-CLUSTER-OPERATOR | b9a7c771-0cce-4b96-abe0-c3a154da6477 | Yes | |
| Azure Application Change Service | 2cfc91a4-7baa-4a8f-a6c9-5f3d279060b8 | Yes | |
| MIP Exchange Solutions - SPO | 192644fe-6aac-4786-8d93-775a056aa1de | Yes | |
| CosmosDB-Garnet-Cache | e9c3020c-b976-40a7-b6c2-0d56abaa82f8 | Yes | |
| Azure Key Vault Managed HSM | 589d5083-6f11-4d30-a62a-a4b316a14abf | Yes | |
| ArcGatewayApp | 61414a6b-7050-4d69-8e88-d6c5646bab20 | Yes | |
| Microsoft Azure IPAM | 60b2e7d5-a27f-426d-a6b1-acced0846fdf | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | e2f86cf3-0a8e-434a-a35b-1e0623dec5cc | Yes | |
| Teams Policy Notification Processor Service | 61f9e166-f678-4342-bfd3-b49781ce7a0a | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| MIP Exchange Solutions | a150d169-7d37-47dd-9b20-156207b7b02f | Yes | |
| POC-Finance-App | 04c81017-6233-46da-85b6-e2577bf11169 | Yes | |
| Power Virtual Agents Service | 9d8f559b-5984-46a4-902a-ad4271e83efa | Yes | |
| Azure Cloud Shell | 2233b157-f44d-4812-b777-036cdaf9a96e | Yes | |
| WindowsUpdate-Service | 6f0478d5-61a3-4897-a2f2-de09a5a90c7f | Yes | |
| Agent 365 Tools | ea9ffc3e-8a23-4a7d-836d-234d7c7565c1 | Yes | |
| MS-PIM | 01fc33a7-78ba-4d2f-a4b7-768e336e890e | Yes | |
| Office 365 Enterprise Insights | f9d02341-e7aa-456d-926d-4a0ca599fbee | Yes | |
| Visual Studio Code | aebc6443-996d-45c2-90f0-388ff96faa56 | Yes | |
| Azure Search Management | 408992c7-2af6-4ff1-92e3-65b73d2b5092 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 52d190d0-9720-4a52-87d1-9352ad4bc2fc | Yes | |
| Microsoft Sentinel Situational Awareness Workspace Access | 949eebbd-6fe4-4eb5-a25e-a9bf12d6b96e | Yes | |
| On-premises ECMA app (Murali) | 6980156d-0e60-4468-86bb-94b8a13f2e73 | Yes | |
| adls-gov-spa | 63f474f1-8dbf-4087-879d-21d1f0e1733c | Yes | |
| Office Online Service LEGACY | 67e3df25-268a-4324-a550-0de1c7f97287 | Yes | |
| Windows 365 | 0af06dc6-e4b5-4f28-818e-e78e62d137a5 | Yes | |
| TI-1P-APP | b6a1fec6-8029-456b-81ed-de7754615362 | Yes | |
| Power Platform Dataflows Common Data Service Client | 99335b6b-7d9d-4216-8dee-883b26e0ccf7 | Yes | |
| Azure Security Insights Management | 5f6aefe1-a8d4-4a7d-a461-6c70cb361014 | Yes | |
| Microsoft To-Do | c830ddb0-63e6-4f22-bd71-2ad47198a23e | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure DNS | 19947cfd-0303-466c-ac3c-fcc19a7a1570 | Yes | |
| ProvisioningHealthPME | 30b96d53-9fc1-4139-9bae-7bf8a1ded937 | Yes | |
| Microsoft_Azure_Support | 959678cf-d004-4c22-82a6-d2ce549a58b8 | Yes | |
| Microsoft Azure App Service | abfa0a7c-a6b6-4736-8310-5855508787cd | Yes | |
| searchiq-resource-searchiq-AgentIdentityBlueprint | bf434d55-0c49-4d9e-97c2-56de12b8ce84 | Yes | |
| Power Platform Policy TIRPS CM - PROD | 2b5e68f0-bdc2-45b0-920a-217d5cbbd505 | Yes | |
| Azure MFA StrongAuthenticationService | b5a60e17-278b-4c92-a4e2-b9262e66bb28 | Yes | |
| Universal Print | da9b70f6-5323-4ce6-ae5c-88dcc5082966 | Yes | |
| IPSubstrate | 4c8f074c-e32b-4ba7-b072-0f39d71daf51 | Yes | |
| Microsoft People Cards Service | 394866fc-eedb-4f01-8536-3ff84b16be2a | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Windows AutoPilot Service API | cbfda01c-c883-45aa-aedc-e7a484615620 | Yes | |
| Teams NRT DLP Ingestion Service | 0ef94e72-e4fc-4aa0-a8f4-ff27deb3e6eb | Yes | |
| MCAPSGov-AutomationApp | eadea216-1d5c-4a4b-beaf-4f145e6b1cb4 | Yes | |
| Azure SQL Database | 022907d3-0f1b-48f7-badc-1ba6abab6d66 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 631bee71-db54-4f14-aad7-6e6d6d021b42 | Yes | |
| Media Analysis and Transformation Service | 944f0bd1-117b-4b1c-af26-804ed95e767e | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | 26646051-df3a-44ae-b575-d5ba137e7983 | Yes | |
| MS Teams Griffin Assistant | c9224372-5534-42cb-a48b-8db4f4a3892e | Yes | |
| Application Insights API | f5c26e74-f226-4ae8-85f0-b4af0080ac9e | Yes | |
| OfficeServicesManager | 9e4a5442-a5c9-4f6f-b03f-5b9fcaaf24b1 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| OfficeClientService | 0f698dd4-f011-4d23-a33e-b36416dcb1e6 | Yes | |
| Microsoft Information Protection API | 40775b29-2688-46b6-a3b5-b256bd04df9f | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 6e7956e1-838e-41b6-883e-c49a99d8781f | Yes | |
| Microsoft Teams Services | cc15fd57-2c6c-4117-a88c-83b1d56b4bbe | Yes | |
| Microsoft Approval Management | 65d91a3d-ab74-42e6-8a2f-0add61688c74 | Yes | |
| Microsoft Rights Management Services Default | 934d626a-1ead-4a36-a77d-12ec63b87a0d | Yes | |
| Azure Storage Insights Resource Provider | b15f3d14-f6d1-4c0d-93da-d4136c97f006 | Yes | |
| Intune CMDeviceService | 14452459-6fa6-4ec0-bc50-1528a1a06bf0 | Yes | |
| Microsoft password reset service | 93625bc8-bfe2-437a-97e0-3d0060024faa | Yes | |
| Microsoft Azure Workflow | 00000005-0000-0000-c000-000000000000 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft.EventGrid | 4962773b-9cdb-44cf-a8bf-237846a00ab7 | Yes | |
| Azure SQL Database Backup To Azure Backup Vault | e4ab13ed-33cb-41b4-9140-6e264582cf85 | Yes | |
| Azure Machine Learning Authorization App 1 | fb9de05a-fecc-4642-b3ca-66b9d4434d4d | Yes | |
| Privacy Management | 5a4a238f-f186-4fff-95bd-d3e70f9e1a08 | Yes | |
| MDA AppG DCS | 5011132f-12d7-4327-bf50-7c522b0144dd | Yes | |
| Office Online Unused API | c1f33bc0-bdb4-4248-ba9b-096807ddb43e | Yes | |
| PowerApps Service | 475226c6-020e-4fb2-8a90-7a972cbfc1d4 | Yes | |
| Quota Service Core - ARM Client | 3cf468b4-12a0-43cd-aa3f-3f39210d14cf | Yes | |
| Microsoft Azure Legion | 55ebbb62-3b9c-49fd-9b87-9595226dd4ac | Yes | |
| Microsoft Azure Log Search Alerts | f6b60513-f290-450e-a2f3-9930de61c5e7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| managedenvironments-ar-tenant-connector-ame | 9d0b50c2-e9ec-404d-8b4d-28662857d597 | Yes | |
| Microsoft Authorization System Policy | 2d215f00-80d1-4f4b-a6c8-28080dfafc81 | Yes | |
| Log Analytics API | ca7f3f0b-7d91-482c-8e09-c5d840d0eac5 | Yes | |
| Azure Key Vault Managed HSM Key Governance Service | a1b76039-a76c-499f-a2dd-846b4cc32627 | Yes | |
| Marketplace SaaS v2 | 5b712e99-51a3-41ce-86ff-046e0081c5c0 | Yes | |
| Metrics Monitor API | 12743ff8-d3de-49d0-a4ce-6c91a4245ea0 | Yes | |
| Microsoft.HybridCompute Agent Service | eec53b1f-b9a4-4479-acf5-6b247c6a49f2 | Yes | |
| SPAuthEvent | 3340b944-b12e-47d0-b46b-35f08ec1d8ee | Yes | |
| AFOI-NC-MGMT-PME-PROD | 3365d4ea-bb16-4bc9-86dd-f2c8cf6f1f56 | Yes | |
| Liftr-PAN-RPaaS-FPA-Prod | 54a2195e-8365-444c-8f50-4a5de4be1e2b | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Teams NRT DLP Service | 7a274595-3618-4e6f-b54e-05bb353e0153 | Yes | |
| Murali-GetAllEntraResources | 719d2287-1a95-4a73-a3a7-721cdc2945d8 | Yes | |
| Permission Service O365 | 6d32b7f8-782e-43e0-ac47-aaad9f4eb839 | Yes | |
| DeploymentScheduler | 8bbf8725-b3ca-4468-a217-7c8da873186e | Yes | |
| Azure Files | 69dda2a9-33ca-4ed0-83fb-a9b7b8973ff4 | Yes | |
| Consumption Billing | 12ff570a-8284-47ed-adb3-fcc72b594c36 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint | 231c2a12-62d2-4ce0-a988-dc5f3878d916 | Yes | |
| Microsoft Intune Service Discovery | 9cb77803-d937-493e-9a3b-4b49de3f5a74 | Yes | |
| Virtual Connector Provider | 1762e607-063e-431a-a25a-f0f782acb73b | Yes | |
| Power Platform Data Analytics | 7dcff627-a295-4553-9229-b1f3513f82a8 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Defender for Cloud Scanner Resource Provider | e0ccf59d-5a20-4a87-a122-f42842cdb86a | Yes | |
| Azure SRE Agent | 59f0a04a-b322-4310-adc9-39ac41e9631e | Yes | |
| Skype for Business | 7557eb47-c689-4224-abcf-aef9bd7573df | Yes | |
| O365 Demeter | 982bda36-4632-4165-a46a-9863b1bbcf7d | Yes | |
| Microsoft Azure Authorization Private Link Provider | de926fbf-e23b-41f9-ae15-c943a9cfa630 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | 91c91256-75e4-479d-b90f-0f16fe91c073 | Yes | |
| Substrate-FileWatcher | fbb0ac1a-82dd-478b-a0e5-0b2b98ef38fe | Yes | |
| Azure Container Registry - Dataplane | a3747411-ce7c-4888-9ddc-3a230786ca19 | Yes | |
| Teams CMD Services Artifacts | 6bc3b958-689b-49f5-9006-36d165f30e00 | Yes | |
| Office365 Shell WCSS-Server Default | a68e1e61-ad4f-45b6-897d-0a1ea8786345 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| AzureVirtualNetworkManager | 6d057c82-a784-47ae-8d12-ca7b38cf06b4 | Yes | |
| Gatekeeper PPE App | 5a8800f2-f31d-4654-9bed-f5b368c703f8 | Yes | |
| Azure Static Web Apps | a7d8f84e-510b-46d6-8f59-77e581db63bc | Yes | |
| MCAPI Authorization Prod | d73f4b35-55c9-48c7-8b10-651f6f2acb2e | Yes | |
| Azure ContainerApps Auth | 6104ad52-755e-428b-9fb5-5fdf4d2c4d53 | Yes | |
| Request Approvals Write Platform | 4eaceb75-fe6c-4953-b873-0fd565ecd334 | Yes | |
| Conference Auto Attendant | 207a6836-d031-4764-a9d8-c1193f455f21 | Yes | |
| IDS-PROD | f36c30df-d241-4c14-a0ee-752c71e4d3da | Yes | |
| Microsoft Mobile Application Management | 0a5f63c0-b750-4f38-a71c-4fc0d58b89e2 | Yes | |
| o365.servicecommunications.microsoft.com | cb1bda4c-1213-4e8b-911a-0a8c83c5d3b7 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| OMSAuthorizationServicePROD | 50d8616b-fd4f-4fac-a1c9-a6a9440d7fe0 | Yes | |
| CAP Neptune Prod CM Prod | ab158d9a-0b5c-4cc3-bb2b-f6646581e4e4 | Yes | |
| Skype Core Calling Service | 66c23536-2118-49d3-bc66-54730b057680 | Yes | |
| Diagnostic Services Data Access | 3603eff4-9141-41d5-ba8f-02fb3a439cd6 | Yes | |
| Purview Ecosystem | 9ec59623-ce40-4dc8-a635-ed0275b5d58a | Yes | |
| Managed Disks Resource Provider | 60e6cd67-9c8c-4951-9b3c-23c25a2169af | Yes | |
| openapi-demo01-resource-openapi-demo01-Agent02-EntraResources-AgentIdentityBlueprint | 8b37a260-4046-4f67-ab57-ed5b10e4c4f0 | Yes | |
| Azure Monitor System | 11c174dc-1945-4a9a-a36b-c79a0f246b9b | Yes | |
| Microsoft Device Management EMM API | 8ae6a0b1-a07f-4ec9-927a-afb8d39da81c | Yes | |
| Microsoft Defender for Identity | 60ca1954-583c-4d1f-86de-39d835f3e452 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| EventGrid Data API | 823c0a78-5de0-4445-a7f5-c2f42d7dc89b | Yes | |
| AAD Request Verification Service - PROD | c728155f-7b2a-4502-a08b-b8af9b269319 | Yes | |
| Policy Administration Service | 0469d4cd-df37-4d93-8a61-f8c75b809164 | Yes | |
| Compute Image Registry | 51b6191a-b045-44cf-8277-ee37c9fb5a06 | Yes | |
| Microsoft Graph Command Line Tools | 14d82eec-204b-4c2f-b7e8-296a70dab67e | Yes | |
| Microsoft 365 App Catalog Services | e8be65d6-d430-4289-a665-51bf2a194bda | Yes | |
| Compute Usage Provider | a303894e-f1d8-4a37-bf10-67aa654a0596 | Yes | |
| Microsoft Power Platform Service - PROD | e64bd61e-5424-451f-b666-e02ee2878437 | Yes | |
| Microsoft Defender Hunting | 992136bc-5b57-425f-8d95-ac65975722cd | Yes | |
| Azure Multi-Factor Auth Client | 981f26a1-7f43-403b-a875-f8b09b8cd720 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Common Data Service License Management | 1c2909a7-6432-4263-a70d-929a3c1f9ee5 | Yes | |
| On-premises SCIM app (Murali) | 3e70ffbc-995d-4629-8573-abe4f26c534b | Yes | |
| Azure Key Vault | cfa8b339-82a2-471a-a3c9-0fc0be7a4093 | Yes | |
| Process Insights Prod | dad3c6de-ed58-42ef-989f-9c0303aaeedc | Yes | |
| Application Insights Configuration Service | 6a0a243c-0886-468a-a4c2-eff52c7445da | Yes | |
| Microsoft Office Licensing Service | 8d3a7d3c-c034-4f19-a2ef-8412952a9671 | Yes | |
| PPE-DataResidencyService | dc457883-bafe-4f8b-a333-29685e7eaa9e | Yes | |
| Virtual Visits App | 2b479c68-8d9b-4e27-9d85-5d74803de734 | Yes | |
| Microsoft Defender For Cloud | 6b5b3617-ba00-46f6-8770-1849282a189a | Yes | |
| Conditional Access Agent | 2da945fb-ebec-4967-a89a-2af05a81279b | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Microsoft Defender for Cloud Apps - APIs | 972bb84a-1d27-4bd3-8306-6b8e57679e8c | Yes | |
| Microsoft Alchemy Service | 91ad134d-5284-4adc-a896-d7fd24e9fa15 | Yes | |
| Power Platform Environment Discovery Service | 3e36f539-fc2c-479c-90fb-3cfa21da3a4b | Yes | |
| Microsoft Office Licensing Service Agents | d7097cd1-c779-44d0-8c71-ab1f8386a97e | Yes | |
| M365AdminAgent | 8ad61c39-5b6e-447c-b26a-a64eee436502 | Yes | |
| Request Approvals Read Platform | d8c767ef-3e9a-48c4-aef9-562696539b39 | Yes | |
| Teams CMD Services and Data | 00edd498-7c0c-4e68-859c-5a55d518c9c0 | Yes | |
| Microsoft Intune API | c161e42e-d4df-4a3d-9b42-e7a3c31f59d4 | Yes | |
| MDATPNetworkScanAgent | 04687a56-4fc2-4e36-b274-b862fb649733 | Yes | |
| Connectors | 48af08dc-f6d2-435f-b2a7-069abd99c086 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Meeting Migration Service | 82f45fb0-18b4-4d68-8bed-9e44909e3890 | Yes | |
| SalesInsightsWebApp | b20d0d3a-dc90-485b-ad11-6031e769e221 | Yes | |
| App Studio for Microsoft Teams | e1979c22-8b73-4aed-a4da-572cc4d0b832 | Yes | |
| Substrate Instant Revocation Pipeline | eace8149-b661-472f-b40d-939f89085bd4 | Yes | |
| AzureAutomation | fc75330b-179d-49af-87dd-3b1acf6827fa | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint | 201237e0-4c36-4f3e-bf47-f2e297eedc4e | Yes | |
| Microsoft.ConnectedVMwarevSphere Resource Provider | ac9dc5fe-b644-4832-9d03-d9f1ab70c5f7 | Yes | |
| Azure Notification Service | b503eb83-1222-4dcc-b116-b98ed5216e05 | Yes | |
| Windows Azure Security Resource Provider | 8edd93e1-2103-40b4-bd70-6e34e586362d | Yes | |
| Microsoft Defender for Cloud MultiCloud Onboarding | 81172f0f-5d81-47c7-96f6-49c58b60d192 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| AzureSupportCenter | 37182072-3c9c-4f6a-a4b3-b3f91cacffce | Yes | |
| Portfolios | f53895d3-095d-408f-8e93-8f94b391404e | Yes | |
| Azure Portal RP | 5b3b270a-b9ad-46e7-9bbb-a866897c4dc7 | Yes | |
| Graph Connector Service | 56c1da01-2129-48f7-9355-af6d59d42766 | Yes | |
| MIP Exchange Solutions - ODB | 8adc51cc-7477-49a4-be4e-263946b4d561 | Yes | |
| SharePoint Online Web Client Extensibility | 08e18876-6177-487e-b8b5-cf950c1e598c | Yes | |
| Microsoft Teams Platform Monetization | bf61aded-9a54-4603-be22-84d20158607b | Yes | |
| Microsoft Teams AuthSvc | a164aee5-7d0a-46bb-9404-37421d58bdf7 | Yes | |
| OCaaS Worker Services | 167e2ded-f32d-49f5-8a10-308b921bc7ee | Yes | |
| Windows Update for Business Deployment Service | 61ae9cd9-7bca-458c-affc-861e2f24ba3b | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| Azure Support - Network Watcher | `341b7f3d-69b3-47f9-9ce7-5b7f4945fdbd` | Yes | |
| CosmosDBMongoClusterPrivateEndpoint | `e95a6071-4f90-4971-84e2-492d9323345b` | Yes | |

▼ **ManagedIdentity (112)**

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| 8da3c7e1-a5dc-43ea-8f59 | 6e1bf86a-ff8e-4e9b-b487-077e0b8b8e07 | Yes | Expired (1) |
| 90bec87fdb354183b7f55ab2 | 1f0b461d-2bab-4482-a131-a39ffb6fedfa | Yes | Expired (1) |
| fdy-ia6nebdpvu5bm | 5e0673c5-68f0-4fb5-9abb-0cb293ba4b78 | Yes | 1 |
| Defender for Containers provisioning ARC k8s Enabled | 6600b93f-94f5-44e1-984a-15ee4d45da26 | Yes | Expired (1) |
| ASC provisioning default LA agent Linux Arc | 75eb4029-b89a-446f-ba1a-ad805062f290 | Yes | Expired (1) |
| StorageDataScanner | 902cb259-b3e9-4ae2-b905-7545276e6465 | Yes | Expired (3) |
| AiFutureInititativePurview | 59105547-a61c-47d8-8ae8-364bbdadf957 | Yes | 1 |
| complisense-resource | 1210d00e-5a60-4089-8014-fc0b51e79d30 | Yes | Expired (1) |
| openapi-demo01-resource/projects/openapi-demo01 | b7c4bf6f-3761-4672-9cfe-19948d6a5d1d | Yes | 1 |
| 5170706051b8421791489f8b | ceb59e79-0f55-4d79-ab4e-3e38f8c3da3e | Yes | Expired (1) |
| CreateSNOWRecord | de9e0fdd-5f47-444b-bb14-8aa993cf38bd | Yes | Expired (1) |
| complisense-resource/projects/complisense | 00f817d4-49d7-4dbb-96ad-2f63bdf723e5 | Yes | Expired (1) |
| searchiq-resource | aa640986-fc5b-481d-a50d-9dcf931ecbf7 | Yes | 1 |
| Defender for Containers provisioning Policy extension for Arc-e | f2133eb7-6f31-4a15-a976-104236bdc26d | Yes | Expired (1) |

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| ai-futureinitiative-resource/projects/ai-futureinitiative | 365e6b61-4130-4b6f-8008-da27414e206e | Yes | Expired (1) |
| 824d5aedd5674d5196697565 | 17d2b111-4518-4c0d-8b64-5d2cbd23ec21 | Yes | Expired (1) |
| umai-AiFutureInititativePurview | 17fa9ebd-24b7-4135-b377-5fb968d8f9fe | Yes | 1 |
| 6c0357b2e5f0439aa2544088 | c259002f-2504-405b-ac43-043ecb8672fb | Yes | Expired (1) |
| 90d3f028feee43839f0a99c1 | f1d32a61-ef36-4fb5-b900-c12ce186fd20 | Yes | Expired (1) |
| b6b21d937cf245d4bd7f36ea | db6580a6-a40e-4e0d-8a2d-7759dff290d9 | Yes | Expired (1) |
| IIS-WebServer | 1127a9a1-e820-4616-a3b4-357fc04d15b6 | Yes | |
| aisearch-tenantcompliance-uami | 2504537f-8d2c-4417-85ab-aa1246fdbcab | Yes | Expired (1) |
| f7352185003540fcbacfa7a1 | f83ce4f0-207e-464b-a66c-3dd9fd35c0ab | Yes | Expired (1) |
| Defender for Containers provisioning AKS Security Profile | 37f8be6f-cc4c-4f2b-a7bd-0433f2d7726f | Yes | Expired (1) |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers | 09e9d1b9-78a1-424f-af8b-7c1d4c72323e | Yes | Expired (1) |
| func-ecma2poc-lkxerbapuxyv2 | 56ffc791-62d8-4669-b3e7-cef92fa69eae | Yes | 1 |
| 858ea32b2a314ea8891c12f1 | 9a8db690-0aac-40ce-965e-39fc7d1372df | Yes | Expired (1) |
| StorageAccounts/securityOperators/DefenderForStorageSecurityOperator | 383dba18-d7fa-4591-9d0c-7d69b0202a7f | Yes | Expired (3) |
| searchiq-resource/projects/searchiq | 50c41126-757a-4365-bb48-d30fd31bcddc | Yes | 1 |
| postureiq-resource | b97c11a7-3915-40cf-b2c9-6596b3f548d6 | Yes | 1 |

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| StorageAccounts/securityOperators/DefenderForStorageSecurityOperator | dfa8b837-34e6-465b-bceb-c2e6e289a899 | Yes | Expired (3) |
| badd3947057245a69bf00b1b | 8e39a039-67e7-4991-9356-0f55291d7bab | Yes | Expired (1) |
| pcidsstestdes | 81a921cf-f066-439d-961e-bc5a6f62b22a | Yes | Expired (1) |
| SqlVmAndArcSqlServersProtection | 272a2026-0ed5-4d9e-b92f-30ddf1b7b03b | Yes | Expired (1) |
| vm-ecma2poc | 72623c0e-f9b8-4136-b057-f4e84dcd0e61 | Yes | |
| Defender for Containers provisioning AKS Security Profile | 62bc66b9-414f-4f67-a085-e2855f8912d6 | Yes | Expired (1) |
| StorageDataScanner | 052c47bc-db0a-4198-b1ed-0a27b7b60ba7 | Yes | Expired (3) |
| ea5dc1d1-985d-43c9-b7d5 | 00f86b75-7d67-4d9b-8254-dd2c264adda4 | Yes | Expired (1) |
| ESIQNew-AI/projects/ESIQNew-project | 76327689-6959-4135-aaa6-28c8a6046966 | Yes | 1 |
| aifutureinitiative-aisearch | 907f478f-414f-443e-9160-cd6197bfaf00 | Yes | 1 |
| CloudPosture/securityOperators/DefenderCSPMSecurityOperator | ed018aee-e72d-4b72-9f5a-28e608b673c0 | Yes | Expired (3) |
| CloudPosture/securityOperators/DefenderCSPMSecurityOperator | ab5fa409-2bf9-4749-81f2-b8fbbb2bd7ea | Yes | Expired (3) |
| b98c8baa88b84bdfae24c001 | f67af6ae-aabf-44fa-ab64-545dda7d24c6 | Yes | Expired (1) |
| fdy-ia6nebdpvu5bm/projects/adls-gov-docs | b2b4084f-b582-4399-bd86-cf0db60703c9 | Yes | 1 |
| ASC provisioning default LA agent Windows Arc | 03343673-af43-47c3-97f9-43a4f3d74a74 | Yes | Expired (1) |
| bb640a5e-b643-4642-a138 | daec0f84-d81a-4bd0-b688-754e10646e0c | Yes | Expired (1) |

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| Containers/securityOperators/DefenderForContainersSecurityOperator | 638a9d2c-8f69-4410-947c-7865878ef0c4 | Yes | Expired (3) |
| CloudPosture/securityOperators/DefenderCSPMSecurityOperator | 72fc5ff5-df98-4354-af02-05f462f06eaf | Yes | Expired (3) |
| Defender for Containers provisioning Azure Policy Addon for Kub | 81b068d9-487a-4a4d-aed2-ec18239234d7 | Yes | Expired (1) |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers | 84d8d896-d3ba-48f6-9d30-832be774746b | Yes | Expired (1) |
| Defender for Containers provisioning ARC k8s Enabled | 1bfaa97f-c5bd-429e-9ea8-ca4c80a9b9f8 | Yes | Expired (1) |
| StorageDataScanner | 4d8393e0-a776-44ba-9e02-b6fa69b76475 | Yes | Expired (3) |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers- Custom | 449ff2c0-f7d7-4f8d-bad2-5a7d147274fd | Yes | Expired (1) |
| Defender for Containers provisioning Azure Policy Addon for Kub | 7998400d-3c01-4d0a-8c6c-9619683eccd7 | Yes | Expired (1) |
| Defender for Containers provisioning AKS Security Profile | 1e0434f6-11d0-4192-b4ac-4a891af0ce88 | Yes | Expired (1) |
| CloudPosture/securityOperators/DefenderCSPMSecurityOperator | 492f010a-705a-42e3-94d4-9c1d2d359f29 | Yes | Expired (3) |
| AppProxy-Conn | 4ae4b3b0-ef82-45de-987f-4343a639485a | Yes | |
| MCAPSGovDeployPolicies | 09307e72-5ca3-49f3-b2f5-0c6f7b3fc74e | Yes | 1 |
| Defender for Containers provisioning ARC k8s Enabled | b486de49-50c5-475d-a3c0-0978c00b6042 | Yes | Expired (1) |
| FedRAMP-High-FoundryResource/projects/DefaultProject-NotForUse | 905386a0-e7c8-40b8-8efc-5770cb2c7393 | Yes | Expired (1) |
| d5072a66a8f04841a5c5e871 | f9d1621a-e20e-4ebe-affc-fae0afd08c3f | Yes | Expired (1) |
| ASC provisioning default LA agent Linux Arc | 41b4e778-8d32-4696-b119-2563b7baa2f7 | Yes | Expired (1) |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| 149bca90-7486-41d7-8a70 | 3b3baa93-33b0-4ddb-ae06-89ed92a238c6 | Yes | Expired (1) |
| dlg-foundry-eus2 | 4f5c483b-09fa-45fd-a201-0dfcbad33032 | Yes | 1 |
| fedramp-high-aisearch | a6a687ad-de42-4026-adc5-d13db8d68acc | Yes | Expired (1) |
| ASC provisioning default LA agent Linux Arc | 801bf79c-e805-44cd-8cf9-eeead613deda | Yes | Expired (1) |
| Defender for SQL on SQL VMs and Arc-enabled SQL Servers | b6082171-2a53-46cb-a462-91c344f13da0 | Yes | Expired (1) |
| 03c822a1-6bb4-4a26-aeaf | d928c47e-b574-4479-9508-399260866d98 | Yes | Expired (1) |
| Containers/securityOperators/DefenderForContainersSecurityOperator | 97cddfc1-9641-4edf-b3a3-4640ae0bd5a0 | Yes | Expired (3) |
| Defender for Containers provisioning Policy extension for Arc-e | c4b402c1-d9b4-40da-9f18-8279cc8b379c | Yes | Expired (1) |
| postureiq-resource/projects/postureiq | 31a6b1a0-dfff-4baa-93a2-bd0458b073c0 | Yes | 1 |
| Containers/securityOperators/DefenderForContainersSecurityOperator | f847dfcf-5a29-448a-aac9-f28c88e8dde5 | Yes | Expired (3) |
| SqlVmAndArcSqlServersProtection | c4041fcc-be85-4432-a60f-30afdf66be6e | Yes | Expired (1) |
| Defender for Containers provisioning Azure Policy Addon for Kub | 116ed0e9-45f8-47cc-ade7-bad2b80429a4 | Yes | Expired (1) |
| 5223bb8021834a628f2ae743 | 53dff8af-4d84-40be-8e35-0dd7db01c53c | Yes | Expired (1) |
| id-aca-ia6nebdpvu5bm | cf2d727b-f519-4a6e-bb2d-f4369089aebd | Yes | 1 |
| 663c8470-c04e-44b9-83c8 | 8787b4c3-b947-4f91-b5ec-c6ecea8e738d | Yes | Expired (1) |
| SqlVmAndArcSqlServersProtection | b7d8642c-9709-4352-b55d-23bf418b52c0 | Yes | Expired (1) |

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| SNOW-CreateAndUpdateIncident | 5eaf5075-6bbe-4e3a-999b-0b4e0dcc3900 | Yes | Expired (1) |
| FedRAMP-High-FoundryResource | 15d5ae80-c195-4fe8-b734-485033d598d6 | Yes | Expired (2) |
| Defender for Containers provisioning Policy extension for Arc-e | 179435c2-026f-4c9d-8807-90a324333eb7 | Yes | Expired (1) |
| cf8a2083-96ef-4243-8969 | 204b87a4-fde8-4e22-ac0b-d930ea424af2 | Yes | Expired (1) |
| StorageAccounts/securityOperators/DefenderForStorageSecurityOperator | 12f4080c-83d2-4310-bb4f-435cfc4aa088 | Yes | Expired (3) |
| vm01 | 042ce111-8b54-4abb-bc92-75386fda4ceb | Yes | |
| StorageAccounts/securityOperators/DefenderForStorageSecurityOperator | 3f7b86a8-0f6b-4bc2-aa45-0c57e3ecb9e4 | Yes | Expired (3) |
| a01dc6f2f5764815ae2de97e | e0726173-d282-4708-9c23-0669c9004736 | Yes | Expired (1) |
| Defender for Containers provisioning AKS Security Profile | 8173bfd6-c96d-49e0-87d1-8f558e2c2356 | Yes | Expired (1) |
| b1b98cf6-9f4d-41d0-bee0 | b303966b-835b-4467-9fc6-63e6f89ff9c2 | Yes | Expired (1) |
| ASC provisioning default LA agent Windows Arc | 93f225aa-e0ce-473f-8b80-abe2bda91bee | Yes | Expired (1) |
| ai-futureinitiative-resource | 72b5118f-3c90-47a1-ad26-044d63516a79 | Yes | Expired (1) |
| ESIQNew-AI | 21bda45d-5763-41a9-b16a-eed5f242d25a | Yes | 1 |
| aifutureinitiative | 098520a8-6b1c-489f-aea0-6d62f8a3d9fb | Yes | 1 |
| fedramp-high-openai | f0c2d1c1-f9b4-4eed-8fc8-00f30ea8b2cf | Yes | Expired (2) |
| openapi-demo01-resource | 34aa2309-8f55-4e53-b7ba-52fa1595308f | Yes | 1 |

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| Defender for Containers provisioning ARC k8s Enabled | 5e9aa430-768e-4a72-9cab-5d8637d29714 | Yes | Expired (1) |
| e72637ea-049f-4b41-84b2 | cff16494-ee5e-45e5-b368-155a219e248b | Yes | Expired (1) |
| 490e7aadcad341fc8b6a228f | 25ffc95a-765e-489f-b2da-68ba7caeea22 | Yes | Expired (1) |
| 3d2264329e8b426698283467 | b18c5e6e-d173-4738-8e00-5bae6b1b65d9 | Yes | Expired (1) |
| ESIQNew-identity | d5d10273-4a8b-4251-9b9d-00fe035df97a | Yes | 1 |
| id-purview-scan-ia6nebdpvu5bm | d817da0b-5e0b-4639-afe7-a2b32a95e3af | Yes | 1 |
| ASC provisioning default LA agent Windows Arc | 28b0d9a2-4f45-48dc-a41a-d5c36d4704b6 | Yes | Expired (1) |
| 893f03da-0562-4fcd-a5ad | cc13f4ba-699f-47bf-a81a-c37a85e02595 | Yes | Expired (1) |
| f02ac9b299ec41bf80a1c3f1 | 388d3893-202b-40da-bea5-2680b631a715 | Yes | Expired (1) |
| Defender for Containers provisioning Policy extension for Arc-e | b9dc6dd9-99ba-45fd-87d6-a8aa8654a3e0 | Yes | Expired (1) |
| 67d192945d484916b73e39eb | b8017026-bb77-4179-bd6e-42bab4430727 | Yes | Expired (1) |
| Containers/securityOperators/DefenderForContainersSecurityOperator | 8891bb79-407c-4823-b50e-32dfe851c062 | Yes | Expired (3) |
| vm02 | 2f93d840-1702-4a9b-b510-31c94c025db6 | Yes | |
| Defender for Containers provisioning Azure Policy Addon for Kub | 618c1af4-5313-4d4b-8b00-686066ab7787 | Yes | Expired (1) |
| FedRAMP-High-FoundryResource/projects/FedRAMP-High-Foundry-Project | 96ecb839-bc7d-430e-98d5-8c1d51386f33 | Yes | Expired (1) |
| 1c3c31b3-9573-4be2-a5fd | e7dda8c7-7064-472f-bca6-3c00b20efe9b | Yes | Expired (1) |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| StorageDataScanner | 1d320999-ace7-4c91-95de-9c17b384a660 | Yes | Expired (3) |
| SqlVmAndArcSqlServersProtection | 35f6d28e-99b5-49c3-8e30-ebf6fa7f0e09 | Yes | Expired (1) |

## ▼ ServiceIdentity (45)

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | 0db58995-43b3-4057-bad1-3900ede3a918 | Yes | |
| SecurityCopilotAgentIdentity-035fc6f8-750b-4e58-81b4-0d29ede33d54 | 1e131cb4-b2f7-427d-ae6b-188df13db1f0 | Yes | |
| FedRAMP-High-FoundryResource-DefaultProject-NotForUse-AgentIdentity | 21ab38e2-a330-4afe-8b00-b2a1546734eb | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | 2238fe4d-11b2-43cb-a95a-28abf9c38c28 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-PostureIQ-Dev-AgentIdentity | 272bea54-65c6-4ff6-83de-4b6fb11220b0 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 27801820-6d14-458b-a5c3-a4f570acc97f | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 2a65558a-b30c-4cfe-b701-d46c503c87bf | Yes | |
| openapi-demo01-resource-openapi-demo01-PostureIQ-Dev-V100-AgentIdentity | 2c06e13b-73be-4bc9-90b6-6b35722a379e | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | 2d89e4d0-d14f-468e-acd6-e675ed01695b | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| FedRAMP-High-FoundryResource-FedRAMP-High-Foundry-Project-AgentIdentity | 2e7508b9-e650-491c-b901-63ac39cf2fbc | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 3a0bfe2e-27a1-42e3-8071-3f14c17c0ab3 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 3b69c309-8ba8-43ac-8c89-938744dd994d | Yes | |
| searchiq-resource-searchiq-AgentIdentity | 498d9666-4314-48ba-b4fb-975e47af3e0c | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 499d67a8-4d54-416f-962b-3f034a2a4ac3 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | 52d41ad7-af8f-4673-845c-5a30b4a74255 | Yes | |
| openapi-demo01-resource-openapi-demo01-AgentIdentity | 5be276ae-e19b-440f-bdd6-caf0a5446e92 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 6817a18e-7264-46cf-b7be-6fea6ea091e5 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 6a302d4b-526b-4af8-b21a-339c4a1faaf0 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 6b1dc80f-1e41-4416-bf07-8516f841331e | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | 73ff48c1-cfc8-44f1-a466-d099372b67ce | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 7463cf84-90e2-4a5b-b1d9-12bd872fd285 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 7474136e-e1fc-484a-845a-3265ec4b3c2f | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | 78086a2e-04d1-4cc9-ad01-33dbedfcbcec | Yes | |
| openapi-demo01-resource-openapi-demo01-AzureDevOps-Assist-AgentIdentity | 998ee667-bd51-4e31-a0d1-de6f17d4c966 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | 9c218294-2cc2-4d7d-bb53-41fda92505ab | Yes | |
| openapi-demo01-resource-openapi-demo01-MicrosoftFoundryIQ-AgentIdentity | 9dfabc12-4cd5-4d98-b51d-17ee6df66929 | Yes | |
| openapi-demo01-resource-openapi-demo01-AzureStorageIQ-AgentIdentity | 9f5e77a5-b5bb-482f-bf3c-9eb2fee33bc8 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | a9208d7f-4268-4328-a646-bd6dce895a48 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | ab73ce8c-9aa3-429b-9e35-8c56af5128af | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
| --- | --- | --- | --- |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | aef95ed0-ea60-4113-885e-191270723bbc | Yes | |
| openapi-demo01-resource-openapi-demo01-Agent02-EntraResources-AgentIdentity | b22ba592-1034-4e22-9a3b-d3d2fce69d8b | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | b2d5ffb9-6c78-43e9-9a6d-8fdffec9b9ee | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-DataHalo-AgentIdentity | b6e5892f-335e-4cfc-8011-2a91e08017f1 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | b840bb0b-e74a-4091-8c87-5bb27762284b | Yes | |
| openapi-demo01-resource-openapi-demo01-AzureDevOpsIQ-V1-AgentIdentity | be8dbd36-6b12-4eaf-a75d-6501f622843a | Yes | |
| SecurityCopilotAgentIdentity-ac23d370-9a76-4e98-8b1d-11f5b88b3011 | db4fbce8-5d8f-431f-b30b-93d1e3d11dcf | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | ddace7a4-c52c-4206-93bc-ed1a9d716652 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | e264149a-886f-4d37-8421-3f2652ca0ec0 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | e5a3c861-46aa-4b03-97d9-96630ce2ecb3 | Yes | |

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | edd1558b-2cb4-490d-890a-37b8b5bda5d6 | Yes | |
| aifutureinitiative-resource-aifutureinitiative-AgentIdentity | edf6e990-b41b-4368-903f-cf748cb2a6b6 | Yes | |
| openapi-demo01-resource-openapi-demo01-FoundryForge-AgentIdentity | efab2fd5-b574-46b2-9b4e-7ffd4eb0f9ec | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | f9c9f463-7b5a-4b3e-b0b5-428dfd2375f3 | Yes | |
| ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity | fb6b8c4d-30ce-4250-95e6-2957222413ae | Yes | |
| complisense-resource-complisense-AgentIdentity | fd171ab6-e703-4ef3-92a7-e4ae4bd3929a | Yes | |

### SocialIdp (1)

| NAME | APP ID | ENABLED | CREDENTIALS |
|---|---|---|---|
| O365 LinkedIn Connection | f569b9c7-be15-4e87-86f7-87d30d02090b | No | |

## 5. Compliance Results

### 5.1 Framework Summary

HIPAA

**26%**

9/43 compliant

25 non-compliant

### 5.2 Domain Analysis

Governance & Risk

**22%**

2/9 compliant

1 N/A

Access Control

**67%**

4/6 compliant

Incident_Response

**50%**

1/2 compliant

1 N/A

Logging & Monitoring

**0%**

0/4 compliant

Business_Continuity

**0%**

0/2 compliant

1 N/A

Asset_Management

Identity & Authentication

Data Protection

Network Security

Change_Management

| 0% | 100% | 0% | 0% | 100% |
|---|---|---|---|---|
| 0/1 compliant | 1/1 compliant | 0/6 compliant<br>4 N/A | 0/2 compliant<br>2 N/A | 1/1 compliant |

### 5.3 Control Results (43)

**How to read this table:** Each row is a security control evaluated against the framework. Use the filters above to narrow results.

**Severity** indicates risk impact (Critical > High > Medium > Low). **Status** shows the evaluation result.

**Description** previews the primary observation. **Findings** counts distinct observations; **Resources** shows affected resources. Non-compliant controls have guidance in Section 7.

| CONTROL | TITLE | FRAMEWORK | DOMAIN | SEVERITY | STATUS | DESCRIPTION | FINDINGS | RESOURCES |
|---|---|---|---|---|---|---|---|---|
| HIPAA-164.308(a)(4)(ii)(A) | Workforce Authorization | HIPAA Security Rule | Access Control | CRITICAL | NON-COMPLIANT | Total privileged accounts (267) exceeds recommended maximum of 20. | 1 | 0 |
| HIPAA-164.308(a)(6)(i)b | Security Incident Procedures | HIPAA Security Rule | Incident Response | CRITICAL | COMPLIANT | 2 alert rules configured for incident detection. | 2 | 0 |
| HIPAA-164.308(a)(6)(ii) | Security Incident Procedures | HIPAA Security Rule | Logging & Monitoring | CRITICAL | NON-COMPLIANT | 3 action groups with no receivers. | 11 | 10 |
| HIPAA-164.308(a)(6)(ii)b | Response and Reporting | HIPAA Security Rule | Incident Response | CRITICAL | NON-COMPLIANT | 7 action group(s) exist but none have configured receivers. | 2 | 0 |

| CONTROL | TITLE | FRAMEWORK | DOMAIN | SEVERITY | STATUS | DESCRIPTION | FINDINGS | RESOURCES |
|---|---|---|---|---|---|---|---|---|
| HIPAA-164.308(a)(7)(i) | Contingency Plan | HIPAA Security Rule | Business Continuity | CRITICAL | NON-COMPLIANT | No Recovery Services vaults but 5 resources need backup protection. | 1 | 0 |
| HIPAA-164.308(a)(7)(ii)(A) | Business Associate Agreements | HIPAA Security Rule | Governance & Risk | CRITICAL | NON-COMPLIANT | 216 custom policy definitions deployed. | 2 | 0 |
| HIPAA-164.308(a)(7)(ii)(A)b | Data Backup Plan | HIPAA Security Rule | Business Continuity | CRITICAL | NON-COMPLIANT | 20 storage account(s) without geo-redundant replication: appproxypoctmp94922, datalakeforsentinel01, mcapsb1e7483be9eee6... | 1 | 0 |
| HIPAA-164.312(a)(1) | User ID Management | HIPAA Security Rule | Identity & Authentication | CRITICAL | COMPLIANT | User lifecycle checks passed. | 1 | 0 |
| HIPAA-164.312(a)(2)(iii) | Encryption and Decryption | HIPAA Security Rule | Data Protection | CRITICAL | NON-COMPLIANT | Storage 'aifutureinitiative' has no network firewall (allows all). | 19 | 19 |
| HIPAA-164.312(a)(2)(iv) | Access Control Mechanisms | HIPAA Security Rule | Access Control | CRITICAL | COMPLIANT | RBAC configured with 6 active Conditional Access policies. | 1 | 0 |
| HIPAA-164.312(a)(2)(vi)b | Storage Container ePHI Access Control | HIPAA Security Rule | Data Protection | CRITICAL | NON-COMPLIANT | Storage 'aifutureinitiative' has no lifecycle management rules. | 18 | 0 |

| CONTROL | TITLE | FRAMEWORK | DOMAIN | SEVERITY | STATUS | DESCRIPTION | FINDINGS | RESOURCES |
|---|---|---|---|---|---|---|---|---|
| HIPAA-164.312(e)(2)(ii) | Encryption for Transmission | HIPAA Security Rule | Network Security | CRITICAL | NON-COMPLIANT | VNet 'AppProxy-POC-VNet' without DDoS protection. | 7 | 7 |
| HIPAA-164.308(a)(1)(ii)(A) | Risk Analysis | HIPAA Security Rule | Governance & Risk | HIGH | NON-COMPLIANT | 216 custom policy definitions deployed. | 2 | 0 |
| HIPAA-164.308(a)(1)(ii)(B) | Risk Management Plan | HIPAA Security Rule | Governance & Risk | HIGH | NON-COMPLIANT | Auto-provisioning not enabled for all. | 3 | 0 |
| HIPAA-164.308(a)(3)(ii)(A) | Sanction Policy | HIPAA Security Rule | Governance & Risk | HIGH | COMPLIANT | User lifecycle checks passed. | 1 | 0 |
| HIPAA-164.308(a)(4)(ii)(B) | Workforce Supervision | HIPAA Security Rule | Governance & Risk | HIGH | NON-COMPLIANT | No access reviews configured but privileged roles exist. | 1 | 0 |
| HIPAA-164.308(a)(5)(i) | Security Awareness Training | HIPAA Security Rule | Governance & Risk | HIGH | NON-COMPLIANT | No Terms of Use agreements configured for security awareness acknowledgement. | 1 | 0 |
| HIPAA-164.308(a)(6)(i) | Security Awareness and Training | HIPAA Security Rule | Governance & Risk | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.308(a)(6)(iii) | Security Contact Configuration | HIPAA Security Rule | Incident Response | HIGH | MISSING EVIDENCE | | 0 | 0 |

| CONTROL | TITLE | FRAMEWORK | DOMAIN | SEVERITY | STATUS | DESCRIPTION | FINDINGS | RESOURCES |
|---|---|---|---|---|---|---|---|---|
| HIPAA-164.308(a)(7)(ii)(D) | Testing and Revision Procedures | HIPAA Security Rule | Business Continuity | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.310(d)(1) | Device and Media Controls | HIPAA Security Rule | Asset Management | HIGH | NON-COMPLIANT | 5 managed identities inventoried. | 3 | 0 |
| HIPAA-164.312(a)(2)(i) | Emergency Access Procedures | HIPAA Security Rule | Access Control | HIGH | COMPLIANT | RBAC configured with 6 active Conditional Access policies. | 1 | 0 |
| HIPAA-164.312(a)(2)(ii) | Automatic Logoff | HIPAA Security Rule | Access Control | HIGH | COMPLIANT | RBAC configured with 6 active Conditional Access policies. | 1 | 0 |
| HIPAA-164.312(a)(2)(iv)b | AI Services Access Protection | HIPAA Security Rule | Data Protection | HIGH | NON-COMPLIANT | AI account 'ESIQNew-AI' has no managed identity. | 70 | 70 |
| HIPAA-164.312(a)(2)(iv)c | Session Controls | HIPAA Security Rule | Access Control | HIGH | COMPLIANT | Session management policies: 1 with session controls. | 1 | 0 |
| HIPAA-164.312(a)(2)(v) | Storage Account ePHI Protection | HIPAA Security Rule | Data Protection | HIGH | NON-COMPLIANT | Storage 'aifutureinitiative' blob soft delete not enabled. | 71 | 71 |
| HIPAA-164.312(a)(2)(vi) | Database Server ePHI Protection | HIPAA Security Rule | Data Protection | HIGH | MISSING EVIDENCE | | 0 | 0 |

| CONTROL | TITLE | FRAMEWORK | DOMAIN | SEVERITY | STATUS | DESCRIPTION | FINDINGS | RESOURCES |
|---|---|---|---|---|---|---|---|---|
| HIPAA-164.312(b) | Audit Controls for Audit Logs | HIPAA Security Rule | Logging & Monitoring | HIGH | NON-COMPLIANT | Diagnostic coverage 60% (50-79%, below 80% target). | 1 | 0 |
| HIPAA-164.312(b)(2) | SQL Server ePHI Audit Controls | HIPAA Security Rule | Data Protection | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.312(b)(3) | Database Server ePHI Audit Configuration | HIPAA Security Rule | Data Protection | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.312(b)(4) | Log Retention for ePHI | HIPAA Security Rule | Logging & Monitoring | HIGH | NON-COMPLIANT | Log Analytics 'DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS' retention 30d < 90 days. | 15 | 15 |
| HIPAA-164.312(c)(1) | Facility Access Controls | HIPAA Security Rule | Access Control | HIGH | NON-COMPLIANT | VM 'AppProxy-Conn' OS disk not encrypted. | 7 | 7 |
| HIPAA-164.312(d) | Audit Controls | HIPAA Security Rule | Logging & Monitoring | HIGH | NON-COMPLIANT | High activity log failure rate (177 failed ops). | 2 | 0 |
| HIPAA-164.312(d)(2) | Web Application Authentication for ePHI | HIPAA Security Rule | Network Security | HIGH | NON-COMPLIANT | Web App 'aifutureinitiative' HTTP/2 not enabled. | 5 | 5 |
| HIPAA-164.312(e)(1) | Integrity Authentication Mechanisms | HIPAA Security Rule | Data Protection | HIGH | NON-COMPLIANT | Key Vault 'unknown' network not restricted (default action: Allow). | 11 | 0 |

| CONTROL | TITLE | FRAMEWORK | DOMAIN | SEVERITY | STATUS | DESCRIPTION | FINDINGS | RESOURCES |
|---|---|---|---|---|---|---|---|---|
| HIPAA-164.312(e)(1)(ii) | API Gateway Transmission Security | HIPAA Security Rule | Network Security | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.312(e)(2)(ii)b | ML Workspace Network Encryption | HIPAA Security Rule | Network Security | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.312(e)(2)(ii)c | Configuration Change Management | HIPAA Security Rule | Change Management | HIGH | COMPLIANT | 216 custom policy definitions supporting change governance. | 3 | 0 |
| HIPAA-164.312(e)(2)(iii) | Cosmos DB ePHI Encryption | HIPAA Security Rule | Data Protection | HIGH | MISSING EVIDENCE | | 0 | 0 |
| HIPAA-164.312(e)(2)(iv) | Container Registry ePHI Image Security | HIPAA Security Rule | Data Protection | HIGH | NON-COMPLIANT | ACR 'acrwebia6nebdpvu5bm' content trust not enabled. | 6 | 6 |
| HIPAA-164.308(a)(5)(ii)(C) | Change Documentation | HIPAA Security Rule | Governance & Risk | MEDIUM | COMPLIANT | Continuous monitoring: 180 policies, 83 diagnostic configs. | 1 | 0 |
| HIPAA-164.308(a)(8) | Evaluation and Documentation | HIPAA Security Rule | Governance & Risk | MEDIUM | NON-COMPLIANT | 216 custom policy definitions deployed. | 2 | 0 |
| HIPAA-164.312(c)(1)b | Resource Group Integrity Controls | HIPAA Security Rule | Governance & Risk | MEDIUM | NON-COMPLIANT | Resource group tagging (12%) below 80% threshold (6/48). | 1 | 0 |

## 6. Resource-Level Compliance Details

Per-resource compliance status extracted from evaluation findings. Use the search box to filter by resource name, type, or status.

| 226 | 61 | 0 |
|---|---|---|
| RESOURCE FINDINGS | NON-COMPLIANT RESOURCES | FULLY COMPLIANT RESOURCES |

Search by resource name, type, control, or status...

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **aifutureinitiative** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'aifutureinitiative' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **appproxypoctmp94922** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'appproxypoctmp94922' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **azurestoragetestdata** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'azurestoragetestdata' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **datalakeforsentinel01** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'datalakeforsentinel01' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'esiqnewstorage' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **fedramphighdataforrag** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'fedramphighdataforrag' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **mcapsa4a098b1e04fafd0** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'mcapsa4a098b1e04fafd0' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **mcapsb1e7483be9eee6d2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'mcapsb1e7483be9eee6d2' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **mcapsb6831508e1268aee** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'mcapsb6831508e1268aee' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **mcapsbbea3fee1c872b88** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'mcapsbbea3fee1c872b88' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **nsgflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'nsgflowlogsstorageinfra' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **rgazureaifoundaryfea706** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'rgazureaifoundaryfea706' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **stecma2poclkxerbapuxyv2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'stecma2poclkxerbapuxyv2' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **stevdia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'stevdia6nebdpvu5bm' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **storew7fy4po6bcxgc** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'storew7fy4po6bcxgc' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **stswia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'stswia6nebdpvu5bm' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **stwjia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'stwjia6nebdpvu5bm' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **tenantcompliancestorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'tenantcompliancestorage' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **vnetflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(iii) | CRITICAL | Storage 'vnetflowlogsstorageinfra' has no network firewall (allows all). | Configure the storage account firewall to deny all public access. |
| **AppProxy-POC-VNet** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'AppProxy-POC-VNet' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |
| **VNet1** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'VNet1' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **pcidssnvet** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'pcidssnvet' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |
| **vm01-vnet** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'vm01-vnet' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |
| **vm02-vnet** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'vm02-vnet' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |
| **vnet-ecma2poc** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'vnet-ecma2poc' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |
| **vnet-ecma2poc** | Microsoft.Network/virtualNetworks | Non-Compliant | HIPAA-164.312(e)(2)(ii) | CRITICAL | VNet 'vnet-ecma2poc' without DDoS protection. | Enable Azure DDoS Protection on the virtual network. |
| **aifutureinitiative** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'aifutureinitiative' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **appproxypoctmp94922** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'appproxypoctmp94922' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **azurestoragetestdata** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'azurestoragetestdata' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **datalakeforsentinel01** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'datalakeforsentinel01' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'esiqnewstorage' has no containers with immutability policies. | Configure immutability policies on containers storing regulated data. |
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'esiqnewstorage' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **fedramphighdataforrag** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'fedramphighdataforrag' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **mcapsa4a098b1e04fafd0** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'mcapsa4a098b1e04fafd0' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **mcapsb1e7483be9eee6d2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'mcapsb1e7483be9eee6d2' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **mcapsb6831508e1268aee** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'mcapsb6831508e1268aee' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **mcapsbbea3fee1c872b88** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'mcapsbbea3fee1c872b88' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **rgazureaifoundaryfea706** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'rgazureaifoundaryfea706' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **stecma2poclkxerbapuxyv2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'stecma2poclkxerbapuxyv2' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **stevdia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'stevdia6nebdpvu5bm' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **storew7fy4po6bcxgc** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'storew7fy4po6bcxgc' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **tenantcompliancestorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'tenantcompliancestorage' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **vnetflowlogsstorageinfr2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'vnetflowlogsstorageinfr2' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **vnetflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(vi)b | CRITICAL | Storage 'vnetflowlogsstorageinfra' has no lifecycle management rules. | Configure lifecycle management policies for data retention and tiering. |
| **R-LogAnalyticsWorkspace** | Microsoft.OperationalInsights/workspaces | Non-Compliant | HIPAA-164.308(a)(6)(ii) | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **log-ia6nebdpvu5bm** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **log-ecma2poc** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **log-ecma2poc** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-CUS** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS2** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **ESIQNew-law** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **law-aifutureinitiative** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.308(a)(6)(ii)` | CRITICAL | Log Analytics retention (30d) < 90 days. | Increase Log Analytics workspace retention to at least 90 days. |
| **aifutureinitiative** | `Microsoft.Web/sites` | Non-Compliant | `HIPAA-164.312(d)(2)` | HIGH | Web App 'aifutureinitiative' HTTP/2 not enabled. | Enable HTTP/2 for improved performance and security. |
| **aifutureinitiative** | `Microsoft.Web/sites` | Non-Compliant | `HIPAA-164.312(d)(2)` | HIGH | Web App 'aifutureinitiative' has no diagnostic logging enabled. | Enable application and/or HTTP logging for the Web App. |
| **func-ecma2poc-lkxerbapuxyv2** | `Microsoft.Web/sites` | Non-Compliant | `HIPAA-164.312(d)(2)` | HIGH | Web App 'func-ecma2poc-lkxerbapuxyv2' App Service Authentication disabled. | Enable App Service Authentication (EasyAuth) or integrate with Entra ID. |
| **func-ecma2poc-lkxerbapuxyv2** | `Microsoft.Web/sites` | Non-Compliant | `HIPAA-164.312(d)(2)` | HIGH | Web App 'func-ecma2poc-lkxerbapuxyv2' HTTP/2 not enabled. | Enable HTTP/2 for improved performance and security. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **func-ecma2poc-lkxerbapuxyv2** | Microsoft.Web/sites | Non-Compliant | HIPAA-164.312(d)(2) | HIGH | Web App 'func-ecma2poc-lkxerbapuxyv2' has no diagnostic logging enabled. | Enable application and/or HTTP logging for the Web App. |
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **ESIQNew-AI** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'ESIQNew-AI' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **FedRAMP-High-FoundryResource** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'FedRAMP-High-FoundryResource' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **FedRAMP-High-FoundryResource** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'FedRAMP-High-FoundryResource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **FedRAMP-High-FoundryResource** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'FedRAMP-High-FoundryResource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **FedRAMP-High-FoundryResource** | Microsoft.CognitiveServices/accounts | Non-Compliant | HIPAA-164.312(a)(2)(iv)b | HIGH | AI account 'FedRAMP-High-FoundryResource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **FedRAMP-High-FoundryResource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'FedRAMP-High-FoundryResource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **FedRAMP-High-FoundryResource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'FedRAMP-High-FoundryResource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **FedRAMP-High-FoundryResource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'FedRAMP-High-FoundryResource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **ai-futureinitiative-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'ai-futureinitiative-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **complisense-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'complisense-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **dlg-foundry-eus2** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'dlg-foundry-eus2' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **fdy-ia6nebdpvu5bm** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fdy-ia6nebdpvu5bm' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **fedramp-high-openai** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'fedramp-high-openai' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **openapi-demo01-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'openapi-demo01-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **postureiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'postureiq-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' has no managed identity. | Enable a managed identity on the Cognitive Services account for secure authentication. |
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' has no network restrictions (default action: Allow). | Configure network ACLs to deny by default on the Cognitive Services account. |
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' not using customer-managed key encryption. | Enable customer-managed key (CMK) encryption on the Cognitive Services account. |
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **searchiq-resource** | `Microsoft.CognitiveServices/accounts` | Non-Compliant | `HIPAA-164.312(a)(2)(iv)b` | HIGH | AI account 'searchiq-resource' public network access enabled. | Disable public network access on the Cognitive Services account. Use private endpoints. |
| **aifutureinitiative** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'aifutureinitiative' blob soft delete not enabled. | Enable blob soft delete for data recovery. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **aifutureinitiative** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'aifutureinitiative' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **aifutureinitiative** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'aifutureinitiative' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **aifutureinitiative** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'aifutureinitiative' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **appproxypoctmp94922** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'appproxypoctmp94922' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **appproxypoctmp94922** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'appproxypoctmp94922' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **appproxypoctmp94922** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'appproxypoctmp94922' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **appproxypoctmp94922** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'appproxypoctmp94922' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **azurestoragetestdata** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'azurestoragetestdata' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **azurestoragetestdata** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'azurestoragetestdata' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **datalakeforsentinel01** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'datalakeforsentinel01' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **datalakeforsentinel01** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'datalakeforsentinel01' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **datalakeforsentinel01** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'datalakeforsentinel01' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **datalakeforsentinel01** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'datalakeforsentinel01' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'esiqnewstorage' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'esiqnewstorage' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'esiqnewstorage' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **esiqnewstorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'esiqnewstorage' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **fedramphighdataforrag** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'fedramphighdataforrag' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **fedramphighdataforrag** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'fedramphighdataforrag' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **fedramphighdataforrag** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'fedramphighdataforrag' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **fedramphighdataforrag** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'fedramphighdataforrag' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **mcapsa4a098b1e04fafd0** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsa4a098b1e04fafd0' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **mcapsa4a098b1e04fafd0** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsa4a098b1e04fafd0' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **mcapsa4a098b1e04fafd0** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsa4a098b1e04fafd0' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **mcapsa4a098b1e04fafd0** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsa4a098b1e04fafd0' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **mcapsb1e7483be9eee6d2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb1e7483be9eee6d2' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **mcapsb1e7483be9eee6d2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb1e7483be9eee6d2' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **mcapsb1e7483be9eee6d2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb1e7483be9eee6d2' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **mcapsb1e7483be9eee6d2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb1e7483be9eee6d2' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **mcapsb6831508e1268aee** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb6831508e1268aee' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **mcapsb6831508e1268aee** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb6831508e1268aee' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **mcapsb6831508e1268aee** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb6831508e1268aee' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **mcapsb6831508e1268aee** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsb6831508e1268aee' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **mcapsbbea3fee1c872b88** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsbbea3fee1c872b88' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **mcapsbbea3fee1c872b88** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsbbea3fee1c872b88' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **mcapsbbea3fee1c872b88** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsbbea3fee1c872b88' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **mcapsbbea3fee1c872b88** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'mcapsbbea3fee1c872b88' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **nsgflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'nsgflowlogsstorageinfra' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **nsgflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'nsgflowlogsstorageinfra' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **nsgflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'nsgflowlogsstorageinfra' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **nsgflowlogsstorageinfra** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'nsgflowlogsstorageinfra' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **rgazureaifoundaryfea706** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'rgazureaifoundaryfea706' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **rgazureaifoundaryfea706** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'rgazureaifoundaryfea706' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **rgazureaifoundaryfea706** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'rgazureaifoundaryfea706' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **rgazureaifoundaryfea706** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'rgazureaifoundaryfea706' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **stecma2poclkxerbapuxyv2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stecma2poclkxerbapuxyv2' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **stecma2poclkxerbapuxyv2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stecma2poclkxerbapuxyv2' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **stecma2poclkxerbapuxyv2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stecma2poclkxerbapuxyv2' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **stecma2poclkxerbapuxyv2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stecma2poclkxerbapuxyv2' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **stevdia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stevdia6nebdpvu5bm' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **stevdia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stevdia6nebdpvu5bm' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **storew7fy4po6bcxgc** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'storew7fy4po6bcxgc' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **storew7fy4po6bcxgc** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'storew7fy4po6bcxgc' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **storew7fy4po6bcxgc** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'storew7fy4po6bcxgc' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **storew7fy4po6bcxgc** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'storew7fy4po6bcxgc' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **stswia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stswia6nebdpvu5bm' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **stswia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stswia6nebdpvu5bm' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **stwjia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stwjia6nebdpvu5bm' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **stwjia6nebdpvu5bm** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'stwjia6nebdpvu5bm' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **tenantcompliancestorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'tenantcompliancestorage' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **tenantcompliancestorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'tenantcompliancestorage' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **tenantcompliancestorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'tenantcompliancestorage' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **tenantcompliancestorage** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'tenantcompliancestorage' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **vnetflowlogsstorageinfr2** | Microsoft.Storage/storageAccounts | Non-Compliant | HIPAA-164.312(a)(2)(v) | HIGH | Storage 'vnetflowlogsstorageinfr2' blob soft delete not enabled. | Enable blob soft delete for data recovery. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **vnetflowlogsstoragеinfr2** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'vnetflowlogsstorageinfr2' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **vnetflowlogsstoragеinfr2** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'vnetflowlogsstorageinfr2' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **vnetflowlogsstoragеinfra** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'vnetflowlogsstorageinfra' blob soft delete not enabled. | Enable blob soft delete for data recovery. |
| **vnetflowlogsstoragеinfra** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'vnetflowlogsstorageinfra' container soft delete not enabled. | Enable container soft delete for data recovery. |
| **vnetflowlogsstoragеinfra** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'vnetflowlogsstorageinfra' has no network firewall (default action: Allow). | Configure the storage account firewall to deny by default. |
| **vnetflowlogsstoragеinfra** | `Microsoft.Storage/storageAccounts` | Non-Compliant | `HIPAA-164.312(a)(2)(v)` | HIGH | Storage 'vnetflowlogsstorageinfra' infrastructure encryption not enabled. | Enable infrastructure encryption (double encryption) on the storage account. |
| **AppProxy-Conn** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'AppProxy-Conn' OS disk not encrypted. | Enable Azure Disk Encryption (ADE) or host-based encryption on the VM. |
| **AppProxy-Conn** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'AppProxy-Conn' boot diagnostics disabled. | Enable boot diagnostics on the VM for troubleshooting support. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **IIS-WebServer** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'IIS-WebServer' OS disk not encrypted. | Enable Azure Disk Encryption (ADE) or host-based encryption on the VM. |
| **IIS-WebServer** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'IIS-WebServer' boot diagnostics disabled. | Enable boot diagnostics on the VM for troubleshooting support. |
| **vm-ecma2poc** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'vm-ecma2poc' OS disk not encrypted. | Enable Azure Disk Encryption (ADE) or host-based encryption on the VM. |
| **vm01** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'vm01' OS disk not encrypted. | Enable Azure Disk Encryption (ADE) or host-based encryption on the VM. |
| **vm02** | `Microsoft.Compute/virtualMachines` | Non-Compliant | `HIPAA-164.312(c)(1)` | HIGH | VM 'vm02' OS disk not encrypted. | Enable Azure Disk Encryption (ADE) or host-based encryption on the VM. |
| **pcidsskv** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' network not restricted (default action: Allow). | Configure Key Vault firewall to deny public access. Use private endpoints. |
| **kv-ia6nebdpvu5bm** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' network not restricted (default action: Allow). | Configure Key Vault firewall to deny public access. Use private endpoints. |
| **ecma2pockvlkxer** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' network not restricted (default action: Allow). | Configure Key Vault firewall to deny public access. Use private endpoints. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **ESIQNew-kv** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' network not restricted (default action: Allow). | Configure Key Vault firewall to deny public access. Use private endpoints. |
| **AIFutureInitiativeKV** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' network not restricted (default action: Allow). | Configure Key Vault firewall to deny public access. Use private endpoints. |
| **kv-ia6nebdpvu5bm** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' purge protection disabled. | Enable purge protection on the Key Vault for regulatory compliance. |
| **ecma2pockvlkxer** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' purge protection disabled. | Enable purge protection on the Key Vault for regulatory compliance. |
| **ESIQNew-kv** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' purge protection disabled. | Enable purge protection on the Key Vault for regulatory compliance. |
| **AIFutureInitiativeKV** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' purge protection disabled. | Enable purge protection on the Key Vault for regulatory compliance. |
| **pcidsskv** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' using access policies (not RBAC). | Switch Key Vault from access policies to Azure RBAC for unified access management. |
| **ecma2pockvlkxer** | `Microsoft.KeyVault/vaults` | Non-Compliant | `HIPAA-164.312(e)(1)` | HIGH | Key Vault 'unknown' using access policies (not RBAC). | Switch Key Vault from access policies to Azure RBAC for unified access management. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **acrwebia6nebdpvu5bm** | Microsoft.ContainerRegistry/registries | Non-Compliant | HIPAA-164.312(e)(2)(iv) | HIGH | ACR 'acrwebia6nebdpvu5bm' content trust not enabled. | Enable content trust to verify image integrity. |
| **acrwebia6nebdpvu5bm** | Microsoft.ContainerRegistry/registries | Non-Compliant | HIPAA-164.312(e)(2)(iv) | HIGH | ACR 'acrwebia6nebdpvu5bm' public network access enabled. | Disable public network access. Use private endpoints. |
| **d33fc1aaifutureinitiative1f50acr** | Microsoft.ContainerRegistry/registries | Non-Compliant | HIPAA-164.312(e)(2)(iv) | HIGH | ACR 'd33fc1aaifutureinitiative1f50acr' content trust not enabled. | Enable content trust to verify image integrity. |
| **d33fc1aaifutureinitiative1f50acr** | Microsoft.ContainerRegistry/registries | Non-Compliant | HIPAA-164.312(e)(2)(iv) | HIGH | ACR 'd33fc1aaifutureinitiative1f50acr' public network access enabled. | Disable public network access. Use private endpoints. |
| **esiqnewacr** | Microsoft.ContainerRegistry/registries | Non-Compliant | HIPAA-164.312(e)(2)(iv) | HIGH | ACR 'esiqnewacr' content trust not enabled. | Enable content trust to verify image integrity. |
| **esiqnewacr** | Microsoft.ContainerRegistry/registries | Non-Compliant | HIPAA-164.312(e)(2)(iv) | HIGH | ACR 'esiqnewacr' public network access enabled. | Disable public network access. Use private endpoints. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-CUS** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-CUS' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS2** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS2' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **ESIQNew-law** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'ESIQNew-law' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **R-LogAnalyticsWorkspace** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'R-LogAnalyticsWorkspace' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **law-aifutureinitiative** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'law-aifutureinitiative' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |

| RESOURCE NAME | RESOURCE TYPE | STATUS | CONTROL | SEVERITY | REASON | REMEDIATION |
|---|---|---|---|---|---|---|
| **log-ecma2poc** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'log-ecma2poc' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **log-ecma2poc** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'log-ecma2poc' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **log-ia6nebdpvu5bm** | `Microsoft.OperationalInsights/workspaces` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | Log Analytics 'log-ia6nebdpvu5bm' retention 30d < 90 days. | Increase retention to ≥90 days for compliance. |
| **VNet1-rg-poc-sentinel-flowlog** | `Microsoft.Network/networkWatchers/flowLogs` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | NSG flow log 'VNet1-rg-poc-sentinel-flowlog' retention 0d < 90 days. | Increase NSG flow log retention to ≥90 days. |
| **new-nsg_flowlog** | `Microsoft.Network/networkWatchers/flowLogs` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | NSG flow log 'new-nsg_flowlog' retention 60d < 90 days. | Increase NSG flow log retention to ≥90 days. |
| **vm01-vnet-rg-poc-sentinel-flowlog** | `Microsoft.Network/networkWatchers/flowLogs` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | NSG flow log 'vm01-vnet-rg-poc-sentinel-flowlog' retention 0d < 90 days. | Increase NSG flow log retention to ≥90 days. |
| **vm02-vnet-vm02_group-flowlog** | `Microsoft.Network/networkWatchers/flowLogs` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | NSG flow log 'vm02-vnet-vm02_group-flowlog' retention 0d < 90 days. | Increase NSG flow log retention to ≥90 days. |
| **vnet-ecma2poc-rg-ecma2-poc-flowlog** | `Microsoft.Network/networkWatchers/flowLogs` | Non-Compliant | `HIPAA-164.312(b)(4)` | HIGH | NSG flow log 'vnet-ecma2poc-rg-ecma2-poc-flowlog' retention 30d < 90 days. | Increase NSG flow log retention to ≥90 days. |

*Showing 239 of 239 resource findings.*

## 7. Remediation Plan

### Effort Summary

| SEVERITY | FINDINGS | CONTROLS | RESOURCES | PRIORITY | TIMELINE |
|---|---|---|---|---|---|
| CRITICAL | 61 | 9 | 36 | P0 | Immediate (0-14 days) |
| HIGH | 195 | 14 | 185 | P1 | Urgent (0-30 days) |
| MEDIUM | 2 | 2 | 0 | P2 | Short-term (30-90 days) |

### ⚠️ Immediate Actions (0-30 days)

| # | CONTROL | TITLE | SEVERITY | RECOMMENDATION | TIMELINE |
|---|---|---|---|---|---|
| 1 | `HIPAA-164.312(a)(2)(iii)` | Encryption and Decryption | CRITICAL | Configure the storage account firewall to deny all public access. | 0-14 days |

### 🕓 Short-Term Actions (30-90 days)

Address the remaining **2** medium-severity controls. Focus on domains with the highest gap counts first.

### 🔄 Continuous Improvement

1. **Re-assess after remediation** to verify fixes and update scores.
2. **Automate enforcement** via Azure Policy `Deny` / `DeployIfNotExists` assignments.
3. **Schedule regular scans** — integrate into CI/CD or run monthly.
4. **Consider phased remediation** — with 258 findings, prioritise critical/high first, then tackle medium/low in subsequent sprints.

## 8. Evidence Gaps

### Missing Evidence (9 controls)

| CONTROL | SEVERITY | FRAMEWORK | CATEGORY | EVIDENCE TYPES | EXPLANATION | RESOLUTION |
|---|---|---|---|---|---|---|
| HIPAA-164.308(a)(6)(i) | HIGH | HIPAA | Feature Not Configured | Entra User Lifecycle Summary | No data was collected for evidence type 'entra-user-lifecycle-summary'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'entra-user-lifecycle-summary' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |
| HIPAA-164.308(a)(6)(iii) | HIGH | HIPAA | Feature Not Configured | Defender Security Contact | No security contact configuration was found for Defender for Cloud. Email notifications for security alerts may not be configured. | ▼ Resolution Steps<br>1. Azure Portal → Microsoft Defender for Cloud → Environment Settings.<br>2. Select subscription → Email notifications.<br>3. Add security contact email(s) and enable notifications for high-severity alerts. |

| CONTROL | SEVERITY | FRAMEWORK | CATEGORY | EVIDENCE TYPES | EXPLANATION | RESOLUTION |
|---|---|---|---|---|---|---|
| HIPAA-164.308(a)(7)(ii)(D) | HIGH | HIPAA | Feature Not Configured | Azure SQL Servers, Azure Sql Detailed, Azure Database Server | No Azure SQL Server resources were found. If the environment does not use Azure SQL Database, this evidence type is not applicable. | ▼ Resolution Steps<br>1. If Azure SQL is not in use, this can be classified as 'Not Applicable'.<br>2. If Azure SQL is expected, verify the scanning account has Reader access to the subscriptions containing SQL resources.<br>3. Check for SQL Managed Instances or other database services that may be in use.<br>1. Verify that the feature or resource related to 'azure-sql-detailed' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection.<br>1. Verify that the feature or resource related to 'azure-database-server' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |

| CONTROL | SEVERITY | FRAMEWORK | CATEGORY | EVIDENCE TYPES | EXPLANATION | RESOLUTION |
|---|---|---|---|---|---|---|
| HIPAA-164.312(a)(2)(vi) | HIGH | HIPAA | Feature Not Configured | Azure Database Server | No data was collected for evidence type 'azure-database-server'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'azure-database-server' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |
| HIPAA-164.312(b)(2) | HIGH | HIPAA | Feature Not Configured | Azure Sql Detailed | No data was collected for evidence type 'azure-sql-detailed'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'azure-sql-detailed' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |
| HIPAA-164.312(b)(3) | HIGH | HIPAA | Feature Not Configured | Azure Database Config | No data was collected for evidence type 'azure-database-config'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'azure-database-config' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |

| CONTROL | SEVERITY | FRAMEWORK | CATEGORY | EVIDENCE TYPES | EXPLANATION | RESOLUTION |
|---|---|---|---|---|---|---|
| HIPAA-164.312(e)(1)(ii) | HIGH | HIPAA | Feature Not Configured | Azure App Gateway, Azure Apim Instance | No data was collected for evidence type 'azure-app-gateway'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'azure-app-gateway' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection.<br>1. Verify that the feature or resource related to 'azure-apim-instance' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |
| HIPAA-164.312(e)(2)(ii)b | HIGH | HIPAA | Feature Not Configured | Azure Ml Workspace | No data was collected for evidence type 'azure-ml-workspace'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'azure-ml-workspace' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |

| CONTROL | SEVERITY | FRAMEWORK | CATEGORY | EVIDENCE TYPES | EXPLANATION | RESOLUTION |
|---|---|---|---|---|---|---|
| HIPAA-164.312(e)(2)(iii) | HIGH | HIPAA | Feature Not Configured | Azure Cosmosdb Account | No data was collected for evidence type 'azure-cosmosdb-account'. The collector may have returned empty results due to the resource or feature not being present in the environment. | ▼ Resolution Steps<br>1. Verify that the feature or resource related to 'azure-cosmosdb-account' exists in your environment.<br>2. Check that the scanning account has sufficient permissions.<br>3. Review collector logs for any errors during data collection. |