NIST 800-53 Rev 5 Compliance Assessment Report

Report Identifier	CIQ-20260426-234449
Assessment Name	NIST 800-53 Rev 5 Assessment
Date Generated	2026-04-26T23:44:49Z
Tenant ID	`4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`
Tenant Name	Contoso
Frameworks Evaluated	NIST 800-53 Rev 5
Classification	CONFIDENTIAL — Authorized Recipients Only
Tool	PostureIQ AI Agent v1.0
Collection Method	Azure Resource Manager API + Microsoft Graph API (Read-Only)

CONFIDENTIALITY NOTICE: This document contains sensitive security and compliance information about the assessed environment. Distribution is restricted to authorized personnel only.

Audit Attestation

Assessment Scope	Control-plane configuration review of Azure and Microsoft Entra ID resources

Data Integrity	All evidence collected via read-only API calls; no tenant modifications were made
Evidence Records	39,975 records collected and evaluated
Report Hash (SHA-256)	`0ef157736902657df936b1459227d6cf71ec1124a89ab9d42ea15d5e03070d01`
Assessment Period	2026-04-26 23:44 UTC (point-in-time snapshot)

1. Executive Summary
2. Scope & Methodology
3. Azure Inventory
4. Entra ID Inventory
5. Compliance Results
6. Resource Details
7. Remediation Plan
8. Evidence Gaps

1. Executive Summary

Compliance assessment results for tenant `4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67` evaluated against the **NIST 800-53 Rev 5** compliance framework(s).

35.6%	80	21	37	22
COMPLIANCE SCORE	TOTAL CONTROLS	COMPLIANT	NON-COMPLIANT	MISSING EVIDENCE

38,672

EVIDENCE RECORDS

Compliance Score



≥80% 60-79% <60%

Control Status Distribution



Compliant (22) Non-Compliant (38) Partial (0)

Missing (23)

Non-Compliant by Severity



Assessed Environment Summary

RESOURCE CATEGORY	COUNT
Azure Subscriptions	4
Azure Resource Groups	67
Azure Resources	321
Azure Role Assignments	1,408
Azure Policy Assignments	180
Storage Accounts	20
Key Vaults	5
Virtual Networks	7
NSG Rules	17
Defender Plans	72
Entra Directory Roles	143
Entra Conditional Access Policies	6
Entra Application Registrations	69
Entra Service Principals	739

Risk Category Definitions

HIGH (Critical, High)

Direct security impact with immediate exploitation potential. Missing fundamental controls (MFA, excessive privileges, absent encryption). **Remediation: 0-30 days.**

MEDIUM

Configuration gaps exploitable under certain conditions. Incomplete defense-in-depth. **Remediation: 30-90 days.**

LOW

Best-practice deviations with minimal direct security impact. **Remediation: 90-180 days.**

2. Assessment Scope & Methodology

2.1 Scope

This assessment covers control-plane configurations of:

- **Azure Resources:** All accessible subscriptions, resource groups, resources, RBAC assignments, policy assignments, and diagnostic settings across 4 subscription(s).
- **Microsoft Entra ID:** Tenant configuration, directory roles, conditional access policies, application registrations, service principals, and user/group demographics.

2.2 Methodology

PostureIQ AI Agent v1.0 performs the following pipeline:

1. **Evidence Collection** — Read-only calls to Azure Resource Manager and Microsoft Graph APIs.
2. **Normalization** — Collected data transformed into standardized evidence records.
3. **Evaluation** — Evidence mapped to compliance framework controls and evaluated.
4. **Reporting** — Findings generated with severity ratings and remediation guidance.

Important Limitations: This assessment evaluates control-plane configurations only. Data-plane analysis is outside scope. No tenant resources were created, modified, or deleted.

3. Azure Resource Inventory

Expand All Collapse All

▼ 3.1 Subscriptions (4 total)

SUBSCRIPTION ID	NAME	STATE
0eb177bd-28b1-44da-b683-1508e1268aee	Prod	Enabled
8054e434-49e0-4a21-bbea-3fee1c872b88	Security	Enabled
9154cdcb-5a52-452a-b1e7-483be9eee6d2	Infra	Enabled
d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	AI	Enabled

3.2 Resource Type Distribution (321 resources total)

RESOURCE TYPE	COUNT
Microsoft.Network/networkWatchers	50
Microsoft.Insights/workbooks	23
Microsoft.Storage/storageAccounts	20
Microsoft.EventGrid/systemTopics	20
Microsoft.Network/networkSecurityGroups	13
Microsoft.Compute/virtualMachines/extensions	12
Microsoft.CognitiveServices/accounts/projects	11
Microsoft.OperationalInsights/workspaces	10
Microsoft.Insights/dataCollectionRules	10
Microsoft.CognitiveServices/accounts	10
Microsoft.OperationsManagement/solutions	8
Microsoft.Web/connections	8
Microsoft.Network/publicIPAddresses	8
Microsoft.BotService/botServices	8

RESOURCE TYPE	COUNT
Microsoft.Network/virtualNetworks	7
microsoft.insights/workbooks	7
microsoft.visualstudio/account	7
Microsoft.Insights/components	6
Microsoft.Network/networkInterfaces	6
Microsoft.KeyVault/vaults	5
Microsoft.Compute/virtualMachines	5
Microsoft.Compute/disks	5
Microsoft.ManagedIdentity/userAssignedIdentities	5
Microsoft.Insights/actiongroups	4
Microsoft.Security/automations	4
Microsoft.Insights/dataCollectionEndpoints	4
ManagementGroup	3
microsoft.insights/actiongroups	3
microsoft.network/networkWatchers/flowLogs	3
Microsoft.DevTestLab/schedules	3

RESOURCE TYPE	COUNT
Microsoft.Web/serverFarms	3
Microsoft.ContainerRegistry/registries	3
Microsoft.App/containerApps	3
Microsoft.insights/scheduledqueryrules	2
Microsoft.Logic/workflows	2
Microsoft.Network/networkWatchers/flowLogs	2
Microsoft.Network/bastionHosts	2
Microsoft.Web/sites	2
Microsoft.App/managedEnvironments	2
Microsoft.Search/searchServices	2
Microsoft.Compute/diskEncryptionSets	1
microsoft.insights/dataCollectionEndpoints	1
Microsoft.Compute/virtualMachines/runCommands	1
Microsoft.PowerPlatform/accounts	1
microsoft.insights/components	1
Microsoft.SaaS/resources	1

RESOURCE TYPE	COUNT
Microsoft.DurableTask/schedulers	1
Microsoft.Purview/accounts	1
Microsoft.Easm/workspaces	1
Microsoft.Fabric/capacities	1

3.3 Per-Subscription Details (4 subscriptions)

▼ **Prod** — 6 resource groups, 9 resources, 280 RBAC assignments (27 privileged, 12 owners), 45 policies

Resource Groups (6)

RESOURCE GROUP	SUBSCRIPTION	LOCATION
All-PCIDSS-Resources-RG	Prod	eastus2
Default-ActivityLogAlerts	Prod	eastus
McapsGovernance	Prod	westus2
NetworkWatcherRG	Prod	eastus2
all-pcidss-resources-rg	Prod	eastus2
mcapsgovernance	Prod	westus2

Resources by Type (9)

RESOURCE TYPE	COUNT
`Microsoft.Insights/actiongroups`	1
`Microsoft.Network/virtualNetworks`	1
`Microsoft.Network/networkWatchers`	1
`Microsoft.KeyVault/vaults`	1
`Microsoft.Compute/diskEncryptionSets`	1

RESOURCE TYPE	COUNT
`Microsoft.Network/networkSecurityGroups`	1
`Microsoft.Security/automations`	1
`Microsoft.Storage/storageAccounts`	1
`Microsoft.EventGrid/systemTopics`	1

Privileged Role Assignments (27)

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	Subscription	Prod
Owner		ServicePrincipal	Subscription	Prod
Contributor		ServicePrincipal	Subscription	Prod
Owner		User	Subscription	Prod
User Access Administrator		ServicePrincipal	Subscription	Prod
Owner		ServicePrincipal	Subscription	Prod
User Access Administrator		User	Subscription	Prod
Owner		User	ManagementGroup	Prod
Owner		ServicePrincipal	ManagementGroup	Prod
Owner		ServicePrincipal	ManagementGroup	Prod

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	ManagementGroup	Prod
User Access Administrator		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Owner		ServicePrincipal	ManagementGroup	Prod
Owner		ServicePrincipal	ManagementGroup	Prod
Owner		User	ManagementGroup	Prod
Owner		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod
Contributor		ServicePrincipal	ManagementGroup	Prod

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Contributor		User	ManagementGroup	Prod

Policy Assignments (45)

POLICY	SCOPE	ENFORCEMENT
ASC DataProtection (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee)	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Defender for SQL on SQL VMs and Arc-enabled SQL Servers	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Defender for Containers provisioning ARC k8s Enabled	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Defender for Containers provisioning AKS Security Profile	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Defender for Containers provisioning Azure Policy Addon for Kubernetes	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
ASC provisioning default LA agent Linux Arc	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
ASC provisioning default LA agent Windows Arc	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
ASC OpenSourceRelationalDatabasesProtection (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee)	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Defender for SQL Servers on Machines provisioning (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee)	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default

POLICY	SCOPE	ENFORCEMENT
ASC Default (subscription: 0eb177bd-28b1-44da-b683-1508e1268aee)	/subscriptions/0eb177bd-28b1-44da-b683-1508e1268aee	Default
Configure virtual network to enable Flow Log and Traffic Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Flow logs should be configured and enabled for every network security group [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy a Flow Log resource with target virtual network [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure network security groups to enable traffic analytics	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Network Watcher flow logs should have traffic analytics enabled [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Microsoft cloud security benchmark	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP High [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy Diagnostic Settings for Network Security Groups [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy network watcher when virtual networks are created [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deny subscription creation at Tenant Root Managment Group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Audit resources in subscriptions under Tenant Root Management group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4.0.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Audit Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deny Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
MCAPSGov Deploy and Modify Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Block Azure RM Resource Creation	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST SP 800-53 Rev. [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP Moderate	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4 -- [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST 800-171 R3	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.1.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
CIS Controls v8.1	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default
NIST CSF v2.0	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default
CIS Microsoft Azure Foundations Benchmark v1.3.0	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default
CIS Microsoft Azure Foundations Benchmark v2.0.0	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default
CIS Azure Foundations v3.0.0	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default

▼ **Security** — 9 resource groups, 69 resources, 291 RBAC assignments (28 privileged, 12 owners), 43 policies

Resource Groups (9)

RESOURCE GROUP	SUBSCRIPTION	LOCATION
Datalake	Security	eastus2
Default-ActivityLogAlerts	Security	eastus
McapsGovernance	Security	westus2
NetworkWatcherRG	Security	eastus
RG-LogAnalyticsWorkspace	Security	eastus
SecurityCopilot-RG	Security	eastus
datalake	Security	eastus
mcapsgovernance	Security	westus2
rg-loganalyticsworkspace	Security	eastus

Resources by Type (69)

RESOURCE TYPE	COUNT
`Microsoft.Insights/workbooks`	22
`Microsoft.Insights/dataCollectionRules`	9

RESOURCE TYPE	COUNT
Microsoft.Web/connections	8
Microsoft.OperationsManagement/solutions	7
microsoft.insights/workbooks	6
Microsoft.Insights/dataCollectionEndpoints	3
Microsoft.insights/scheduledqueryrules	2
Microsoft.Logic/workflows	2
Microsoft.Storage/storageAccounts	2
Microsoft.EventGrid/systemTopics	2
Microsoft.Insights/actiongroups	1
Microsoft.OperationalInsights/workspaces	1
microsoft.insights/dataCollectionEndpoints	1
Microsoft.Insights/components	1
microsoft.insights/actiongroups	1
Microsoft.Security/automations	1

Privileged Role Assignments (28)

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	Subscription	Security
Owner		ServicePrincipal	Subscription	Security
Contributor		ServicePrincipal	Subscription	Security
Contributor		ServicePrincipal	Resource	Security
Owner		User	Subscription	Security
User Access Administrator		ServicePrincipal	Subscription	Security
Owner		ServicePrincipal	Subscription	Security
User Access Administrator		User	Subscription	Security
Owner		User	ManagementGroup	Security
Owner		ServicePrincipal	ManagementGroup	Security
Owner		ServicePrincipal	ManagementGroup	Security
Owner		ServicePrincipal	ManagementGroup	Security
User Access Administrator		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Owner		ServicePrincipal	ManagementGroup	Security
Owner		ServicePrincipal	ManagementGroup	Security
Owner		User	ManagementGroup	Security
Owner		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		ServicePrincipal	ManagementGroup	Security
Contributor		User	ManagementGroup	Security

Policy Assignments (43)

POLICY	SCOPE	ENFORCEMENT
ASC OpenSourceRelationalDatabasesProtection (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88)	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
ASC DataProtection (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88)	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Defender for SQL on SQL VMs and Arc-enabled SQL Servers	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Defender for Containers provisioning ARC k8s Enabled	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Defender for Containers provisioning AKS Security Profile	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Defender for Containers provisioning Azure Policy Addon for Kubernetes	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
ASC Default (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88)	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Defender for SQL Servers on Machines provisioning (subscription: 8054e434-49e0-4a21-bbea-3fee1c872b88)	/subscriptions/8054e434-49e0-4a21-bbea-3fee1c872b88	Default
Configure virtual network to enable Flow Log and Traffic Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Flow logs should be configured and enabled for every network security group [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy a Flow Log resource with target virtual network [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure network security groups to enable traffic analytics	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Network Watcher flow logs should have traffic analytics enabled [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft cloud security benchmark	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP High [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy Diagnostic Settings for Network Security Groups [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Deploy network watcher when virtual networks are created [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deny subscription creation at Tenant Root Managment Group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Audit resources in subscriptions under Tenant Root Management group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4.0.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Audit Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deny Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deploy and Modify Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Block Azure RM Resource Creation	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST SP 800-53 Rev. [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
FedRAMP Moderate	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4 -- [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST 800-171 R3	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.1.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Controls v8.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST CSF v2.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.3.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
CIS Microsoft Azure Foundations Benchmark v2.0.0	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default
CIS Azure Foundations v3.0.0	`iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67`	Default

▼ **Infra** — 18 resource groups, 113 resources, 296 RBAC assignments (29 privileged, 12 owners), 47 policies

Resource Groups (18)

RESOURCE GROUP	SUBSCRIPTION	LOCATION
APPPROXY-POC-RG	Infra	eastus2
AppProxy-POC-RG	Infra	eastus2
Default-ActivityLogAlerts	Infra	eastus
DefaultResourceGroup-EUS	Infra	eastus
McapsGovernance	Infra	westus2
NetworkWatcherRG	Infra	eastus
RG-ADLS-Governance-Retention	Infra	canadacentral
RG-ECMA2-POC-WUS2	Infra	westus2
RG-POC-SENTINEL	Infra	eastus2
RG-POC-Sentinel	Infra	eastus
VM02_GROUP	Infra	eastus2
appproxy-poc-rg	Infra	eastus2
mcapsgovernance	Infra	westus2

RESOURCE GROUP	SUBSCRIPTION	LOCATION
rg-adls-governance-retention	Infra	canadacentral
rg-ecma2-poc	Infra	eastus
rg-ecma2-poc-wus2	Infra	westus2
rg-poc-sentinel	Infra	eastus
vm02_group	Infra	eastus2

Resources by Type (113)

RESOURCE TYPE	COUNT
`Microsoft.Network/networkSecurityGroups`	12
`Microsoft.Compute/virtualMachines/extensions`	12
`Microsoft.Storage/storageAccounts`	10
`Microsoft.EventGrid/systemTopics`	10
`Microsoft.Network/publicIPAddresses`	8
`Microsoft.Network/virtualNetworks`	6
`Microsoft.Network/networkInterfaces`	6
`Microsoft.Compute/virtualMachines`	5
`Microsoft.Compute/disks`	5

RESOURCE TYPE	COUNT
Microsoft.OperationalInsights/workspaces	4
Microsoft.Network/networkWatchers	3
microsoft.network/networkWatchers/flowLogs	3
Microsoft.DevTestLab/schedules	3
Microsoft.Network/networkWatchers/flowLogs	2
Microsoft.Insights/components	2
Microsoft.Network/bastionHosts	2
Microsoft.KeyVault/vaults	2
Microsoft.ManagedIdentity/userAssignedIdentities	2
Microsoft.App/containerApps	2
Microsoft.Insights/actiongroups	1
Microsoft.Insights/dataCollectionEndpoints	1
microsoft.insights/workbooks	1
Microsoft.Insights/dataCollectionRules	1
Microsoft.Security/automations	1
microsoft.insights/actiongroups	1

RESOURCE TYPE	COUNT
`Microsoft.Compute/virtualMachines/runCommands`	1
`Microsoft.Web/serverFarms`	1
`Microsoft.Web/sites`	1
`Microsoft.Insights/workbooks`	1
`Microsoft.CognitiveServices/accounts`	1
`Microsoft.CognitiveServices/accounts/projects`	1
`Microsoft.ContainerRegistry/registries`	1
`Microsoft.App/managedEnvironments`	1

Privileged Role Assignments (29)

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	Subscription	Infra
Owner		ServicePrincipal	Subscription	Infra
Contributor		ServicePrincipal	Subscription	Infra
Contributor		ServicePrincipal	Subscription	Infra
Contributor		ServicePrincipal	Subscription	Infra
Owner		User	Subscription	Infra

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
User Access Administrator		ServicePrincipal	Subscription	Infra
Owner		ServicePrincipal	Subscription	Infra
User Access Administrator		User	Subscription	Infra
Owner		User	ManagementGroup	Infra
Owner		ServicePrincipal	ManagementGroup	Infra
Owner		ServicePrincipal	ManagementGroup	Infra
Owner		ServicePrincipal	ManagementGroup	Infra
User Access Administrator		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Owner		ServicePrincipal	ManagementGroup	Infra
Owner		ServicePrincipal	ManagementGroup	Infra
Owner		User	ManagementGroup	Infra

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		ServicePrincipal	ManagementGroup	Infra
Contributor		User	ManagementGroup	Infra

Policy Assignments (47)

POLICY	SCOPE	ENFORCEMENT
ASC provisioning default LA agent Windows Arc	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
[Murali only to VM02 in Infra] Configure ChangeTracking Extension for Windows virtual machines	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2/resourcegroups/vm02_group	Default
ASC DataProtection (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2)	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Defender for Containers provisioning AKS Security Profile	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default

POLICY	SCOPE	ENFORCEMENT
Defender for Containers provisioning Azure Policy Addon for Kubernetes	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Defender for Containers provisioning ARC k8s Enabled	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
ASC OpenSourceRelationalDatabasesProtection (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2)	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
ASC provisioning default LA agent Linux Arc	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Configure diagnostic settings for Azure Network Security Groups to Log Analytics workspace	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Defender for SQL on SQL VMs and Arc-enabled SQL Servers-Custom	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
ASC Default (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2)	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Defender for SQL Servers on Machines provisioning (subscription: 9154cdcb-5a52-452a-b1e7-483be9eee6d2)	/subscriptions/9154cdcb-5a52-452a-b1e7-483be9eee6d2	Default
Configure virtual network to enable Flow Log and Traffic Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Flow logs should be configured and enabled for every network security group [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy a Flow Log resource with target virtual network [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure network security groups to enable traffic analytics	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Network Watcher flow logs should have traffic analytics enabled [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft cloud security benchmark	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP High [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy Diagnostic Settings for Network Security Groups [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy network watcher when virtual networks are created [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Deny subscription creation at Tenant Root Managment Group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Audit resources in subscriptions under Tenant Root Management group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4.0.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Audit Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deny Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deploy and Modify Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Block Azure RM Resource Creation	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST SP 800-53 Rev. [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP Moderate	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4 -- [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST 800-171 R3	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.1.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Controls v8.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST CSF v2.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.3.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v2.0.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
CIS Azure Foundations v3.0.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

▼ **AI** — 34 resource groups, 127 resources, 541 RBAC assignments (34 privileged, 19 owners), 45 policies

Resource Groups (34)

RESOURCE GROUP	SUBSCRIPTION	LOCATION
AzureStorageTestData-RG	AI	eastus2
Default-ActivityLogAlerts	AI	eastus
DefaultResourceGroup-CUS	AI	centralus
DefaultResourceGroup-EUS	AI	eastus
DefaultResourceGroup-EUS2	AI	eastus2
ESIQNew-RG	AI	swedencentral
McapsGovernance	AI	westus2
NetworkWatcherRG	AI	southafricanorth
PostureIQ-RG	AI	eastus2
RG-AzureAIFoundary-FedRAMP-High	AI	eastus2
RG-MFabric	AI	westus3
RG-SecurityStore-Microsoft-com	AI	eastus2
RG_Agent_Production_workspace	AI	eastus2

RESOURCE GROUP	SUBSCRIPTION	LOCATION
SearchIQ-RG	AI	eastus2
VisualStudioOnline-202DBFC87B9B4BDBB7399090BB529FDC	AI	centralus
VisualStudioOnline-2D99876C9299450493402BCC306DF513	AI	centralus
VisualStudioOnline-5BD10CFB85DD49289FAF4811939BFE73	AI	centralus
VisualStudioOnline-8DE9C41F85E64DD79AF5C057AFCCDFC1	AI	centralus
VisualStudioOnline-BCC1732A5B4F4BEFB4CC8734A70537E9	AI	centralus
VisualStudioOnline-DC68136D511948EBBE9BA224D46A84A3	AI	centralus
VisualStudioOnline-E2760F541A4143F4952C459E95792724	AI	centralus
VisualStudioOnline-FCAC6E3D98B34B7189CD3AB0AF857368	AI	centralus
azurestoragetestdata-rg	AI	eastus2
dlg-rg-eus2	AI	eastus2
esiqnew-rg	AI	swedencentral
mcapsgovernance	AI	westus2
rg-AIFutureInitiative	AI	eastus2
rg-CompliSense	AI	eastus2
rg-DefenderEASM	AI	eastus

RESOURCE GROUP	SUBSCRIPTION	LOCATION
rg-OpenAPI-Demo01	AI	swedencentral
rg-TenantCompliance	AI	eastus2
rg-aifutureinitiative	AI	eastus2
rg-azureaifoundary-fedramp-high	AI	eastus2
rg-tenantcompliance	AI	eastus2

Resources by Type (127)

RESOURCE TYPE	COUNT
`Microsoft.Network/networkWatchers`	46
`Microsoft.CognitiveServices/accounts/projects`	10
`Microsoft.CognitiveServices/accounts`	9
`Microsoft.BotService/botServices`	8
`Microsoft.Storage/storageAccounts`	7
`Microsoft.EventGrid/systemTopics`	7
`microsoft.visualstudio/account`	7
`Microsoft.OperationalInsights/workspaces`	5
`Microsoft.ManagedIdentity/userAssignedIdentities`	3

RESOURCE TYPE	COUNT
Microsoft.Insights/components	3
Microsoft.Search/searchServices	2
Microsoft.Web/serverFarms	2
Microsoft.KeyVault/vaults	2
Microsoft.ContainerRegistry/registries	2
Microsoft.PowerPlatform/accounts	1
microsoft.insights/components	1
microsoft.insights/actiongroups	1
Microsoft.SaaS/resources	1
Microsoft.Security/automations	1
Microsoft.OperationsManagement/solutions	1
Microsoft.DurableTask/schedulers	1
Microsoft.Web/sites	1
Microsoft.Purview/accounts	1
Microsoft.App/managedEnvironments	1
Microsoft.App/containerApps	1

RESOURCE TYPE	COUNT
Microsoft.Insights/actiongroups	1
Microsoft.Easm/workspaces	1
Microsoft.Fabric/capacities	1

Privileged Role Assignments (34)

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	Subscription	AI
Owner		ServicePrincipal	Subscription	AI
Contributor		ServicePrincipal	Subscription	AI
Owner		ServicePrincipal	Resource	AI
Owner		ServicePrincipal	Resource	AI
Owner		ServicePrincipal	Resource	AI
Owner		ServicePrincipal	Resource	AI
Owner		ServicePrincipal	Resource	AI
Owner		ServicePrincipal	ResourceGroup	AI
Owner		ServicePrincipal	ResourceGroup	AI
Owner		ServicePrincipal	ResourceGroup	AI

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		User	Subscription	AI
User Access Administrator		ServicePrincipal	Subscription	AI
Owner		ServicePrincipal	Subscription	AI
User Access Administrator		User	Subscription	AI
Owner		ServicePrincipal	ManagementGroup	AI
Owner		ServicePrincipal	ManagementGroup	AI
Owner		ServicePrincipal	ManagementGroup	AI
User Access Administrator		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Owner		ServicePrincipal	ManagementGroup	AI
Owner		ServicePrincipal	ManagementGroup	AI
Owner		User	ManagementGroup	AI

ROLE	PRINCIPAL	TYPE	SCOPE	SUBSCRIPTION
Owner		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		ServicePrincipal	ManagementGroup	AI
Contributor		User	ManagementGroup	AI

Policy Assignments (45)

POLICY	SCOPE	ENFORCEMENT
ASC DataProtection (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0)	`/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0`	Default
Defender for SQL on SQL VMs and Arc-enabled SQL Servers	`/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0`	Default
Defender for Containers provisioning AKS Security Profile	`/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0`	Default
Defender for Containers provisioning ARC k8s Enabled	`/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0`	Default
Defender for Containers provisioning Policy extension for Arc-enabled Kubernetes	`/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0`	Default

POLICY	SCOPE	ENFORCEMENT
Defender for Containers provisioning Azure Policy Addon for Kubernetes	/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	Default
ASC OpenSourceRelationalDatabasesProtection (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0)	/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	Default
ASC provisioning default LA agent Windows Arc	/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	Default
ASC provisioning default LA agent Linux Arc	/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	Default
ASC Default (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0)	/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	Default
Defender for SQL Servers on Machines provisioning (subscription: d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0)	/subscriptions/d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0	Default
Configure virtual network to enable Flow Log and Traffic Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Flow logs should be configured and enabled for every network security group [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Enable allLogs category group resource logging for supported resources to Log Analytics [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure Azure Activity logs to stream to specified Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Deploy a Flow Log resource with target virtual network [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Configure network security groups to enable traffic analytics	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Network Watcher flow logs should have traffic analytics enabled [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft cloud security benchmark	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP High [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy Diagnostic Settings for Network Security Groups [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy network watcher when virtual networks are created [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deny subscription creation at Tenant Root Managment Group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Audit resources in subscriptions under Tenant Root Management group	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
Microsoft Azure Multi Factor Authentication Enforcement for Resource Write Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4.0.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Audit Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deny Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
MCAPSGov Deploy and Modify Policies	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Block Azure RM Resource Creation	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST SP 800-53 Rev. [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
FedRAMP Moderate	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Deploy - Configure diagnostic settings for Azure Key Vault to Log Analytics workspace [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4 -- [Murali]	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

POLICY	SCOPE	ENFORCEMENT
NIST 800-171 R3	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.1.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
Microsoft Azure Multi Factor Authentication Enforcement for Resource Delete Actions	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
PCI DSS v4	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Controls v8.1	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
NIST CSF v2.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v1.3.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Microsoft Azure Foundations Benchmark v2.0.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default
CIS Azure Foundations v3.0.0	iders/Microsoft.Management/managementGroups/4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67	Default

3.4 Cross-Subscription Totals

METRIC	TOTAL
Resource Groups	67
Resources	321
RBAC Assignments	1408
Privileged Assignments	118
Owner Assignments	55
Policy Assignments	180

4. Microsoft Entra ID Resource Inventory

Expand All Collapse All

4.1 Tenant Information

PROPERTY	VALUE
TenantId	4a3eb5f4-1ec6-4a73-bb03-1ca63cb52d67
DisplayName	Contoso
VerifiedDomains	[{'Name': 'MngEnvMCAP250477.onmicrosoft.com', 'IsDefault': True, 'IsInitial': True}]
LicensePlans	['AzureAdvancedThreatAnalytics', 'TeamspaceAPI', 'MicrosoftKaizala', 'MultiFactorService', 'SharePoint', 'PowerBI', 'MixedRealityCollaborationServices', 'M365LabelAnalytics', 'ccibotsprod', 'MicrosoftOffice', 'ProcessSimple', 'OnlineService', 'Microsoft.ProjectBabylon', 'MicrosoftPrint', 'Windows', 'Adallom', 'ProjectProgramsAndPortfolios', 'Bing', 'DefenderforIoT', 'MIPExchangeSolutions', 'RMSOnline', 'WindowsUpdateforBusinessCloudExtensions', 'SCO', 'Modern-Workplace-Core-ITaas', 'CRM', 'Sway', 'LearningAppServiceInTeams', 'WhiteboardServices', 'WevEngine', 'MicrosoftEndpointDLP', 'M365Multi-TenantManagement', 'CustomerLockbox', 'OfficeForms', 'Deskless', 'MicrosoftCommunicationsOnline', 'AADPremiumService', 'VivaSkills', 'M365CommunicationCompliance', 'exchange', 'WindowsDefenderATP', 'YammerEnterprise', 'PowerAppsService', 'Chapter5FluidApp', 'MicrosoftStream', 'ProjectWorkManagement', 'Office365InsiderRisk', 'WorkplaceAnalytics', 'MicrosoftThreatProtection', 'To-Do']
TechnicalNotificationMails	['mchillakuru@microsoft.com']

4.2 Directory Roles

23 active roles (of 143 total definitions) have assigned members.

ROLE	CLASSIFICATION	MEMBERS	ASSIGNED USERS / GROUPS
SharePoint Administrator	PRIVILEGED	2	Murali Chillakuru, Murali Chillakuru (SA)
Application Administrator	PRIVILEGED	1	Murali Chillakuru (SA)
Global Administrator	PRIVILEGED	1	Murali Chillakuru (SA)
Security Administrator	PRIVILEGED	1	Murali Chillakuru
Global Reader		4	AI-Agents-Roles-To-Managed-Identities, Murali Chillakuru, Murali Chillakuru (SA)
Security Reader		3	Murali Chillakuru, Murali Chillakuru (SA)
Office Apps Administrator		2	Murali Chillakuru, Murali Chillakuru (SA)
Purview Workload Content Reader		2	AI-Agents-Roles-To-Managed-Identities, Murali Chillakuru (SA)
SharePoint Advanced Management Administrator		2	Murali Chillakuru, Murali Chillakuru (SA)
SharePoint Embedded Administrator		2	Murali Chillakuru, Murali Chillakuru (SA)
AI Administrator		1	Murali Chillakuru (SA)
Agent ID Administrator		1	Murali Chillakuru (SA)
Agent Registry Administrator		1	Murali Chillakuru (SA)

ROLE	CLASSIFICATION	MEMBERS	ASSIGNED USERS / GROUPS
Azure DevOps Administrator		1	AI-Agents-Roles-To-Managed-Identities
Compliance Administrator		1	Murali Chillakuru (SA)
Compliance Data Administrator		1	Murali Chillakuru (SA)
Directory Readers		1	AI-Agents-Roles-To-Managed-Identities
Dynamics 365 Administrator		1	Murali Chillakuru (SA)
External Identity Provider Administrator		1	Murali Chillakuru (SA)
Identity Governance Administrator		1	Murali Chillakuru (SA)
Power Platform Administrator		1	Murali Chillakuru (SA)
Purview Workload Content Administrator		1	Murali Chillakuru (SA)
Teams Administrator		1	Murali Chillakuru (SA)

4.3 Conditional Access Policies (6 policies)

POLICY	STATE	REQUIRES MFA
Multifactor authentication for Microsoft partners and vendors	enabled	Yes
Reauthentication on signin risk for Microsoft partners and vendors	enabled	Yes
Secure password change on high user risk for Microsoft partners and vendors	enabled	Yes
Security info registration for Microsoft partners and vendors	enabled	No
Block all high risk agents from accessing all resources	enabled	No
Required Azure MFA	enabled	Yes

4.4 Applications (69 registrations, 739 service principals)

Application Registrations (69)

APPLICATION	MULTI-TENANT	SIGN-IN AUDIENCE	PASSWORDS	CERTIFICATES	CREDENTIAL STATUS
MuraliAIAgentsDevWork-Resource-MuraliAIAgentsDevWork-Project-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
adls-gov-spa	No	`AzureADMyOrg`	0	0	None
POC-HR-Portal	No	`AzureADMyOrg`	0	0	None
complisense-resource-complisense-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
POC-Finance-App	No	`AzureADMyOrg`	0	0	None
openapi-demo01-resource-openapi-demo01-FoundryForge-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
On-premises ECMA app (Murali)	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
openapi-demo01-resource-openapi-demo01-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None

APPLICATION	MULTI-TENANT	SIGN-IN AUDIENCE	PASSWORDS	CERTIFICATES	CREDENTIAL STATUS
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
adls-gov-api	No	AzureADMyOrg	1	0	Valid
DLG-Agent	No	AzureADMyOrg	0	0	None
openapi-demo01-resource-openapi-demo01-AzureStorageIQ-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
FedRAMP-High-FoundryResource-FedRAMP-High-Foundry-Project-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
On-premises SCIM app (Murali)	No	AzureADMyOrg	0	0	None
aifutureinitiative-funtionapp-authentication	No	AzureADMyOrg	1	0	Valid
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None

APPLICATION	MULTI-TENANT	SIGN-IN AUDIENCE	PASSWORDS	CERTIFICATES	CREDENTIAL STATUS
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
aifutureinitiativefunctionappA	No	AzureADMyOrg	1	0	Valid
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
openapi-demo01-resource-openapi-demo01-PostureIQ-Dev-V100-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
MuraliAIAgentsDevWork-Resource-MuraliAIAgentsDevWork-Project-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
FedRAMP-High-FoundryResource-DefaultProject-NotForUse-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None

APPLICATION	MULTI-TENANT	SIGN-IN AUDIENCE	PASSWORDS	CERTIFICATES	CREDENTIAL STATUS
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
POC-HR-Portal	No	AzureADMyOrg	0	0	None
Azure Sentinel Content Deployment App (e9eebc16-b2fb-469d-b16f-bc1522c2918b)	No	AzureADMyOrg	0	0	None
openapi-demo01-resource-openapi-demo01-Agent02-EntraResources-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-DataHalo-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
openapi-demo01-resource-openapi-demo01-MicrosoftFoundryIQ-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
GetEntraResources-bot	No	AzureADMyOrg	1	0	Valid
GetEntraResourcesWithUserDelegated_Murali	No	AzureADMyOrg	1	0	Valid
Murali-GetAllEntraResources	No	AzureADMyOrg	1	0	Valid
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	AzureADMyOrg	0	0	None
POC-Finance-App	No	AzureADMyOrg	0	0	None

APPLICATION	MULTI-TENANT	SIGN-IN AUDIENCE	PASSWORDS	CERTIFICATES	CREDENTIAL STATUS
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
searchiq-resource-searchiq-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
openapi-demo01-resource-openapi-demo01-AzureDevOpsIQ-V1-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-PostureIQ-Dev-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
MSproject-SAML App -Murali	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
dev-landing-app-mdcloud-local	No	`AzureADMyOrg`	0	0	None

APPLICATION	MULTI-TENANT	SIGN-IN AUDIENCE	PASSWORDS	CERTIFICATES	CREDENTIAL STATUS
MHackathonWS	No	`AzureADMyOrg`	0	0	None
POC-HR-Portal	No	`AzureADMyOrg`	0	0	None
MuraliAIAgentsDevWork-Resource-MuraliAIAgentsDevWork-Project-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
MuraliPOCTEST	No	`AzureADMyOrg`	0	0	None
EntraIdSamlDemo-Murali	No	`AzureADMyOrg`	1	0	Valid
openapi-demo01-resource-openapi-demo01-AzureDevOps-Assist-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
EnterpriseSecurityIQ-SPA	Yes	`AzureADMultipleOrgs`	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	No	`AzureADMyOrg`	0	0	None

▼ **Service Principals (739 total)**

Application (581)

NAME	APP ID	ENABLED	CREDENTIALS
Centralized Deployment	257601fd-462f-4a21-b623-7f719f0f90f4	Yes	
Azure DevOps	499b84ac-1321-427f-aa17-267ca6975798	Yes	
Microsoft Defender for Cloud Apps - Customer Experience	ac6dbf5e-1087-4434-beb2-0ebf7bd1b883	Yes	
Azure Advanced Threat Protection	7b7531ad-5926-4f2d-8a1d-38495ad33e17	Yes	
OCaaS Client Interaction Service	c2ada927-a9e2-4564-aae2-70775a2fa0af	Yes	
M365 App Management Service	0517ffae-825d-4aff-999e-3f2336b8a20a	Yes	
CommComplianceApp	87251ad4-d513-4246-8138-b40d418b9005	Yes	
Storage Data Management RP Prod FPA	3a3b6b87-84e2-4ad2-aa37-d76c339371a4	Yes	
Microsoft AppPlat EMA	dee7ba80-6a55-4f3b-a86c-746a9231ae49	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Defender for Cloud - Private Link Resource Provider	d0ef82bb-244a-4458-9eb4-24a9f093f2c4	Yes	
Azure Update Manager	8c420feb-03df-47cc-8a05-55df0cf3064b	Yes	
Microsoft Workplace Search Service	f3a218b7-5c8f-460b-93af-56b072788c15	Yes	
Azure AD Identity Governance - Entitlement Management	810dcf14-1858-4bf2-8134-4c369fa3235b	Yes	
Customer Service Trial PVA	944861d3-5975-4f8b-afd4-3422c0b1b6ce	Yes	
AFOI-NC-RP-PME-PROD	05cf5e27-931d-47ad-826d-cb9028d8bd7a	Yes	
IAMTenantCrawler	66244124-575c-4284-92bc-fdd00e669cea	Yes	
Azure Machine Learning	0736f41a-0425-4b46-bdb5-1563eff02385	Yes	
openapi-demo01-resource-openapi-demo01-PostureIQ-Dev-V100-AgentIdentityBlueprint	5f0d639e-ea19-463a-b3a3-285dca8ecacf	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	5c191904-dd13-4616-99ac-7082af8367f5	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
FedRAMP-High-FoundryResource-DefaultProject-NotForUse-AgentIdentityBlueprint	6906a2d5-8dec-4648-bd12-c7ffeca688c1	Yes	
aciapi	c5b17a4f-cc6f-4649-9480-684280a2af3a	Yes	
CompliancePolicy	644c1b11-f63f-45fa-826b-a9d2801db711	Yes	
Arc Token Service	d00b5d58-cae5-42ad-ae0a-5a2e6f7ee6c9	Yes	
Microsoft Cognitive Services	7d312290-28c8-473c-a0ed-8e53749b6d6d	Yes	
Bot Service Resource Provider	e6650347-047f-4e51-9386-839384472ea5	Yes	
CABProvisioning	5da7367f-09c8-493e-8fd4-638089cddec3	Yes	
Microsoft Teams - Teams And Channels Service	b55b276d-2b09-4ad2-8de5-f09cf24ffba9	Yes	
Power Policy CM - PROD	c81c4f54-f70c-49e3-a01d-0a44ed684c5a	Yes	
Billing RP	80dbdb39-4f33-4799-8b6f-711b5e3e61b6	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	dbeabb73-39a7-44dc-a7e8-c53fcedb94f4	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	59d0bc18-363c-42e5-9d0a-100854764941	Yes	
Viva Skills	75d4238e-b142-4d2d-aed9-232b830b8706	Yes	
Security Copilot	826870f9-9fbb-4f23-81b8-3a957080dfa2	Yes	
MSFT Power Platform - Azure AD	2bed6734-1911-40e6-ac44-00d79d70d2bc	Yes	
MicrosoftEndpointDLP	c98e5057-edde-4666-b301-186a01b4dc58	Yes	
Azure Cost Management XCloud	3184af01-7a88-49e0-8b55-8ecdce0aa950	Yes	
Azure Machine Learning OpenAI	61c50b89-703d-431d-8d80-1e8618748775	Yes	
Office365 Zoom	0d38933a-0bbd-41ca-9ebd-28c4b5ba7cb7	Yes	
Customer Experience Platform PROD	2220bbc4-4518-4fef-aac6-c6f32e9f9fd1	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft.Defender.Incident	e74a9aae-ce66-426d-b197-ef43a773faa8	Yes	
Office Shredding Service	b97b6bd4-a49f-4a0c-af18-af507d1da76c	Yes	
Bot Framework Composer	ce48853e-0605-4f77-8746-d70ac63cc6bc	Yes	
Narada Notification Service	51b5e278-ed7e-42c6-8787-7ff93e92f577	Yes	
EntraIdSamlDemo-Murali	4a958264-3c96-4485-88d3-0ec1dec4fa41	Yes	
Azure Resource Graph	509e4652-da8d-478d-a730-e9d4a1996ca4	Yes	
ACR-Tasks-Network	62c559cd-db0c-4da0-bab2-972528c65d42	Yes	
Microsoft Defender for Cloud Servers Scanner Resource Provider	0c7668b5-3260-4ad0-9f53-34ed54fa19b2	Yes	
GetEntraResources-bot	07f61595-696d-446a-b1a9-4d4a741d38c5	Yes	
Bing	9ea1ad79-fdb6-4f9a-8bc3-2b70f96e34c7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Invitation Acceptance Portal	4660504c-45b3-4674-a709-71951a6b0763	Yes	
Azure Update Manager	c476eb34-4c94-43bc-97fc-94ede0534615	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	6fe185d1-6760-47c5-b285-35c4616cfcd1	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	c060f9a9-5398-4236-8fcd-f71e3051d98c	Yes	
Azure Monitor Health Models Dataplane	f3d5b479-4d7f-4a81-9e00-09e2b452c04e	Yes	
EnterpriseSecurityIQ-SPA	ffb6f10d-6991-430e-b3d6-23a0101a92b1	Yes	
DTS-ControlPlane	a2451b93-19e6-4171-9d8e-ef172b102521	Yes	
Azure Reserved Instance Application	4d0ad6c7-f6c3-46d8-ab0d-1406d5e6c86b	Yes	
Azure SQL Managed Instance to Microsoft.Network	76c7f279-7959-468f-8943-3954880e0d8c	Yes	
Geneva Alert RP	6bccf540-eb86-4037-af03-7fa058c2db75	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
TenantSearchProcessors	abc63b55-0325-4305-9e1e-3463b182a6dc	Yes	
AssistAPI	2b8844d8-6c87-4fce-97a0-fbec9006e140	Yes	
IAM Supportability	a57aca87-cbc0-4f3c-8b9e-dc095fdc8978	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	61e121c9-ddf7-4b53-9bc1-9422b7c0ee7b	Yes	
Azure Regional Service Manager	5e5e43d4-54da-4211-86a4-c6e7f3715801	Yes	
Office365 Shell SS-Server Default	6872b314-67ab-4a16-98e7-a663b0f772c3	Yes	
Microsoft Device Management Checkin	ca0a114d-6fbc-46b3-90fa-2ec954794ddb	Yes	
Azure Credential Configuration Endpoint Service	ea890292-c8c8-4433-b5ea-b09d0668e1a6	Yes	
openapi-demo01-resource-openapi-demo01-AzureDevOpsIQ-V1-AgentIdentityBlueprint	ce9fd468-9127-461a-9743-c010fcbb9f64	Yes	
KnowledgeServing	322422d3-3e0e-4873-a6c9-d3b4a4c83c0f	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft 365 Security and Compliance Center	80ccca67-54bd-44ab-8625-4b79c4dc7775	Yes	
adls-gov-api	b9449920-47ee-4db0-aa81-053397cb3eb0	Yes	
Windows Store for Business	45a330b1-b1ec-4cc1-9161-9f03992aa49f	Yes	
Azure Machine Learning Compute	607ece82-f922-494f-88b8-30effaf12214	Yes	
Azure Purview	73c2949e-da2d-457a-9607-fcc665198967	Yes	
M365 Compliance Drive	cedebc57-38a2-4f0a-8472-dfcbba5b04c6	Yes	
ai-futureinitiative-resource-ai-futureinitiative-DataHalo-AgentIdentityBlueprint	9269bd19-3d4a-4f86-ae24-446f624212aa	Yes	
Azure Multi-Factor Auth Connector	1f5530b3-261a-47a9-b357-ded261e17918	Yes	
ScheduledActions	45164d96-544d-4a64-a1ca-3fb4bbb6eb18	Yes	
openapi-demo01-resource-openapi-demo01-FoundryForge-AgentIdentityBlueprint	13cf4898-d0a0-411a-ba6d-d045bcb25e4a	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
IP Risk Remediation Agent Blueprint	4a427c29-a811-446e-a077-be1898a24a5d	Yes	
Microsoft Defender for Cloud Pricing Resource Provider	cbff9545-769a-4b41-b76e-fbb069e8727e	Yes	
networkcopilotRP	d66e9e8e-53a4-420c-866d-5bb39aaea675	Yes	
AFOI-NC-PLATFORM-OPERATOR	8a03a6c6-a900-45a9-bebd-735651dda856	Yes	
Security Copilot	7b7f48f0-62d0-4183-b9ad-c2b6b4fd7aff	Yes	
Hybrid RP Application	d2a590e7-6906-4a45-8f41-cecfdca9bca1	Yes	
Azure Smart Alerts	3af5a1e8-2459-45cb-8683-bcd6cccbcc13	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	a6dbcc75-30e7-4210-9a65-0f17cb263b72	Yes	
Azure Guest Container Update Manager	c8f5141d-83e0-4e9a-84d0-bb6677e26f64	Yes	
Microsoft Threat Protection Bicep Extension	229c0a71-0789-4652-8054-3f547fcc66f0	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Demos	ab2f187f-4971-4cf3-b59c-d9e5b756016b	Yes	
Microsoft Partner Center	fa3d9a0c-3fb0-42cc-9193-47c7ecd2edbd	Yes	
Azure Application Change Service	3edcf11f-df80-41b2-a5e4-7e213cca30d1	Yes	
Bot Service CMEK Prod	27a762be-14e7-4f92-899c-151877d6d497	Yes	
openapi-demo01-resource-openapi-demo01-AgentIdentityBlueprint	2093afda-bfdb-429b-bf86-34ba4a85414d	Yes	
Azure Cost Management Scheduled Actions	6b3368c6-61d2-4a72-854c-42d1c4e71fed	Yes	
OneProfile Service	b2cc270f-563e-4d8a-af47-f00963a71dcd	Yes	
ProvisioningHealth	b6a9a780-a4a1-4955-a4f8-1fc23a3774f9	Yes	
IC3 Long Running Operations Service	21a8a852-89f4-4947-a374-b26b2db3d365	Yes	
Azure Resource Manager	797f4846-ba00-4fd7-ba43-dac1f8f63013	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Bot Service Token Store	5b404cf4-a79d-4cfe-b866-24bf8e1a4921	Yes	
Power Platform API	8578e004-a5c6-46e7-913e-12f58912df43	Yes	
Power BI Service	00000009-0000-0000-c000-000000000000	Yes	
Bing Search APIs	c19490b5-c092-426f-b1a2-674b279d4975	Yes	
Office Online Service	e03a13ee-9730-4cae-8525-47559c8cf18a	Yes	
MicrosoftEntraIDReputationManagementServices	81ca2f57-06b8-4597-9eee-ad8f700c5106	Yes	
Microsoft Defender for Cloud for AI	1efb1569-5fd6-4938-8b8d-9f3aa07c658d	Yes	
Microsoft Azure Policy Insights	1d78a85d-813d-46f0-b496-dd72f50a3ec0	Yes	
Azure Advisor	c39c9bac-9d1f-4dfb-aa29-27f6365e5cb7	Yes	
AML Inferencing Frontdoor	6608bce8-e060-4e82-bfd2-67ed4f60262f	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
SharePoint Framework Azure AD Helper	e29b5c86-b9ab-4a86-9a20-d10842007599	Yes	
PROD-OpalAgenticApp	2e9aeb53-f3fc-46d7-8ea6-fde52de14113	Yes	
Microsoft Teams UIS	1996141e-2b07-4491-927a-5a024b335c78	Yes	
Fabric Identity Management	c0be6b4c-212d-4ca9-8a35-fd260fe22342	Yes	
Microsoft Service Trust	d6fdaa33-e821-4211-83d0-cf74736489e1	Yes	
POC-HR-Portal	c2475ed0-4661-4e66-89da-068bd65a26ed	Yes	
O365 Secure Score	8b3391f4-af01-4ee8-b4ea-9871b2499735	Yes	
Microsoft Substrate Management	98db8bd6-0cc0-4e67-9de5-f187f1cd1b41	Yes	
Microsoft Teams Graph Service	ab3be6b7-f5df-413d-ac2d-abf1e3fd9c0b	Yes	
MsgDataMgmt	61a63147-3824-45f5-a186-ace3f4c9daeb	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Policy Insights Provider Data Plane	8cae6e77-e04e-42ce-b5cb-50d82bce26b1	Yes	
Dataverse	00000007-0000-0000-c000-000000000000	Yes	
Managed Service Identity	ef5d5c69-a5df-46bb-acaf-426f161a21a2	Yes	
Cosmos DB Fleet Analytics	657f5199-9902-4e65-bfba-5a92f98ee882	Yes	
Office 365 Search Service	66a88757-258c-4c72-893c-3e8bed4d6899	Yes	
Microsoft Azure BatchAI	9fcb3732-5f52-4135-8c08-9d4bbaf203ea	Yes	
Dynamic Alerts	707be275-6b9d-4ee7-88f9-c0c2bd646e0f	Yes	
Skype Presence Service	1e70cd27-4707-4589-8ec5-9bd20c472a46	Yes	
CCM_Pricing_PROD	91a53dc4-b25b-482c-8e83-8d7ac7065b17	Yes	
Microsoft Azure Container Apps - Control Plane	7e3bc4fd-85a3-4192-b177-5b8bfc87f42c	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
OCaaS Experience Management Service	6e99704e-62d5-40f6-b2fe-90aafbe3a710	Yes	
Azure Management Groups	f2c304cf-8e7e-4c3f-8164-16299ad9d272	Yes	
Defender for Storage Advanced Threat Protection Resource Provider	080765e3-9336-4461-b934-310acccb907d	Yes	
Azure ContainerApps Sessions	2c7dd73f-7a21-485b-b97d-a2508fa152c3	Yes	
Diagnostic Services Trusted Storage Access	562db366-1b96-45d2-aa4a-f2148cef2240	Yes	
Azure AD Notification	fc03f97a-9db0-4627-a216-ec98ce54e018	Yes	
Security Copilot	bb5ffd56-39eb-458c-a53a-775ba21277da	Yes	
Call Quality Dashboard	c61d67cf-295a-462c-972f-33af37008751	Yes	
Signup	b4bddae8-ab25-483e-8670-df09b9f1d0ea	Yes	
PROD Microsoft Defender For Cloud XDR	3f6aecb4-6dbf-4e45-9141-440abdced562	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
aifutureinitiativefunctionappA	f39a143f-bbe2-4d53-9b31-f85c0f167c5e	Yes	
Microsoft Teams Admin Portal Service	2ddfbe71-ed12-4123-b99b-d5fc8a062a79	Yes	
GetEntraResourcesWithUserDelegated_Murali	c133409b-4b00-4f55-beb6-fd42321301e7	Yes	
FedRAMP-High-FoundryResource-FedRAMP-High-Foundry-Project-AgentIdentityBlueprint	3c38d1d2-dcc7-45c5-ad0f-f5d137993e55	Yes	
Euclid	2ca80e7c-4ad1-444f-88f5-58f92b71b7b0	Yes	
SubscriptionRP	e3335adb-5ca0-40dc-b8d3-bedc094e523b	Yes	
Defender for IoT - Management	3157152d-b5ae-4606-a145-6c660069bc5e	Yes	
Hybrid Connectivity RP	e18cedde-9458-482f-9dd1-558c597ac42e	Yes	
Azure Logic Apps	7cd684f4-8a78-49b0-91ec-6a35d38739ba	Yes	
Microsoft B2B Admin Worker	1e2ca66a-c176-45ea-a877-e87f7231e0ee	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Sentinel Content Deployment App (e9eebc16-b2fb-469d-b16f-bc1522c2918b)	c6b04a4a-c366-4bc4-a38d-563056850b32	Yes	
MDA LCNC Power Platform Security Webhooks	7cb67f16-9174-4dfc-989a-0d02aed8d3c3	Yes	
Security Copilot Agent Management	43d7b169-1d9e-4d32-8cd8-06c5974ed90c	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	de77d016-cc2b-4211-8e73-dbbf4a3d8544	Yes	
Skype Teams Calling API Service	26a18ebc-cdf7-4a6a-91cb-beb352805e81	Yes	
Compute Recommendation Service	b9a92e36-2cf8-4f4e-bcb3-9d99e00e14ab	Yes	
Microsoft Azure Authorization Resource Provider	1dcb1bc7-c721-498e-b2fa-bcddcea44171	Yes	
Microsoft Graph Connectors Core	f8f7a2aa-e116-4ba6-8aea-ca162cfa310d	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	dc144ad5-f5bf-4393-92c9-f388d7683e0c	Yes	
openapi-demo01-resource-openapi-demo01-AzureStorageIQ-AgentIdentityBlueprint	3c30455a-fcf2-4166-8063-e0433ab23a6e	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Cognitive Search	880da380-985e-4198-81b9-e05b1cc53158	Yes	
Configuration Manager Microservice	557c67cf-c916-4293-8373-d584996f60ae	Yes	
CosmosDB Dedicated Instance	36e2398c-9dd3-4f29-9a72-d9f2cfc47ad9	Yes	
SharePoint Online Web Client Extensibility Isolated	3bc2296e-aa22-4ed2-9e1e-946d05afa6a2	Yes	
My Apps	2793995e-0a7d-40d7-bd35-6968ba142197	Yes	
IpLicensingService	189cf920-d3d8-4133-9145-23adcc6824fa	Yes	
Microsoft Purview Platform	fd642066-7bfc-4b65-9463-6a08841c12f0	Yes	
Azure Compute	579d9c9d-4c83-4efc-8124-7eba65ed3356	Yes	
MaintenanceResourceProvider	f18474f2-a66a-4bb0-a3c9-9b8d892092fa	Yes	
Office MRO Device Manager Service	ebe0c285-db95-403f-a1a3-a793bd6d7767	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Signup Api	3829f069-1c33-45dd-84ab-2465f4282677	Yes	
NetworkTrafficAnalyticsService	1e3e4475-288f-4018-a376-df66fd7fac5f	Yes	
SecOps for Security Copilot	3e28acb6-7793-4fff-9fcf-fb14fbaf42a9	Yes	
Microsoft Defender For Cloud Billing	e3a3c6d7-bd80-4be5-88da-c2226a5d9328	Yes	
Azure Portal	c44b4083-3bb0-49c1-b47d-974e53cbdf3c	Yes	
M365 License Manager	aeb86249-8ea3-49e2-900b-54cc8e308f85	Yes	
Microsoft Operations Management Suite	d2a0a418-0aac-4541-82b2-b3142c89da77	Yes	
Compute Artifacts Publishing Service	a8b6bf88-1d1a-4626-b040-9a729ea93c65	Yes	
Azure Monitor Control Service	e933bd07-d2ee-4f1d-933c-3752b819567b	Yes	
Lifecycle Workflows	ce79fdc4-cd1d-4ea5-8139-e74d7dbe0bb7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Monitor Restricted	035f9e1d-4f00-4419-bf50-bf2d87eb4878	Yes	
complisense-resource-complisense-AgentIdentityBlueprint	05f0a691-fbf9-4db5-badf-a02c9f00ba50	Yes	
EASM API	b7faa489-a4c8-4b39-bb0c-842c3de2de6a	Yes	
Power Apps Service Customer Management Plane Backend	3570e63c-5acf-4f3f-9f15-a49faa5120d3	Yes	
AADReporting	1b912ec3-a9dd-4c4d-a53e-76aa7adb28d7	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	4c42bcfc-bc8a-4315-bdb9-8dd931f04915	Yes	
Microsoft Managed Policy Manager	87e86b91-9ae3-4679-b68a-471fe50be746	Yes	
Microsoft Teams User Profile Search Service	a47591ab-e23e-4ffa-9e1b-809b9067e726	Yes	
Defender for IoT	df77edef-903d-416b-bcc0-cc8b91af54ea	Yes	
Marketplace Api	f738ef14-47dc-4564-b53b-45069484ccc7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Data Warehouse Polybase	0130cc9f-7ac5-4026-bd5f-80a08a54e6d9	Yes	
Cloud Infrastructure Entitlement Management	b46c3ac5-9da6-418f-a849-0a07a10b3c6c	Yes	
aifutureinitiative-funtionapp-authentication	4bf0f9a5-16ac-46a6-adb3-8c7a202f0dfd	Yes	
CloudDevicePlatform-Azure	79001cb7-a2f8-407e-a97f-4ae87e82f73b	Yes	
My Profile	8c59ead7-d703-4a27-9e55-c96a0054c8d2	Yes	
Azure Traffic Manager and DNS	2cf9eb86-36b5-49dc-86ae-9a63135dfa8c	Yes	
Microsoft Azure AD Identity Protection	a3dfc3c6-2c7d-4f42-aeec-b2877f9bce97	Yes	
Azure AD Application Proxy	47ee738b-3f1a-4fc7-ab11-37e4822b007e	Yes	
ResourceHealthRP	8bdebf23-c0fe-4187-a378-717ad86f6a53	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	fdf75781-35b9-4271-9fb5-7e538099cce3	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Linux VM Sign-In	ce6ff14a-7fdc-4685-bbe0-f6afdfcfa8e0	Yes	
PushChannel	4747d38e-36c5-4bc3-979b-b0ef74df54d1	Yes	
Power Platform Policy Services CM - PROD	342f61e2-a864-4c50-87de-86abc6790d49	Yes	
Microsoft Intune SCCM Connector	63e61dc2-f593-4a6f-92b9-92e4d2c03d4f	Yes	
Storage Resource Provider	a6aa9161-5291-40bb-8c5c-923b567bee3b	Yes	
Azure Lab Services	1a14be2a-e903-4cec-99cf-b2e209259a0f	Yes	
Dunloe Dataplane Service	89e7f920-bdc3-4e71-99e5-30d84827b610	Yes	
PowerApps-Advisor	c9299480-c13a-49db-a7ae-cdfe54fe0313	Yes	
TrafficControllerControlPlaneService	b8832d98-ee6e-4783-b4e5-31186a5def45	Yes	
Microsoft Intune	0000000a-0000-0000-c000-000000000000	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
CMAT	64a7b174-5779-4506-b54c-fbb0d80f1c9b	Yes	
NFV Resource Provider	328fd23b-de6e-462c-9433-e207470a5727	Yes	
Microsoft Insider Risk Management	1fe0d6b3-81f0-4cf5-9dfd-fbb297d7848c	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	54607622-eeee-4a47-a2c8-76f8ceba180c	Yes	
Azure ESTS Service	00000001-0000-0000-c000-000000000000	Yes	
Power BI Premium	cb4dc29f-0bf4-402a-8b30-7511498ed654	Yes	
Power Platform Authorization Service PROD	8d605dfc-1a04-4da6-9be2-8426724af3f3	Yes	
ai-futureinitiative-resource-ai-futureinitiative-PostureIQ-Dev-AgentIdentityBlueprint	d063a8e9-d56b-4832-8160-5c0e1a2632ad	Yes	
Office365DirectorySynchronizationService	18af356b-c4fd-4f52-9899-d09d21397ab7	Yes	
Teams Secure Score	7638a109-ee1f-4107-b1ef-38675e07812c	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Device Registration Service	01cb2876-7ebd-4aa4-9cc9-d28bd4d359a9	Yes	
Marketplace Caps API	184909ca-69f1-4368-a6a7-c558ee6eb0bd	Yes	
SharePoint Notification Service	3138fe80-4087-4b04-80a6-8866c738028a	Yes	
OneNote	2d4d3d8e-2be3-4bef-9f87-7875a61c29de	Yes	
M365 Label Analytics	75513c96-801d-4559-830a-6754de13dd19	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	ff48b7c0-cba0-4497-808d-211ba08576f5	Yes	
Azure AD Identity Protection	fc68d9e5-1f76-45ef-99aa-214805418498	Yes	
Azure Container Scale Sets - CS2	63ea3c01-7483-456e-8073-d3fed34fbdda	Yes	
Azure Deployments	3b990c8b-9607-4c2a-8b04-1d41985facca	Yes	
Defender for Cloud Apps - Power Platform Solution Deployer	7598ef18-a171-4c40-b5b2-9b6df5d67a21	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Container Instance Service	6bb8e274-af5d-4df2-98a3-4fd78b4cafd9	Yes	
Power Virtual Agents	96ff4394-9197-43aa-b393-6a41652e21f8	Yes	
Skype for Business Online	00000004-0000-0ff1-ce00-000000000000	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	ff8071ad-31b9-47a8-a17f-8b7a6449da1e	Yes	
Azure OSSRDBMS PostgreSQL Flexible Server AAD Authentication	5657e26c-cc92-45d9-bc47-9da6cfdb4ed9	Yes	
IC3 Tenant Provisioning	62a112d5-f305-42a6-8ced-6b8e3f71fb0d	Yes	
Viva Learning	2c9e12e5-a56c-4ba1-b768-7a141586c6fe	Yes	
Azure Security Insights Content As Code	11413461-f071-4513-802f-acbb00576ed3	Yes	
User Knowledge Base	895b065c-5410-43db-9b44-bb0a3296083a	Yes	
Microsoft MCP Server for Enterprise	e8c77dc2-69b3-43f4-bc51-3213c9d915b4	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Office 365 Portal	00000006-0000-0ff1-ce00-000000000000	Yes	
MarketplaceAPI ISV	20e940b3-4c77-4b0b-9a53-9e16a1b010a7	Yes	
Azure RBAC Data Plane	5861f7fb-5582-4c1a-83c0-fc5ffdb531a6	Yes	
MSATenantRestrictions	1a4b5304-a0fd-4017-8a3d-466fc083b73e	Yes	
Microsoft 365 Admin portal	618dd325-23f6-4b6f-8380-4df78026e39b	Yes	
Microsoft Forms	c9a559d2-7aab-4f13-a6ed-e7e9c52aec87	Yes	
Azure Managed HSM RP	1341df96-0b28-43da-ba24-7a6ce39be816	Yes	
EntraGDAP	bc56af95-7a3b-459f-98a9-bd86532b0e89	Yes	
Conferencing Virtual Assistant	9e133cac-5238-4d1e-aaa0-d8ff4ca23f4e	Yes	
Windows Azure Active Directory	00000002-0000-0000-c000-000000000000	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft.Azure.SyncFabric	00000014-0000-0000-c000-000000000000	Yes	
Safelinks	85eced78-2127-4b24-9418-95f0bbe3d145	Yes	
Microsoft Defender for APIs Resource Provider	56823b05-67d8-413a-b6ab-ad19d7710cf2	Yes	
Azure Windows VM Sign-In	372140e0-b3b7-4226-8ef9-d57986796201	Yes	
console-m365d	f18b59c9-5926-4a65-8605-c23ec8c7e074	Yes	
CAP NEPTUNE IL Prod	39b598a1-5e44-4fd1-aa3f-9b8da16e20bb	Yes	
K8 Bridge	319f651f-7ddb-4fc6-9857-7aef9250bd05	Yes	
AzureDnsFrontendApp	a0be0c72-870e-46f0-9c49-c98333a996f7	Yes	
easmApiDev	9a751391-6e9f-4199-ad8d-360712a1285c	Yes	
Microsoft Modern Contact Master	224a7b82-46c9-4d6b-8db0-7360fb444681	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
MicrosoftAutomanaged	9ae330ab-d710-466b-851c-c828e7340846	Yes	
MDC Data Sensitivity	bd6d9218-235b-4abd-b3be-9ff157dcf36c	Yes	
Data Classification Service	7c99d979-3b9c-4342-97dd-3239678fb300	Yes	
Azure Machine Learning Services	18a66f5f-dbdf-4c17-9dd7-1634712a9cbe	Yes	
Entra App Platform System Application	35e5e31d-b3e8-442b-9a8d-2f81f46938cf	Yes	
Microsoft Synapse Notebook Service	1d3443bd-4cbc-483e-9f09-00ba7ee54655	Yes	
Microsoft Defender For Cloud Discovery	ee45196f-bd15-4010-9a66-c8497a97a873	Yes	
Azure Security for IoT	cfbd4387-1a16-4945-83c0-ec10e46cd4da	Yes	
SQLDBControlPlaneFirstPartyApp	ceecbdd6-288c-4be9-8445-74f139e5db19	Yes	
Microsoft Teams AuditService	978877ea-b2d6-458b-80c7-05df932f3723	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Skype and Teams Tenant Admin API	48ac35b8-9aa8-4d74-927d-1f4a14a0b239	Yes	
MCAPI AAD Bridge Service	bd11ca0f-4fd6-4bb7-a259-4a36693b6e13	Yes	
Azure Container Apps Arc - Control Plane	1459b1f6-7a5b-4300-93a2-44b4a651759f	Yes	
openapi-demo01-resource-openapi-demo01-MicrosoftFoundryIQ-AgentIdentityBlueprint	9c18b121-6dda-4dbd-a691-61a21c273b94	Yes	
Viva Engage	00000005-0000-0ff1-ce00-000000000000	Yes	
Highlights	be7e04e7-2f3f-4b14-80db-72a7c77775e6	Yes	
Dynamics 365 Viva Sales	4787c7ff-7cea-43db-8d0d-919f15c6354b	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	1c07e8b2-371c-49e5-b033-43fcc18b6f3b	Yes	
Azure DNS Managed Resolver	b4ca0290-4e73-4e31-ade0-c82ecfaabf6a	Yes	
Customer Service Trial PVA - readonly	6abc93dc-978e-48a3-8e54-458e593ed8cf	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Office 365 Management APIs	c5393580-f805-4401-95e8-94b7a6ef2fc2	Yes	
Microsoft Azure Signup Portal	8e0e8db5-b713-4e91-98e6-470fed0aa4c2	Yes	
Microsoft Intune Advanced Threat Protection Integration	794ded15-70c6-4bcd-a0bb-9b7ad530a01a	Yes	
POC-Finance-App	a46fe913-13ab-4ce1-a424-3468b9a83513	Yes	
MIP Exchange Solutions - Teams	2c220739-d44d-4bf7-ba5f-95cf9fb7f10c	Yes	
Bot Framework Dev Portal	f3723d34-6ff5-4ceb-a148-d99dcd2511fc	Yes	
M365 Admin Services	6b91db1b-f05b-405a-a0b2-e3f60b28d645	Yes	
Automanage API Access	d828acde-4b48-47f5-a6e8-52460104a052	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	1c1ebd3d-8192-42e6-ba48-39889c7352d6	Yes	
Azure Container Registry	6a0ec4d3-30cb-4a83-91c0-ae56bc0e3d26	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Managed Service	66c6d0d1-f2e7-4a18-97a9-ed10f3347016	Yes	
Sway	905fcf26-4eb7-48a0-9ff0-8dcc7194b5ba	Yes	
Substrate Conversation Intelligence Service	aa813f0e-407a-459d-93af-805f2bf10f33	Yes	
managedenvironments-ar-tenant-connector	14735148-5162-46ef-99a4-c1923d08a2cc	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	cc09e58e-0d8d-40b2-b175-1f442c7f2b91	Yes	
Microsoft Teams Chat Aggregator	b1379a75-ce5e-4fa3-80c6-89bb39bf646c	Yes	
Discovery Service	d29a4c00-4966-492a-84dd-47e779578fb7	Yes	
ComplianceWorkbenchApp	92876b03-76a3-4da8-ad6a-0511ffdf8647	Yes	
Azure Help Resource Provider	fd225045-a727-45dc-8caa-77c8eb1b9521	Yes	
Office 365 Exchange Online	00000002-0000-0ff1-ce00-000000000000	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
MTP Unified RBAC	9abd8443-d92a-40e6-a9ec-e5b6d29bc724	Yes	
Power Apps Service Data Plane Backend	b6fb6bd6-f0fb-4a60-beb1-4e50afd0eaa9	Yes	
Microsoft Power Query	f3b07414-6bf4-46e6-b63f-56941f3f4128	Yes	
Microsoft SharePoint Online - SharePoint Home	dcad865d-9257-4521-ad4d-bae3e137b345	Yes	
Medeina Service PPE	c4de86e3-e322-4889-a781-968c76b6b325	Yes	
ProjectWorkManagement	09abbdfd-ed23-44ee-a2d9-a627aa1c90f3	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	59f98519-fcda-403f-9c0f-87c770649a1f	Yes	
Durable Task Scheduler	887c6b43-ba92-4adb-a82b-73670fc48dac	Yes	
Azure Service Connector Resource Provider	c4288165-6698-45ba-98a5-48ea7791fed3	Yes	
Defender for Cloud Apps - Microsoft Copilot Collector	6d81daa3-fdfe-4d42-a619-5b89358c3838	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Flow CDS Integration Service	0eda3b13-ddc9-4c25-b7dd-2f6ea073d6b7	Yes	
Exchange Rbac	789e8929-0390-42a2-8934-0f9dafb8ec89	Yes	
Azure Storage	e406a681-f3d4-42a8-90b6-c2b029497af1	Yes	
ME-SecurityScanner	f50d0784-cb84-4838-8b38-2fafa5860e72	Yes	
Azure Storage Actions Resource Provider Service	7d3471e1-ec8b-4655-92f3-bb331362b5ae	Yes	
Office 365 Reports	507bc9da-c4e2-40cb-96a7-ac90df92685c	Yes	
1ES Resource Management	3cbcded7-0049-4401-9e00-5f4f10f75efe	Yes	
WeveEngine	3c896ded-22c5-450f-91f6-3d1ef0848f6e	Yes	
Microsoft Information Protection Sync Service	870c4f2e-85b6-4d43-bdda-6ed9a579b725	Yes	
dev-landing-app-mdcloud-local	a5d35b70-456c-4ddd-b186-28ab9a676338	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Common Job Provider	a99783bc-5466-4cef-82eb-ebf285d77131	Yes	
Liftr-PAN-Network	6f51cf29-4ee9-4e00-9931-b627d22134e2	Yes	
asmcontainerimagescanner	918d0db8-4a38-4938-93c1-9313bdfe0272	Yes	
Capacity	fbc197b7-9e9c-4f98-823f-93cb1cb554e6	Yes	
Azure Bastion	79d7fb34-4bef-4417-8184-ff713af7a679	Yes	
DLG-Agent	bc8a88cc-1fa0-40c1-a1f5-23659939477e	Yes	
Azure Machine Learning Services Asset Notification	b8cf62f3-7cc7-4e32-ab3a-41370ef0cfcf	Yes	
CloudLicensingSystem	de247707-4e4a-47d6-89fd-3c632f870b34	Yes	
SharePoint Home Notifier	4e445925-163e-42ca-b801-9073bfa46d17	Yes	
openapi-demo01-resource-openapi-demo01-AzureDevOps-Assist-AgentIdentityBlueprint	f65ef144-0c78-4995-8df5-1333ea64c3d7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Dynamics Data Integration	2e49aa60-1bd3-43b6-8ab6-03ada3d9f08b	Yes	
GatewayRP	486c78bf-a0f7-45f1-92fd-37215929e116	Yes	
MHackathonWS	ef4a3f61-79e7-4303-9686-152557c7ded8	Yes	
Azure Container Apps Arc - Data Plane	409eb69a-5e20-4e1e-a8bf-c23300057950	Yes	
Microsoft Defender for Cloud CIEM	a70c8393-7c0c-4c1e-916a-811bd476ee11	Yes	
M365AdminSettingsService	914fed76-dc75-4540-bf23-57624291b0ec	Yes	
ComplianceAuthServer	9e5d84af-8971-422f-968a-354cd675ae5b	Yes	
Microsoft.SMIT	8fca0a66-c008-4564-a876-ab3ae0fd5cff	Yes	
Microsoft Graph	00000003-0000-0000-c000-000000000000	Yes	
Group Configuration Processor	1690c5aa-925a-4d0e-836b-722c795bd0d0	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
CPIM Service	bb2a2e3a-c5e7-4f0a-88e0-8e01fd3fc1f4	Yes	
Microsoft Azure Container Apps - Data Plane	3734c1a4-2bed-4998-a37a-ff1a9e7bf019	Yes	
POC-HR-Portal	eb9ee864-7723-4d46-91f3-08f85015d45c	Yes	
Azure SQL Managed Instance to Azure AD Resource Provider	9c8b80bc-6887-42d0-b1af-d0c40f9bf1fa	Yes	
Microsoft App Access Panel	0000000c-0000-0000-c000-000000000000	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	66fe940a-3897-4d45-9226-1e55763bd102	Yes	
Azure API Management	8602e328-9b72-4f2d-a4ae-1387d013a2b3	Yes	
CDX-SecurityScanner	a368aeaa-7651-4785-a0d8-fb74417eac2f	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	98df939a-1c21-4cfd-b969-8ce5963f3700	Yes	
Microsoft Exchange Online Protection	00000007-0000-0ff1-ce00-000000000000	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
MicrosoftGuestConfiguration	e935b4a5-8968-416d-8414-caed51c782a9	Yes	
Security Copilot	bb3d68c2-d09e-4455-94a0-e323996dbaa3	Yes	
Power Platform Connector Management Service - PROD	59534ab2-0027-4a45-b9ec-61d1b6b871c9	Yes	
AAD App Management	f0ae4899-d877-4d3c-ae25-679e38eea492	Yes	
CCM TAGS	997dc448-eeab-4c93-8811-6b2c80196a16	Yes	
Foundry MCP App	fcdfa2de-b65b-4b54-9a1c-81c8a18282d9	Yes	
Azure Monitor Health Models	36e21f15-cda0-45c2-9932-98f28a8bdb28	Yes	
Azure Security Insights	98785600-1bb7-4fb9-b9fa-19afe2c8a360	Yes	
Messaging Augmentation Application	f7c7f738-cb99-4489-9da3-57b15655c430	Yes	
AML Registries	44b7b882-eb46-485c-9c78-686f6b67b176	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Messaging Bot API Application	5a807f24-c9de-44ee-a3a7-329e88a00ffc	Yes	
Office 365 SharePoint Online	00000003-0000-0ff1-ce00-000000000000	Yes	
WindowsDefenderATP	fc780465-2017-40d4-a0c5-307022471b92	Yes	
MuraliPOCTEST	77c11db9-cba9-437f-97ad-e8e5c9bce887	Yes	
Azure Information Protection	5b20c633-9a48-4a5f-95f6-dae91879051f	Yes	
Microsoft Defender for Cloud	bceea168-88ac-4736-95dc-4ce488ffe324	Yes	
commerce-copilot-firstpartyappid	a2e5d98b-c0e5-4191-b4ae-f6aa7e469ede	Yes	
Microsoft Customer Engagement Portal	71234da4-b92f-429d-b8ec-6e62652e50d7	Yes	
Cortana at Work Service	2a486b53-dbd2-49c0-a2bc-278bdfc30833	Yes	
Azure Analysis Services	4ac7d521-0382-477b-b0f8-7e1d95f85ca2	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Graph Change Tracking	0bf30f3b-4a52-48df-9a82-234910c4a086	Yes	
Gatekeeper Prod App	5bab4c7f-51c3-479b-a199-06b31afecc8f	Yes	
Teams Admin Monitoring Alerting Platform	f2537abf-644e-4a0d-9f7b-c91c45c643db	Yes	
MSproject-SAML App -Murali	00cc57db-cb1c-49b5-bab6-409ee3e8f1ce	Yes	3
maven-prod	9b975845-388f-4429-889e-eab1ef63949c	Yes	
Sentinel Platform Services	4500ebfb-89b6-4b14-a480-7f749797bfcd	Yes	
Microsoft Threat Protection	8ee8fdad-f234-4243-8f3b-15c294843740	Yes	
Azure Cosmos DB Virtual Network To Network Resource Provider	57c0fc58-a83a-41d0-8ae9-08952659bdfd	Yes	
Microsoft Azure Vnet Verifier	6e02f8e9-db9b-4eb5-aa5a-7c8968375f68	Yes	
Dynamics Lifecycle services	913c6de4-2a4a-4a61-a9ce-945d2b2ce2e0	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Flow Service	7df0a125-d3be-4c96-aa54-591f83ff541c	Yes	
Microsoft Teams ATP Service	0fa37baf-7afc-4baf-ab2d-d5bb891d53ef	Yes	
ACR-Tasks-Prod	d2fa1650-4805-4a83-bcb9-cf41fe63539c	Yes	
PrivacyEngine	c94ede5f-b856-405a-bcd9-406285330a76	Yes	
Microsoft Cloud App Security	05a65629-4c1b-48c1-a78b-804c4abdd4af	Yes	
Microsoft O365 Scuba	7ae5462d-d9d1-42f6-93ca-198d7b0ca997	Yes	
Azure AD Identity Governance - Directory Management	ec245c98-4a90-40c2-955a-88b727d97151	Yes	
Network Watcher	7c33bfcb-8d33-48d6-8e60-dc6404003489	Yes	
Azure Machine Learning Authorization App 2	bf283ae6-5efd-44a8-b56a-2a7939982d60	Yes	
MOD Demo Platform UnifiedApiConsumer	aff75787-e598-43f9-a0ea-7a0ca00ababc	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Azure Network Copilot	40c49ff3-c6ae-436d-b28e-b8e268841980	Yes	
Microsoft Rights Management Services	00000012-0000-0000-c000-000000000000	Yes	
Azure CosmosDB for PostgreSQL Microsoft EntraId	ecafc2d9-cf1a-49a7-b60f-e44e34a988d2	Yes	
People Profile Event Proxy	65c8bd9e-caac-4816-be98-0692f41191bc	Yes	
Azure SQL Virtual Network to Network Resource Provider	76cd24bf-a9fc-4344-b1dc-908275de6d6d	Yes	
Microsoft Partner Center	fabfbdc4-5751-471c-ac43-3826fa1afc31	Yes	
App Protection	c6e44401-4d0a-4542-ab22-ecd4c90d28d7	Yes	
Office 365 Information Protection	2f3f02c9-5679-4a5c-a605-0de55b07d135	Yes	
Microsoft Teams AadSync	62b732f7-fc71-40bc-b27d-35efcb0509de	Yes	
Microsoft Azure Stream Analytics	66f1e791-7bfb-4e18-aed8-1720056421c7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
AD Hybrid Health	6ea8091b-151d-447a-9013-6845b83ba57b	Yes	
Microsoft Container Registry	a4c95b9e-3994-40cc-8953-5dc66d48348d	Yes	
Syntex Resource Provider	886b3ae5-8ee1-4bb4-a312-b35341a95909	Yes	
Azure Container Registry Application	76c92352-c057-4cc2-9b1e-f34c32bc58bd	Yes	
Azure Cosmos DB	a232010e-820c-4083-83bb-3ace5fc29d0b	Yes	
Cortana Runtime Service	81473081-50b9-469a-b9d8-303109583ecb	Yes	
Office 365 Configure	aa9ecb1e-fd53-4aaa-a8fe-7a54de2c1334	Yes	
Durable Task Scheduler Dashboard	067cf55c-59b8-432f-a11d-d904de42e97d	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	b280e781-e58d-4e07-8dac-15f59d082c40	Yes	
Microsoft Defender for Cloud Defender Kubernetes Agent	6e2cffc9-52e7-4bfa-8155-be5c1dacd81c	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
RPSaaS Meta RP	f77c2a8f-8a0a-4776-8e0a-bcb2549610ca	Yes	
AFOI-NC-CLUSTER-OPERATOR	b9a7c771-0cce-4b96-abe0-c3a154da6477	Yes	
Azure Application Change Service	2cfc91a4-7baa-4a8f-a6c9-5f3d279060b8	Yes	
MIP Exchange Solutions - SPO	192644fe-6aac-4786-8d93-775a056aa1de	Yes	
CosmosDB-Garnet-Cache	e9c3020c-b976-40a7-b6c2-0d56abaa82f8	Yes	
Azure Key Vault Managed HSM	589d5083-6f11-4d30-a62a-a4b316a14abf	Yes	
ArcGatewayApp	61414a6b-7050-4d69-8e88-d6c5646bab20	Yes	
Microsoft Azure IPAM	60b2e7d5-a27f-426d-a6b1-acced0846fdf	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	e2f86cf3-0a8e-434a-a35b-1e0623dec5cc	Yes	
Teams Policy Notification Processor Service	61f9e166-f678-4342-bfd3-b49781ce7a0a	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
MIP Exchange Solutions	a150d169-7d37-47dd-9b20-156207b7b02f	Yes	
POC-Finance-App	04c81017-6233-46da-85b6-e2577bf11169	Yes	
Power Virtual Agents Service	9d8f559b-5984-46a4-902a-ad4271e83efa	Yes	
Azure Cloud Shell	2233b157-f44d-4812-b777-036cdaf9a96e	Yes	
WindowsUpdate-Service	6f0478d5-61a3-4897-a2f2-de09a5a90c7f	Yes	
Agent 365 Tools	ea9ffc3e-8a23-4a7d-836d-234d7c7565c1	Yes	
MS-PIM	01fc33a7-78ba-4d2f-a4b7-768e336e890e	Yes	
Office 365 Enterprise Insights	f9d02341-e7aa-456d-926d-4a0ca599fbee	Yes	
Visual Studio Code	aebc6443-996d-45c2-90f0-388ff96faa56	Yes	
Azure Search Management	408992c7-2af6-4ff1-92e3-65b73d2b5092	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	52d190d0-9720-4a52-87d1-9352ad4bc2fc	Yes	
Microsoft Sentinel Situational Awareness Workspace Access	949eebbd-6fe4-4eb5-a25e-a9bf12d6b96e	Yes	
On-premises ECMA app (Murali)	6980156d-0e60-4468-86bb-94b8a13f2e73	Yes	
adls-gov-spa	63f474f1-8dbf-4087-879d-21d1f0e1733c	Yes	
Office Online Service LEGACY	67e3df25-268a-4324-a550-0de1c7f97287	Yes	
Windows 365	0af06dc6-e4b5-4f28-818e-e78e62d137a5	Yes	
TI-1P-APP	b6a1fec6-8029-456b-81ed-de7754615362	Yes	
Power Platform Dataflows Common Data Service Client	99335b6b-7d9d-4216-8dee-883b26e0ccf7	Yes	
Azure Security Insights Management	5f6aefe1-a8d4-4a7d-a461-6c70cb361014	Yes	
Microsoft To-Do	c830ddb0-63e6-4f22-bd71-2ad47198a23e	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure DNS	19947cfd-0303-466c-ac3c-fcc19a7a1570	Yes	
ProvisioningHealthPME	30b96d53-9fc1-4139-9bae-7bf8a1ded937	Yes	
Microsoft_Azure_Support	959678cf-d004-4c22-82a6-d2ce549a58b8	Yes	
Microsoft Azure App Service	abfa0a7c-a6b6-4736-8310-5855508787cd	Yes	
searchiq-resource-searchiq-AgentIdentityBlueprint	bf434d55-0c49-4d9e-97c2-56de12b8ce84	Yes	
Power Platform Policy TIRPS CM - PROD	2b5e68f0-bdc2-45b0-920a-217d5cbbd505	Yes	
Azure MFA StrongAuthenticationService	b5a60e17-278b-4c92-a4e2-b9262e66bb28	Yes	
Universal Print	da9b70f6-5323-4ce6-ae5c-88dcc5082966	Yes	
IPSubstrate	4c8f074c-e32b-4ba7-b072-0f39d71daf51	Yes	
Microsoft People Cards Service	394866fc-eedb-4f01-8536-3ff84b16be2a	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Windows AutoPilot Service API	cbfda01c-c883-45aa-aedc-e7a484615620	Yes	
Teams NRT DLP Ingestion Service	0ef94e72-e4fc-4aa0-a8f4-ff27deb3e6eb	Yes	
MCAPSGov-AutomationApp	eadea216-1d5c-4a4b-beaf-4f145e6b1cb4	Yes	
Azure SQL Database	022907d3-0f1b-48f7-badc-1ba6abab6d66	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	631bee71-db54-4f14-aad7-6e6d6d021b42	Yes	
Media Analysis and Transformation Service	944f0bd1-117b-4b1c-af26-804ed95e767e	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	26646051-df3a-44ae-b575-d5ba137e7983	Yes	
MS Teams Griffin Assistant	c9224372-5534-42cb-a48b-8db4f4a3892e	Yes	
Application Insights API	f5c26e74-f226-4ae8-85f0-b4af0080ac9e	Yes	
OfficeServicesManager	9e4a5442-a5c9-4f6f-b03f-5b9fcaaf24b1	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
OfficeClientService	0f698dd4-f011-4d23-a33e-b36416dcb1e6	Yes	
Microsoft Information Protection API	40775b29-2688-46b6-a3b5-b256bd04df9f	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	6e7956e1-838e-41b6-883e-c49a99d8781f	Yes	
Microsoft Teams Services	cc15fd57-2c6c-4117-a88c-83b1d56b4bbe	Yes	
Microsoft Approval Management	65d91a3d-ab74-42e6-8a2f-0add61688c74	Yes	
Microsoft Rights Management Services Default	934d626a-1ead-4a36-a77d-12ec63b87a0d	Yes	
Azure Storage Insights Resource Provider	b15f3d14-f6d1-4c0d-93da-d4136c97f006	Yes	
Intune CMDeviceService	14452459-6fa6-4ec0-bc50-1528a1a06bf0	Yes	
Microsoft password reset service	93625bc8-bfe2-437a-97e0-3d0060024faa	Yes	
Microsoft Azure Workflow	00000005-0000-0000-c000-000000000000	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft.EventGrid	4962773b-9cdb-44cf-a8bf-237846a00ab7	Yes	
Azure SQL Database Backup To Azure Backup Vault	e4ab13ed-33cb-41b4-9140-6e264582cf85	Yes	
Azure Machine Learning Authorization App 1	fb9de05a-fecc-4642-b3ca-66b9d4434d4d	Yes	
Privacy Management	5a4a238f-f186-4fff-95bd-d3e70f9e1a08	Yes	
MDA AppG DCS	5011132f-12d7-4327-bf50-7c522b0144dd	Yes	
Office Online Unused API	c1f33bc0-bdb4-4248-ba9b-096807ddb43e	Yes	
PowerApps Service	475226c6-020e-4fb2-8a90-7a972cbfc1d4	Yes	
Quota Service Core - ARM Client	3cf468b4-12a0-43cd-aa3f-3f39210d14cf	Yes	
Microsoft Azure Legion	55ebbb62-3b9c-49fd-9b87-9595226dd4ac	Yes	
Microsoft Azure Log Search Alerts	f6b60513-f290-450e-a2f3-9930de61c5e7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
managedenvironments-ar-tenant-connector-ame	9d0b50c2-e9ec-404d-8b4d-28662857d597	Yes	
Microsoft Authorization System Policy	2d215f00-80d1-4f4b-a6c8-28080dfafc81	Yes	
Log Analytics API	ca7f3f0b-7d91-482c-8e09-c5d840d0eac5	Yes	
Azure Key Vault Managed HSM Key Governance Service	a1b76039-a76c-499f-a2dd-846b4cc32627	Yes	
Marketplace SaaS v2	5b712e99-51a3-41ce-86ff-046e0081c5c0	Yes	
Metrics Monitor API	12743ff8-d3de-49d0-a4ce-6c91a4245ea0	Yes	
Microsoft.HybridCompute Agent Service	eec53b1f-b9a4-4479-acf5-6b247c6a49f2	Yes	
SPAuthEvent	3340b944-b12e-47d0-b46b-35f08ec1d8ee	Yes	
AFOI-NC-MGMT-PME-PROD	3365d4ea-bb16-4bc9-86dd-f2c8cf6f1f56	Yes	
Liftr-PAN-RPaaS-FPA-Prod	54a2195e-8365-444c-8f50-4a5de4be1e2b	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Teams NRT DLP Service	7a274595-3618-4e6f-b54e-05bb353e0153	Yes	
Murali-GetAllEntraResources	719d2287-1a95-4a73-a3a7-721cdc2945d8	Yes	
Permission Service O365	6d32b7f8-782e-43e0-ac47-aaad9f4eb839	Yes	
DeploymentScheduler	8bbf8725-b3ca-4468-a217-7c8da873186e	Yes	
Azure Files	69dda2a9-33ca-4ed0-83fb-a9b7b8973ff4	Yes	
Consumption Billing	12ff570a-8284-47ed-adb3-fcc72b594c36	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentityBlueprint	231c2a12-62d2-4ce0-a988-dc5f3878d916	Yes	
Microsoft Intune Service Discovery	9cb77803-d937-493e-9a3b-4b49de3f5a74	Yes	
Virtual Connector Provider	1762e607-063e-431a-a25a-f0f782acb73b	Yes	
Power Platform Data Analytics	7dcff627-a295-4553-9229-b1f3513f82a8	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Defender for Cloud Scanner Resource Provider	e0ccf59d-5a20-4a87-a122-f42842cdb86a	Yes	
Azure SRE Agent	59f0a04a-b322-4310-adc9-39ac41e9631e	Yes	
Skype for Business	7557eb47-c689-4224-abcf-aef9bd7573df	Yes	
O365 Demeter	982bda36-4632-4165-a46a-9863b1bbcf7d	Yes	
Microsoft Azure Authorization Private Link Provider	de926fbf-e23b-41f9-ae15-c943a9cfa630	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	91c91256-75e4-479d-b90f-0f16fe91c073	Yes	
Substrate-FileWatcher	fbb0ac1a-82dd-478b-a0e5-0b2b98ef38fe	Yes	
Azure Container Registry - Dataplane	a3747411-ce7c-4888-9ddc-3a230786ca19	Yes	
Teams CMD Services Artifacts	6bc3b958-689b-49f5-9006-36d165f30e00	Yes	
Office365 Shell WCSS-Server Default	a68e1e61-ad4f-45b6-897d-0a1ea8786345	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
AzureVirtualNetworkManager	6d057c82-a784-47ae-8d12-ca7b38cf06b4	Yes	
Gatekeeper PPE App	5a8800f2-f31d-4654-9bed-f5b368c703f8	Yes	
Azure Static Web Apps	a7d8f84e-510b-46d6-8f59-77e581db63bc	Yes	
MCAPI Authorization Prod	d73f4b35-55c9-48c7-8b10-651f6f2acb2e	Yes	
Azure ContainerApps Auth	6104ad52-755e-428b-9fb5-5fdf4d2c4d53	Yes	
Request Approvals Write Platform	4eaceb75-fe6c-4953-b873-0fd565ecd334	Yes	
Conference Auto Attendant	207a6836-d031-4764-a9d8-c1193f455f21	Yes	
IDS-PROD	f36c30df-d241-4c14-a0ee-752c71e4d3da	Yes	
Microsoft Mobile Application Management	0a5f63c0-b750-4f38-a71c-4fc0d58b89e2	Yes	
o365.servicecommunications.microsoft.com	cb1bda4c-1213-4e8b-911a-0a8c83c5d3b7	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
OMSAuthorizationServicePROD	50d8616b-fd4f-4fac-a1c9-a6a9440d7fe0	Yes	
CAP Neptune Prod CM Prod	ab158d9a-0b5c-4cc3-bb2b-f6646581e4e4	Yes	
Skype Core Calling Service	66c23536-2118-49d3-bc66-54730b057680	Yes	
Diagnostic Services Data Access	3603eff4-9141-41d5-ba8f-02fb3a439cd6	Yes	
Purview Ecosystem	9ec59623-ce40-4dc8-a635-ed0275b5d58a	Yes	
Managed Disks Resource Provider	60e6cd67-9c8c-4951-9b3c-23c25a2169af	Yes	
openapi-demo01-resource-openapi-demo01-Agent02-EntraResources-AgentIdentityBlueprint	8b37a260-4046-4f67-ab57-ed5b10e4c4f0	Yes	
Azure Monitor System	11c174dc-1945-4a9a-a36b-c79a0f246b9b	Yes	
Microsoft Device Management EMM API	8ae6a0b1-a07f-4ec9-927a-afb8d39da81c	Yes	
Microsoft Defender for Identity	60ca1954-583c-4d1f-86de-39d835f3e452	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
EventGrid Data API	823c0a78-5de0-4445-a7f5-c2f42d7dc89b	Yes	
AAD Request Verification Service - PROD	c728155f-7b2a-4502-a08b-b8af9b269319	Yes	
Policy Administration Service	0469d4cd-df37-4d93-8a61-f8c75b809164	Yes	
Compute Image Registry	51b6191a-b045-44cf-8277-ee37c9fb5a06	Yes	
Microsoft Graph Command Line Tools	14d82eec-204b-4c2f-b7e8-296a70dab67e	Yes	
Microsoft 365 App Catalog Services	e8be65d6-d430-4289-a665-51bf2a194bda	Yes	
Compute Usage Provider	a303894e-f1d8-4a37-bf10-67aa654a0596	Yes	
Microsoft Power Platform Service - PROD	e64bd61e-5424-451f-b666-e02ee2878437	Yes	
Microsoft Defender Hunting	992136bc-5b57-425f-8d95-ac65975722cd	Yes	
Azure Multi-Factor Auth Client	981f26a1-7f43-403b-a875-f8b09b8cd720	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Common Data Service License Management	1c2909a7-6432-4263-a70d-929a3c1f9ee5	Yes	
On-premises SCIM app (Murali)	3e70ffbc-995d-4629-8573-abe4f26c534b	Yes	
Azure Key Vault	cfa8b339-82a2-471a-a3c9-0fc0be7a4093	Yes	
Process Insights Prod	dad3c6de-ed58-42ef-989f-9c0303aaeedc	Yes	
Application Insights Configuration Service	6a0a243c-0886-468a-a4c2-eff52c7445da	Yes	
Microsoft Office Licensing Service	8d3a7d3c-c034-4f19-a2ef-8412952a9671	Yes	
PPE-DataResidencyService	dc457883-bafe-4f8b-a333-29685e7eaa9e	Yes	
Virtual Visits App	2b479c68-8d9b-4e27-9d85-5d74803de734	Yes	
Microsoft Defender For Cloud	6b5b3617-ba00-46f6-8770-1849282a189a	Yes	
Conditional Access Agent	2da945fb-ebec-4967-a89a-2af05a81279b	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Microsoft Defender for Cloud Apps - APIs	972bb84a-1d27-4bd3-8306-6b8e57679e8c	Yes	
Microsoft Alchemy Service	91ad134d-5284-4adc-a896-d7fd24e9fa15	Yes	
Power Platform Environment Discovery Service	3e36f539-fc2c-479c-90fb-3cfa21da3a4b	Yes	
Microsoft Office Licensing Service Agents	d7097cd1-c779-44d0-8c71-ab1f8386a97e	Yes	
M365AdminAgent	8ad61c39-5b6e-447c-b26a-a64eee436502	Yes	
Request Approvals Read Platform	d8c767ef-3e9a-48c4-aef9-562696539b39	Yes	
Teams CMD Services and Data	00edd498-7c0c-4e68-859c-5a55d518c9c0	Yes	
Microsoft Intune API	c161e42e-d4df-4a3d-9b42-e7a3c31f59d4	Yes	
MDATPNetworkScanAgent	04687a56-4fc2-4e36-b274-b862fb649733	Yes	
Connectors	48af08dc-f6d2-435f-b2a7-069abd99c086	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Meeting Migration Service	82f45fb0-18b4-4d68-8bed-9e44909e3890	Yes	
SalesInsightsWebApp	b20d0d3a-dc90-485b-ad11-6031e769e221	Yes	
App Studio for Microsoft Teams	e1979c22-8b73-4aed-a4da-572cc4d0b832	Yes	
Substrate Instant Revocation Pipeline	eace8149-b661-472f-b40d-939f89085bd4	Yes	
AzureAutomation	fc75330b-179d-49af-87dd-3b1acf6827fa	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentityBlueprint	201237e0-4c36-4f3e-bf47-f2e297eedc4e	Yes	
Microsoft.ConnectedVMwarevSphere Resource Provider	ac9dc5fe-b644-4832-9d03-d9f1ab70c5f7	Yes	
Azure Notification Service	b503eb83-1222-4dcc-b116-b98ed5216e05	Yes	
Windows Azure Security Resource Provider	8edd93e1-2103-40b4-bd70-6e34e586362d	Yes	
Microsoft Defender for Cloud MultiCloud Onboarding	81172f0f-5d81-47c7-96f6-49c58b60d192	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
AzureSupportCenter	37182072-3c9c-4f6a-a4b3-b3f91cacffce	Yes	
Portfolios	f53895d3-095d-408f-8e93-8f94b391404e	Yes	
Azure Portal RP	5b3b270a-b9ad-46e7-9bbb-a866897c4dc7	Yes	
Graph Connector Service	56c1da01-2129-48f7-9355-af6d59d42766	Yes	
MIP Exchange Solutions - ODB	8adc51cc-7477-49a4-be4e-263946b4d561	Yes	
SharePoint Online Web Client Extensibility	08e18876-6177-487e-b8b5-cf950c1e598c	Yes	
Microsoft Teams Platform Monetization	bf61aded-9a54-4603-be22-84d20158607b	Yes	
Microsoft Teams AuthSvc	a164aee5-7d0a-46bb-9404-37421d58bdf7	Yes	
OCaaS Worker Services	167e2ded-f32d-49f5-8a10-308b921bc7ee	Yes	
Windows Update for Business Deployment Service	61ae9cd9-7bca-458c-affc-861e2f24ba3b	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
Azure Support - Network Watcher	`341b7f3d-69b3-47f9-9ce7-5b7f4945fdbd`	Yes	
CosmosDBMongoClusterPrivateEndpoint	`e95a6071-4f90-4971-84e2-492d9323345b`	Yes	

▼ **ManagedIdentity (112)**

NAME	APP ID	ENABLED	CREDENTIALS
8da3c7e1-a5dc-43ea-8f59	6e1bf86a-ff8e-4e9b-b487-077e0b8b8e07	Yes	Expired (1)
90bec87fdb354183b7f55ab2	1f0b461d-2bab-4482-a131-a39ffb6fedfa	Yes	Expired (1)
fdy-ia6nebdpvu5bm	5e0673c5-68f0-4fb5-9abb-0cb293ba4b78	Yes	1
Defender for Containers provisioning ARC k8s Enabled	6600b93f-94f5-44e1-984a-15ee4d45da26	Yes	Expired (1)
ASC provisioning default LA agent Linux Arc	75eb4029-b89a-446f-ba1a-ad805062f290	Yes	Expired (1)
StorageDataScanner	902cb259-b3e9-4ae2-b905-7545276e6465	Yes	Expired (3)
AiFutureInititativePurview	59105547-a61c-47d8-8ae8-364bbdadf957	Yes	1
complisense-resource	1210d00e-5a60-4089-8014-fc0b51e79d30	Yes	Expired (1)
openapi-demo01-resource/projects/openapi-demo01	b7c4bf6f-3761-4672-9cfe-19948d6a5d1d	Yes	1
5170706051b8421791489f8b	ceb59e79-0f55-4d79-ab4e-3e38f8c3da3e	Yes	Expired (1)
CreateSNOWRecord	de9e0fdd-5f47-444b-bb14-8aa993cf38bd	Yes	Expired (1)
complisense-resource/projects/complisense	00f817d4-49d7-4dbb-96ad-2f63bdf723e5	Yes	Expired (1)
searchiq-resource	aa640986-fc5b-481d-a50d-9dcf931ecbf7	Yes	1
Defender for Containers provisioning Policy extension for Arc-e	f2133eb7-6f31-4a15-a976-104236bdc26d	Yes	Expired (1)

NAME	APP ID	ENABLED	CREDENTIALS
ai-futureinitiative-resource/projects/ai-futureinitiative	365e6b61-4130-4b6f-8008-da27414e206e	Yes	Expired (1)
824d5aedd5674d5196697565	17d2b111-4518-4c0d-8b64-5d2cbd23ec21	Yes	Expired (1)
umai-AiFutureInititativePurview	17fa9ebd-24b7-4135-b377-5fb968d8f9fe	Yes	1
6c0357b2e5f0439aa2544088	c259002f-2504-405b-ac43-043ecb8672fb	Yes	Expired (1)
90d3f028feee43839f0a99c1	f1d32a61-ef36-4fb5-b900-c12ce186fd20	Yes	Expired (1)
b6b21d937cf245d4bd7f36ea	db6580a6-a40e-4e0d-8a2d-7759dff290d9	Yes	Expired (1)
IIS-WebServer	1127a9a1-e820-4616-a3b4-357fc04d15b6	Yes	
aisearch-tenantcompliance-uami	2504537f-8d2c-4417-85ab-aa1246fdbcab	Yes	Expired (1)
f7352185003540fcbacfa7a1	f83ce4f0-207e-464b-a66c-3dd9fd35c0ab	Yes	Expired (1)
Defender for Containers provisioning AKS Security Profile	37f8be6f-cc4c-4f2b-a7bd-0433f2d7726f	Yes	Expired (1)
Defender for SQL on SQL VMs and Arc-enabled SQL Servers	09e9d1b9-78a1-424f-af8b-7c1d4c72323e	Yes	Expired (1)
func-ecma2poc-lkxerbapuxyv2	56ffc791-62d8-4669-b3e7-cef92fa69eae	Yes	1
858ea32b2a314ea8891c12f1	9a8db690-0aac-40ce-965e-39fc7d1372df	Yes	Expired (1)
StorageAccounts/securityOperators/DefenderForStorageSecurityOperator	383dba18-d7fa-4591-9d0c-7d69b0202a7f	Yes	Expired (3)
searchiq-resource/projects/searchiq	50c41126-757a-4365-bb48-d30fd31bcddc	Yes	1
postureiq-resource	b97c11a7-3915-40cf-b2c9-6596b3f548d6	Yes	1

NAME	APP ID	ENABLED	CREDENTIALS
StorageAccounts/securityOperators/DefenderForStorageSecurityOperator	dfa8b837-34e6-465b-bceb-c2e6e289a899	Yes	Expired (3)
badd3947057245a69bf00b1b	8e39a039-67e7-4991-9356-0f55291d7bab	Yes	Expired (1)
pcidsstestdes	81a921cf-f066-439d-961e-bc5a6f62b22a	Yes	Expired (1)
SqlVmAndArcSqlServersProtection	272a2026-0ed5-4d9e-b92f-30ddf1b7b03b	Yes	Expired (1)
vm-ecma2poc	72623c0e-f9b8-4136-b057-f4e84dcd0e61	Yes	
Defender for Containers provisioning AKS Security Profile	62bc66b9-414f-4f67-a085-e2855f8912d6	Yes	Expired (1)
StorageDataScanner	052c47bc-db0a-4198-b1ed-0a27b7b60ba7	Yes	Expired (3)
ea5dc1d1-985d-43c9-b7d5	00f86b75-7d67-4d9b-8254-dd2c264adda4	Yes	Expired (1)
ESIQNew-AI/projects/ESIQNew-project	76327689-6959-4135-aaa6-28c8a6046966	Yes	1
aifutureinitiative-aisearch	907f478f-414f-443e-9160-cd6197bfaf00	Yes	1
CloudPosture/securityOperators/DefenderCSPMSecurityOperator	ed018aee-e72d-4b72-9f5a-28e608b673c0	Yes	Expired (3)
CloudPosture/securityOperators/DefenderCSPMSecurityOperator	ab5fa409-2bf9-4749-81f2-b8fbbb2bd7ea	Yes	Expired (3)
b98c8baa88b84bdfae24c001	f67af6ae-aabf-44fa-ab64-545dda7d24c6	Yes	Expired (1)
fdy-ia6nebdpvu5bm/projects/adls-gov-docs	b2b4084f-b582-4399-bd86-cf0db60703c9	Yes	1
ASC provisioning default LA agent Windows Arc	03343673-af43-47c3-97f9-43a4f3d74a74	Yes	Expired (1)
bb640a5e-b643-4642-a138	daec0f84-d81a-4bd0-b688-754e10646e0c	Yes	Expired (1)

NAME	APP ID	ENABLED	CREDENTIALS
Containers/securityOperators/DefenderForContainersSecurityOperator	638a9d2c-8f69-4410-947c-7865878ef0c4	Yes	Expired (3)
CloudPosture/securityOperators/DefenderCSPMSecurityOperator	72fc5ff5-df98-4354-af02-05f462f06eaf	Yes	Expired (3)
Defender for Containers provisioning Azure Policy Addon for Kub	81b068d9-487a-4a4d-aed2-ec18239234d7	Yes	Expired (1)
Defender for SQL on SQL VMs and Arc-enabled SQL Servers	84d8d896-d3ba-48f6-9d30-832be774746b	Yes	Expired (1)
Defender for Containers provisioning ARC k8s Enabled	1bfaa97f-c5bd-429e-9ea8-ca4c80a9b9f8	Yes	Expired (1)
StorageDataScanner	4d8393e0-a776-44ba-9e02-b6fa69b76475	Yes	Expired (3)
Defender for SQL on SQL VMs and Arc-enabled SQL Servers- Custom	449ff2c0-f7d7-4f8d-bad2-5a7d147274fd	Yes	Expired (1)
Defender for Containers provisioning Azure Policy Addon for Kub	7998400d-3c01-4d0a-8c6c-9619683eccd7	Yes	Expired (1)
Defender for Containers provisioning AKS Security Profile	1e0434f6-11d0-4192-b4ac-4a891af0ce88	Yes	Expired (1)
CloudPosture/securityOperators/DefenderCSPMSecurityOperator	492f010a-705a-42e3-94d4-9c1d2d359f29	Yes	Expired (3)
AppProxy-Conn	4ae4b3b0-ef82-45de-987f-4343a639485a	Yes	
MCAPSGovDeployPolicies	09307e72-5ca3-49f3-b2f5-0c6f7b3fc74e	Yes	1
Defender for Containers provisioning ARC k8s Enabled	b486de49-50c5-475d-a3c0-0978c00b6042	Yes	Expired (1)
FedRAMP-High-FoundryResource/projects/DefaultProject-NotForUse	905386a0-e7c8-40b8-8efc-5770cb2c7393	Yes	Expired (1)
d5072a66a8f04841a5c5e871	f9d1621a-e20e-4ebe-affc-fae0afd08c3f	Yes	Expired (1)
ASC provisioning default LA agent Linux Arc	41b4e778-8d32-4696-b119-2563b7baa2f7	Yes	Expired (1)

NAME	APP ID	ENABLED	CREDENTIALS
149bca90-7486-41d7-8a70	3b3baa93-33b0-4ddb-ae06-89ed92a238c6	Yes	Expired (1)
dlg-foundry-eus2	4f5c483b-09fa-45fd-a201-0dfcbad33032	Yes	1
fedramp-high-aisearch	a6a687ad-de42-4026-adc5-d13db8d68acc	Yes	Expired (1)
ASC provisioning default LA agent Linux Arc	801bf79c-e805-44cd-8cf9-eeead613deda	Yes	Expired (1)
Defender for SQL on SQL VMs and Arc-enabled SQL Servers	b6082171-2a53-46cb-a462-91c344f13da0	Yes	Expired (1)
03c822a1-6bb4-4a26-aeaf	d928c47e-b574-4479-9508-399260866d98	Yes	Expired (1)
Containers/securityOperators/DefenderForContainersSecurityOperator	97cddfc1-9641-4edf-b3a3-4640ae0bd5a0	Yes	Expired (3)
Defender for Containers provisioning Policy extension for Arc-e	c4b402c1-d9b4-40da-9f18-8279cc8b379c	Yes	Expired (1)
postureiq-resource/projects/postureiq	31a6b1a0-dfff-4baa-93a2-bd0458b073c0	Yes	1
Containers/securityOperators/DefenderForContainersSecurityOperator	f847dfcf-5a29-448a-aac9-f28c88e8dde5	Yes	Expired (3)
SqlVmAndArcSqlServersProtection	c4041fcc-be85-4432-a60f-30afdf66be6e	Yes	Expired (1)
Defender for Containers provisioning Azure Policy Addon for Kub	116ed0e9-45f8-47cc-ade7-bad2b80429a4	Yes	Expired (1)
5223bb8021834a628f2ae743	53dff8af-4d84-40be-8e35-0dd7db01c53c	Yes	Expired (1)
id-aca-ia6nebdpvu5bm	cf2d727b-f519-4a6e-bb2d-f4369089aebd	Yes	1
663c8470-c04e-44b9-83c8	8787b4c3-b947-4f91-b5ec-c6ecea8e738d	Yes	Expired (1)
SqlVmAndArcSqlServersProtection	b7d8642c-9709-4352-b55d-23bf418b52c0	Yes	Expired (1)

NAME	APP ID	ENABLED	CREDENTIALS
SNOW-CreateAndUpdateIncident	5eaf5075-6bbe-4e3a-999b-0b4e0dcc3900	Yes	Expired (1)
FedRAMP-High-FoundryResource	15d5ae80-c195-4fe8-b734-485033d598d6	Yes	Expired (2)
Defender for Containers provisioning Policy extension for Arc-e	179435c2-026f-4c9d-8807-90a324333eb7	Yes	Expired (1)
cf8a2083-96ef-4243-8969	204b87a4-fde8-4e22-ac0b-d930ea424af2	Yes	Expired (1)
StorageAccounts/securityOperators/DefenderForStorageSecurityOperator	12f4080c-83d2-4310-bb4f-435cfc4aa088	Yes	Expired (3)
vm01	042ce111-8b54-4abb-bc92-75386fda4ceb	Yes	
StorageAccounts/securityOperators/DefenderForStorageSecurityOperator	3f7b86a8-0f6b-4bc2-aa45-0c57e3ecb9e4	Yes	Expired (3)
a01dc6f2f5764815ae2de97e	e0726173-d282-4708-9c23-0669c9004736	Yes	Expired (1)
Defender for Containers provisioning AKS Security Profile	8173bfd6-c96d-49e0-87d1-8f558e2c2356	Yes	Expired (1)
b1b98cf6-9f4d-41d0-bee0	b303966b-835b-4467-9fc6-63e6f89ff9c2	Yes	Expired (1)
ASC provisioning default LA agent Windows Arc	93f225aa-e0ce-473f-8b80-abe2bda91bee	Yes	Expired (1)
ai-futureinitiative-resource	72b5118f-3c90-47a1-ad26-044d63516a79	Yes	Expired (1)
ESIQNew-AI	21bda45d-5763-41a9-b16a-eed5f242d25a	Yes	1
aifutureinitiative	098520a8-6b1c-489f-aea0-6d62f8a3d9fb	Yes	1
fedramp-high-openai	f0c2d1c1-f9b4-4eed-8fc8-00f30ea8b2cf	Yes	Expired (2)
openapi-demo01-resource	34aa2309-8f55-4e53-b7ba-52fa1595308f	Yes	1

NAME	APP ID	ENABLED	CREDENTIALS
Defender for Containers provisioning ARC k8s Enabled	5e9aa430-768e-4a72-9cab-5d8637d29714	Yes	Expired (1)
e72637ea-049f-4b41-84b2	cff16494-ee5e-45e5-b368-155a219e248b	Yes	Expired (1)
490e7aadcad341fc8b6a228f	25ffc95a-765e-489f-b2da-68ba7caeea22	Yes	Expired (1)
3d2264329e8b426698283467	b18c5e6e-d173-4738-8e00-5bae6b1b65d9	Yes	Expired (1)
ESIQNew-identity	d5d10273-4a8b-4251-9b9d-00fe035df97a	Yes	1
id-purview-scan-ia6nebdpvu5bm	d817da0b-5e0b-4639-afe7-a2b32a95e3af	Yes	1
ASC provisioning default LA agent Windows Arc	28b0d9a2-4f45-48dc-a41a-d5c36d4704b6	Yes	Expired (1)
893f03da-0562-4fcd-a5ad	cc13f4ba-699f-47bf-a81a-c37a85e02595	Yes	Expired (1)
f02ac9b299ec41bf80a1c3f1	388d3893-202b-40da-bea5-2680b631a715	Yes	Expired (1)
Defender for Containers provisioning Policy extension for Arc-e	b9dc6dd9-99ba-45fd-87d6-a8aa8654a3e0	Yes	Expired (1)
67d192945d484916b73e39eb	b8017026-bb77-4179-bd6e-42bab4430727	Yes	Expired (1)
Containers/securityOperators/DefenderForContainersSecurityOperator	8891bb79-407c-4823-b50e-32dfe851c062	Yes	Expired (3)
vm02	2f93d840-1702-4a9b-b510-31c94c025db6	Yes	
Defender for Containers provisioning Azure Policy Addon for Kub	618c1af4-5313-4d4b-8b00-686066ab7787	Yes	Expired (1)
FedRAMP-High-FoundryResource/projects/FedRAMP-High-Foundry-Project	96ecb839-bc7d-430e-98d5-8c1d51386f33	Yes	Expired (1)
1c3c31b3-9573-4be2-a5fd	e7dda8c7-7064-472f-bca6-3c00b20efe9b	Yes	Expired (1)

NAME	APP ID	ENABLED	CREDENTIALS
StorageDataScanner	1d320999-ace7-4c91-95de-9c17b384a660	Yes	Expired (3)
SqlVmAndArcSqlServersProtection	35f6d28e-99b5-49c3-8e30-ebf6fa7f0e09	Yes	Expired (1)

▼ ServiceIdentity (45)

NAME	APP ID	ENABLED	CREDENTIALS
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	0db58995-43b3-4057-bad1-3900ede3a918	Yes	
SecurityCopilotAgentIdentity-035fc6f8-750b-4e58-81b4-0d29ede33d54	1e131cb4-b2f7-427d-ae6b-188df13db1f0	Yes	
FedRAMP-High-FoundryResource-DefaultProject-NotForUse-AgentIdentity	21ab38e2-a330-4afe-8b00-b2a1546734eb	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	2238fe4d-11b2-43cb-a95a-28abf9c38c28	Yes	
ai-futureinitiative-resource-ai-futureinitiative-PostureIQ-Dev-AgentIdentity	272bea54-65c6-4ff6-83de-4b6fb11220b0	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	27801820-6d14-458b-a5c3-a4f570acc97f	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	2a65558a-b30c-4cfe-b701-d46c503c87bf	Yes	
openapi-demo01-resource-openapi-demo01-PostureIQ-Dev-V100-AgentIdentity	2c06e13b-73be-4bc9-90b6-6b35722a379e	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	2d89e4d0-d14f-468e-acd6-e675ed01695b	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
FedRAMP-High-FoundryResource-FedRAMP-High-Foundry-Project-AgentIdentity	2e7508b9-e650-491c-b901-63ac39cf2fbc	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	3a0bfe2e-27a1-42e3-8071-3f14c17c0ab3	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	3b69c309-8ba8-43ac-8c89-938744dd994d	Yes	
searchiq-resource-searchiq-AgentIdentity	498d9666-4314-48ba-b4fb-975e47af3e0c	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	499d67a8-4d54-416f-962b-3f034a2a4ac3	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	52d41ad7-af8f-4673-845c-5a30b4a74255	Yes	
openapi-demo01-resource-openapi-demo01-AgentIdentity	5be276ae-e19b-440f-bdd6-caf0a5446e92	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	6817a18e-7264-46cf-b7be-6fea6ea091e5	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	6a302d4b-526b-4af8-b21a-339c4a1faaf0	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	6b1dc80f-1e41-4416-bf07-8516f841331e	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	73ff48c1-cfc8-44f1-a466-d099372b67ce	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	7463cf84-90e2-4a5b-b1d9-12bd872fd285	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	7474136e-e1fc-484a-845a-3265ec4b3c2f	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	78086a2e-04d1-4cc9-ad01-33dbedfcbcec	Yes	
openapi-demo01-resource-openapi-demo01-AzureDevOps-Assist-AgentIdentity	998ee667-bd51-4e31-a0d1-de6f17d4c966	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	9c218294-2cc2-4d7d-bb53-41fda92505ab	Yes	
openapi-demo01-resource-openapi-demo01-MicrosoftFoundryIQ-AgentIdentity	9dfabc12-4cd5-4d98-b51d-17ee6df66929	Yes	
openapi-demo01-resource-openapi-demo01-AzureStorageIQ-AgentIdentity	9f5e77a5-b5bb-482f-bf3c-9eb2fee33bc8	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	a9208d7f-4268-4328-a646-bd6dce895a48	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	ab73ce8c-9aa3-429b-9e35-8c56af5128af	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	aef95ed0-ea60-4113-885e-191270723bbc	Yes	
openapi-demo01-resource-openapi-demo01-Agent02-EntraResources-AgentIdentity	b22ba592-1034-4e22-9a3b-d3d2fce69d8b	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	b2d5ffb9-6c78-43e9-9a6d-8fdffec9b9ee	Yes	
ai-futureinitiative-resource-ai-futureinitiative-DataHalo-AgentIdentity	b6e5892f-335e-4cfc-8011-2a91e08017f1	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	b840bb0b-e74a-4091-8c87-5bb27762284b	Yes	
openapi-demo01-resource-openapi-demo01-AzureDevOpsIQ-V1-AgentIdentity	be8dbd36-6b12-4eaf-a75d-6501f622843a	Yes	
SecurityCopilotAgentIdentity-ac23d370-9a76-4e98-8b1d-11f5b88b3011	db4fbce8-5d8f-431f-b30b-93d1e3d11dcf	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	ddace7a4-c52c-4206-93bc-ed1a9d716652	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	e264149a-886f-4d37-8421-3f2652ca0ec0	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	e5a3c861-46aa-4b03-97d9-96630ce2ecb3	Yes	

NAME	APP ID	ENABLED	CREDENTIALS
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	edd1558b-2cb4-490d-890a-37b8b5bda5d6	Yes	
aifutureinitiative-resource-aifutureinitiative-AgentIdentity	edf6e990-b41b-4368-903f-cf748cb2a6b6	Yes	
openapi-demo01-resource-openapi-demo01-FoundryForge-AgentIdentity	efab2fd5-b574-46b2-9b4e-7ffd4eb0f9ec	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	f9c9f463-7b5a-4b3e-b0b5-428dfd2375f3	Yes	
ai-futureinitiative-resource-ai-futureinitiative-AgentIdentity	fb6b8c4d-30ce-4250-95e6-2957222413ae	Yes	
complisense-resource-complisense-AgentIdentity	fd171ab6-e703-4ef3-92a7-e4ae4bd3929a	Yes	

SocialIdp (1)

NAME	APP ID	ENABLED	CREDENTIALS
O365 LinkedIn Connection	f569b9c7-be15-4e87-86f7-87d30d02090b	No	

5. Compliance Results

5.1 Framework Summary

NIST Special Publication 800-53

37%

22/83 compliant

38 non-compliant

5.2 Domain Analysis

Access Control	Network Security	Governance & Risk	Identity & Authentication	Logging & Monitoring
40%	**60%**	**33%**	**86%**	**20%**
2/5 compliant	3/5 compliant 8 N/A	4/12 compliant 1 N/A	6/7 compliant 2 N/A	1/5 compliant

Data Protection	Change_Management	Asset_Management	Business_Continuity	Incident_Response

10%	50%	25%	0%	40%
1/10 compliant 10 N/A	2/4 compliant	1/4 compliant	0/3 compliant 1 N/A	2/5 compliant 1 N/A

5.3 Control Results (83)

How to read this table: Each row is a security control evaluated against the framework. Use the filters above to narrow results.

Severity indicates risk impact (Critical > High > Medium > Low). **Status** shows the evaluation result.

Description previews the primary observation. **Findings** counts distinct observations; **Resources** shows affected resources. Non-compliant controls have guidance in Section 7.

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
AC-2(7)	Privileged Account Management - PIM	NIST 800-53 Rev 5	Governance & Risk	CRITICAL	MISSING EVIDENCE		0	0
IA-2	Identification and Authentication (Organizational Users)	NIST 800-53 Rev 5	Identity & Authentication	CRITICAL	COMPLIANT	CA policy 'Multifactor authentication for Microsoft partners and vendors' enforces MFA for all users.	3	3
IA-2(1)	MFA Registration Coverage	NIST 800-53 Rev 5	Identity & Authentication	CRITICAL	COMPLIANT	MFA registration coverage adequate.	1	0
SC-28(5)b	Storage Container Access Control	NIST 800-53 Rev 5	Data Protection	CRITICAL	NON-COMPLIANT	Storage 'aifutureinitiative' has no lifecycle management rules.	18	0
SI-4	System Monitoring - Defender Plans	NIST 800-53 Rev 5	Governance & Risk	CRITICAL	NON-COMPLIANT	Auto-provisioning not enabled for all.	3	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
AC-17(3)	Web Application Remote Access Protection	NIST 800-53 Rev 5	Network Security	HIGH	NON-COMPLIANT	Web App 'aifutureinitiative' HTTP/2 not enabled.	5	5
AC-2	Account Management	NIST 800-53 Rev 5	Access Control	HIGH	NON-COMPLIANT	Total privileged accounts (267) exceeds recommended maximum of 20.	1	0
AC-2(4)	Automated Audit Actions - Access Reviews	NIST 800-53 Rev 5	Governance & Risk	HIGH	NON-COMPLIANT	No access reviews configured but privileged roles exist.	1	0
AC-20	Use of External Information Systems	NIST 800-53 Rev 5	Identity & Authentication	HIGH	COMPLIANT	Cross-tenant access policy configured with no external partners.	1	0
AC-3	Access Enforcement	NIST 800-53 Rev 5	Access Control	HIGH	COMPLIANT	RBAC configured with 6 active Conditional Access policies.	1	0
AC-6	Least Privilege	NIST 800-53 Rev 5	Access Control	HIGH	NON-COMPLIANT	Active high-privilege Entra role assignments (52) exceeds limit of 10.	3	0
AU-12(4)	Database Server Audit Configuration	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
AU-2	Event Logging	NIST 800-53 Rev 5	Logging & Monitoring	HIGH	NON-COMPLIANT	Diagnostic coverage 60% (50-79%, below 80% target).	1	0
AU-6(1)	Automated Process Integration - Monitoring Coverage	NIST 800-53 Rev 5	Logging & Monitoring	HIGH	NON-COMPLIANT	3 action groups with no receivers.	11	10

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
AU-6(6)	SQL Server Advanced Threat Detection and Auditing	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
CA-2	Control Assessments - Policy Compliance	NIST 800-53 Rev 5	Governance & Risk	HIGH	NON-COMPLIANT	216 custom policy definitions deployed.	2	0
CA-7(1)	Continuous Monitoring - Defender Posture	NIST 800-53 Rev 5	Governance & Risk	HIGH	NON-COMPLIANT	1131 unhealthy security assessments require attention.	1	0
CM-3	Configuration Change Control	NIST 800-53 Rev 5	Change Management	HIGH	COMPLIANT	216 custom policy definitions supporting change governance.	3	0
CM-5	Access Restrictions for Change	NIST 800-53 Rev 5	Change Management	HIGH	NON-COMPLIANT	48 resource groups exist but no resource locks are configured.	1	0
CM-7(2)	Least Functionality - AKS Security	NIST 800-53 Rev 5	Data Protection	HIGH	COMPLIANT	AKS security checks passed.	1	0
CM-7(6)	Container Registry Least Functionality	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	ACR 'acrwebia6nebdpvu5bm' content trust not enabled.	6	6
CP-10	System Recovery and Reconstitution	NIST 800-53 Rev 5	Business Continuity	HIGH	MISSING EVIDENCE		0	0
CP-2	Contingency Plan	NIST 800-53 Rev 5	Business Continuity	HIGH	NON-COMPLIANT	No Recovery Services vaults but 5 resources need backup protection.	1	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
CP-6	Alternate Storage Site	NIST 800-53 Rev 5	Business Continuity	HIGH	NON-COMPLIANT	20 storage account(s) without geo-redundant replication: appproxypoctmp94922, datalakeforsentinel01, mcapsb1e7483be9eee6...	1	0
CP-9	System Backup	NIST 800-53 Rev 5	Business Continuity	HIGH	NON-COMPLIANT	5/5 VMs without availability zones or sets: AppProxy-Conn, IIS-WebServer, vm-ecma2poc, vm01, vm02.	1	0
IA-2(6)	Identification - Workload Identity	NIST 800-53 Rev 5	Identity & Authentication	HIGH	COMPLIANT	Workload identity checks passed (100 federated creds, 112 managed identity SPs).	1	0
IA-4(1)	Service Principal Hygiene	NIST 800-53 Rev 5	Identity & Authentication	HIGH	NON-COMPLIANT	739 service principals without assigned owners.	1	0
IA-5	Authenticator Management	NIST 800-53 Rev 5	Identity & Authentication	HIGH	COMPLIANT	Authenticator management checks passed.	1	0
IA-5(1)	Authenticator Management - Methods	NIST 800-53 Rev 5	Identity & Authentication	HIGH	MISSING EVIDENCE		0	0
IR-4	Incident Handling	NIST 800-53 Rev 5	Incident Response	HIGH	COMPLIANT	2 alert rules configured for incident detection.	2	0
IR-4(1)	Incident Handling - Sentinel Monitoring	NIST 800-53 Rev 5	Incident Response	HIGH	NON-COMPLIANT	Evaluation error: type object 'Status' has no attribute 'INFO'	1	0
IR-5	Incident Monitoring	NIST 800-53 Rev 5	Incident Response	HIGH	NON-COMPLIANT	7 action group(s) exist but none have configured receivers.	2	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
IR-5(1)	Incident Monitoring - Alert Response	NIST 800-53 Rev 5	Incident Response	HIGH	COMPLIANT	Alert response coverage adequate: 18 alerts, 0 incidents.	1	0
IR-6	Incident Reporting	NIST 800-53 Rev 5	Incident Response	HIGH	MISSING EVIDENCE		0	0
RA-5	Vulnerability Monitoring and Scanning	NIST 800-53 Rev 5	Governance & Risk	HIGH	COMPLIANT	Vulnerability scanning (Defender for VMs + SQL) enabled.	1	0
SA-10(2)	Container Registry Image Configuration Management	NIST 800-53 Rev 5	Network Security	HIGH	NON-COMPLIANT	ACR 'acrwebia6nebdpvu5bm' — all 2 repositories have mutable tags.	2	0
SA-9(5)	AI Model Deployment Governance	NIST 800-53 Rev 5	Governance & Risk	HIGH	COMPLIANT	All 5 AI deployments have content filtering and rate limits.	1	0
SC-28	Protection of Information at Rest	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	VM 'AppProxy-Conn' OS disk not encrypted.	5	5
SC-28(1)	Cryptographic Protection - VM Security	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	VM 'AppProxy-Conn' OS disk not encrypted.	7	7
SC-28(2)	Offline Storage - SQL Security	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
SC-28(3)	AI Services Data Protection	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	AI account 'ESIQNew-AI' has no managed identity.	70	70

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
SC-28(3)	Protection of Information at Rest - Cache Security	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE	AI account 'ESIQNew-AI' has no managed identity.	0	70
SC-28(4)	Storage Account Cryptographic Protection	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	Storage 'aifutureinitiative' blob soft delete not enabled.	71	71
SC-28(4)	Protection of Information - CosmosDB Advanced	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE	Storage 'aifutureinitiative' blob soft delete not enabled.	0	71
SC-28(5)	Cosmos DB Cryptographic Protection	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
SC-28(6)	Database Server Protection	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
SC-7	Boundary Protection	NIST 800-53 Rev 5	Network Security	HIGH	COMPLIANT	Network segmentation: 7 VNets, 17 NSG rules with no open-all inbound.	1	0
SC-7(11)	Restrict Incoming Communications - Firewall	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SC-7(21)	ML Workspace Network Isolation	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SC-7(22)	Container App Boundary Protection	NIST 800-53 Rev 5	Network Security	HIGH	COMPLIANT	All 3 Container Apps pass network security checks.	1	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
SC-7(23)	Application Gateway WAF Boundary Protection	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SC-7(24)	Boundary Protection - Function App Security	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
SC-7(25)	Boundary Protection - AKS Advanced	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SC-7(26)	Boundary Protection - API Management	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SC-7(27)	Boundary Protection - Front Door and CDN	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SC-7(29)	Boundary Protection - Data Analytics	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0
SC-8	Transmission Confidentiality and Integrity	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	Web app 'aifutureinitiative' TLS version (1.0) < 1.2.	2	2
SC-8(1)	Cryptographic Protection - Web App Security	NIST 800-53 Rev 5	Data Protection	HIGH	NON-COMPLIANT	Web app 'aifutureinitiative' FTP allowed.	4	4
SC-8(2)	Transmission Confidentiality - Messaging Services	NIST 800-53 Rev 5	Data Protection	HIGH	MISSING EVIDENCE		0	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
SC-8(3)	API Management Transmission Confidentiality	NIST 800-53 Rev 5	Network Security	HIGH	MISSING EVIDENCE		0	0
SI-3(10)	AI Content Safety	NIST 800-53 Rev 5	Governance & Risk	HIGH	NON-COMPLIANT	Evaluation error: type object 'Status' has no attribute 'INFO'	1	0
SI-4(5)	System-Generated Alerts - Risky User Detection	NIST 800-53 Rev 5	Identity & Authentication	HIGH	MISSING EVIDENCE		0	0
AC-12	Session Termination	NIST 800-53 Rev 5	Access Control	MEDIUM	COMPLIANT	Session management policies: 1 with session controls.	1	0
AC-6(10)	Managed Identity Hygiene	NIST 800-53 Rev 5	Access Control	MEDIUM	NON-COMPLIANT	5 managed identities in use alongside 1138 service principal assignments.	2	0
AT-2	Security Awareness Training	NIST 800-53 Rev 5	Governance & Risk	MEDIUM	NON-COMPLIANT	No Terms of Use agreements configured for security awareness acknowledgement.	1	0
AU-11	Audit Record Retention	NIST 800-53 Rev 5	Logging & Monitoring	MEDIUM	NON-COMPLIANT	Log Analytics 'DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS' retention 30d < 90 days.	15	15
AU-6	Audit Record Review, Analysis, and Reporting	NIST 800-53 Rev 5	Logging & Monitoring	MEDIUM	COMPLIANT	50 resources export to Log Analytics.	1	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
CA-2(2)	Regulatory Compliance Assessment	NIST 800-53 Rev 5	Governance & Risk	MEDIUM	NON-COMPLIANT	Regulatory standard 'Azure-CIS-Controls-v8.1': 26% (23/87) compliance.	16	0
CA-7	Continuous Monitoring	NIST 800-53 Rev 5	Governance & Risk	MEDIUM	COMPLIANT	Continuous monitoring: 180 policies, 83 diagnostic configs.	1	0
CM-2	Baseline Configuration	NIST 800-53 Rev 5	Governance & Risk	MEDIUM	COMPLIANT	Baseline: 180 policies, 104 initiatives.	1	0
CM-3(2)	Configuration Change Tracking	NIST 800-53 Rev 5	Change Management	MEDIUM	COMPLIANT	50 diagnostic settings route to Log Analytics for change retention.	2	0
CM-3(4)	Configuration Policy Enforcement	NIST 800-53 Rev 5	Change Management	MEDIUM	NON-COMPLIANT	Policy compliance rate 16% (<50%) — change enforcement is weak.	1	0
CM-8(1)	Updates During Installation and Removal	NIST 800-53 Rev 5	Asset Management	MEDIUM	NON-COMPLIANT	5 managed identities inventoried.	3	0
CM-8(4)	Resource Group Governance	NIST 800-53 Rev 5	Governance & Risk	MEDIUM	NON-COMPLIANT	Resource group tagging (12%) below 80% threshold (6/48).	1	0
IA-4(9)	Identifier Management - Managed Identities	NIST 800-53 Rev 5	Identity & Authentication	MEDIUM	COMPLIANT	Managed identity hygiene checks passed (112 SPs, 5 identities).	1	0
IR-8	Incident Response Plan	NIST 800-53 Rev 5	Incident Response	MEDIUM	NON-COMPLIANT	10 Log Analytics workspace(s) available for investigation.	3	0
PM-5	System Inventory	NIST 800-53 Rev 5	Asset Management	MEDIUM	NON-COMPLIANT	69 Entra ID application registrations inventoried.	3	0

CONTROL	TITLE	FRAMEWORK	DOMAIN	SEVERITY	STATUS	DESCRIPTION	FINDINGS	RESOURCES
RA-2	Security Categorization	NIST 800-53 Rev 5	Asset Management	MEDIUM	NON-COMPLIANT	No resources have data classification tags (e.g., 'data-classification', 'sensitivity').	2	0
RA-3(4)	Data Classification and Protection	NIST 800-53 Rev 5	Data Protection	MEDIUM	NON-COMPLIANT	Evaluation error: type object 'Status' has no attribute 'INFO'	1	0
SA-4	Authorized Software Policy	NIST 800-53 Rev 5	Asset Management	MEDIUM	COMPLIANT	104 policy initiative(s) for comprehensive resource governance.	2	0
SC-16	Transmission of Security Attributes - DNS	NIST 800-53 Rev 5	Network Security	MEDIUM	MISSING EVIDENCE		0	0
SC-7(13)	Isolation of Security Tools - Route Security	NIST 800-53 Rev 5	Network Security	MEDIUM	COMPLIANT	Route table security passed.	1	0
SI-4(7)	Automated Response to Suspicious Events	NIST 800-53 Rev 5	Logging & Monitoring	MEDIUM	NON-COMPLIANT	2 enabled alerts have no action groups attached.	1	0

6. Resource-Level Compliance Details

Per-resource compliance status extracted from evaluation findings. Use the search box to filter by resource name, type, or status.

211	51	3
RESOURCE FINDINGS	NON-COMPLIANT RESOURCES	FULLY COMPLIANT RESOURCES

Search by resource name, type, control, or status...

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
aifutureinitiative	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'aifutureinitiative' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
appproxypoctmp94922	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'appproxypoctmp94922' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
azurestoragetestdata	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'azurestoragetestdata' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
datalakeforsentinel01	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'datalakeforsentinel01' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
esiqnewstorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'esiqnewstorage' has no containers with immutability policies.	Configure immutability policies on containers storing regulated data.
esiqnewstorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'esiqnewstorage' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
fedramphighdataforrag	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'fedramphighdataforrag' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
mcapsa4a098b1e04fafd0	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'mcapsa4a098b1e04fafd0' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
mcapsb1e7483be9eee6d2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'mcapsb1e7483be9eee6d2' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
mcapsb6831508e1268aee	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'mcapsb6831508e1268aee' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
mcapsbbea3fee1c872b88	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'mcapsbbea3fee1c872b88' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
rgazureaifoundaryfea706	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'rgazureaifoundaryfea706' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
stecma2poclkxerbapuxyv2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'stecma2poclkxerbapuxyv2' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
stevdia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'stevdia6nebdpvu5bm' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
storew7fy4po6bcxgc	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'storew7fy4po6bcxgc' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
tenantcompliancestorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'tenantcompliancestorage' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
vnetflowlogsstorageinfr2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'vnetflowlogsstorageinfr2' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
vnetflowlogsstorageinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(5)b	CRITICAL	Storage 'vnetflowlogsstorageinfra' has no lifecycle management rules.	Configure lifecycle management policies for data retention and tiering.
aifutureinitiative	Microsoft.Web/sites	Non-Compliant	AC-17(3)	HIGH	Web App 'aifutureinitiative' HTTP/2 not enabled.	Enable HTTP/2 for improved performance and security.
aifutureinitiative	Microsoft.Web/sites	Non-Compliant	AC-17(3)	HIGH	Web App 'aifutureinitiative' has no diagnostic logging enabled.	Enable application and/or HTTP logging for the Web App.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
func-ecma2poc-lkxerbapuxyv2	Microsoft.Web/sites	Non-Compliant	AC-17(3)	HIGH	Web App 'func-ecma2poc-lkxerbapuxyv2' App Service Authentication disabled.	Enable App Service Authentication (EasyAuth) or integrate with Entra ID.
func-ecma2poc-lkxerbapuxyv2	Microsoft.Web/sites	Non-Compliant	AC-17(3)	HIGH	Web App 'func-ecma2poc-lkxerbapuxyv2' HTTP/2 not enabled.	Enable HTTP/2 for improved performance and security.
func-ecma2poc-lkxerbapuxyv2	Microsoft.Web/sites	Non-Compliant	AC-17(3)	HIGH	Web App 'func-ecma2poc-lkxerbapuxyv2' has no diagnostic logging enabled.	Enable application and/or HTTP logging for the Web App.
acrwebia6nebdpvu5bm	Microsoft.ContainerRegistry/registries	Non-Compliant	SA-10(2)	HIGH	ACR 'acrwebia6nebdpvu5bm' — all 2 repositories have mutable tags.	Configure tag immutability to prevent image tag overwriting.
esiqnewacr	Microsoft.ContainerRegistry/registries	Non-Compliant	SA-10(2)	HIGH	ACR 'esiqnewacr' — all 2 repositories have mutable tags.	Configure tag immutability to prevent image tag overwriting.
acrwebia6nebdpvu5bm	Microsoft.ContainerRegistry/registries	Non-Compliant	CM-7(6)	HIGH	ACR 'acrwebia6nebdpvu5bm' content trust not enabled.	Enable content trust to verify image integrity.
acrwebia6nebdpvu5bm	Microsoft.ContainerRegistry/registries	Non-Compliant	CM-7(6)	HIGH	ACR 'acrwebia6nebdpvu5bm' public network access enabled.	Disable public network access. Use private endpoints.
d33fc1aaifutureinitiative1f50acr	Microsoft.ContainerRegistry/registries	Non-Compliant	CM-7(6)	HIGH	ACR 'd33fc1aaifutureinitiative1f50acr' content trust not enabled.	Enable content trust to verify image integrity.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
d33fc1aaifutureinitiative1f50acr	`Microsoft.ContainerRegistry/registries`	Non-Compliant	CM-7(6)	HIGH	ACR 'd33fc1aaifutureinitiative1f50acr' public network access enabled.	Disable public network access. Use private endpoints.
esiqnewacr	`Microsoft.ContainerRegistry/registries`	Non-Compliant	CM-7(6)	HIGH	ACR 'esiqnewacr' content trust not enabled.	Enable content trust to verify image integrity.
esiqnewacr	`Microsoft.ContainerRegistry/registries`	Non-Compliant	CM-7(6)	HIGH	ACR 'esiqnewacr' public network access enabled.	Disable public network access. Use private endpoints.
AppProxy-Conn	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28	HIGH	VM 'AppProxy-Conn' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
IIS-WebServer	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28	HIGH	VM 'IIS-WebServer' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
vm-ecma2poc	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28	HIGH	VM 'vm-ecma2poc' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
vm01	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28	HIGH	VM 'vm01' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
vm02	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28	HIGH	VM 'vm02' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
AppProxy-Conn	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'AppProxy-Conn' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
AppProxy-Conn	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'AppProxy-Conn' boot diagnostics disabled.	Enable boot diagnostics on the VM for troubleshooting support.
IIS-WebServer	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'IIS-WebServer' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
IIS-WebServer	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'IIS-WebServer' boot diagnostics disabled.	Enable boot diagnostics on the VM for troubleshooting support.
vm-ecma2poc	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'vm-ecma2poc' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
vm01	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'vm01' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
vm02	`Microsoft.Compute/virtualMachines`	Non-Compliant	SC-28(1)	HIGH	VM 'vm02' OS disk not encrypted.	Enable Azure Disk Encryption (ADE) or host-based encryption on the VM.
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
ESIQNew-AI	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ESIQNew-AI' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
FedRAMP-High-FoundryResource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'FedRAMP-High-FoundryResource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
ai-futureinitiative-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'ai-futureinitiative-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
complisense-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'complisense-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
dlg-foundry-eus2	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'dlg-foundry-eus2' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
fdy-ia6nebdpvu5bm	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fdy-ia6nebdpvu5bm' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
fedramp-high-openai	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'fedramp-high-openai' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
openapi-demo01-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'openapi-demo01-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
postureiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'postureiq-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' has no managed identity.	Enable a managed identity on the Cognitive Services account for secure authentication.
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' has no network restrictions (default action: Allow).	Configure network ACLs to deny by default on the Cognitive Services account.
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' not using customer-managed key encryption.	Enable customer-managed key (CMK) encryption on the Cognitive Services account.
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
searchiq-resource	`Microsoft.CognitiveServices/accounts`	Non-Compliant	SC-28(3)	HIGH	AI account 'searchiq-resource' public network access enabled.	Disable public network access on the Cognitive Services account. Use private endpoints.
aifutureinitiative	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'aifutureinitiative' blob soft delete not enabled.	Enable blob soft delete for data recovery.
aifutureinitiative	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'aifutureinitiative' container soft delete not enabled.	Enable container soft delete for data recovery.
aifutureinitiative	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'aifutureinitiative' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
aifutureinitiative	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'aifutureinitiative' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
appproxypoctmp94922	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'appproxypoctmp94922' blob soft delete not enabled.	Enable blob soft delete for data recovery.
appproxypoctmp94922	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'appproxypoctmp94922' container soft delete not enabled.	Enable container soft delete for data recovery.
appproxypoctmp94922	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'appproxypoctmp94922' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
appproxypoctmp94922	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'appproxypoctmp94922' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
azurestoragetestdata	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'azurestoragetestdata' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
azurestoragetestdata	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'azurestoragetestdata' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
datalakeforsentinel01	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'datalakeforsentinel01' blob soft delete not enabled.	Enable blob soft delete for data recovery.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
datalakeforsentinel01	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'datalakeforsentinel01' container soft delete not enabled.	Enable container soft delete for data recovery.
datalakeforsentinel01	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'datalakeforsentinel01' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
datalakeforsentinel01	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'datalakeforsentinel01' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
esiqnewstorage	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'esiqnewstorage' blob soft delete not enabled.	Enable blob soft delete for data recovery.
esiqnewstorage	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'esiqnewstorage' container soft delete not enabled.	Enable container soft delete for data recovery.
esiqnewstorage	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'esiqnewstorage' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
esiqnewstorage	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'esiqnewstorage' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
fedramphighdataforrag	`Microsoft.Storage/storageAccounts`	Non-Compliant	SC-28(4)	HIGH	Storage 'fedramphighdataforrag' blob soft delete not enabled.	Enable blob soft delete for data recovery.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
fedramphighdataforrag	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'fedramphighdataforrag' container soft delete not enabled.	Enable container soft delete for data recovery.
fedramphighdataforrag	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'fedramphighdataforrag' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
fedramphighdataforrag	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'fedramphighdataforrag' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
mcapsa4a098b1e04fafd0	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsa4a098b1e04fafd0' blob soft delete not enabled.	Enable blob soft delete for data recovery.
mcapsa4a098b1e04fafd0	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsa4a098b1e04fafd0' container soft delete not enabled.	Enable container soft delete for data recovery.
mcapsa4a098b1e04fafd0	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsa4a098b1e04fafd0' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
mcapsa4a098b1e04fafd0	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsa4a098b1e04fafd0' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
mcapsb1e7483be9eee6d2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb1e7483be9eee6d2' blob soft delete not enabled.	Enable blob soft delete for data recovery.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
mcapsb1e7483be9eee6d2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb1e7483be9eee6d2' container soft delete not enabled.	Enable container soft delete for data recovery.
mcapsb1e7483be9eee6d2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb1e7483be9eee6d2' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
mcapsb1e7483be9eee6d2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb1e7483be9eee6d2' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
mcapsb6831508e1268aee	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb6831508e1268aee' blob soft delete not enabled.	Enable blob soft delete for data recovery.
mcapsb6831508e1268aee	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb6831508e1268aee' container soft delete not enabled.	Enable container soft delete for data recovery.
mcapsb6831508e1268aee	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb6831508e1268aee' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
mcapsb6831508e1268aee	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsb6831508e1268aee' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
mcapsbbea3fee1c872b88	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsbbea3fee1c872b88' blob soft delete not enabled.	Enable blob soft delete for data recovery.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
mcapsbbea3fee1c872b88	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsbbea3fee1c872b88' container soft delete not enabled.	Enable container soft delete for data recovery.
mcapsbbea3fee1c872b88	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsbbea3fee1c872b88' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
mcapsbbea3fee1c872b88	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'mcapsbbea3fee1c872b88' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
nsgflowlogsstorageinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'nsgflowlogsstorageinfra' blob soft delete not enabled.	Enable blob soft delete for data recovery.
nsgflowlogsstorageinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'nsgflowlogsstorageinfra' container soft delete not enabled.	Enable container soft delete for data recovery.
nsgflowlogsstorageinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'nsgflowlogsstorageinfra' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
nsgflowlogsstorageinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'nsgflowlogsstorageinfra' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
rgazureaifoundaryfea706	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'rgazureaifoundaryfea706' blob soft delete not enabled.	Enable blob soft delete for data recovery.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
rgazureaifoundaryfea706	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'rgazureaifoundaryfea706' container soft delete not enabled.	Enable container soft delete for data recovery.
rgazureaifoundaryfea706	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'rgazureaifoundaryfea706' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
rgazureaifoundaryfea706	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'rgazureaifoundaryfea706' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
stecma2poclkxerbapuxyv2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stecma2poclkxerbapuxyv2' blob soft delete not enabled.	Enable blob soft delete for data recovery.
stecma2poclkxerbapuxyv2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stecma2poclkxerbapuxyv2' container soft delete not enabled.	Enable container soft delete for data recovery.
stecma2poclkxerbapuxyv2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stecma2poclkxerbapuxyv2' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
stecma2poclkxerbapuxyv2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stecma2poclkxerbapuxyv2' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
stevdia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stevdia6nebdpvu5bm' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
stevdia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stevdia6nebdpvu5bm' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
storew7fy4po6bcxgc	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'storew7fy4po6bcxgc' blob soft delete not enabled.	Enable blob soft delete for data recovery.
storew7fy4po6bcxgc	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'storew7fy4po6bcxgc' container soft delete not enabled.	Enable container soft delete for data recovery.
storew7fy4po6bcxgc	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'storew7fy4po6bcxgc' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
storew7fy4po6bcxgc	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'storew7fy4po6bcxgc' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
stswia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stswia6nebdpvu5bm' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
stswia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stswia6nebdpvu5bm' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
stwjia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stwjia6nebdpvu5bm' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
stwjia6nebdpvu5bm	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'stwjia6nebdpvu5bm' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
tenantcompliancestorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'tenantcompliancestorage' blob soft delete not enabled.	Enable blob soft delete for data recovery.
tenantcompliancestorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'tenantcompliancestorage' container soft delete not enabled.	Enable container soft delete for data recovery.
tenantcompliancestorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'tenantcompliancestorage' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
tenantcompliancestorage	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'tenantcompliancestorage' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
vnetflowlogsstorageinfr2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfr2' blob soft delete not enabled.	Enable blob soft delete for data recovery.
vnetflowlogsstorageinfr2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfr2' container soft delete not enabled.	Enable container soft delete for data recovery.
vnetflowlogsstorageinfr2	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfr2' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
vnetflowlogsstoragеinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfra' blob soft delete not enabled.	Enable blob soft delete for data recovery.
vnetflowlogsstoragеinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfra' container soft delete not enabled.	Enable container soft delete for data recovery.
vnetflowlogsstoragеinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfra' has no network firewall (default action: Allow).	Configure the storage account firewall to deny by default.
vnetflowlogsstoragеinfra	Microsoft.Storage/storageAccounts	Non-Compliant	SC-28(4)	HIGH	Storage 'vnetflowlogsstorageinfra' infrastructure encryption not enabled.	Enable infrastructure encryption (double encryption) on the storage account.
aifutureinitiative	Microsoft.Web/sites	Non-Compliant	SC-8	HIGH	Web app 'aifutureinitiative' TLS version (1.0) < 1.2.	Set minimum TLS version to 1.2 in the web app Configuration > General settings.
func-ecma2poc-lkxerbapuxyv2	Microsoft.Web/sites	Non-Compliant	SC-8	HIGH	Web app 'func-ecma2poc-lkxerbapuxyv2' TLS version (1.0) < 1.2.	Set minimum TLS version to 1.2 in the web app Configuration > General settings.
aifutureinitiative	Microsoft.Web/sites	Non-Compliant	SC-8(1)	HIGH	Web app 'aifutureinitiative' FTP allowed.	Disable FTP or set FTPS-only on the web app.
aifutureinitiative	Microsoft.Web/sites	Non-Compliant	SC-8(1)	HIGH	Web app 'aifutureinitiative' TLS < 1.2.	Set minimum TLS version to 1.2 in the web app settings.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
func-ecma2poc-lkxerbapuxyv2	`Microsoft.Web/sites`	Non-Compliant	`SC-8(1)`	HIGH	Web app 'func-ecma2poc-lkxerbapuxyv2' FTP allowed.	Disable FTP or set FTPS-only on the web app.
func-ecma2poc-lkxerbapuxyv2	`Microsoft.Web/sites`	Non-Compliant	`SC-8(1)`	HIGH	Web app 'func-ecma2poc-lkxerbapuxyv2' TLS < 1.2.	Set minimum TLS version to 1.2 in the web app settings.
R-LogAnalyticsWorkspace	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
log-ia6nebdpvu5bm	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
log-ecma2poc	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
log-ecma2poc	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-CUS	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS2	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
ESIQNew-law	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
law-aifutureinitiative	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-6(1)`	HIGH	Log Analytics retention (30d) < 90 days.	Increase Log Analytics workspace retention to at least 90 days.
DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	`AU-11`	MEDIUM	Log Analytics 'DefaultWorkspace-9154cdcb-5a52-452a-b1e7-483be9eee6d2-EUS' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-CUS	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-CUS' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS2	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'DefaultWorkspace-d33fc1a7-56aa-4c30-a4a0-98b1e04fafd0-EUS2' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
ESIQNew-law	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'ESIQNew-law' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
R-LogAnalyticsWorkspace	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'R-LogAnalyticsWorkspace' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
law-aifutureinitiative	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'law-aifutureinitiative' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
log-ecma2poc	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'log-ecma2poc' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
log-ecma2poc	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'log-ecma2poc' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
log-ia6nebdpvu5bm	`Microsoft.OperationalInsights/workspaces`	Non-Compliant	AU-11	MEDIUM	Log Analytics 'log-ia6nebdpvu5bm' retention 30d < 90 days.	Increase retention to ≥90 days for compliance.
VNet1-rg-poc-sentinel-flowlog	`Microsoft.Network/networkWatchers/flowLogs`	Non-Compliant	AU-11	MEDIUM	NSG flow log 'VNet1-rg-poc-sentinel-flowlog' retention 0d < 90 days.	Increase NSG flow log retention to ≥90 days.
new-nsg_flowlog	`Microsoft.Network/networkWatchers/flowLogs`	Non-Compliant	AU-11	MEDIUM	NSG flow log 'new-nsg_flowlog' retention 60d < 90 days.	Increase NSG flow log retention to ≥90 days.
vm01-vnet-rg-poc-sentinel-flowlog	`Microsoft.Network/networkWatchers/flowLogs`	Non-Compliant	AU-11	MEDIUM	NSG flow log 'vm01-vnet-rg-poc-sentinel-flowlog' retention 0d < 90 days.	Increase NSG flow log retention to ≥90 days.
vm02-vnet-vm02_group-flowlog	`Microsoft.Network/networkWatchers/flowLogs`	Non-Compliant	AU-11	MEDIUM	NSG flow log 'vm02-vnet-vm02_group-flowlog' retention 0d < 90 days.	Increase NSG flow log retention to ≥90 days.
vnet-ecma2poc-rg-ecma2-poc-flowlog	`Microsoft.Network/networkWatchers/flowLogs`	Non-Compliant	AU-11	MEDIUM	NSG flow log 'vnet-ecma2poc-rg-ecma2-poc-flowlog' retention 30d < 90 days.	Increase NSG flow log retention to ≥90 days.

RESOURCE NAME	RESOURCE TYPE	STATUS	CONTROL	SEVERITY	REASON	REMEDIATION
Multifactor authentication for Microsoft partners and vendors	`Entra/ConditionalAccessPolicy`	Compliant	`IA-2`	CRITICAL	CA policy 'Multifactor authentication for Microsoft partners and vendors' enforces MFA for all users.	
Reauthentication on signin risk for Microsoft partners and vendors	`Entra/ConditionalAccessPolicy`	Compliant	`IA-2`	CRITICAL	CA policy 'Reauthentication on signin risk for Microsoft partners and vendors' enforces MFA for all users.	
Secure password change on high user risk for Microsoft partners and vendors	`Entra/ConditionalAccessPolicy`	Compliant	`IA-2`	CRITICAL	CA policy 'Secure password change on high user risk for Microsoft partners and vendors' enforces MFA for all users.	

Showing 218 of 218 resource findings.

7. Remediation Plan

Effort Summary

SEVERITY	FINDINGS	CONTROLS	RESOURCES	PRIORITY	TIMELINE
CRITICAL	21	2	11	P0	Immediate (0-14 days)
HIGH	200	24	180	P1	Urgent (0-30 days)
MEDIUM	42	12	15	P2	Short-term (30-90 days)

⚠ Immediate Actions (0-30 days)

#	CONTROL	TITLE	SEVERITY	RECOMMENDATION	TIMELINE
1	`SC-28(5)b`	Storage Container Access Control	CRITICAL	Configure lifecycle management policies for data retention and tiering.	0-14 days
2	`SC-28(5)b`	Storage Container Access Control	CRITICAL	Configure immutability policies on containers storing regulated data.	0-14 days

🕓 Short-Term Actions (30-90 days)

Address the remaining **12** medium-severity controls. Focus on domains with the highest gap counts first.

🔄 Continuous Improvement

1. **Re-assess after remediation** to verify fixes and update scores.
2. **Automate enforcement** via Azure Policy `Deny` / `DeployIfNotExists` assignments.
3. **Schedule regular scans** — integrate into CI/CD or run monthly.
4. **Consider phased remediation** — with 263 findings, prioritise critical/high first, then tackle medium/low in subsequent sprints.

8. Evidence Gaps

Missing Evidence (23 controls)

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
AC-2(7)	CRITICAL	NIST-800-53	Feature Not Configured	PIM Eligible Role Assignments	No PIM eligible role assignments were returned from Microsoft Graph. This typically means Privileged Identity Management (PIM) has not been onboarded in the tenant. If the tenant has Entra ID P2 licenses (standalone or via M365 E5 / EMS E5), PIM is available but requires a one-time activation. All privileged roles are currently standing (permanent) assignments with no just-in-time activation workflow.	▼ Resolution Steps 1. Open Entra admin center → Identity Governance → Privileged Identity Management. 2. Click 'Consent to PIM' if prompted (first-time onboarding). 3. Convert standing Global Admin and other privileged role assignments to PIM-eligible. 4. Configure activation rules: require MFA, set max duration (e.g. 8 hours), require justification.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
AU-12(4)	HIGH	NIST-800-53	Feature Not Configured	Azure Database Config	No data was collected for evidence type 'azure-database-config'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-database-config' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.
AU-6(6)	HIGH	NIST-800-53	Feature Not Configured	Azure Sql Detailed	No data was collected for evidence type 'azure-sql-detailed'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-sql-detailed' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
CP-10	HIGH	NIST-800-53	Feature Not Configured	Azure SQL Servers, Azure Sql Detailed, Azure Database Server	No Azure SQL Server resources were found. If the environment does not use Azure SQL Database, this evidence type is not applicable.	▼ Resolution Steps 1. If Azure SQL is not in use, this can be classified as 'Not Applicable'. 2. If Azure SQL is expected, verify the scanning account has Reader access to the subscriptions containing SQL resources. 3. Check for SQL Managed Instances or other database services that may be in use. 1. Verify that the feature or resource related to 'azure-sql-detailed' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-database-server' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
						for any errors during data collection.
IA-5(1)	HIGH	NIST-800-53	Feature Not Configured	Entra Auth Methods Policy, Entra Auth Strength Policy	No data was collected for evidence type 'entra-auth-methods-policy'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'entra-auth-methods-policy' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'entra-auth-strength-policy' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
IR-6	HIGH	NIST-800-53	Feature Not Configured	Defender Security Contact	No security contact configuration was found for Defender for Cloud. Email notifications for security alerts may not be configured.	▼ Resolution Steps 1. Azure Portal → Microsoft Defender for Cloud → Environment Settings. 2. Select subscription → Email notifications. 3. Add security contact email(s) and enable notifications for high-severity alerts.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-16	MEDIUM	NIST-800-53	Feature Not Configured	Azure Dns Zone, Azure Private Dns Zone, Azure Traffic Manager	No data was collected for evidence type 'azure-dns-zone'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-dns-zone' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-private-dns-zone' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-traffic-manager' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-28(2)	HIGH	NIST-800-53	Feature Not Configured	Azure SQL Servers, Azure Sql Tde, Azure Sql Database, Azure Sql Firewall, Azure Sql Auditing, Azure Sql Vulnerability, Azure Sql Advanced Threat	No Azure SQL Server resources were found. If the environment does not use Azure SQL Database, this evidence type is not applicable.	▼ Resolution Steps 1. If Azure SQL is not in use, this can be classified as 'Not Applicable'. 2. If Azure SQL is expected, verify the scanning account has Reader access to the subscriptions containing SQL resources. 3. Check for SQL Managed Instances or other database services that may be in use. 1. Verify that the feature or resource related to 'azure-sql-tde' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-sql-database' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
						for any errors during data collection. 1. Verify that the feature or resource related to 'azure-sql-firewall' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-sql-auditing' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-sql-vulnerability' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
						or resource related to 'azure-sql-advanced-threat' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.
SC-28(3)	HIGH	NIST-800-53	Feature Not Configured	Azure Redis Cache	No data was collected for evidence type 'azure-redis-cache'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-redis-cache' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-28(4)	HIGH	NIST-800-53	Feature Not Configured	Azure Cosmosdb Account, Azure Cosmosdb Database, Azure Cosmosdb Container, Azure Cosmosdb Role Assignment	No data was collected for evidence type 'azure-cosmosdb-account'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-cosmosdb-account' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-cosmosdb-database' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-cosmosdb-container' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
						collection. 1. Verify that the feature or resource related to 'azure-cosmosdb-role-assignment' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.
SC-28(5)	HIGH	NIST-800-53	Feature Not Configured	Azure Cosmosdb Account	No data was collected for evidence type 'azure-cosmosdb-account'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-cosmosdb-account' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-28(6)	HIGH	NIST-800-53	Feature Not Configured	Azure Database Server	No data was collected for evidence type 'azure-database-server'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-database-server' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.
SC-7(11)	HIGH	NIST-800-53	Resource Not Deployed	Azure Firewall	No Azure Firewall resources were found in the subscriptions scanned. This does not necessarily indicate non-compliance — the environment may use NSGs, NVAs, or third-party firewalls instead.	▼ Resolution Steps 1. If Azure Firewall is required by your compliance framework, deploy one in a hub VNet. 2. If using alternative firewall solutions (NSGs, Palo Alto, Fortinet), document this as a compensating control. 3. No action needed if network security is enforced via other means.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(21)	HIGH	NIST-800-53	Feature Not Configured	Azure Ml Workspace	No data was collected for evidence type 'azure-ml-workspace'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-ml-workspace' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(23)	HIGH	NIST-800-53	Feature Not Configured	Azure App Gateway, Azure Waf Policy	No data was collected for evidence type 'azure-app-gateway'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-app-gateway' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-waf-policy' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(24)	HIGH	NIST-800-53	Feature Not Configured	Azure Function App, Azure Function Detail	No data was collected for evidence type 'azure-function-app'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-function-app' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-function-detail' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(25)	HIGH	NIST-800-53	Feature Not Configured	Azure Aks Cluster Config, Azure Aks Node Pool, Azure Aks Addon	No data was collected for evidence type 'azure-aks-cluster-config'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-aks-cluster-config' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-aks-node-pool' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-aks-addon' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(26)	HIGH	NIST-800-53	Feature Not Configured	Azure Apim Service, Azure Apim Api, Azure Apim Certificate, Azure Apim Named Value	No data was collected for evidence type 'azure-apim-service'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-apim-service' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-apim-api' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-apim-certificate' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
						1. Verify that the feature or resource related to 'azure-apim-named-value' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(27)	HIGH	NIST-800-53	Feature Not Configured	Azure Front Door, Azure Waf Policy, Azure Cdn Profile, Azure Cdn Endpoint	No data was collected for evidence type 'azure-front-door'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-front-door' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-waf-policy' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-cdn-profile' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
						'azure-cdn-endpoint' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-7(29)	HIGH	NIST-800-53	Feature Not Configured	Azure Synapse Workspace, Azure Data Factory, Azure Databricks Workspace	No data was collected for evidence type 'azure-synapse-workspace'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-synapse-workspace' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-data-factory' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-databricks-workspace' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-8(2)	HIGH	NIST-800-53	Feature Not Configured	Azure Servicebus Namespace, Azure Eventhub Namespace	No data was collected for evidence type 'azure-servicebus-namespace'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-servicebus-namespace' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection. 1. Verify that the feature or resource related to 'azure-eventhub-namespace' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SC-8(3)	HIGH	NIST-800-53	Feature Not Configured	Azure Apim Instance	No data was collected for evidence type 'azure-apim-instance'. The collector may have returned empty results due to the resource or feature not being present in the environment.	▼ Resolution Steps 1. Verify that the feature or resource related to 'azure-apim-instance' exists in your environment. 2. Check that the scanning account has sufficient permissions. 3. Review collector logs for any errors during data collection.

CONTROL	SEVERITY	FRAMEWORK	CATEGORY	EVIDENCE TYPES	EXPLANATION	RESOLUTION
SI-4(5)	HIGH	NIST-800-53	License / Feature Required	Risky Users (Identity Protection), Risk Detections (Identity Protection)	No risky user data was returned from the Identity Protection API. If the tenant has Entra ID P2 (via M365 E5 / EMS E5), Identity Protection is available but the sign-in risk and user risk policies may not be enabled, or there are genuinely no risky users detected (which is a positive finding).	▼ Resolution Steps 1. Open Entra admin center → Protection → Identity Protection. 2. Enable the Sign-in risk policy (e.g. block high risk, require MFA for medium). 3. Enable the User risk policy (e.g. require password change for high risk). 4. If no risky users appear in the portal, the API result is accurate (no risk detected). 1. Verify Entra ID P2 license is active. 2. Enable sign-in risk and user risk policies in Identity Protection. 3. Check Entra admin center → Protection → Identity Protection → Risk detections. 4. If the portal shows no detections, the result is accurate.