

Question	Answer 1
Which type of testing is best suited for a one-time UI layout check on a page that changes daily?	Automation testing using Selenium
In software testing, what does “regression testing” primarily verify?	That new code has improved performance
Which of these is the most common reason to automate a test case?	It is executed only once during release
In the Page Object Model, where should UI locators ideally be stored?	Inside each test method for quick access
What is the key difference between a data-driven framework and a keyword-driven framework?	Data-driven varies input data; keyword-driven maps actions to keywords
Which of the following is generally NOT a good candidate for test automation?	A stable login workflow tested every release
A test fails intermittently even though the application works correctly. What should be checked FIRST?	Whether the test data was deleted from the database
Which statement about manual testing is TRUE?	It cannot catch visual or usability issues
In a CI/CD pipeline, what is the PRIMARY benefit of integrating automated tests?	It eliminates the need for manual testing entirely
Which locator strategy is generally recommended as the FIRST choice when identifying a web element?	XPath, because it can locate any element

Answer 2	Answer 3
Manual testing	Automation testing using a data-driven framework
That existing functionality still works after a change	That the application meets legal compliance requirements
It requires human judgment about visual design	It is repetitive and executed frequently
In a separate configuration file only, never in code	In dedicated page object classes, separate from test scripts
Data-driven is used only for API testing; keyword-driven only for UI	Data-driven needs no scripting at all; keyword-driven needs full scripting
A one-time exploratory usability check on a new UI design	Regression tests run before every deployment
Whether waits or synchronization are handled correctly	Whether the tester manually re-ran the test twice
It is generally faster than automation for large regression suites	It relies on human judgment and is well-suited to exploratory testing
It guarantees zero defects in production	It provides fast feedback on code quality before reaching production
CSS selector, because it's faster than all other locators	Element ID, because it's usually unique and stable

Answer 4	Time limit (sec)	Correct answer(s)
Automation testing using a keyword-driven framework	15	2
That the test automation framework itself has no bugs	15	2
It is still being redesigned by the UX team	15	3
In the test runner's configuration file (e.g., testng.xml)	15	3
There's no real difference — the terms are interchangeable	15	1
A data validation test run with 50 input combinations	15	2
Whether the framework's reporting tool is outdated	15	2
It always requires a dedicated automation framework to execute	15	3
It reduces the size of the codebase automatically	15	3
Class name, because most elements share the same class	15	3