

MATERIAL SAFETY DATA SHEET

HP AquaScaleOut

HINDUSTAN PETROLEUM GREEN R&D CENTER,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE, DEVANAGUNDI, HOSKOTE
TALUK, BANGALORE-560067.
PH: 080-2807 8523 / 2807 8520

SECTION 1. CHEMICAL IDENTIFICATION:

NAME: HP AquaScaleOut

Application: Descalant formulation for HVAC refrigeration units, Boilers, internal surfaces of heat exchangers

Address:

Hindustan Petroleum Green R&D center,
KIADB industrial area, Tarabahalli village, Devanagundi, Hoskote Taluk, Bangalore-560067.
Ph: 080-2807 8523 / 2807 8520

SECTION 2. COMPOSITION

Name	Content
Acid derivatives	10-20%
Poly (acrylic acid-co-maleic acid) derivative	>1%
Water	>75%

SECTION 3. HAZARDS IDENTIFICATION:

- Corrosive
- Chemical may cause severe skin burns and eye damage and respiratory irritation
- Harmful if swallowed



SECTION 4. FIRST AID MEASURES:

- In case of direct contact with eyes or skin, immediately flush with copious amounts of water for at least 15 minutes. Also remove contaminated clothing and shoes. Seek medical advice if necessary.
- If inhaled, take him/her to fresh air. If not breathing properly, give artificial respiration. If breathing is difficult, give oxygen. Seek medical advice.
- If swallowed, wash mouth with water provided the person is conscious. Seek medical advice immediately.
- Wash contaminated clothing before reuse

MATERIAL SAFETY DATA SHEET

HP AquaScaleOut

SECTION 5. FIRE FIGHTING MEASURES:

- Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. Fire responders should wear eye protection.
- Carbon dioxide
- Dry chemical powder
- Water spray and Foam

SECTION 6. ACCIDENTAL RELEASE MEASURES:

For large spills:

- Evacuate area
- Wear self-contained breathing apparatus. Wear suitable protective clothing, gloves and eye/face protection. Avoid breathing mist / spray. Provide adequate ventilation.
- Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Prevent entry into sewers, water courses, basement or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose waste via a licensed waste disposal contractor as per State/central Govt. protocols
- Ventilate area and wash spill site with water after material pickup is complete

For small spills:

- Wear suitable protective clothing, gloves and goggles. Wash the chemical spill with plenty of water and dispose the waste as per State and local environmental regulations.

SECTION 7. HANDLING AND STORAGE:

- Wear appropriate chemical resistant gloves, safety goggles and protective clothing.
- Keep the chemical in tightly closed container. Store in a cool and dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

- Wear appropriate NIOSH/MSHA - approved chemical-resistant gloves, safety goggles and protective clothing.
- Safety shower and eye bath
- Face shield
- Do not breathe dust. Do not get in eyes, on skin, on clothing.
- Avoid prolonged or repeated exposure
- Wash thoroughly with water after handling

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Transparent, colorless liquid

Density: 1.0-1.1 g/cm³ at 25 °C

pH: 1-2

MATERIAL SAFETY DATA SHEET

HP AquaScaleOut

Flash point: > 90 °C

SECTION 10. STABILITY AND REACTIVITY:

- The product is chemically stable under standard ambient conditions (room temperature)
- Incompatible with strong oxidizing agents, bases and acid

SECTION 11. TOXICOLOGICAL INFORMATION:

ACUTE EFFECTS

- Harmful if swallowed, inhaled, or absorbed through skin
- Material is destructive to tissue of the mucus membranes and upper respiratory tract, eyes and skin
- Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, short ness of breath, headache, nausea and vomiting

SECTION 12. ECOLOGICAL INFORMATIONS

- Data not yet available

SECTION 13. DISPOSAL CONSIDERATIONS:

- Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber
- Observe all central (Govt. of India), State and local environmental regulations

SECTION 14. TRANSPORT INFORMATION

UN No: 2967

Hazardous Class: Class 8

Packing Class: III

SECTION 15. REGULATORY INFORMATION:

- Harmful by inhalation, in contact with skin and if swallowed. In case of accident or if you feel unwell, seek medical advice immediately.
- In case of contact with eyes, rinse immediately with plenty of Water and seek medical advice
- Take off immediately all contaminated clothing
- Wear suitable protective clothing, gloves and eye/face

SECTION 16. OTHER INFORMATION:

The information and recommendations in literature and on labels are to the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose. License granted to make unlimited paper copies for internal use only.