

HINDUSTAN PETROLEUM GREEN R&D CENTRE,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE, DEVANAGUNDI, HOSKOTE TALUK,
BANGALORE-560067.
PH: 080-28078521/080-28078524

ANNEXURE-II

MATERIAL SAFETY DATA SHEET
HP-Dewatering Additive

SECTION 1. CHEMICAL IDENTIFICATION:

NAME: HP-DEWA

Application: DEWATERING ADDITIVE FOR CRUDE STORAGE TANKS

Address:

Hindustan petroleum green R&D centre,
KIADB industrial area, Tarabahalli village, Devanagundi, Hoskote Taluk, Bangalore-560067.
Ph: 080-28078521/28078524

SECTION 2. COMPOSITION

Name	Content
Proprietary chemical-1	20%
Proprietary chemical-2	20%
Glycol ether	40%
Diluent Solvent	20%

SECTION 3. HAZARDS IDENTIFICATION:

- Wear suitable protective clothing, gloves and eye/face protection.

SECTION 4. FIRST AID MEASURES:

- General advice : Consult a physician. Show this safety data sheet to the doctor in attendance.
- First-aid measures after skin contact : Wash immediately with lots of water. Soap may be used.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

SECTION 5. FIRE FIGHTING MEASURES:

- Dry chemical powder.
- Quick-acting ABC powder extinguisher

SECTION 6. ACCIDENTAL RELEASE MEASURES:

- Gloves and Protective clothing

-2-
MATERIAL SAFETY DATA SHEET
HP-DEWA

SECTION 7. HANDLING AND STORAGE:

- Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Keep away from naked flames/heat. In finely divided state: use spark-/explosion proof appliances

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

- Emergency eye wash fountains should be available in the immediate vicinity

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Clear pale yellow liquid
Density: 1.038 kg/m³
Viscosity: 23.75 cSt at 40 °C
Flash point: 30 °C
Solubility: Soluble in water

SECTION 10. STABILITY AND REACTIVITY:

- Hygroscopic

SECTION 11. TOXICOLOGICAL INFORMATION:

- Acute toxicity : Not classified
- Skin corrosion/irritation : Causes skin irritation. pH: 6 - 7.5 (1 %)
- Serious eye damage/irritation : Causes serious eye irritation

SECTION 12. ECOLOGICAL INFORMATIONS

- Ecology - general: Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
- Ecology - air : Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
- Ecology - water : Mild water pollutant (surface water). Insufficient data available on ecotoxicity.

SECTION 13. DISPOSAL CONSIDERATIONS:

- Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
- Observe all central (Govt. of India), State and local environmental regulations.

MATERIAL SAFETY DATA SHEET
HP-DEWA

SECTION 14. TRANSPORT INFORMATION

Department of Transportation (DOT)
In accordance with DOT

SECTION 15. REGULATORY INFORMATION:

- OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

SECTION 16. OTHER INFORMATION:

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard: 2 - Materials will get ignited if spark is in vicinity

NFPA reactivity : 0 - Material that in themselves is normally stable in normal atmospheric conditions.

License granted to make unlimited paper copies for internal use only.