

HINDUSTAN PETROLEUM GREEN R&D CENTRE,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE, DEVANAGUNDI, HOSKOTE TALUK,
BANGALORE-560067.
PH: 080-2807 8523/ 2807 8642

MATERIAL SAFETY DATA SHEET
HP VisABit

SECTION 1. CHEMICAL IDENTIFICATION:

NAME: HP VisABit

Application: Viscosity improving additive for Bitumen


Address: Hindustan Petroleum Green R&D Centre,
KIADB industrial area, Tarabahalli village, Devanagundi, Hoskote Taluk, Bangalore-560067.
Ph: 080-2807 8523/ 2807 8642

SECTION 2. COMPOSITION

Name	Content
Polyacid derivatives	50 to 70 %
Monoacid derivatives	30 to 50%

SECTION 3. HAZARDS IDENTIFICATION:

- Chemical is corrosive. May cause severe skin burns and eye damage and respiratory irritation.
- NFPA Rating:



SECTION 4. FIRST AID MEASURES:

- In case of direct contact with eyes or skin, immediately flush with copious amounts of water for at least 15 minutes. Also remove contaminated clothing and shoes. Seek medical advice immediately.
- If inhaled, take him/her to fresh air. If not breathing properly, give artificial respiration. Seek medical advice immediately.
- If swallowed, wash mouth with plenty of water provided the person is conscious. Seek medical advice immediately.
- Wash contaminated clothing before reuse

Contd.... 2

-----For internal usage only-----

D. Srinivasan

MATERIAL SAFETY DATA SHEET
HP VisABit

SECTION 5. FIRE FIGHTING MEASURES:

- Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. Fire responders should wear eye protection.
- Carbon dioxide
- Dry chemical powder
- Foam

SECTION 6. ACCIDENTAL RELEASE MEASURES:For Larger spills:

- Evacuate area
- Wear self-contained breathing apparatus. Wear suitable protective clothing, gloves and eye/face protection. Avoid breathing mist / spray.
- Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Prevent entry into sewers, water courses, basement or confined areas. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labelled waste container. Dispose waste via a licensed waste disposal contractor as per State/central Govt. protocols
- Ventilate area and wash spill site with water after material pickup is complete

For smaller spills:


- Wear suitable protective clothing, gloves and goggles.
- Wash the chemical spill with plenty of water and dispose the waste as per State and local environmental regulations.

SECTION 7. HANDLING AND STORAGE:

- To prevent skin and eye contact under the foreseeable conditions of use, wear appropriate protective clothing, gloves and safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Handle in a well-ventilated work area
- Keep the chemical in tightly closed container. Store in a cool and dry place. Keep away from incompatible materials such as bases and oxidizing compounds.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

- Wear appropriate NIOSH/MSHA - approved respirator, chemical-resistant gloves, safety goggles and protective clothing.
- Safety shower and eye bath
- Do not breathe dust. Do not get in eyes, on skin, on clothing.
- Avoid prolonged or repeated direct exposure
- Wash thoroughly with water after handling



D. Eswara Rao,

MATERIAL SAFETY DATA SHEET

HP VisABit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Colourless viscous liquid

Density: 1.84 g/cc at 15 °C

Viscosity: 1400-1700 cSt at 25 °C

pH: < 1

Flash point: > 200 °C

SECTION 10. STABILITY AND REACTIVITY:

- Incompatible with strong bases, oxidizing agents, water and metals.

SECTION 11. TOXICOLOGICAL INFORMATION:**ACUTE EFFECTS**

- Chemical is corrosive and harmful if swallowed, inhaled, or absorbed through skin
- Material is destructive to tissue of the mucus membranes and upper respiratory tract, eyes and skin
- Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, short ness of breath, headache, nausea and vomiting
- Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema

SECTION 12. ECOLOGICAL INFORMATIONS

- Data not yet available

SECTION 13. DISPOSAL CONSIDERATIONS:

- Waste disposal must be in accordance with appropriate central (Govt. of India), State and local environmental regulations for strong acids disposal.

SECTION 14. TRANSPORT INFORMATION

-
- UN No : UN3264
- Hazardous Class: Class 8 Corrosive Liquid
- Packing Class : II

-----For internal usage only-----

Contd.... 4



MATERIAL SAFETY DATA SHEET
HP VisABit

SECTION 15. REGULATORY INFORMATION:

- Harmful by inhalation, in contact with skin and if swallowed. In case of accident or if you feel unwell, seek medical advice immediately.
- In case of contact with eyes, rinse immediately with plenty of Water and seek medical advice
- Take off immediately all contaminated clothing
- Wear suitable protective clothing, gloves and eye/face protection

SECTION 16. OTHER INFORMATION:

The information and recommendations in literature and on labels are to the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose. License granted to make unlimited paper copies for internal use only.

-----For internal usage only-----

D. EswaraRao.