

HP-3DPP

MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION**PRODUCT NAME:** HP-3DPP**PHONE NUMBERS:**

EMERGENCY NUMBER: 080-28078730/080-28078731

II. PHYSICAL AND CHEMICAL PROPERTIES**FORM / APPEARANCE:** Solid White granules / Solid White Filament (2.85 & -1.75mm dia)**ODOR:** N/A**PERCENT VOLATILES:** N/A**MELTING POINT:** 165°C approx.**SOLUBILITY IN WATER:** Insoluble**SPECIFIC GRAVITY:** 0.89**CHEMICAL COMPOSITION:** Polypropylene, Hydrocarbon resin, Calcium Carbonate, Maleic anhydride grafted PP, color masterbatches.**III. STABILITY AND REACTIVITY****STABILITY:** Stable**MATERIALS TO AVOID:** None known**IV. EXPOSURE CONTROLS/PERSONAL PROTECTION****VENTILATION:** Ensure good ventilation of the work station. In molten state: Do not breathe vapors. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.**PROTECTIVE EQUIPMENT****SKIN:** None under normal use. In molten state: Wear suitable protective clothing**V. EXPOSURE CONTROLS/PERSONAL PROTECTION - continued****EYE:** Safety glasses are recommended as a good industrial hygiene and safety practice.**RESPIRATOR:** None under normal use. In molten state: In case of insufficient ventilation, wear suitable respiratory equipment**ADDITIONAL PROTECTIVE MEASURES:**

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

HP-3DPP

MATERIAL SAFETY DATA SHEET

VI. HEALTH HAZARDS IDENTIFICATION**ACUTE OR IMMEDIATE EFFECTS**

SKIN:	Contact with hot material will cause thermal burns
EYES:	Mechanical irritation to the eyes may occur due to exposure to fines. Eyes may become red and scratchy and may tear.
INHALATION:	Toxic gases/fumes given off during burning or thermal decomposition cause respiratory irritation

CHRONIC/CARCINOGENICITY: Not listed as a carcinogen

VII. FIRST AID MEASURES

SKIN:	Wash affected areas with soap and water. See a physician if thermal burn occurs
EYES:	Flush with plenty of lukewarm water. See a physician or ophthalmologist for follow-up if irritation is present and persists
INHALATION:	Move to an area free from risk of further exposure. Give oxygen or artificial respiration as needed. Obtain medical attention

VIII. FIRE FIGHTING MEASURES

AUTOIGNITION TEMPERATURE: N/A

VIII. FIRE FIGHTING MEASURES - continued**HAZARDOUS PRODUCTS OF COMBUSTION:**

Carbon monoxide, carbon dioxide, Traces of aliphatic and aromatic hydrocarbons, aldehydes and acids.

EXTINGUISHING MEDIA: Water; carbon dioxide, dry chemical, foam

SPECIAL FIRE FIGHTING INSTRUCTIONS/PRECAUTIONS:

Full emergency equipment with self-contained breathing apparatus must be worn by firefighters

IX. ACCIDENTAL RELEASE MEASURES**SPILL OR RELEASE:**

If molten material is spilled, allow it to solidify. Remove material mechanically by a method which minimizes the generation of airborne dust and place in appropriately marked containers.

X. HANDLING AND STORAGE**HANDLING:**

When handling, ensure good ventilation of the work station. In molten state: Do not breathe vapors. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

HP-3DPP

MATERIAL SAFETY DATA SHEET

STORAGE:

To guarantee the quality and properties of the product: Store in a well-ventilated place. Store in original container. Keep container tightly closed to avoid moisture absorption and contamination.

Incompatible materials: Strong oxidizing agents.

Storage temperature: 0 – 30 °C (Relative air humidity: 50% RH)

Keep away from heat, sparks and flames. Keep out of direct sunlight.

XI. DISPOSAL CONSIDERATIONS

DISPOSAL: Regional legislation (waste): Dispose of in accordance with relevant local regulations.
Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation

XII. DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information presented in the Material Safety Data Sheet is based on data believed to be accurate as of the date this Material Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.

TOXICOLOGICAL & ECOLOGICAL INFORMATION:

Data not yet available

Contact Person Details:

Mr. Bennet C
Petrochem and Polymer Division
HPCL green R&D center
Bengaluru, 560067
Karnataka, India
080-2807-8730