

MATERIAL SAFETY DATA SHEET

HP Antifoam

HINDUSTAN PETROLEUM GREEN R&D CENTER,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE, DEVANAGUNDI, HOSKOTE
TALUK, BANGALORE-560067.
PH: 080-2807 8512 / 2807 8525

SECTION 1. CHEMICAL IDENTIFICATION:

NAME: HP Antifoam

Application: Additive to mitigate foam issues in aqueous media

Address:


Hindustan petroleum green R&D center,
KIADB industrial area, Tarabahalli village, Devanagundi, Hoskote Taluk, Bangalore-560067.
Ph: 080-2807 8512 / 2807 8525

SECTION 2. COMPOSITION

Name	Content
Fatty acid ester of Polyoxyethylene	100%

SECTION 3. HAZARDS IDENTIFICATION:

- Not a hazardous substance or mixture
- This substance/mixture contains no components considered to be either persistent,
- Bio-accumulative and toxic (PBT), or very persistent and very bio-accumulative (vPvB) at
- levels of 0.1% or higher.



SECTION 4. FIRST AID MEASURES:

If inhaled –

IMMEDIATELY leave the contaminated area; take deep breaths of fresh air. If symptoms (such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest) develop, call a physician and be prepared to transport the victim to a hospital. Provide proper respiratory protection to rescuers entering an unknown atmosphere. Whenever possible, Self-Contained Breathing Apparatus (SCBA) should be used; if not available, use a level of protection greater than or equal to that advised under Protective Clothing.

In case of skin contact –

IMMEDIATELY flood affected skin with water while removing and isolating all contaminated clothing. Gently wash all affected skin areas thoroughly with soap and water. If symptoms such as

MATERIAL SAFETY DATA SHEET

HP Antifoam

redness or irritation develop, IMMEDIATELY call a physician and be prepared to transport the victim to a hospital for treatment.

In case of eye contact –

First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

If swallowed –

DO NOT INDUCE VOMITING. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. Be prepared to transport the victim to a hospital if advised by a physician. If the victim is convulsing or unconscious, do not give anything by mouth, ensure that the victim's airway is open and lay the victim on his/her side with the head lower than the body. DO NOT INDUCE VOMITING. IMMEDIATELY transport the victim to a hospital. (NTP, 1992).

SECTION 5. FIRE FIGHTING MEASURES:

- **Suitable extinguishing media**
- Water Foam Carbon dioxide (CO₂) Dry powder
- **Unsuitable extinguishing media**
- For this substance/mixture no limitations of extinguishing agents are given.

SECTION 6. ACCIDENTAL RELEASE MEASURES:

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves
- Sweep up, place in a bag and hold for waste disposal
- Avoid raising vapor pressure
- Ventilate area and wash spill site with water after material pickup is complete

SECTION 7. HANDLING AND STORAGE:

- Wear appropriate NIOSH/MSHA – approved chemical – resistant gloves, safety goggles and protective clothing.
- Keep the chemical in tightly closed container. Store in a cool and dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

- Wear appropriate NIOSH/MSHA - approved chemical-resistant gloves, safety goggles and protective clothing.
- Safety shower and eye bath
- Face shield
- Do not breathe vapor. Do not get in eyes, on skin, on clothing.
- Avoid prolonged or repeated exposure

MATERIAL SAFETY DATA SHEET

HP Antifoam

- Wash thoroughly with water after handling

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Colorless clear liquid

Density: 1.1 kg/m³ at 25 °C

Flash point: > 100 °C

pH at room temperature: Not applicable

MATERIAL SAFETY DATA SHEET

HP Antifoam

SECTION 10. STABILITY AND REACTIVITY:

- The product is chemically stable under standard ambient conditions (room temperature)
- Incompatible with strong oxidizing agents and Acids

SECTION 11. TOXICOLOGICAL INFORMATION:

ACUTE EFFECTS

- Harmful if swallowed, inhaled, or absorbed through skin

SECTION 12. ECOLOGICAL INFORMATIONS

- Data not yet available

SECTION 13. DISPOSAL CONSIDERATIONS:

- Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber
- Observe all central (Govt. of India), State and local environmental regulations

SECTION 14. TRANSPORT INFORMATION

UN No : N/A
Hazardous Class: N/A

SECTION 15. REGULATORY INFORMATION:

- Harmful by inhalation, in contact with skin and if swallowed. In case of accident or if you feel unwell, seek medical advice immediately.
- In case of contact with eyes, rinse immediately with plenty of Water and seek medical advice
- Take off immediately all contaminated clothing
- Wear suitable protective clothing, gloves and eye/face

SECTION 16. OTHER INFORMATION:

The information and recommendations in literature and on labels are to the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose. License granted to make unlimited paper copies for internal use only.