



HINDUSTAN PETROLEUM GREEN R&D CENTRE,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE,
HOSKOTE TALUK, BANGALORE-560067

MATERIAL SAFETY DATA SHEET- HP Encour

SECTION 1. CHEMICAL IDENTIFICATION:

NAME: **HP Encour**

Address:


Hindustan Petroleum Green R&D Centre,
KIADB Industrial Area, Tarabahalli village, Hoskote Taluk, Bangalore-560067
Ph: 080-2807 8521/8524/8634/8630

SECTION 2. COMPOSITION

Name	Content, % by Wt.
Polyoxyethylene Surfactant	20-40
Polymeric Dispersant	20-40
Hydrocarbon Diluent	20-60

SECTION 3. HAZARDS IDENTIFICATION:

- Blue (NFPA Health Hazard): 1 -Harmful by inhalation, irritation when contacted with skin & eyes and harmful if swallowed
- Red (NFPA Fire Hazard): 2 - Must be heated above ambient conditions for ignition.
- Yellow (NFPA Instability) : 0 - Material is highly stable at ambient conditions
- White (NFPA reactivity) : Not applicable



SECTION 4. FIRST AID MEASURES:

- In case of direct contact with eyes or skin, immediately flush with copious amounts of water for at least 15 minutes. Also remove contaminated clothing and shoes.
- Ensure adequate flushing of the eyes

K.Ramesh
Authorized Signatory



HINDUSTAN PETROLEUM GREEN R&D CENTRE,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE,
HOSKOTE TALUK, BANGALORE-560067

MATERIAL SAFETY DATA SHEET- HP Encsour

- If inhaled, take him/her to fresh air. If not breathing properly, give artificial respiration. If breathing is difficult, give oxygen.
- If swallowed, wash mouth with water provided the person is conscious. Call a physician.
- Wash contaminated clothing before reuse

SECTION 5. FIRE FIGHTING MEASURES:

- Suitable media includes – Water, Carbon dioxide and foam-based extinguishers
- Any other suitable method approved for Hydrocarbon based fire

SECTION 6. ACCIDENTAL RELEASE MEASURES:

- Small Spills: Shut off leaks without risk. Absorb on sand or earth. Keep the same in closed container for disposal
- Containment: Prevent spillage from entering drains or water sources
- Cleanup: After spills wash area with soap and water preventing runoff from entering drains

SECTION 7. HANDLING AND STORAGE:

- Wear appropriate PPE (Chemical – resistant nitrile/ neoprene gloves, Safety goggles and protective clothing)
- Keep the chemical in tightly closed container. Store in a cool and dry place
- Keep away from sources of ignition and high temperature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

- Safety shower and eye bath
- Do not get in eyes, on skin, on clothing
- Avoid prolonged or repeated exposure
- Wash thoroughly with water after handling
- TWA: 800 ppm
- STEL: 500 ppm

K.Ramesh
Authorized Signatory



HINDUSTAN PETROLEUM GREEN R&D CENTRE,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE,
HOSKOTE TALUK, BANGALORE-560067

MATERIAL SAFETY DATA SHEET- HP Encsour

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Pale amber liquid
Density: 0.91 to 0.95 g/cc at 15 °C
Viscosity: 80 to 90 cSt at 40 °C
Flash point: 55 to 60°C (Closed cup)

SECTION 10. STABILITY AND REACTIVITY:

Stable under recommended storage conditions
Avoid heat, flames and sparks
Avoid strong acids and oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION:

ACUTE EFFECTS

- Harmful if swallowed, inhaled, or absorbed through skin
- Practically non-toxic if absorbed following acute (single) exposure.
- May cause skin irritation with prolonged or repeated contact. Liquid may be absorbed through the skin in toxic amounts if large areas of skin are exposed repeatedly
- Contact with eyes may cause moderate to severe irritation
- Ingestion may cause gastrointestinal disturbances, including irritation, nausea, vomiting and diarrhea

SECTION 12. ECOLOGICAL INFORMATIONS

- Keep out of sewers, drainage areas and waterways. Report spills and releases, as applicable, under State regulations

SECTION 13. DISPOSAL CONSIDERATIONS:

- Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber
- Observe all central (Govt. of India), State and local environmental regulations

K.Ramesh
Authorized Signatory



HINDUSTAN PETROLEUM GREEN R&D CENTRE,
KIADB INDUSTRIAL AREA, TARABAHALLI VILLAGE,
HOSKOTE TALUK, BANGALORE-560067

MATERIAL SAFETY DATA SHEET- HP Encsour

SECTION 14. TRANSPORT INFORMATION

UN No : UN1993
Hazardous Class: Class 3- Flammable liquids
Packing Class : III
Petroleum class : Class B

SECTION 15. REGULATORY INFORMATION:

- Harmful by inhalation, in contact with skin and if swallowed. In case of accident or if you feel unwell, seek medical advice immediately.
- In case of contact with eyes, rinse immediately with plenty of Water and seek medical advice
- Take off immediately all contaminated clothing
- Wear suitable protective clothing, gloves and eye/face

SECTION 16. OTHER INFORMATION:

The information and recommendations in literature and on labels are to the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose. **License granted to make unlimited paper copies for internal use only.**

K.Ramesh
Authorized Signatory