

Material Safety Data Sheet (MSDS)

Section 1: Chemical Product and Company Identification

Compound Name: HP-Filmmax

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
HP-Filmmax	NA	100

AMINO ALCOHOLS:

Primary amino alcohol: 20 to 70 %

Proprietary compound: 0.5-5 %

C18 amine compound: 2 to 20 %

Protic Solvent: 20 to 60 %

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of eye contact (irritant), of ingestion, Hazardous in case of skin contact (irritant, permeator), of inhalation (lung irritant). Slightly hazardous in case of skin contact (corrosive), of eye contact (corrosive). Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes after removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Inhalation:

If inhaled, remove the victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately.

Section 5: Fire and Explosion Data

Flammability of the Product: Combustible.

Flash Point: 118 °C

Products of Combustion: Carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂...).

Fire Hazards in Presence of Various Substances:

Flammable in presence of open flames, sparks and heat.

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or foam.

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill:

Combustible material. Corrosive liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Do not ingest. Do not breathe gas/fumes/ vapor/spray. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, acids.

Storage:

Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Gloves, Boots, Face shield, Vapor respirator. Be sure to use an approved/certified respirator or equivalent..

Personal Protection in Case of a Large Spill:

Gloves, Boots, Vapor respirator, Splash goggles. A self contained breathing apparatus should be used to avoid inhalation of the product.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Density @ 15°C: 1.0004 gm/cc

Odor: Ammoniacal. Fish. Unpleasant.

Taste: Not available.

Molecular Weight: NA

Color: Colorless. Clear

pH (1% soln/water): Basic

Melting point: -1 to 0 °C

Solubility: Water

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Heat, ignition sources, incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents, acids.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Eye contact. Inhalation. Ingestion.

Acute: 8.6 g/kg [Rat.] based on the component

Chronic Effects on Humans: May cause damage to the following organs: kidneys, lungs, liver, central nervous system (CNS).

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: Causes moderate skin irritation and possible burns. It can be absorbed through the skin. It may be harmful if absorbed through the skin. Eyes: Causes severe eye irritation and possible eye burns. Inhalation: Causes respiratory tract irritation. May cause shortness of breath and an asthma-like condition. It may also affect behavior/ central nervous system (nausea, headache, weakness, dizziness, giddiness, sleepiness, loss of coordination and judgement) Ingestion: May be harmful if swallowed. Causes gastrointestinal tract irritation with nausea and vomiting.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with central, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Hazards, class, PG III

Identification: : HP-FILMMAX

Special Provisions for Transport: Corrosive

Section 15: Other Regulatory Information

- Caution: substance not yet fully tested.
- Some of the components in their concentration form is harmful
- The information and recommendations in our literature and on labels are to be the best of our knowledge reliable. However, nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purpose. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed.
- License granted to make unlimited paper copies for internal use only.