

## 35. Page - forgot-password

[#formik](#) [#reactjs](#) [#nextjs](#) [#chakraui](#) [#frontend](#) [#page](#)

### Implement forgot-password page

/forgot-password.tsx

```
import { Box, Button, Flex, Text } from "@chakra-ui/react";
import { Form, Formik } from "formik";
import { withUrqlClient } from "next-urql";
import React, { useState } from "react";
import { InputField } from "../components/InputField";
import { Wrapper } from "../components/Wrapper";
import { useForgotPasswordMutation } from "../generated/graphql";
import { createUrqlClient } from "../utils/createUrqlClient";

const ForgotPassword: React.FC<{}> = ({}) => {
  const [complete, setComplete] = useState(false);
  const [, forgotPassword] = useForgotPasswordMutation();
  return (
    <Wrapper variant="small">
      <Formik
        initialValues={{ email: "" }}
        onSubmit={async (values, { setErrors }) => {
          if (!values.email || !values.email.includes("@")) {
            setErrors({ email: "Provide a valid email address" });
          } else {
            await forgotPassword(values);
            setComplete(true);
          }
        }}
      >
        <{ { isSubmitting, values } } =>
          complete ? (
            <Flex flexDirection={"column"} alignItems={"center"}>
              <Text>Please check your email address</Text>
              <Text fontWeight={"bold"}>{values.email}</Text>
              <Text>for the password reset link</Text>
            </Flex>
          ) : (
            <Formik
              initialValues={{ email: "" }}
              onSubmit={async (values, { setErrors }) => {
                if (!values.email || !values.email.includes("@")) {
                  setErrors({ email: "Provide a valid email address" });
                } else {
                  await forgotPassword(values);
                  setComplete(true);
                }
              }}
            >
              <InputField type="email" value={values.email} onChange={values.handleChange} />
              <Button type="submit">Forgot Password</Button>
            </Formik>
          )
        </{ }>
      </Formik>
    </Wrapper>
  );
}
```

```

        </Flex>
      ) : (
        <Form>
          <InputField
            name="email"
            label="Email Address"
            placeholder="Email Address"
          />
          <Box mt={4}>
            <Button type="submit" isLoading={isSubmitting} color="teal">
              Send password reset email
            </Button>
          </Box>
        </Form>
      )
    }
  </Formik>
</Wrapper>
);
};

export default withUrqlClient(createUrqlClient)(ForgotPassword);

```

## Update login page

- Let's also add a "Forgot Password" button to the [login page](#), right before the [login button](#), and wrap them in [Flex](#)

/pages/login.tsx

```

import { Box, Button, Flex, Link } from "@chakra-ui/react";
import NextLink from "next/link";

<Flex mt={4} justify={"space-between"}>
  <Button type="submit" isLoading={isSubmitting} color="teal">
    Login
  </Button>
  <Button type="button" color="red">
    <Link as={NextLink} href="/forgot-password">

```

Forgot Password

</Link>

</Button>

</Flex>