



1. Download Visual Studio code and install it. Open visual studio code prettier formatter


Installed prettier:-




1) change file auto save =ON




2) change the editor.fontSize=15



3) change editor.fontfamily to your choice





4) change the editor.tabsize=8




2. Write a react application to display the difference between const and let.


Const:-





Let:-






3. Write a react application to display a list of fruits using `forEach` operator.

Using `Map` operator display the array of fruits

Using `slice` function and `Map` remove the last character from the elements and display then.



IRIS | Learning x

Var. Let. and C. x

React App x

JavaScript Arr. x

Tryit Editor v3. x

React Map - j. x

HTML Tables x

For Loop in f. x

Unable to eli. x

+ -

localhost:3000

banana

mango

apple

Console

Elements

Sources

1

Filter

Default levels

1 issue

☐ Hide network

☐ Preserve log

☐ Selected context only

☒ Group similar messages in console

☒ Show CORS errors in console

☐ Log XMLHttpRequests

☒ Eager evaluation

☒ Autocomplete from history

☒ Evaluate triggers user activation

After slicing :-

banana

mango

apple

After slicing :-

banana

mango

apple

App.js:15

App.js:20

App.js:20

App.js:20

VM5088:249

VM5088:249

VM5088:249

VM5088:249

Type here to search

37°C

16:32

07-05-2022