Create your CentOS homelab in an hour.

Slides available at
github.com/murphnj/hourlab

Who is this?

- Bob Murphy
  - Linux Sysadmin
  - Current RHCE
  - Long time on and off TCF attendee and exhibitor.
  - Contact
    - murph@member.fsf.org
    - Fediverse: @murph@fosstodon.org

Why set up a homelab like this?

- Allows easy setup and rebuilding

- Stability in versions of OS

- No network needed for installing new packages.

What is required:

- A downloaded .iso file of the distro that you want to run your lab on (RedHat, CentOS, Scientific or a related version)

- A host computer with virtualization software loaded.:

- My example will use Ubuntu MATE for the host, and KVM for the virtualization software.

- CentOS would work basically the same.

- Other computers such as Windows or Mac would be OK, but you will have to change a few of the implementation details to suit your platform.

First, we'll create our local repository VM.

- Start virt-manager, and select a new VM.

- Select "Local install media" and Press "Forward"

- Select "Use ISO image" and browse.

- At the "Choose local Storage Volume" select "Browse local" and navigate to the .iso for your distro.

- Select "Forward"

VM details

- Choose your memory and CPU options, 1G and 1 cpu is fine for the repo, less may even work. Select Forward

- For the Disk image, I'd recommend about 16G, so that you have room for the files. Select forward

- Then name your VM, something that will show you that it is the repo. Press finish

Now, install the repo OS

- Select Install CentOS.

- Select your language and continue

- Select installation destination, allow the installer to do Automatic installation, and click done in the upper left hand corner.

- Under Software installation, select "Server" or "infrastructure server" and be sure to select the "FTP server" checkbox, and click "done"

- "Network and host name" , make sure that ethernet is enabled.

Continue installing

- Click "Begin Installation"

- You have an opportunity to create accounts and passwords for root, and a user account, this is a good opportunity to do so.

- Now we wait (5 minutes or so.)

- When it is finished, select Reboot

- When it reboots, log in with the root account that you set.

What we're doing

- Create new repo server

    - Start and enable FTP service

    - Open firewall port for ftp

    - Copy files from .iso file to server

    - Create repo file to tell OS to use ftp for getting updates and software

Setting up your ftp server

- Enable anon access: <edit> etc/vsftpd/vsftpd.conf

  anonymous_enable=YES (or just comment it out)

- Start the ftp server :   systemctl start vsftpd

- Enable it for next time :   systemctl enable vsftpd

- Check it :   systemctl status vsftpd

- Set firewall :
          firewall-cmd --add-service=ftp --permanent

- Enable firewall changes :   firewall-cmd --reload

- Get your IP address: ip a

  (We will need it in a few minutes)

Copy files for repo

- Go to "View->details" select ide cdrom1 - click connect - browse (just like the initial iso selection) click OK

- Go to "View->console" to go back to your VM.

- mkdir /root/temp ; mount /dev/cdrom /root/temp;

- rsync -avhP /root/temp/ /var/ftp/pub/

- We wait.

Create the local repo (RHEL 8)

- cd /etc/yum.repos.d ; mv * ~ ;

- <edit> network.repo

  - **[BaseOS]**
  - **name=BaseOS**
  - **baseurl=ftp://192.168.122.<your ip>/pub/BaseOS**
  - **gpgcheck=0**
  - **[AppStream]**
  - **name=AppStream**
  - **baseurl=ftp://192.168.122.<your ip>/pub/AppStream**
  - **Gpgcheck=0**

- save and quit

- Yum clean all ; yum install mc

Create the local repo (RHEL 7)

- cd /etc/yum.repos.d ; mv * ~
- \<edit> network.repo
- ***[network]***
- ***name=network***
- ***baseurl=ftp://192.168.122.\<your ip>/pub***
- ***gpgcheck=0***
- save and quit
- Yum clean all ; yum install ftp ; ftp localhost

Repo done ; new VM

- Go back to the Virtual machine manager:
- Select a new VM as before, but we can do a minimal install.
- Use the same CD images as before.
- Memory, cpus, and disk to taste, forward, forward , Name the VM, and Finish
- Time for questions.

Make new VM use repo

- We can copy the repo file from our server, to use here.

- scp root@192.168.122.<repo ip>:/etc/yum.repos.d/ network.repo /etc/yum.repos.d/

- *or, recreate it: (repeat for AppStream)*

- *[BaseOS]*

- *name=BaseOS*

- *baseurl=ftp://192.168.122.<ip>/pub/BaseOS*

- *Gpgcheck=0*

- yum clean all ; yum install mc

Success!

- We now have a complete, self contained Linux network, with local repositories, so that we can install software without a network connection.

- All new VMs will now get new software from our local repo, not the repositories on the internet, so all versions will stay in sync.

Questions

- Slides available at github.com/murphnj/hourlab

- Contact me at:

- murph@member.fsf.org <email>

- fosstodon.org/@murph <fediverse>