

Planets & Planet Candidates With Radius Between 1.6 and 2.5 $R_{\,\oplus}$ 6500 3 2 pi Men c 1473.01 HD 213885 b 1727.01_{HD 3167 b} 55 Cnc e Stellar Effective Temperature (K)

86

00

00 143040h 5 HD 219134 b GJ 9827 d 1467.01 1730.01 2 K2-18 b 1695.01 1 1468.01 K2-146 K2-146 b LHS 1140 b 2500 | 10⁻¹ 10^{1} 10³ 10° 10² 10^{4} Insolation Flux

Planets & Planet Candidates With Radius Between 2.5 and 4.0 $R_{\,\oplus}$ 6500 554.01 7 1 469.01 1736.01 1681.01 H1339692 509.01 1339.01 TOI-125 b 1246.02 Stellar Effective Temperature (K)

86

00

00 2 4 Kepler-94 b GJ 143 b 1410.01 K2-266 b K2-266 d 1759.01 1 **G**J 1214 b 2500 ↓ 10⁻¹ 10^{1} 10° 10² 10³ 10^{4} Insolation Flux

Planets & Planet Candidates With Radius Between 4.0 and $6.3R_{\,\oplus}$ 6500 HD 106315 c 3 6 1744.01 Kepler-105 b 1136.03 1136.01 471.01 Kepler-453 b (epler-82 c HD 219666 b Kepier-396 c Stellar Effective Temperature (K)

86

00

00 1713.01 1694.01 1272.01 1 3 1 HD 23472HD 23472 b _1728.01 **G**J 3470 b 2 436 b 2500 ↓ 10⁻¹ 10° 10^{1} 10² 10³ 10^{4} Insolation Flux

