

Planets & Planet Candidates With Radius Between 1.6 and 2.5 $R_{\,\oplus}$ 6500 7 3 pi Men c 1473.01 HD 213885 b 266.01 1269.01 16691*0*27.01<sub>HD 3167 b</sub> 1839.01 1347.01 55 Cnc e HD 97798.01 Stellar Effective Temperature (K)

86

00

00 1430.01 6 8 HD 219134 b 1244.01 1757.01 GJ 9827 d 1466.01 1235.01 1467.01 1730.01 1695.01 1 **K**2-18 b 1468.01 K2-146 K2-146 b LHS 1140 b 2500 <del>↓</del> 10<sup>-1</sup> 10°  $10^{1}$ 10<sup>2</sup> 10<sup>3</sup>  $10^{4}$ Insolation Flux

Planets & Planet Candidates With Radius Between 2.5 and  $4.0R_{\,\oplus}$ 6500 554.01 10 10 1 1686.01 469.01 1778.01 1716.01 1797.01 1136.02 1736.01 669.01 <sub>H</sub>1339692 561.03.561.01 JOI-125 c 1246.02 2016.02 1758.01 Stellar Effective Temperature (K)

8

6

0

0 K2-28**5** c 180**3** Ø2<sup>36</sup> c 2 9 Kepler-94 b 1180.01 GJ 143 b 1410.01 K2-266 d 2018.01 1782.01 K2-266 b 1759.01 1732.01 2 **G**J 1214 b 2500 <del>|</del> 10<sup>-1</sup> 10°  $10^{1}$  $10^{2}$  $10^{3}$  $10^{4}$ Insolation Flux

Planets & Planet Candidates With Radius Between 4.0 and  $6.3R_{\oplus}$ 6500 HD 106315 c 3 5 1722.01 Kepler-105 b 1136.03 K2-24\_b471.01 2019.01 HD 219666 b Kepler-453 b (epler-82 c Kepier-396 c 1765.01 Stellar Effective Temperature (K)

86

00

00 1472.01<sub>1694.01</sub> 4 WAS 1272.01 1713.01 1 4 1 1803.01 \_1728.01 **G**J 3470 b 2 436 b 2500 <del>↓</del> 10<sup>-1</sup> 10°  $10^{1}$  $10^{2}$  $10^{3}$  $10^{4}$ Insolation Flux

