
Planets & Planet Candidates With Radius Between 1.0 and 1.6 $R_{\,\oplus}$ 6500 1 561.02 5200 Stellar Effective Temperature (K) 2 1 1 HD 219134 c 1807.01 K2-141 b GJ 9827 b 1730.02 5 1 1693.01 1468.02 GJ 1252 b TRAPPIST-1 g TRAPPIST-1 b 2500 10^{-1} 10^{1} 10³ 10⁰ 10² 10^{4} Insolation Flux



Planets & Planet Candidates With Radius Between 2.5 and 4.0 $R_{\,\oplus}$ 6500 554.01 13 12 1 1686.01 469.01 1778.01 128770b.01 1797.01 1136801 1269.01 669.01 1681.01 HD 1339, 02 Stellar Effective Temperature (K)

8

6

0

0 11 2-285 c 2 180**3.**02 2 1758001 1280.01 GJ 143 k 1410.01 1782.01 K2-266 d K2-266 b 1759.01 1732.01 2 **G**J 1214 b

 10^{1}

10²

Insolation Flux

10³

 10^{4}

10°

2500 | 10⁻¹

Planets & Planet Candidates With Radius Between 4.0 and $6.3R_{\,\oplus}$ 6500 2 8 1 1744.01 1439.01 Kepler-4 b Kepler-105 b 1136.03 **24**71.01 Kepler-82 c HD 219666 b Stellar Effective Temperature (K)

86

00

00 1472.01_{1694.01} 5 1272.01 1713.01 1 3 1 1803,01 HAT-P-11 b _1728.01 **G**J 3470 b 2 436 b 2500 ↓ 10⁻¹ 10° 10^{1} 10^{2} 10^{3} 10^{4} Insolation Flux

