1	/ lin	io		ig	tri	hi	ıte	d	M	de
$ \rangle$	7	IU				U	J LC	U	IVI	uc

Ansible role to deploy and configure Minio in distributed mode

Table of contents

1. About	3
1.1 Role Name	3
1.2 Description	3
1.3 Dependencies	3
1.4 Information	3
2. Defaults	4
2.1 main.yml	4
3. Vars	7
3.1 main.yml	7
4. Tasks	8
4.1 Tasks: main	8
4.2 Tasks: users	9
4.3 Tasks: file-system	10
4.4 Tasks: minio	11

- 2/11 - My Company

1. About

1.1 Role Name

minio_install

1.2 Description

Role to install and configure Minio in distributed mode

1.3 Dependencies

None

1.4 Information

Author	Company	License	Minimum Ansible Version		
Peter Murphy	My Company	None	2.9		

- 3/11 - My Company

2. Defaults

2.1 main.yml

2.1.1 minio_server_install_volume_groups

Volume Group settings ...

vg_min: pv: /dev/sdd

2.1.2 minio_server_install_volumes

Logical volume variable settings ...

lv_min:
drive: vg_min
size: +100%FREE

2.1.3 minio_server_install_dir_mounts

Directory for logical volume mount ...

/var/lib/minio: src: /dev/vg_min/lv_min

2.1.4 minio_server_datadirs

Minio server data directory ...

/var/lib/minio

2.1.5 minio_user

Minio user ...

minio

2.1.6 minio_group

Minio user group ...

minio

- 4/11 - My Company

2.1.7 minio_server_download_base_url

Base URL to download minio from ...

https://dl.minio.io/server/minio/release/linux-amd64

2.1.8 minio_server_bin

Minio server bin directory ...

/usr/local/bin/minio

2.1.9 minio_server_envfile

Path to the file containing the ENV variables for the Minio server ...

/etc/default/minio

2.1.10 minio_port

Minio server port ...

'9091'

2.1.11 minio_server_opts

Additional Minio server CLI options ...

. .

2.1.12 minio_access_key

Minio access key ...

2.1.13 minio_secret_key

Minio secret key ...

. .

- 5/11 - My Company

2.1.14 minio_server_env_extra

Additional environment variables to be set in minio server environment \dots

.

- 6/11 - My Company

3. Vars

3.1 main.yml

3.1.1 minio_server_download_url

URL to download minio from ...

'{{ minio_server_download_base_url }}/minio'

3.1.2 minio_server_addr

Minio server listen address ...

:{{ minio_port }} ...

- 7/11 - My Company

4. Tasks

4.1 Tasks: main

4.1.1 main.yml

- Set proxy server if defined
- Configure Minio user
- Configure logical volumes
- Download, Install and Configure Minio
- Configure Firewall

- 8/11 - My Company

4.2 Tasks: users

4.2.1 minio/users.yml

- Create Minio group
- Create Minio user

- 9/11 - My Company

4.3 Tasks: file-system

4.3.1 volumes.yml

- Configure LVM volume groups
- Configure LVM logical volumes
- Create the xfs filesystems
- Create directories
- Create list of mounted devices
- Mount and bind a volume

4.3.2 directories.yml

- Get status of the FS object
- Create directory if not already created

- 10/11 - My Company

4.4 Tasks: minio

4.4.1 minio/minio.yml

- Get the Minio server checksum
- Download the Minio server
- Generate the Minio server envfile
- Create the Minio server systemd config
- Create the Minio server init.d config
- Enable and start the Minio service

4.4.2 minio/firewall.yml

- Enable firewalld
- Open firewall ssh port
- Open firewall minio ports

- 11/11 - My Company