

CIS4301 Guest Speakers

Speakers: Dave Stanton (@gotoplanb), Sean Goldberg

Notes: Ryan Roden-Corrent

February 26, 2014

1 App Development (Dave Stanton)

1.1 Users Goals Metrics

- Who is the user? What are their goals?
- Come up with a "persona" to represent the people who will be using your app.
- Have general "metrics of success"
- One-size-fits-all software doesn't really appeal to anyone in particular

1.1.1 example

Developer

IT Manager

CIO

1.1.2 5 person useability studies

Often just testing with 5 people can give great insight into what works and what doesn't in terms of the user interface. Track the errors they make (thinking they were clicking on something when they really weren't) and tweak the software. Need to make sure you have the appropriate testers for the software.

1.2 Strategy

Exit Strategy What will you do if it takes off? Is it a full time project or just a project done out of curiosity?

Defense What makes your app different from what already exists?

Funding source dictates how you can build features

1.2.1 Funding

bootstrap Your own money, you dictate how to build the software

grant grants tend not to care as much how it is built, just whether it achieves the end goal

With grants, need to know when to stop. Don't undervalue your time.

1.3 Flow

Flow Diagram Create before writing code, can save time in the long run.

Wire Frame Representation of user interfaces. Each wireframe should have an associated persona and goal. Appearance not important, very high level

Composite Mock-up, generally looks better than wireframe

Paper Prototype Walk someone through using a paper version of the app

Define MVP Minimally Viable Product: what is the minimum required for app to "work"

Prioritizing Features what are the most important features? What are blocking features?
In what order should features be completed so everyone can work in parallel?

Tickets use goal tracker (e.g. Trello) and issue tracker (e.g. github issues.)

Sprints define a time period for work, set backlog during planning meeting, typically have once-a-day $\approx 15\text{min}$ "standup" meeting

Quality Assurance multiple environments (work, staging/integration, production). Test in an environment exactly like the "real-world". Run test suites.

Release

Retrospective

1.4 Common Trouble

Scope creep Keep adding new features, which delays release and bloats product

Nebulous Hierarchy can't have a "flat" team. Assign specialties or lead roles to members.

Too many stakeholders Who "says yes" for a particular kind of decision?

Automating too soon don't over-engineer too soon. Just make it happen as quick as possible

1.5 Stack

Make sure you are using the appropriate technology for the project

2 Crowd Sourcing (Sean Goldberg)

2.1 Big Data

Volume Existing data waiting to process

Velocity Data in motion (Streaming)

Variety structured, unstructured, text, multimedia

Veracity data in doubt (inconsistency, incompleteness, ambiguity, latency)

Want to organize this data. Example: Wikipedia info box.

2.2 Machine Learning

training set → learning algorithm → heuristic

2.2.1 Examples of use:

- Self-driving car
- Machine translation (like Babel Fish from Hitchhiker's Guide)
- Amazon recommendations
- Apple's Siri (natural language question → database query)
- license plate processing
- Watson (jeopardy playing robot)

2.2.2 Current Machine Learning Limitations

- Natural Language Processing still limited

2.3 Crowd Sourcing

Human processing power can make up for areas that machines lack. Try to combine human and machine computation to complete a goal.

Bringing in a single human is not efficient. Need an effective way to source the collective knowledge of many humans.

2.3.1 Amazon Mechanical Turk

Provides a marketplace for sourcing human intelligence.

- Make an open call for jobs
- People sign up for jobs
- People complete task with human intelligence
- People get payed
- Allows parallelization of tasks

Example use: Collecting Training data for an intelligent system. If you are training a system to identify emotions by looking at a picture, you need people to look at the pictures and classify them so the machine can learn from them.

2.3.2 TurKit

A programming toolkit that integrates human intelligence as subroutines in your code.

2.3.3 Soylent

A MS Word plugin using people to perform word processing tasks that are difficult for a computer (shortening, proofreading, macro)

2.3.4 CrowdDb

Use human intelligence to correct and optimize a database in ways that are difficult for a machine.

2.3.5 DbPedia

Make wikipedia queryable like a database by using human intelligence.

2.4 CASTLE (Crowd Assisted System for Text Labeling and Extraction)

Converting unstructured text into a structured form (database) that can be queried.

Combine probabilistic database with crowd knowledge.

Run a machine learning algorithm over text to tag tokens. The algorithm generates a set of possible tags, each with a given correctness probability. Identify uncertain tags and source them to humans by automatically posting HITs.