

mOS component audit

A component-by-component pass over the entire interface — features, appearance, and polish — with nothing changed in code.

Date 12 June 2026 Build v5.15.0 Scope ~85 components · 17,187 lines TSX Code changed none

What the audit found

The app is in better shape than most personal projects ever get: money math is integer-cents, note autosave is genuinely well engineered, the vault is properly layered, and the visual language is consistent. The findings cluster around a handful of systemic habits rather than scattered defects — a fake pause, deletes without confirmation, three "productization leftovers", and an accent palette that wanders.

85 COMPONENTS REVIEWED 26 BUGS 29 RISKS 26 POLISH ITEMS 8 FEATURE IDEAS




FIG 1 Findings by area. The filled segment marks confirmed bugs; the open bar is everything else (risks, polish, ideas). Counts match the curated lists in this report; the full working log lives in component-audit.md.

Severity, as used throughout: **BUG** — behaves incorrectly today; **RISK** — correct-ish but fragile, inaccessible, or misleading; **POLISH** — visual or code-health refinement; **IDEA** — a feature worth considering; **GOOD** — something deliberately worth keeping.

Seven habits that explain most findings

1 • Pause buttons that stop. The timer store has no pause concept — `toggleTaskTimer` on an active timer calls `stopTaskTimer`, which records the session. Three surfaces still render a pause control next to a stop control: the floating timer, the task detail dialog, and Focus Mode — where pressing the giant pause button saves the session and strands you on a "No Active Task" screen. Implement real pause (persist accumulated seconds) or remove every pause affordance.




FIG 2 Anatomy of the pause bug. The same call path runs from `ActiveTaskTimer`, `TaskItem`'s dialog, and `FocusMode`.

2 • Destructive actions without confirmation. Task delete, repeating-task delete (with its streak), streak reset and delete, budget-target delete, transaction delete, and program-exercise delete all fire instantly from hover icons. The app already owns a good `showConfirm` — Passwords, StatsBlock, CategoryManager, and account deletion use it. High-value data deserves it everywhere; an undo toast would be even better for tasks.

3 • Escape tears down the whole mode. Every mode binds a window-level Escape that exits the mode regardless of what is stacked above it — an open book in Notes, Quick Notes, or a Radix dialog (whose own Escape handler also fires). One press should close one layer.

4 • Productization leftovers. Three classes of owner-specific values are baked into product code: lift peaks (280/405/495/180) as chart reference lines, `weight_unit: 'lb'` at every fitness save site, and a hardcoded \$ across the budget suite. One small settings surface (currency, weight unit, personal peaks) converts all three into features.

5 • Accent drift. The brand is bone-and-red on near-black, but charts are #3b82f6 blue, note links are blue, the desktop widget timer is green, the add-task gradient sweeps red-to-blue, and the palette window colors success and failure the same red. Define the semantic palette once — red for brand and primary action, green for success and income, amber for warning and in-progress — and apply it everywhere. FocusMode's giant timer glow is also written as `rgba(var(--primary), 0.4)`, which is invalid CSS and silently renders nothing.

6 · Silent failures in the corners. The budget store toasts every mutation failure; notes' link/unlink, fitness exercise saves, and several copy paths only `console.error`. The convention exists — finish applying it.

7 · Dead code that contradicts the architecture. `PrayerBlock`, `PomodoroBlock`, `SessionsList`, and `NotesSection` (~600 lines) are imported nowhere; `PomodoroBlock` still contains the drift-prone per-second countdown the store explicitly replaced. The budget's "Recurring transaction" checkbox persists a flag nothing reads. Delete the four components and either build recurrence or remove the checkbox.

The top ten

If only ten things get fixed, fix these — ordered by user pain per unit of effort.

- 01 Real pause, or no pause — one decision applied to all three timer surfaces.
- 02 Prayers on mobile: the header pills are desktop-only and the only other prayer UI is dead code, so prayers cannot be toggled on a phone at all. Also split "today's log" from "the viewed calendar date" so browsing history stops hijacking the pills.
- 03 Confirmation (or undo) for every destructive action listed in Systemic #2.
- 04 "Discard Idle Time" currently saves the idle time — it calls plain `stopTaskTimer`. Honor the promise or remove the button.
- 05 The gym screen's two missing essentials: wire the already-built ghost text (`previousLog` is permanently `undefined`) and add a rest timer.
- 06 Delete the four dead components and resolve the dead recurring-transaction checkbox.
- 07 A small settings surface for currency, weight unit, and personal peaks (Systemic #4).
- 08 Layered Escape handling in every mode (Systemic #3).
- 09 CalendarBlock's week recap reads whatever month is being browsed — give it its own fixed two-week query.
- 10 One semantic accent palette, applied to charts, links, widget, and the broken Focus-Mode glow (Systemic #5).

Shell & home surface

App shell

src/App.tsx

BUG	"Discard Idle Time" records the full session including the idle stretch — identical outcome to "Keep Time" except the timer stops.
BUG	Help lists Ctrl+` / Ctrl+Num1–3 on the web build, where those Electron global shortcuts don't exist.
RISK	The idle-return prompt is a hand-rolled <code>fixed inset-0</code> modal — no focus trap or Escape, against the repo's own Radix-Dialog rule.
RISK	Download link points at <code>github.com/murttaza/xOS</code> — the username looks typo'd; verify or move to <code>brand.ts</code> .
POLISH	Mode overlays and the transition splash are mounted twice (overlay-mode branch and main branch) and have already diverged once; extract a single <code><ModeLayers /></code> .
POLISH	Only the major version ("v5") is visible anywhere; the full <code>v5.15.0</code> belongs in the Settings popover for support.
IDEA	The welcome dialog's "Start by adding your first task" button should actually focus the task input.

ModeHeader

src/components/ModeHeader.tsx

BUG	The Arabic signature renders for <i>any</i> user in overlay mode — App.tsx gates the same flourish behind <code>isOwner</code> ; this one misses the check (and the <code>lang="ar"</code> attribute).
POLISH	Wordmark is 20px here, 22px in the App header — pick one.

WindowControls

src/components/WindowControls.tsx

RISK	Pin, minimize, size, and close buttons have no aria-label or title — a direct convention violation, on the window chrome of all places.
RISK	<code>if (!isElectron) return null</code> sits above the hooks — a rules-of-hooks violation that only works because the value is constant.
POLISH	The size popup is a hand-rolled popover (no Escape, no focus management, stale "hovered" naming for click behavior) — use <code>ui/popover</code> .

HeaderPrayers

src/components/HeaderPrayers.tsx

BUG	Hidden below <code>lg</code> with no mobile alternative — prayers cannot be toggled on a phone, the platform where they're most used.
GOOD	Tap latency and the out-of-order race were fixed this session (optimistic toggle, serialized writes, mount-only stagger).
IDEA	A subtle next-prayer indicator; full prayer-times integration is a separate decision.

CalendarBlock

src/components/CalendarBlock.tsx

BUG

The week recap computes from whichever month's sessions are loaded — browse to March and "This Week" goes wrong.

RISK

Selecting a past date loads it into the shared `dailyLog` slot, which the header prayer pills also read — cross-component state bleed.

RISK

Journal autosave debounce flushes on date switch but not on unmount or app close — type and quit within a second and the entry is gone. Adopt the notes drafts pattern.

POLISH

Session-list stagger grows linearly ($i \times 0.05s$) — a 30-session day animates for 1.5s; cap it. Day cells also need accessible names.

GOOD

The day-detail hierarchy (day → focused total → prayers → journal → sessions) is genuinely nice.

StatsBlock

src/components/StatsBlock.tsx

BUG

Stats can't be added, renamed, or deleted on mobile: the controls bar is desktop-only and the manage buttons are hover-revealed, which touch never triggers.

IDEA

Bars show level progress with no numbers anywhere — an `xp / next` tooltip would reward the XP system.

StreaksWidget

src/components/StreaksWidget.tsx

RISK

With zero streaks the widget returns null but App still renders the wrapper — a blank glass panel on a new user's home screen. Hide the card or show a one-line CTA.

GOOD

The 1/2/3/n adaptive layouts and heat-color ramp are a tasteful touch.

ActiveTaskTimer

src/components/ActiveTaskTimer.tsx

BUG

Pause and Stop do the identical thing (see Systemic #1) — two icons, one destructive-ish outcome.

RISK

Icon buttons lack aria-labels (only minimize has a title).

Dead components

PrayerBlock · PomodoroBlock · SessionsList · NotesSection

BUG

~600 lines imported nowhere; PomodoroBlock preserves the drift-prone timer logic the store replaced. Delete all four.

Small components

ReactiveBlock · ModeToggle · ThemeProvider · ErrorBoundary · ModeLoading · WelcomeDialog · Wordmark

POLISH

ErrorBoundary's "Try Again" can't recover a failed lazy chunk — add a "Reload app" secondary action.

GOOD

ModeLoading (role=status), theme-color meta sync for iOS, and the Wordmark's optical-scale correction are exactly the right kind of detail.

Tasks, Focus, Year

TaskBoard

src/components/TaskBoard.tsx

BUG	Global Ctrl+N is always bound — it opens the task dialog underneath Notes/Budget/Fitness modes and steals the shortcut inside text editing.
BUG	The "All Tasks" dialog passes a no-op onToggleTimer — play buttons render and silently do nothing.
RISK	The Eye (view all) button has no aria-label or title.
POLISH	The Add button's hover gradient sweeps red→blue — off-palette (Systemic #5). "Loose Tasks" would read better as "Unscheduled".
GOOD	The untimed-completion flow ("add additional time?") is thoughtful.

TaskItem

src/components/TaskItem.tsx

BUG	Row trash deletes permanently with no confirm — one mis-click on a hover icon (Systemic #2).
RISK	Detail dialog truncates session history to 5 with no "showing 5 of N", while totals above cover all N.
POLISH	XP figure recomputes from current difficulty and ignores bonuses — an estimate presented as fact. isActive/isTimerRunning are always the same value; collapse them.
GOOD	Overdue treatment (rose border, icon, bold date) is clear without shouting.

TaskDialog & RepeatingTaskDialog

src/components/TaskDialog.tsx · RepeatingTaskDialog.tsx

BUG	Both save with an empty title; the repeating dialog saves "weekly" with zero days selected — a repeating task that never repeats. Disable save until valid.
RISK	Default stat is hardcoded ["Fitness"] — rename or delete that stat and new tasks point at a ghost.
POLISH	Difficulty is 5 segmented buttons in one dialog, a slider in the other; only TaskDialog gets the mobile full-screen and inline-calendar treatment. Unify.
GOOD	Mobile inline calendar instead of a popover-in-dialog, and local date parsing that dodges the UTC shift, are the right calls.

RepeatingTaskItem

src/components/RepeatingTaskItem.tsx

BUG	Trash deletes the task and its streak instantly, no confirm.
POLISH	The orange Flame streak chip vs the home widget's red heat ramp — two streak color languages.
GOOD	The weekly S-M-T-W-T-F-S progress dots are the best little visualization in the app.

FocusMode

src/components/FocusMode.tsx

BUG	The big pause button stops and saves the session, then dead-ends on "No Active Task" (Systemic #1).
BUG	The giant timer's glow is <code>rgba(var(--primary), 0.4)</code> — invalid CSS; it has never rendered.
RISK	Notification permission is requested at the moment the pomodoro completes — that first notification is always lost. Ask on entering the mode.
POLISH	No hours in the session clock: a 90-minute session reads "90:00" here and "1:30:00" in the overlay.
IDEA	Pomodoro completion does nothing to the session — even a subtle "break?" state would connect the two timers.
GOOD	Wall-clock-anchored pomodoro with a catch-up tick is the right architecture.

FocusOverlay

src/components/FocusOverlay.tsx

POLISH	The task selector lists every incomplete task unsorted — today's tasks should float to the top.
GOOD	Owner gating is done correctly here; the mouse-event forwarding is tidy.

YearMode

src/components/YearMode.tsx

BUG	Streak Reset (zeroes a possibly-hundreds-of-days streak) and Delete both fire instantly from a hover icon row, one slot apart.
RISK	A 1-second interval re-renders every streak card to update an hours figure — 60s granularity is all the UI shows.
POLISH	The desktop add-streak input is invisible until hover (<code>w-0 opacity-0</code>) — hidden affordance; the + submit button also lacks a label.
GOOD	The year-dots grid (days crossed out, weeks view) is the most distinctive screen in the app.

Notes

NotesMode

src/components/NotesMode.tsx

- BUG

Escape exits the whole mode through any stacked layer — open book, Quick Notes, or the New Subject dialog (Systemic #3).
- RISK

Quick Notes is found by the literal title "Quick Notes" — rename that book and the Zap button silently creates a duplicate.
- POLISH

The New Subject dialog's confirm is `variant="destructive"` for a create action; the 300-spine library math is re-derived in three files.
- GOOD

The draft-preservation system (drafts survive failed saves and note switches, flush on visibility/unload/unmount) is the best-engineered autosave in the app.

NoteEditor

src/components/notes/NoteEditor.tsx

- BUG

The "Saved" indicator never reappears after the first edit — its visibility keys off draft state that is only cleared when switching notes, so the user sees "Saving..." then nothing.
- POLISH

Toolbar buttons have no active state (`queryCommandState` is unused) — the cursor in bold text doesn't light the Bold button. The X close button lacks an aria-label.
- IDEA

A - [] typed shortcut for checkboxes — the legacy importer already understands the syntax.
- GOOD

The sanitization pipeline (DOMPurify allow-list, checkbox-only inputs, plain-text paste/drop, legacy-markdown conversion) is genuinely strong.

NotesList

src/components/notes/NotesList.tsx

- RISK

The "Edit Book" overlay is another hand-rolled modal (no Escape, no focus trap) in a file whose siblings use Radix.
- RISK

Note rows are clickable divs — keyboard users cannot open a note at all; hover-only deletes are invisible-but-tappable on touch.
- GOOD

Spine-color strip and the native color-pipette picker are lovely.

QuickNotesView

src/components/notes/QuickNotesView.tsx

- RISK

Copy reimplements the clipboard backwards (`execCommand` hack first, `navigator.clipboard` as fallback) instead of using `lib/clipboard.ts`; the overlay also has no Escape of its own while the mode-level Escape fires underneath it.
- POLISH

The new-note textarea stays one row tall as Shift+Enter adds lines.
- GOOD

Today/Yesterday grouping, tap-to-edit-inline, Enter-to-save with the hint — the right shape for quick capture.

NotesSearch & BookShelf

src/components/notes/NotesSearch.tsx · BookShelf.tsx

RISK

Search has no "no results" state (nothing renders — indistinguishable from not searching), no dismiss-on-blur, and no keyboard navigation through results.

RISK

Book spines and placeholder slots are clickable divs — the entire library is mouse-only.

GOOD

The bookshelf metaphor (vertical spines, ghost "+" slots, shelf lines) is the app's most distinctive visual idea — keep it, make it focusable.

NoteLinkPicker & LinkedTasks

src/components/notes/NoteLinkPicker.tsx · LinkedTasks.tsx

RISK

LinkedTasks' link/unlink failures only console.error — a failed unlink looks identical to success.

POLISH

A three-step wizard (library → book → note) to link one note is heavy — the store's searchNotes could make it one search-first list. "New" hardcodes statTarget: ['Social'], silently farming Social XP from note-spawned tasks.

GOOD

Phantom-chip handling (dropping the chip when the linked note was deleted) is a nice correctness touch.

08 · FINDINGS

Budget

The cleanest suite in the app — ModeLoading gate, desktop/mobile splits, store-level error toasts, cents-safe math throughout. It should be the reference architecture for the other modes.

TransactionDialog

src/components/budget/TransactionDialog.tsx

BUG

"Recurring transaction" is a dead checkbox — isRecurring is persisted but nothing reads it: no materialization, no badge, no filter. Build the recurrence engine or remove it.

POLISH

Native selects (category loses its color dot) while the app owns a Radix Select; the number field scroll-wheel changes values silently; 28px of safe-area header padding shows on desktop.

GOOD

Segmented income/expense toggle clearing the category, disabled-until-valid submit, dark colorScheme on the date input.

BudgetDashboard & BudgetCharts

src/components/budget/BudgetDashboard.tsx · BudgetCharts.tsx

BUG

Net Balance, the headline number, is the only figure without a currency symbol.

BUG

Daily Activity stacks income and expense bars each scaled to 100% of the same fixed-height box — a day with both overflows the chart.

IDEA

Currency is hardcoded \$ across the suite — one currency setting with Intl.NumberFormat is the most valuable small feature in this mode. Tapping a donut slice could drive the existing transaction filter.

GOOD

Hand-rolled SVG donut instead of a chart dependency; integer-cents aggregation everywhere.

TransactionList & BudgetTargets

src/components/budget/TransactionList.tsx · BudgetTargets.tsx

RISK

Transaction delete and target delete are instant — no confirm, no undo, for financial records; the target's X also reads as "close card".

POLISH

Amount formatting bypasses `lib/money.ts`; date group headers want a per-day subtotal.

IDEA

Targets restart empty every month — "copy last month's targets" removes the suite's biggest recurring chore.

CategoryManager & MonthSelector

src/components/budget/CategoryManager.tsx · MonthSelector.tsx

GOOD

CategoryManager is the best-behaved CRUD dialog in the app (honest confirm copy, aria-labels, focus management); MonthSelector is an exemplary small component (aria-live label).

IDEA

Clicking the month label should jump back to the current month.

Fitness

TodayWorkout — the gym surface

src/components/fitness/TodayWorkout.tsx

BUG	The "last session" ghost text is fully built and permanently fed <code>previousLog=undefined</code> — in the gym, last week's numbers are <i>the</i> feature, and it's one store query away.
RISK	No rest timer — the most-reached-for control in any lifting app, in an app full of timers. A chip that starts on "Log Exercise" would be transformative.
RISK	Per-set RIR is hidden <code>sm:block</code> — invisible exactly on the phone where sets are logged. "Complete Session" stays disabled with no hint until every exercise is logged, with no partial-completion path.
POLISH	Exercise-save failures only console.error; session notes/RPE are lost if you navigate before completing.
GOOD	Expand-to-log rows, checkbox rows for warmups, sticky header and action bar — good gym UX bones.

FitnessHome

src/components/fitness/FitnessHome.tsx

BUG	"This week" hardcodes /5 — wrong for 3-, 4-, or 6-day programs.
BUG	The date-scheduled week strip renders Mon–Fri only; weekend sessions exist in the data model but are invisible here.
GOOD	Next-up ring, dashed virtual sessions, and the documented static-Tailwind-class workaround.

StatsView & ProgressTracker

src/components/fitness/StatsView.tsx · ProgressTracker.tsx

BUG	ProgressTracker hardcodes the owner's lifetime peaks (280/405/495/180) as reference lines shown to every account (Systemic #4).
RISK	Two different e1RM formulas — Epley in StatsView's hooks, Brzycki inlined in ExerciseHistory — the same lift shows different 1RMs on different tabs.
POLISH	Charts are hardcoded blue/purple hex — the one place the app fully abandons its red identity. PR cards match lifts by exact name string and vanish silently on rename.
POLISH	The two tabs substantially overlap (body weight in both, top-set charts vs e1RM trends) — merge into one Stats tab with a weekly check-in card.
GOOD	StatsView is the strongest analytical screen in the app: empty-state gate, PR carousel with 4-week trends, most-improved / favourite / least-loved.

FitnessMode, WeekView, ProgramPicker, ProgramOverview

src/components/fitness/*

RISK	ProgramOverview confirms program/phase/day/run deletes with a tidy inline pattern — but exercise delete fires unconfirmed, and one path uses the native browser <code>confirm()</code> .
POLISH	Eight top-level tabs is too many — the mobile tab bar scrolls off-screen with no affordance; consolidating Stats/Progress/History gets it to five.
POLISH	ExportModal copies via raw <code>navigator.clipboard</code> (third bypass of the shared helper) and exports statuses but not the actual lifted weights — the export most worth having.
GOOD	Split presets → customize with real validation is the best creation flow in the app; "Delete this run only (keep the template)" is exactly the right data-model distinction.

Auth, secondary windows, primitives

LoginPage, UpdatePasswordPage, AuthGate

src/components/LoginPage.tsx · UpdatePasswordPage.tsx · AuthGate.tsx

RISK

No show-password toggle on a 12-character-minimum field (the vault unlock screen shares the gap) — long passphrases get typed blind on mobile.

POLISH

Raw Supabase error strings shown verbatim; light mapping for the common ones.

GOOD

Mode-tinted backdrops, strength meter with the actual policy problem surfaced, honest confirm-email state, offline queue cleared on sign-out.

PaletteApp & WidgetApp

src/palette/PaletteApp.tsx · src/widget/WidgetApp.tsx

BUG

The palette colors success and failure with two nearly identical reds — outcomes are visually indistinguishable.

RISK

The widget (and the tray) read the raw `currentStreak` column, which only updates on edit — the main app computes live anchored days, so the widget can show stale counts.

POLISH

The widget timer is green — a third accent system across the secondary windows.

GOOD

Palette reset-on-focus and Escape-to-hide feel right; widget's local 1s tick + 30s refetch is the right energy balance.

PasswordsMode

src/components/PasswordMode.tsx

GOOD

Fixed this session: the clear-clipboard-on-blur that made copy unusable, silent copy/reveal failures, invalid button nesting; success toast added.

RISK

The detail pane is hidden `lg:flex` with no narrow-window fallback — below 1024px, selecting a row shows nothing and edit/reveal/delete are unreachable.

POLISH

`faviconUrl()` permanently returns null (dead branch); `touchPassword` refetches the whole list after every copy.

UI primitives

src/components/ui/*

RISK

confirm-dialog autofocuses the confirm button even when destructive — Enter-spamming lands on "Delete". Focus Cancel for destructive confirms.

GOOD

Toast (now with a success variant), dialog, mode-loading, and AudioVisualizer (30 FPS cap, reused buffers, focus-aware) need nothing.

Scope & method

Every component under `src/` was read in full or near-full across six passes (shell & home, tasks/focus/year, notes, budget, fitness, auth/windows/primitives), tracing store and adapter code where behavior depended on it. This report is the curated read — the strongest findings per component. The complete working log, including minor nits omitted here, is `component-audit.md` at the repo root. No code was changed as part

of the audit; the prayer-race and password-clipboard fixes referenced as "fixed this session" were completed earlier the same day, before the audit began.

SUGGESTED SEQUENCING

Land the Top 10 as three patch releases: correctness first (items 1–5), then the cleanup pass (6–9), then the visual-language pass (10) — each small enough to verify in an evening.