

LasPay Card Management System

Business & Operations Guide

Document Title	LasPay Card Management System — Business & Operations Guide
Document ID	LasPay-CMS-001
Version	1.0
Status	Client Ready
Classification	Confidential
Prepared For	LasPay
Prepared By	Karsaaz — CMS Delivery Team
Last Updated	August 2026

Document control

Version	Date	Author	Description
1.0	Aug 2026	CMS Team	Initial client business guide with deployed UI screenshots
Role	Name	Signature	Date
Project Manager			
Business Lead			
Client Representative			

Table of contents

- 1. [Introduction](#)
- 2. [Executive summary](#)
- 3. [System overview](#)
- 4. [User roles & access](#)
- 5. [Business flows](#)
 - 5.1 [Sign in & dashboard](#)
 - 5.2 [New card request](#)
 - 5.3 [Card request approval \(checker\)](#)
 - 5.4 [Card generation](#)
 - 5.5 [Card search & operations](#)
 - 5.6 [Change card status](#)
 - 5.7 [Replacement request](#)

- [5.8 Change card type](#)
 - [5.9 Cards by expiry date](#)
 - [5.10 Card export to bureau](#)
 - [5.11 Master data setup \(housekeeping\)](#)
 - [5.12 Security & access control](#)
- 6. [Module reference](#)
 - 7. [Appendix A — API summary](#)
 - 8. [Appendix B — Glossary](#)
 - 9. [Appendix C — Screenshot index](#)
 - 10. [Appendix D — Word document design](#)

1. Introduction

1.1 Purpose

This document describes the **LasPay Card Management System (CMS)** from a **business and operations perspective**. It is intended for senior management and business teams who need to understand:

- What the system does
- How day-to-day card operations work
- Which screens users interact with at each step
- Which backend APIs support each business process

This guide complements the technical specification ([Technical.md](#)) and live Swagger documentation at [/swagger-ui.html](#).

1.2 Scope

In scope	Out of scope
LasPay web CMS (admin portal)	Mobile app channel (separate guide)
Card production, operations, housekeeping	Core banking host internals
Security (users, roles, permissions)	Network / infrastructure design
Screenshots from deployed LasPay environment	Full API request/response schemas

1.3 Audience

Audience	How to use this document
Senior management	Sections 2–3 and flow diagrams in Section 5
Business / operations	Section 5 (step-by-step flows with screenshots)
QA / UAT	Flows + Appendix A (API mapping)
IT / integration	Appendix A + Swagger for full contracts

2. Executive summary

LasPay CMS is a secure web platform for managing the full card lifecycle — from new card requests and dual-control approval through card generation, day-to-day operations, and bureau export.

2.1 Key capabilities

Capability	Business value
Card production	Controlled issuance with maker/checker approval before generation
Operations	Search, status changes, replacements, type changes, expiry management
Housekeeping	Configure products, card types, limits, branches, and reference data
Security	Role-based access, permission control, encrypted sessions
Dashboard	Real-time view of pending approvals, open requests, and operational KPIs

2.2 Platform modules

The LasPay CMS is organised into five functional areas accessible from the main navigation menu:





SECURITY

Users

Roles

Permissions

Menus

OPERATIONS

Cards

Card Export


Change Card Status

Replacement Request

Change Card Type

Expiry Cards

CARD PRODUCTION



2.3 Flagship flow — new card issuance

flowchart TB


```

A[Maker: New Card Request] --> B[Customer lookup]
B --> C[Select product type branch]
C --> D[Submit request]
D --> E[Checker: Review queue]
E -->|Reject| F[Request rejected]
E -->|Approve| G[Card generation]
G --> H[Card issued & encrypted]
H --> I[Optional bureau export]
  
```

This end-to-end flow is documented in detail in [Section 5.2](#) through [Section 5.4](#).

3. System overview

3.1 High-level architecture




Component	Role
LasPay Web UI	Browser-based portal for all CMS functions
CMS REST API	Business logic, validation, security, card processing
Oracle database	Persistent storage; card data encrypted at rest

3.2 Security highlights

- **Encrypted session** — JWT-based authentication on every API call
- **Role-based access** — Users see only menus and actions permitted by their role
- **Dual control** — Card requests require checker approval before generation
- **PAN protection** — Card numbers displayed masked (e.g. 222333*****5352) in all list views
- **Audit trail** — System actions are logged for compliance (administrative review available to authorised users)

3.3 Sign-in screen

All users begin at the LasPay sign-in page. Access is restricted to authorised personnel.



Step	Action	API
1	User enters Login ID and password	—
2	System validates credentials and issues session token	POST /api/auth/login

Step	Action	API
3	User lands on Operations Dashboard	GET /api/dashboard/summary

4. User roles & access

LasPay CMS uses **role-based access control (RBAC)**. Each user is assigned one or more roles that determine which menus and actions are available.

4.1 Typical roles

Role	Typical user	Primary activities
Administrator	IT / system admin	Users, roles, permissions, all modules
Maker	Branch operations staff	Create and edit card requests
Checker	Supervisor / authoriser	Approve or reject card requests
Card Operator	Card operations team	Card search, status, replacement, export
Card Viewer	Read-only users	View cards and reports

4.2 Access model

flowchart LR
 U[User] --> R[Roles]
 R --> P[Permissions]
 P --> M[Menus & actions]
 M --> S[Screens in LasPay CMS]

Permissions such as **CREATE_CARD_REQUEST**, **APPROVE_CARD**, and **EXPORT_CARD** gate specific business operations. See [Section 5.12](#).

5. Business flows

Each flow below follows the same structure:

1. **Purpose** — why the business uses this process
2. **Steps** — what the user does
3. **Flow diagram** — visual overview
4. **Screenshots** — from deployed LasPay environment
5. **APIs** — backend endpoints that power the screen
6. **Business rules** — key controls and outcomes

5.1 Sign in & dashboard


Purpose: Provide a landing page after login with operational KPIs and quick access to pending work.

Who: All authenticated users

Steps

1. User signs in at the LasPay login page
2. System loads the **Operations Dashboard**
3. Dashboard shows: pending approvals, open requests, cards issued today, expiring cards, hot cards, and request status chart
4. User navigates to any module from the left menu

Screenshot



APIs

Function	Method	Endpoint	Purpose
Sign in	POST	/api/auth/login	Authenticate user
Dashboard KPIs	GET	/api/dashboard/summary	Load queues, counts, charts
User menus	GET	/api/my-menus	Build navigation for current user

Business rules

- Dashboard counts refresh on page load; user can click **Refresh** for latest data
- KPI cards link to relevant detail screens (e.g. pending approval → card requests)

5.2 New card request


Purpose: Allow a maker to submit a new card request for an existing or new customer account.

Who: Maker (or Admin with maker permissions)


Steps

- 1. Navigate to **Card Production** → **New Card Request**
- 2. Enter **relationship number** — system loads customer and account options
- 3. Select **existing account** or choose **new account**
- 4. Complete **card details**: card title, product, card type, branch, supplementary count
- 5. Submit the request — it enters the maker/checker workflow

Flow diagram



Screenshots









Admin UserADMIN



New Card Request

Submit a new card request for an account. Add account details or select an existing account.

Customer & account

Relationship number *

123456789123

Account

☒ Existing account

☐ New account

Select account *

1234567891 TESTING CMS

Account info

1234567891 TESTING CMS

Card details

Card title *

TESTING LASPAY

Uppercase only — no lowercase letters

Product *

Debit Card

Card type *

Credit Standard (CREDIT_STD)

Branch *

Main Branch

Supplementary count

0

APIs

Step	Method	Endpoint	Purpose
Customer lookup	GET	/api/card-requests/customer-info?relationshipNum=	Load customer and accounts
Create request	POST	/api/card-requests	Submit new card request
Update request	PUT	/api/card-requests/{id}	Edit before approval
Dropdowns	GET	/api/products, /api/card-types, /api/branches	Product, type, branch lists

Business rules

- Card title must be **uppercase** (no lowercase letters)
- All fields marked with * are mandatory
- Request appears in checker queue after submission
- Maker cannot approve their own request (dual control)

Outcome

Result	Description
Success	Request created with status Pending ; visible in Card Requests queue
Validation error	Missing or invalid fields highlighted on form

5.3 Card request approval (checker)


Purpose: Authorised checker reviews pending card requests and approves or rejects them.

Who: Checker (or Admin with approve permissions)


Steps

- 1. Navigate to **Card Production** → **Card Requests**
- 2. View **Checker** queue — lists pending requests with customer, product, branch details
- 3. Review request details (relationship, account, title, type, product)
- 4. Click **Approve** to proceed to generation, or **Reject** to decline with audit record
- 5. Approved requests move to card generation

Flow diagram



Screenshot



APIs

Step	Method	Endpoint	Purpose
Checker queue	GET	/api/card-requests/checker	List requests awaiting approval
Maker queue	GET	/api/card-requests/maker	List maker's requests
Reject	POST	/api/card-requests/reject	Reject with reason

Step	Method	Endpoint	Purpose
Approve & generate	POST	/api/card-generation/request/{id}/approve-and-generate	Approve and create card
Search	GET	/api/card-requests/search	Find historical requests

Business rules

- Only users with **APPROVE_CARD** permission can approve
- Rejected requests remain searchable for audit
- Progress shown as **Pending** until checker action

Outcome

Result	Description
Approved	Request proceeds to card generation
Rejected	Request marked rejected; no card created

5.4 Card generation


Purpose: Generate the physical/logical card record after checker approval.

Who: Card operations / generation operator


Steps

1. Navigate to **Card Production** → **Card Generation**
2. Enter **relationship number** and **account number**
3. Click **Load requests** — system shows approved requests for that account
4. Process generation — card record created, PAN encrypted, optional bureau file prepared
5. **Processed** column shows **Yes** when complete

Flow diagram



Screenshot



APIs

Step	Method	Endpoint	Purpose
Load requests	POST	/api/card-generation/request-by-code	Find requests by relationship & account
Approve & generate	POST	/api/card-generation/request/{id}/approve-and-generate	Generate card from approved request
Process	POST	/api/card-generation/process	Process generation for request ID
Update progress	PUT	/api/card-generation/request/{id}/progress	Update workflow progress flag

Business rules

- Only approved requests appear for generation
- Generated cards stored with encrypted PAN
- Limit profile from product/card type applied on generation

Outcome

Result	Description
Success	Card issued; processed flag = Yes; card visible in Operations → Cards
Already processed	Request shown as processed; no duplicate generation

5.5 Card search & operations

Purpose: Search and manage existing cards across all operational functions.

Who: Card Operator, Admin

Overview

The **Operations** module provides unified card search used by multiple processes:

Screen	Business use
Cards	Primary card search and detail view
Change card status	Move card between Cold / Warm / Hot states
Replacement request	Request replacement card for lost/damaged cards
Change card type	Upgrade or change card product type
Expiry Cards	Find cards expiring in a date range; bulk renew or replace
Card Export	Export issued cards to bureau production file

All operational search screens share common filters: PAN, relationship number, date range, card type.

APIs (shared)

Function	Method	Endpoint	Purpose
Search cards	POST	/api/cards/search	Filter cards by criteria
Get card detail	GET	/api/cards/{id}	Full card information
Get dropdowns	GET	/api/cards/dropdowns	Filter options (types, statuses)
Customer lookup	GET	/api/cards/customer-by-relation	Customer info by relationship #

5.6 Change card status


Purpose: Update a card's operational status (e.g. Cold → Warm → Hot) for fraud or lifecycle management.

Who: Card Operator

Steps

1. Navigate to **Operations** → **Change Card Status**
2. Apply search filters (PAN, relationship, date range, card type)
3. Click **Search** — results show current status per card
4. Click **Change Status** on the target row
5. Select new status and confirm

Screenshot



APIs

Step	Method	Endpoint	Purpose
Search	POST	<code>/api/cards/search</code>	Find cards matching filters
Update status	PUT	<code>/api/cards/{id}</code>	Apply new card status

Business rules

- Status values configured in housekeeping (Cold, Warm, Hot)
- **Hot** cards flagged on dashboard for immediate attention
- All status changes logged for audit

5.7 Replacement request


Purpose: Initiate a replacement card when the existing card is lost, stolen, or damaged.

Who: Card Operator

Steps

1. Navigate to **Operations** → **Replacement Request**
2. Search for the card by PAN, relationship, or date range
3. Review card details (type, branch, status, expiry)
4. Click **Request Replacement** on the selected card
5. System marks card inactive and creates a new card request in the production queue

Screenshot



APIs

Step	Method	Endpoint	Purpose
Search	POST	/api/cards/search	Find target card
Create replacement	POST	/api/cards/{id}/replacement-request	Mark inactive & create new request

Business rules

- Original card deactivated upon replacement request
- New request follows standard maker/checker/generation flow
- Replacement source tagged in request queue

5.8 Change card type


Purpose: Change an existing card from one type to another (e.g. Debit Standard → Credit Standard).

Who: Card Operator

Steps

1. Navigate to **Operations** → **Change Card Type**
2. Search for the card
3. Review current card type in results
4. Click **Change Type** and select the new card type
5. System creates a card type change request for processing

Screenshot



APIs

Step	Method	Endpoint	Purpose
Search	POST	/api/cards/search	Find target card
Change type	POST	/api/cards/{id}/change-card-type	Create type change request

Business rules

- New card type must be compatible with the card's product
- Change request enters production workflow for approval if required

5.9 Cards by expiry date


Purpose: Identify cards approaching expiry and perform bulk renewal or replacement.

Who: Card Operator

Steps

1. Navigate to **Operations** → **Expiry Cards**
2. Set date range (from / to) and optional PAN filter
3. Click **Search** — cards with expiry in range are listed
4. Select cards via checkbox
5. Click **Renew selected** (extend expiry) or **Replace selected** (create replacement requests)
6. Use **View** on individual rows for card detail

Screenshot



APIs

Step	Method	Endpoint	Purpose
Expiry search	POST	/api/cards/expiry-search	Find cards in date range
Bulk renew	POST	/api/cards/bulk-renew	Extend expiry on selected cards
Replacement	POST	/api/cards/{id}/replacement-request	Replace selected cards

Business rules

- Dashboard shows count of cards **expiring in 30 days**
- Bulk actions require at least one selected card
- Renew extends expiry; replace creates new card request

5.10 Card export to bureau


Purpose: Export issued cards ready for physical card bureau production.

Who: Card Operator with export permission

Steps

1. Navigate to **Operations** → **Card Export**
2. Select **card type** filter
3. Click **Search** — system finds cards with production status **Issued**
4. Success message confirms count (e.g. "2 export-ready card(s) found")
5. Select cards and export to bureau file

Screenshot



APIs

Step	Method	Endpoint	Purpose
Find export-ready	POST	/api/cards/export-ready	List cards ready for bureau
Bulk export	POST	/api/cards/bulk-export	Generate bureau export file
Download file	GET	/api/cards/{id}/export-file	Download generated export file

Business rules

- Only cards with status **Issued** appear in export search
- Requires **EXPORT_CARD** permission
- Export file generated to secured output directory

5.11 Master data setup (housekeeping)

Purpose: Configure reference data required before card production and operations can run.

Who: Administrator

Setup order (recommended)

flowchart LR
A[Branches] --> B[Products]
B --> C[Card Types]
C --> D[Limit Profiles]
D --> E[Account Types & Statuses]
E --> F[Ready for card production]

Screenshots

Admin User
ADMIN

HOME

Dashboard

SECURITY

Users

Roles

Permissions

Menus

OPERATIONS

Cards

Card Export

Change Card Status

Replacement Request

Change Card Type

Housekeeping > Products

Products

Manage product reference data. Add, edit, or remove records.

+ Add Product

Product Code ↑↓	Product Name ↑↓	BIN ↑↓	Active ↑↓	Actions
CREDIT	Credit Card	111222	Yes	
DEBIT	Debit Card	222333	Yes	

<<

<

1

>

>>

10

▼

LasPay

Powered by ZINDIGI

Admin User
ADMIN

HOME

Dashboard

SECURITY

Users

Roles

Permissions

Menus

OPERATIONS

Cards

Card Export

Change Card Status

Replacement Request

Change Card Type

Housekeeping > Card types

Card types

Manage card type reference data. Add, edit, or remove records.

+ Add Card type

Card Type Code ↑↓	Card Type Name ↑↓	Product Code ↑↓	Active ↑↓	Actions
CREDIT_STD	Credit Standard	CREDIT	Yes	
DEBIT_STD	Debit Standard	DEBIT	Yes	

<<

<

1

>

>>

10

▼

LasPay

Powered by ZINDIGI

Admin User
ADMIN

HOME

Dashboard

SECURITY

Users

Roles

Permissions

Menus

OPERATIONS

Cards

Card Export

Change Card Status

Replacement Request

Change Card Type

Housekeeping > Limit profiles

Limit profiles

Define per-channel (ATM, POS, E-commerce) daily, monthly, and yearly amount limits. Assign profiles to cards in Operations.

+ Add limit profile

Profile Code ↑↓	Name ↑↓	Currency	ATM Daily	ATM Monthly	ATM Yearly	POS Daily	POS Monthly	POS Yearly	E-com Daily
STD	Standard Limit	PKR	50,000	500,000	2,000,000	100,000	1,000,000	5,000,000	50,000

<<

<

1

>

>>

10

▼

LasPay

Powered by ZINDIGI

Key entities

Entity	Example values	Used in
Products	Credit Card (BIN 111222), Debit Card (BIN 222333)	New card request product selection
Card types	Credit Standard, Debit Standard	Card type selection, export filter
Limit profiles	Standard Limit — ATM/POS/E-com daily/monthly/yearly	Applied on card generation

APIs

Entity	Base endpoint	Operations
Branches	/api/branches	CRUD
Products	/api/products	CRUD
Card types	/api/card-types	CRUD
Limit profiles	/api/limit-profiles	CRUD
Account types	/api/account-types	CRUD
Account statuses	/api/account-statuses	CRUD
Response codes	/api/response-codes	CRUD
Policies	/api/policies	CRUD

Business rules

- Products and card types must be **Active** to appear in card request dropdowns
- Each card type links to a product code
- Limit profiles define per-channel caps (ATM, POS, E-commerce) in PKR

5.12 Security & access control

Purpose: Manage who can access LasPay CMS and what actions they can perform.

Who: Administrator

Components

Component	Function
Roles	Define access groups (Admin, Card Operator, Card Viewer)
Permissions	Granular action rights (view, create, approve, export)
Menus	Control which navigation items each role sees

Screenshots

Admin User ADMIN

HOME

- Dashboard

SECURITY

- Users
- Roles
- Permissions
- Menus

OPERATIONS

- Cards
- Card Export
- Change Card Status
- Replacement Request
- Change Card Type

Roles

Manage roles and access groups.

+ Add role

Group ID ↑↓	Group Name ↑↓	Active ↑↓	Actions
ADMIN	Administrator	No	
CARD_OPERATOR	Card Operator	No	
CARD_VIEWER	Card Viewer	No	



LasPay

☰

Admin User
ADMIN

HOME

Dashboard

SECURITY

Users

Roles

Permissions

Menus

OPERATIONS

Cards

Card Export

Change Card Status

Replacement Request

Change Card Type

Security > Permissions

Permissions

Manage permission definitions and hierarchy.

+ Add permission

Permission ID ↑↓	Parent ID ↑↓	Name ↑↓	Type ↑↓
VIEW_CARDS		View Cards	
CREATE_CARD_REQUEST		Create Card Request	
APPROVE_CARD		Approve and Generate Card	
EXPORT_CARD		Export Cards to Bureau	
CLOSE_CARD		Close Card	
REPLACE_CARD		Replace Card	

Admin User ADMIN

HOME

- Dashboard

SECURITY

- Users
- Roles
- Permissions
- Menus**

OPERATIONS

- Cards
- Card Export
- Change Card Status
- Replacement Request
- Change Card Type

Menus

Manage navigation menus and hierarchy.

+ Add menu

Menu Name	Path	Icon	Order	Status	Actions
Dashboard	/	pi-home	1	Active	Edit Delete
Cards	/operations/cards	pi-credit-card	2	Active	Edit Delete
New Card Request	/card-production/new-request	pi-plus-circle	3	Active	Edit Delete
Card Requests	/card-production/requests	pi-list	4	Active	Edit Delete
Card Generation	/card-production/generation	pi-cog	5	Active	Edit Delete

Key permissions (card operations)

Permission ID	Name	Gates
VIEW_CARDS	View Cards	Card search and detail screens
CREATE_CARD_REQUEST	Create Card Request	New card request form
APPROVE_CARD	Approve and Generate Card	Checker approval and generation
EXPORT_CARD	Export Cards to Bureau	Card export screen
CLOSE_CARD	Close Card	Card closure action
REPLACE_CARD	Replace Card	Replacement request action

APIs

Function	Method	Endpoint
Users	CRUD	/api/users
Roles	CRUD	/api/roles
Permissions	CRUD	/api/permissions
Menus	CRUD	/api/menus
Assign roles	POST	/api/users/{id}/roles

Business rules

- Users must have at least one active role to sign in
- Menu visibility driven by role–menu mapping
- Permission checks enforced on API for every protected action

6. Module reference

Quick reference for all LasPay CMS menu items.

6.1 Home

Screen	Route	Description
Dashboard	/	Operations KPIs, queues, charts

6.2 Security

Screen	Route	Description
Users	/security/users	Create and manage CMS users
Roles	/security/roles	Define access groups

Screen	Route	Description
Permissions	/security/permissions	Action-level permission definitions
Menus	/security/menus	Navigation menu configuration

6.3 Operations

Screen	Route	Description
Cards	/operations/cards	Search and view cards
Card Export	/operations/cards/export	Bureau export for issued cards
Change Card Status	/operations/cards/change-status	Update card status
Replacement Request	/operations/cards/replacement	Request card replacement
Change Card Type	/operations/cards/change-type	Change card type
Expiry Cards	/operations/cards/expiry	Expiry search and bulk actions

6.4 Card Production

Screen	Route	Description
New Card Request	/card-production/new-request	Submit new card request
Card Requests	/card-production/requests	Maker and checker queues
Search Requests	/card-production/requests/search	Search historical requests
Card Generation	/card-production/generation	Generate approved cards

6.5 Housekeeping

Screen	Route	Description
Branches	/housekeeping/branches	Branch reference data
Account Statuses	/housekeeping/account-statuses	Account status codes
Account Types	/housekeeping/account-types	Account type codes
Products	/housekeeping/products	Card products and BINs
Card Types	/housekeeping/card-types	Card type definitions
Limit Profiles	/housekeeping/limit-profiles	Transaction limit templates
Policies	/housekeeping/policies	Business policy rules
Response Codes	/housekeeping/response-codes	System response codes

Appendix A — API summary

Base URL: CMS REST API (core-service). All endpoints prefixed with `/api/`. Authentication: JWT Bearer token.

Authentication

Method	Endpoint	Purpose
POST	<code>/api/auth/login</code>	Sign in
POST	<code>/api/auth/refresh</code>	Refresh token
POST	<code>/api/auth/change-password</code>	Change password

Dashboard

Method	Endpoint	Purpose
GET	<code>/api/dashboard/summary</code>	Dashboard KPIs and charts

Card requests

Method	Endpoint	Purpose
POST	<code>/api/card-requests</code>	Create request
GET	<code>/api/card-requests/maker</code>	Maker queue
GET	<code>/api/card-requests/checker</code>	Checker queue
POST	<code>/api/card-requests/reject</code>	Reject request
PUT	<code>/api/card-requests/{id}</code>	Update request
GET	<code>/api/card-requests/search</code>	Search requests
GET	<code>/api/card-requests/customer-info</code>	Customer lookup
GET	<code>/api/card-requests/{id}</code>	Get by ID

Card generation

Method	Endpoint	Purpose
POST	<code>/api/card-generation/request-by-code</code>	Load requests
POST	<code>/api/card-generation/request/{id}/approve-and-generate</code>	Approve & generate
POST	<code>/api/card-generation/process</code>	Process generation
PUT	<code>/api/card-generation/request/{id}/progress</code>	Update progress

Cards (operations)

Method	Endpoint	Purpose
POST	<code>/api/cards/search</code>	Search cards

Method	Endpoint	Purpose
GET	/api/cards/{id}	Card detail
PUT	/api/cards/{id}	Update card / status
POST	/api/cards/{id}/replacement-request	Replacement
POST	/api/cards/{id}/change-card-type	Type change
POST	/api/cards/expiry-search	Expiry search
POST	/api/cards/bulk-renew	Bulk renew
POST	/api/cards/export-ready	Export-ready search
POST	/api/cards/bulk-export	Bureau export
POST	/api/cards/{id}/close	Close card

Housekeeping

Method	Endpoint	Purpose
CRUD	/api/branches	Branches
CRUD	/api/products	Products
CRUD	/api/card-types	Card types
CRUD	/api/limit-profiles	Limit profiles
CRUD	/api/account-types	Account types
CRUD	/api/account-statuses	Account statuses
CRUD	/api/response-codes	Response codes
CRUD	/api/policies	Policies

Security

Method	Endpoint	Purpose
CRUD	/api/users	Users
CRUD	/api/roles	Roles
CRUD	/api/permissions	Permissions
CRUD	/api/menus	Menus
GET	/api/my-menus	Current user menus

Full API detail: Live Swagger UI at [/swagger-ui.html](#) when core-service is running.

Appendix B — Glossary

Term	Definition
BIN	Bank Identification Number — first 6 digits identifying the card product
Bureau	External card personalisation / printing vendor
Checker	Authorised user who approves or rejects card requests (dual control)
CMS	Card Management System
Cold / Warm / Hot	Card status levels indicating activation and risk state
Housekeeping	Reference data configuration (products, types, branches, limits)
Maker	User who creates card requests
PAN	Primary Account Number — the card number (always masked in UI)
Relationship number	Customer identifier linking accounts and cards
Dual control	Two-person rule: maker creates, checker approves

Appendix C — Screenshot index

All screenshots captured from the deployed LasPay CMS environment.

Figure	File	Screen	Section
3.1	1.png	Sign in	3.3
5.1	02-Dashboard.png	Operations Dashboard	5.1
2.1	03-menu.png	Navigation — Security & Operations	2.2
2.2	04-menus.png	Navigation — Production & Housekeeping	2.2
5.2.1	05-new-card-request.png	New card request (empty)	5.2
5.2.2	06-Existing customer .png	Customer lookup	5.2
5.2.3	07-Submit new card request.png	Form completed	5.2
5.3	08-Approve card.png	Checker queue	5.3
5.4	09-Card Generation.png	Card generation	5.4
5.11.1	10-Product.png	Products	5.11
5.11.2	11-Card Type.png	Card types	5.11
5.11.3	12-Card-limit-profile.png	Limit profiles	5.11
5.8	13-change card type.png	Change card type	5.8
5.7	14-request replacment.png	Replacement request	5.7
5.6	15-change card status.png	Change card status	5.6
5.9	16-card expiry.png	Expiry cards	5.9

Figure	File	Screen	Section
5.10	17-card export.png	Card export	5.10
5.12.1	18-Roles.png	Roles	5.12
5.12.2	19-Permissions.png	Permissions	5.12
5.12.3	20-Menus.png	Menu configuration	5.12

Screenshot folder: `Laspay_Client_Screenshots/` (project root)

Appendix D — Word document design

Use the following instructions when converting this guide to a client-ready **Microsoft Word (.docx)** presentation.

Brand palette

Use	Color	Hex
Primary accent	LasPay red	#E31E24
Secondary accent	Soft red	#C85A5C
Dark headers	Brand black	#1A1A1A
Body text	Charcoal	#3F3F46
Captions	Muted grey	#71717A
Table header fill	Light grey	#F4F2F1
Page background	Warm surface	#F7F5F4

Typography

Element	Font	Size
Cover title	Poppins SemiBold	28 pt
Heading 1 (chapters)	Poppins SemiBold	18 pt
Heading 2 (sections)	Poppins Medium	14 pt, color #C85A5C
Body	Inter Regular	11 pt
Figure captions	Inter Italic	9 pt, color #71717A
Footer	Inter	8 pt

Page setup

- A4, margins 2.5 cm
- Cover: black band with LasPay logo, title in white

- Header: thin #E31E24 rule + "LasPay Card Management System"
- Footer: LasPay-CMS-001 | Confidential | Page X of Y

Images

- Insert all screenshots from Laspay_Client_Screenshots/
- Center images; max width 16 cm; keep aspect ratio
- Caption format: *Figure X.Y — Description* (italic, 9 pt)
- Crop or blur any sensitive test data if needed

Diagrams

- Render Mermaid flowcharts as crisp PNG images (red/black palette)
- Place diagrams before screenshot sections in each flow

Callout boxes

Use left-border callouts (4 px #E31E24, background #FAF9F8) for:

- Business rules in each flow
- Security notes (PAN masking, dual control)

Do not include

- Third-party partner branding visible in screenshot footers — crop footers if present
- Audit log screens or sections
- Real customer PANs or live credentials

Conversion prompt

Copy this guide (LasPay-CMS-Business-Guide.md) together with the Laspay_Client_Screenshots/ folder into Word/Pandoc/Claude and apply the design rules above to produce **LasPay-CMS-001 v1.0.docx**.

© Karsaaz — LasPay Card Management System. Confidential. All rights reserved.