JS Bank

RemitHome
The Right Solution At The Right Time

Home Remittance

Version 1.0

4th Jan 2016

Centegy Technologies (Pvt) Ltd.

6th Floor, Beaumont Plaza, Beaumont Road, Karachi-75530, Pakistan
Phone: 5693521-30, Fax: (92-21) 568 5625
Website: www.sidathyder.com.pk

TABLE OF CONTENT

Module: 3
Home Remit: 3
1) COTC Transactions for Pull: 3
2) API Authorize: 12
RHAPI: 21
1) API Setup 21
1.1. API Settings: 21
1.1.1. Activity: 23
1.1.2. PRI Fields: 24
1.1.3. Responses: 25
1.2. Remitter Settings: 26
1.2.1. API Settings 27
1.2.2. Details: 28
1.2.3. Mapping: 29
1.2.4. Response: 31
1.3. Credential Settings: 32
2) Transactions 33
2.1 Blocked Transaction 33
2.2 Blocked Transactions Approval 35
2.3 Error Transactions 35
2.4 Error Transactions Pull A/C 39
3) Inquiry 42
3.1 Error Transactions 42
3.2 Transaction Activity Pull 43
3.3 AML Inquiry 45
3.4 API Quick Search 47

Module:


- Home Remit
- RHAPI

Home Remit:

1) COTC Transactions for Pull:


Details: A new interface for COTC online has been given for cash transactions. This interface will be operated by the teller, when the beneficiary is going to visit the cash counter to collect remittance then he/she will give the teller a security pin which we call as unique reference number.

Menu Path: Home Remittance>> Transaction >> COTC Online



Now user will go on to the COTC online interface. User select the remitter, also enter the unique reference no. given by the beneficiary and press go button.









- As User press Go button, as shown above new GET Transaction request has been created at back end db.
- As new Transaction GET request created back end Engine grabs the transaction for processing.
- When user hit "GO" button if transaction is under processing than "**Under Processing**" message appears. If transaction gets stuck in "AML" than "**Stuck in Block**" alert appears. User need to release the transaction from **Block Transactions interface** and retry.
- Teller need to hit go button till message pops up that "**Transaction is ready for Payment**". It means engine retrieves transaction, grab all the information and makes transaction available for payment. Below I mentioned screen view:







Now teller can see all the information about transaction.



Now it's the time to do processing of transaction and hit the "Process" button. When user hits "Process" button "JSBL and exchange company payment flow" will get executed.


- As Transaction gets ready for Payment and user hits process system first it checks that user is authorized to process transaction of following “xyz” figure amount. If the login user or teller is authorized to do Payment of available “xyz” figure amount than following described flow of payment will be executed. Vice-versa scenario will be analyzed later.

- As user is authorized, So Initially Fund Transfer performed through **“JSBL Web Service “**at its own end.

- At COTC Interface initially **JSBL Web Service** performs Fund Transfer call from “**Remitting Entity NR Account”** to **“JSBL Payable Account”.** This fund transfer call is basically transfer the Funds from available remitting entity account to JSBL payable.


- At back end data base “**Message LOG** “updated that logs the information that COTC interface sent to JSBL Web Service and also the response that JSBL web service returns.


- If response from JSBL web service is positive (successful) than only transaction is forwarded to remitting entity’s Web Service to do payment at its own end, otherwise unsuccessful response from **JSBL Web Service** halts further processing and message pops up at the screen that “**JSBL web service fund transfer failed due to xyz reason**”. Screen View is available below:



- In this scenario teller needs to retry. Because until unless JSBL Web Service not respond successfully transaction will not allow to proceed further.

- As JSBL Web Service showed successful response transaction transferred at remitting entity web service end and COTC interface wait till remitting entity paid the transaction.



Cash payment over counter
Remitter DOLLKW DOLLAR CO, KUWAIT
Unique Reference No mnam7861222dec
Go
Details
Entry
Transaction No.
Transaction Date 27/11/2015
Pay In Currency USD
Exch. Rate
Pay In Amount
Payout Currency PKR
Sender Info
Sender Name Rizwan Naeem
Receiver Info
Receiver Name Kamran Rizwan
Identification Type
Identification No
Counter Info
Counter Ref
Remarks
Scan Image mnam7861222dec
Request is in progress, please wait...
Date:7-Dec-15 User: SHMA001 Branch: JSB Main Branch Shaheen commercial comple
Process
Menu
Done
Internet
100%





- As teller now see “Transaction was paid: it means JSBL Web Service web service and Exchange Company’s web Service both provide successful response. (Payment from remitting entity side also executed successfully), Engine has created General transaction at back end DB and new record logged in PRI marked as “**Paid**” and transaction get paid successfully.

- If remitting entity couldn’t able to process fund transfer successfully than reason of failure displayed at the interface, and in this case JSBL Fund Transfer reversal call occurred against the previous successful attempt. Message log get updated against reversal at back end db. In the root’s web.config file following key needed to place:
  ```
  <add key="revrsalAttempt" value="3"/>
  ```
  The reason for this flag is if reversal atttempt is not successful once than we do more than one attempts to do reversal.
- Also add the key mentioned below in the application web. config file to set expiry time for cash transactions. Value for pay timeout will be in minutes. In case of transaction expiry transaction will be once again created.
  ```
  <add key="Paytimeout" value="15"/>
  ```

- Below I show the screen view for unsuccessful fund transfer at remitting entity's end.









- Above screen view displayed reason of Fund Transfer failure at remitting entity end and it also shows that Local FT means FT done through JSBL Web Service previously also get reversed.

- In the above case transaction also marked expired at back end db and use needs to recreate transaction by restoring session , at COTC interface provide unique reference no and remitting entity name again and hitting Go button again.

- Now we discuss vice-versa scenario in which when user hits "**Process**" button and the teller is not authorized to do transaction for give "xyz" figure amount. In that scenario an unauthorized payment request is created at back end DB. No Fund Transfer performed at JSBL Web Service end remitting entity fund transfer end and Transaction will be seen at **"API Authorize" interface.** Below I showed the screen view:

- AT COTC interface message pops up “unauthorized user limit and transaction payment request has created please wait”. Screen view provided below;









- An Unauthorized payment request has been created at back end DB and Transaction will move to **“API Authorize”** interface.

2) API Authorize:


Details: This Interface is used for either payment or rejection of transactions that were not allowed to proceed from above interface due to user amount limit. User when hit process above flow will executed for payment. And “Reject” marked transaction as “Expired”.


Menu Path: Home Remittance>> Authorization>> API Authorization


RemitHome
Parameter
Home Remittance
RH-API
eAcquisition
Security Manager
Log out
Login Selection
Transaction
Process
Authorization
Inquiry
Reports
Others
User
Overseas Authorization
Financial Transaction
FT Verification
FT Authorization
Blocked Transactions
Expired Transactions
API Authorization
SIDAT HYDER
Copyright @ 2011 Sidat Hyder Morshed Associates (Pvt) Ltd.
All rights reserved
Internet
100%





- As User now see Transactions available at API Authorize Interface. In this Interface user has two options either to process transaction or reject transaction.
- If user hits process button same mentioned flow that described above regarding JSBL Web Service and remitting entity web Service get executed. In Reject case transaction marked expired and rejected at back end DB.


API Authorize
Remitting Entity
Unique Ref No.
Go
System
Tran.Date
STAN
Unique Ref No
Request Message
SOCSRV
09/12/2015 11:46:46
000008
12092015frdiyr
DOLLKW~12092015frdiyr~SHMA001~9001~CNIC~~~~~~~~000018
Date:11-Dec-15 User: SHMA001 Branch: JSB Main Branch Shaheen commercial comple
Process
Reject
Menu
Done
Internet
100%




- Same cycle as mentioned above performed. At the hit of “Process” Initially Fund Transfer performed by JSBL Web Service form remitting entity NR Account to JSBL Payable Account, than remitting entity do payment at its own end and in return gives message that “Transaction was Paid” Process executed successfully.
- If in case Remitting Entity cannot do payment than previous FT Attempt by JSBL Web Service get reversed and response get executed.
- For **“Reject”** execution transaction marked “**Expired**” at back end DB. And no fund transfer attempts either from JSBL Web Service or at Remitting Entity end get executed.
- Screen View for **Reject**:


API Authorize
Remitting Entity
Unique Ref No.
Go
System
Tran.Date
STAN
Unique Ref No
Request Message
SOCSRV
11/12/2015 10:26:20
000002
1025fridaycotc
DOLLKW~1025fridaycotc~SHMA001~9001~CNIC~~~~~~~~000005
Date:11-Dec-15 User: SHMA001 Branch: JSB Main Branch Shaheen commercial comple
Process
Reject
Menu
Done
Internet
100%





- Hen Transaction marked expired and gets rejected. Process executed successfully.

In order to change the authority criteria see snap shots below:



Select system code ‘HRM’ on the selection criteria and select system code ‘001’ that is for cash transactions.


Authority Criteria
Master
Detail (Enquiry)
System ID
System HRM Home Remittance
Go
Master
List
Process ID Nature
001 Cash Payment
002 Cash Paid Own Bank
003 Exchange Company Limit
004 Other PRI Bank Outgoing
005 PRI Bank Incomm B
006 Commission SBP
007 COMMISSION EXCHANGE COMPANY
008 PRI Bank Out Going C
009 PRI Bank Incomm C
010 NON PRI Bank
011 Reversal Annexure C Incoming
013 Commercial Payment
014 Centralized Payable
015 Reversal
022 Cancel - Fast Draft
1009 Reverasl from CB
Page no: 1
Entry
Transaction Type 001 OVER THE COUNTER PAYMENT
Process ID 001
Nature Cash Payment
Code 0002
Field Combination SUS_LEVELCODE,DMP_PRODCODE,DCS_SCHEMC
Date:10-Dec-14 User: SHMA000 Branch: I.I.CHUNDRIGAR ROAD - KARACHI
Add
Save
Update
Delete
Menu
Internet
100%



Select the user level and increase the amount value.

RHAPI:


1) API Setup

Remitting Entities have exposed there Web Service which needs to be integrated with Remit Home Web Service.

1.1. API Settings:


This interface would be only used for general settings for integration. For e.g. set of PRI fields for mapping, list of response code.

Menu Path: RH API >> API Setup >> API Settings



1.1.1. Activity:

This interface is used to display the flow of transaction whether it is for receive transaction or payment of transaction.




Through this option, user can enter the following details:

Attribute	Description	Sample Values
Activity Code	User will enter a new code	GT
Activity Method	It is the description of activity code	Get Transaction
Activity Flag	User will select yes or no.	Y
Activity Fields	User will enter the fields where the data will be saved	UniqueRefNo

1.1.2. PRI Fields:

Remit Home has provided general set of fields, which will be used for mapping with fields those are provided by Remitter Entity API document.




Through this option, user can enter the following details:

Attribute	Description	Sample Values
Field Name	User will enter a field name	MBM_UNIQUEREFNO
Active	User will mark active yes or no.	Y
Data Type	User will select the data type.	String
Field Nature	User will have to select the field nature. **Dynamic** : Field Mapping with Third Party API fields. **Fixed:** Fixed values will be used. **Query**: Single value will be return against the query.	Dynamic/Fixed/Query
Field value	A value will be entered for the above field. If field nature query then query will be entered	PKR
Query Parameter field	If a query is entered in the field value then its required field will be entered.	Remitter id
Database Field	Is this field a Database Field or not. Possible Values are 'Y' and 'N'	Y/N

Required Mapping	Some field may or may not required mapping with third party API. Possible Values are 'Y' and 'N'	Y/N

1.1.3. Responses:

Remit Home has provided general response codes. These response codes will be used to display proper response messages to end user on executing COTC transaction.




Through this option, user can enter the following details:

Attribute	Description	Sample Values
Response Code	User will enter a response code	1000
Response Message	It is the description of response code	Successful
Response Type	User will select Response or error.	R
Response Default	User will select Yes or No.	Y

1.2. Remitter Settings:


Remitter Settings Provides a complete setup for integrating the Remit Home Web Service with Web Service Introduced by remitting entities for PULL model. Here Remitting Entities information is stored and there setups are validated to be mapped with Remit Home Web Service.

Menu Path: RH API >> API Setup >> Remitter Settings



1.2.1. API Settings

By using this option system administration will configure the API/Web Service integration with respect to specific Remitting Entity API. On this interface user will also setup User credential as required by Remitter API.



Through this option, user can enter the following details:


Attribute	Description	Sample Values
API Model	Exchange company Web service would be considering as Pull Model of API.	Pull
Remitter ID/No	Uniquely identified number provided by User.	1
Provider	It is the name of the provider which will be entered by the user.	Coin Start API/Money Gram
Detail	User will enter details of the provider.	Coinstar Money Transfer/Money Gram
Active	Activate or Deactivate the API settings by this flag.	Y/N

Remit Code	A remit code for a provider will be given.	CS,RI
Fin. Institute code	A financial institute code will be selected. With this code API Settings will be mapped with F.I Setup of exchange co.	ALRJHI

1.2.2. Details:

Remitting Entities Provide the options of Cash over counter (OC) which is managed in detail tab, where requested information can be stored accordingly.

- ***API Details:***




Through this option, user can enter the following details:

Attribute	Description	Sample Values
Remit ID	ID selected on API Setup interface.	
Remitting Mode	Integration with Third Party API is categorized on Remitting Mode of Transaction.	OC/AC
Web Service Url	Web Service URL to access the third party web methods.	http://stagingfxglobalwebsvc.abcenvia.net:9999/FXGlobalS

		ending.svc?wsdl
Validate IP	N/A for Pull Mode.	Y/N
IP Address	Comma separated IP(s) to validate	128.1.1.25,128.12.12
Agent ID	Agent ID is required for establishing the connection with API. Part of Credential Information	1001
User ID	User ID is required for establish the connection with API ,Part of Credential Information	UAEXCH001
Class Name	Only applicable for Pull Model, In order to integrate Designated DLL file of Third Party API, Fully Qualified Class name is required here.[DLLName,ClassName]	APIRERIA,APIBaseLib.APIRERIA.FxGlobal
Active	Activate or Deactivate the current selected API detail record.	Y/N

1.2.3. Mapping:

Each Remitter method is returning set of fields as defined in provided API Document. All fields returning for each remitter method will be mapped with PRI Fields as you defined in PRI Fields TAB.




Through this option, user can enter the following details:

Attribute	Description	Sample Values
Remitter Name	Selected Remitter ID on API Settings interface	Ria Exchange
Sr. No.	A new serial no for remitter method.	1
Activity Method	Selected activity method.	Get Transactions
Field No.	User will enter some required fields a particular method.	MBM_UNIQUEREFNO
Field Type	User will select field type either dynamic or fixed or query.	Dynamic
Field Value	A value for the selected field should be given.	TMTNumber
Active	Active yes or no will be selected.	Y
Query Param. Field	For query a parameter is entered for a required field.	Remitter ID
Query Param. Value	A value for query parameter is entered.	3
Record Set	Record set should be entered here as per document provided by API.	Payoutqueryresponse entity
Record Set Index	Record Index should be entered here as per document provided by the API	0
Remit Mode	Define Remit Mode for Field Mapping	OC/AC

1.2.4. Response:

Remitter entity has provided their list of response codes which will be returned after making call to their API/Web Service methods. As this API/Web Service is integrated with Remit Home, so each response code must be mapped with Remit Home Response codes.




Through this option, user can enter the following details:


Attribute	Description	Sample Values
Remitter Response Code	User will enter Remitter response code	1999
Remitter Message	A remitter message will be entered here.	System/Network error
Response Code	User will select Response code.	1006

1.3. Credential Settings:

Credential Settings will be used to update or modify credentials of Remitters. Initially it is provided with change password setup for Remitting Institutes.

Menu Path: RH API >> API Setup >> Credential Settings






2) Transactions


2.1 Blocked Transaction

Menu Path**:** RHAPI>>Transactions>>Blocked Transactions

Details: Transactions that gets blocked in AML at COTC Interface will be available at "Blocked Transactions" Interface.

- ✓ **Forward** : Forward action will move transaction to the Blocked Transaction approval Interface.
- ✓ **Release**: Transaction gets unblocked, and will be available for further processing at COTC Interface.



Blocked Transactions
List
Remitting Entity
Unique Ref. No.
Transaction Date
Pull/Push
DOLLKW
12062014OC0007
12/06/2014 11:14:47
PULL
Page no: 5
Entry
Unique Ref. No. 12062014OC0007
Remitting Entity DOLLKW
Transaction Date 12/06/2014
Pull/Push Pull
Applicant Name
Beneficiary Detail
Reveiver's Name
Bene Id Type 0004
CNIC 1236547896541
CNIC Expiry Date
Transaction Amount 20,300.00
Branch Code 0007
User Comments
Irfan Ali
Faseeh Irfan
Violation Report Status : Reported
Scanned text : Abdul Rehman Matches :
Abdul Rehman With Rank : 100
Position : 0 to 11 Entity names :
[Main] REHMAN, Abdur [AKA] ABDULLAH
Sindhi [AKA] RAHMAN,Abdur
Forward :
Transaction will forward for
Release:
Transaction will be Unblock
Date:12-Jun-14 User: FILZA.KAUSAR Branch: Foreign Exchange Branch
Refresh Screen
Forward
Release
Menu
Done
Internet
100%


Blocked Transactions
List
Remitting Entity
Unique Ref. No.
Transaction Date
Pull/Push
DOLLKW
12062014OC0007
12/06/2014 11:14:47
PULL
Page no: 5
Entry
Unique Ref. No. 12062014OC0007
Remitting Entity DOLLKW
Transaction Date 12/06/2014
Pull/Push Pull
Applicant Name
Beneficiary Detail
Reveiver's Name
Bene Id Type 0004
CNIC 1236547896541
CNIC Expiry Date
Message from webpage
Are your sure to forward the transaction?
OK
Cancel
Violation Report Status : Reported
Scanned text : Abdul Rehman Matches :
Abdul Rehman With Rank : 100
Position : 0 to 11 Entity names :
[Main] REHMAN, Abdur [AKA] ABDULLAH
SINDHI [AKA] ABDUR REHMAN [AKA] AL-SINDHI,Abdul Rehman [AKA] AL-SINDHI,Abdur Rahman [AKA] Abd Ur-Rehman [AKA] Abdul Rehman [AKA] Abdul Rehman Sindhi [AKA] Abdul Rehman al-Sindhi [AKA] Abdur Rahman [AKA] Abdur Rahman al-Sindhi [AKA] Abdur Rehman Muhammad Yamin [AKA] Abdur Rehman Sindhi [AKA] Abdurahman
Sindhi [AKA] RAHMAN,Abdur [AKA]
Date:12-Jun-14 User: FILZA.KAUSAR Branch: Foreign Exchange Branch
Refresh Screen
Forward
Release
Menu
Done
Internet
100%

2.2 Blocked Transactions Approval

Menu Path: RHAPI→Transactions→Blocked Transactions Approval

Details: Transactions has been forwarded to "Blocked Transactions Approval" Interface from the "Blocked Transactions" Interface. At this Interface finally either transaction gets rejected or gets released.





- ✓ **Reject** : Transaction get rejected.
- ✓ **Release**: Transaction gets unblocked, and will be available for further processing at COTC Interface.


2.3 Error Transactions


Menu Path: RHAPI>>Transactions>>Error Transactions

Details: COTC Transactions to whom AOI gives Positive Response but General Transaction not get created due to certain set up issue will be visible in this interface. This Interface create General Transaction.




Error Transactions
API Model
Both
Unique Reference Number
Go
1
Serial No
Remitting Entity
Unique Ref. No.
Log Date
Error Detail
Delay/Real Time
Push/Pull
Request/Response Data
13
DOLLKW
weddec28201521
28/12/2015
Period for Number Generation Frequnecy
-
PULL
00~0000:Successful~SHMA001
Date:28-Dec-15 User: SHMA001 Branch: JSB Main Branch Shaheen commercial comple
Process All
Generate Trans.
Menu
Done
Internet
100%



Error Transactions
API Model
Both
Unique Reference Number
Go
Windows Internet Explorer
Process executed successfully.. Total Records:2 Record Updated:2
OK
Date:28-Dec-15 User: SHMA001 Branch: JSB Main Branch Shaheen commercial comple
Process All
Generate Trans.
Menu
Waiting for http://128.1.25.54/newJsbl/RHAPI/Presentation/shgn_ts_se_tblscreen_BN_HR_SG_CT_COTCERI
Internet
100%





2.4 Error Transactions Pull A/C


Menu Path: RHAPI>>Transactions>> Error Transactions Pull A/C


Details: **Account Transactions** (remit mode "**AC**") that are not able to get downloaded to PRI from Engine will be shown at below Interface. User fixes the error in Modify Data Column and then Process again to get transaction downloaded in PRI.


RemitHome
Parameter
Home Remittance
RH-API
eAcquisition
Security Manager
Log out
API Setup
Transactions
Inquiry
Error Transactions
Blocked Transactions
Transaction Reversal
Blocked Transactions Approval
Error Transactions Pull A/C
SIDAT HYDER
Copyright @ 2011 Sidat Hyder Morshed Associates (Pvt) Ltd.
All rights reserved
javascript:fcshow('24','03','01','01','../RHAPI/Presentation/shgn_gp_gp_BN_HR_GP_ACCOUNTERRORLOG.aspx','0209', '240209','
Internet
100%


Error Transactions
Date From
23/12/2015
Date To
28/12/2015
Unique Reference Number
Go
Serial No
Remitting Entity
Unique Ref. No.
Log Date
Error Detail
Delay/Real Time
Model
Source Data
10
EZR
150614339962
23/12/2015
Error :FN:Please map proper benficiary F
-
PULL
150614339962~PKR~HEAD OFF
Date:28-Dec-15 User: SHMA002 Branch: JSB Main Branch Shaheen commercial comple
Process
Menu
Done
Internet
100%








3) Inquiry

3.1 Error Transactions

Menu Path: RHAPI→ Inquiry→Error Transactions


Details: Below Interface shows all **"OC"** mode COTC Transactions that stuck in error.




3.2 Transaction Activity Pull

Menu Path: RHAPI>>Inquiry>>Transaction Activity Pull

Details: Below Interface shows all COTC Transactions (remit mode OC) Activity from Pull.



Transaction Activity (PULL)
Date From 22/12/2015 Date To 29/12/2015
Remitting Entity From DOLLKW DOLLAR CO, KUWAIT
Remitting Entity To RIA RIA FINANCIAL SERVICES
Process Code Transaction Payment
Unique Reference Number
GO
Request Date Time | STAN | Remitting Entity | Remitting Entity Name | Transaction Date | Unique Reference Number | Responce Code | Responce Message | Reuest Data
28/12/2015 16:31:21 | 000016 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | dec201528papa0 | 0000 | Successful | DOLLKW~
28/12/2015 16:02:58 | 000015 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | 28dec2015sunda | 0000 | Successful | DOLLKW~
28/12/2015 16:01:24 | 000014 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | 28dec2015satur | 0000 | Successful | DOLLKW~
28/12/2015 15:54:23 | 000013 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | dec28201509123 | 0000 | Successful | DOLLKW~
28/12/2015 15:51:02 | 000012 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | 0350pmdec28201 | 0000 | Successful | DOLLKW~
28/12/2015 15:23:21 | 000011 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | asddec20152800 | 0000 | Successful | DOLLKW~
28/12/2015 13:20:30 | 000005 | DOLLKW | DOLLAR CO, KUWAIT | 28/12/2015 | weddec28201521 | 0000 | Successful | DOLLKW~
1
Date:29-Dec-15 User: SHMA000 Branch: JSB Main Branch Shaheen commercial comple
View
Menu
Done
Internet
100%




3.3 AML Inquiry

Menu Path: RHAPI>>Inquiry>>AML Inquiry

Details: Below Interface shows all COTC Transactions (remit mode OC) Transaction's that stuck in AML.



RemitHome
Parameter
Home Remittance
RH-API
eAcquisition
Security Manager
Log out
Login Selection
API Setup
Transactions
Inquiry
Error Transaction
Transaction Activity (PULL)
Single Transaction Status
AML Inquiry
Service Monitor
API Quick Search
SIDAT HYDER
Copyright @ 2011 Sidat Hyder Morshed Associates (Pvt) Ltd.
All rights reserved
javascript:fcshow('24','04','09','01','../RHAPI/Presentation/shgn_gp_gp_BN_HR_AI_AMLENQUIRY.aspx','0308', '240308','')
Internet
100%




3.4 API Quick Search

Menu Path: RHAPI>>Inquiry>>API Quick Search

Details: Below Interface shows COTC Transaction (remit mode OC) details. User need to provide Unique Reference No.


RemitHome
Parameter
Home Remittance
RH-API
eAcquisition
Security Manager
Log out
Login Selection
API Setup
Transactions
Inquiry
Error Transaction
Transaction Activity (PULL)
Single Transaction Status
AML Inquiry
Service Monitor
API Quick Search
SIDAT HYDER
Copyright @ 2011 Sidat Hyder Morshed Associates (Pvt) Ltd.
All rights reserved
javascript:fcshow('24','04','12','01','../RHAPI/Presentation/shgn_gp_gp_BN_HR_AU_APIUNIVERSALENQ.aspx','0310', '240310','')
Internet
100%


Details
Unique Reference Number weddec28201521
GO
Remitter Detail
Remitter First Name Tahir Rasheed
Remitter Middle Name
Remitter Last Name
Remitter Address 1 IP Address IP Address
Remitter Address 2
Remitter Address 3
Remitter Mobile #
Transaction Detail
RemitTance Mode OC
Bank ID HBL
Transaction Status PCD
Currency IN SAR
Currency OUT PKR
Beneficiary Detail
Beneficiary First Name Mishba Tahir
Beneficairy Middle Name
Beneficiary Last Name
Beneficiary Address 1 Sadar Road
Beneficiary Address 2
Beneficiary Address 3 Pakistan
Beneficiary Mobile # 03462114879
Beneficiary ID Type 0004
Beneficiary ID
Beneficairy ID Expiry Date
Beneficiary Date Of Birth
Father Or Husband Name
Beneficiary Acc No.
Account Title
Account Currency
Date:29-Dec-15 User: SHMA001 Branch: JSB Main Branch Shaheen commercial comple
Menu
Done
Internet
100%