Checking common problems using VPN to connect with RIA Web Services Contract IRiaAsSender in Production Environment

1- **Host**: Check that in **hosts** file is included the following IP Address.

10.30.10.45 fxglobalwebsvcnocert.riaenvia.net

2- **Ping**: Check that ping command does not return errors. In case of errors, may be a proxy / Firewall problem.


cmd> ping fxglobalwebsvcnocert.riaenvia.net –n 100

3- **Telnet**: Check that it is possible to connect through Telnet. In case of errors, may be a proxy / Firewall problem.


cmd> telnet fxglobalwebsvcnocert.riaenvia.net 9771

4- Create Service reference at Visual Studio project:

Right click at References and click on Add Service Reference…



Fill the information as follows:



http:// fxglobalwebsvcnocert.riaenvia.net:9771/FXGlobalSending.svc?wsdl

5- **Web.config:** Following will be information generated at web.config file

Web.config

```
<?xml version="1.0" encoding="utf-8"?>
<!--
  For more information on how to configure your ASP.NET application, please visit
  http://go.microsoft.com/fwlink/?LinkId=169433
  -->
<configuration>
  <system.web>
    <compilation debug="true" targetFramework="4.5" />
    <httpRuntime targetFramework="4.5" />
  </system.web>
  <system.serviceModel>
    <bindings>
      <basicHttpBinding>
        <binding name="basicHttpBindingNoCert_RiaAsSender" />
      </basicHttpBinding>
    </bindings>
    <client>
      <endpoint address="http://fxglobalwebsvcnocert.riaenvia.net:9771/FXGlobalPaying.svc/Binding_Basic_NoCert"
        binding="basicHttpBinding" bindingConfiguration="basicHttpBindingNoCert_RiaAsSender"
        contract="RiaAsSender_NoCert.IRiaAsSender" name="basicHttpBindingNoCert_RiaAsSender" />
    </client>
  </system.serviceModel>
</configuration>
```

In this moment, you can decorate the binding with your attributes chosen (timeout, messages size, proxy configuration…).

6- Calling Web Service from application:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Xml.Linq;

namespace WebApplication1
{
    public class Class1
    {
        public void WebServiceCall()
        {
            XElement _outputElement = null;

            //Initialize inputEelement with any XElement request needed
            XElement _inputElement = null;

            RiaAsSender_NoCert.RiaAsSenderClient riaAsSender_NoCert = new RiaAsSender_NoCert.RiaAsSenderClient("basicHttpBindingNoCert_RiaAsSender");

            _outputElement = riaAsSender_NoCert.GetSendersCustSvcMsgs(_inputElement);
        }
    }
}
```