

RiaAsSender Interface

(Web Service)

Functional Description



Proprietary information:

The contents of this document are confidential and may contain trade secrets. This document may not be distributed, its contents may not be disclosed, in whole or in part, without the express written consent of RIA Financial Inc. This document is an unpublished work protected under the copyright laws of the United States of America and other countries. If this document becomes published the following shall apply:

Copyright © 2013 RIA Financial Services Inc. All rights reserved.

6565 Knott Ave, Buena Park, CA, 90620, Phone: +(562) 345 2100

www.riafinancial.com

Document Control

Document Version Control

Version Number	Status	Description	Author(s)	Release Date
1.0	To approve	This document is based on general document FXGlobalWebservice_RiaAsSenderInterface.pdf	Klajdi Hoxha	10/16/2014

Table of Contents

I. PAYING OFFICE PICKUP ORDERS 4
1 WEB SERVICE METHODS 4
2 VERIFY ORDERS (OP_VERIFYORDERFORPAYOUT) 4
3 PAY ORDERS (OP_CONFIRMORDERPAID) 5
4 VOID ORDERS (OP_VOIDORDERPAIDCONFIRMATION) 6
II. PAYING BANK DEPOSIT TRANSACTIONS 8
1. WEB SERVICE METHODS 8
2. DOWNLOADING TRANSACTIONS (GETORDERSFORDOWNLOAD) 8
3. PAYING TRANSACTIONS (INPUTORDERSTATUSNOTICES) 9
4. REJECT TRANSACTIONS (INPUTORDERSTATUSNOTICES) 11
III. PAYING MOBILE WALLET TRANSACTIONS 12
IV. PAYING HOME DELIVERY TRANSACTIONS 13
V. CUSTOMER SERVICE MESSAGES 14
1. WEB SERVICE METHODS 14
2. SEND MESSAGES TO RIA (INPUTPAYERSCUSTSVCMSGS) 14
3. RECEIVE MESSAGES FROM RIA (GETSENDERSCUSTSVCMSGS) 15
VI. APPENDIX A (FIELDS TYPES & RESPONSE CODES) 16
1. OP_VERIFYORDERFORPAYOUT 16
2. OP_CONFIRMORDERPAID 16
3. OP_VOIDORDERPAIDCONFIRMATION 17
4. GETORDERSFORDOWNLOAD 18
5. GETCANCELLATIONREQUESTS 18
6. INPUTORDERSTATUSNOTICES 18
7. INPUTPAYERSCUSTSVCMSGS 19
8. GETSENDERSCUSTSVCMSGS 19

I. Paying Office Pickup Orders

The purpose of these methods is to provide to the correspondent a service to pay office pickup orders in a fast, simple and safe manner. Following the instructions below will guarantee the success of the correspondent's integration with RIA.

All the methods described in this section are mandatory to be developed in order to integrate with RIA for paying office pickup orders. RIA will test all the methods developed by the correspondent in the test environment before to going live on the real environment.

1 Web service methods

- OP_VerifyOrderForPayout (see appendix A for field types and code responses)
- OP_ConfirmOrderPaid (see appendix A for field types and code responses)
- OP_VoidOrderPaidConfirmation (see appendix A for field types and code responses)


2 Verify orders (OP_VerifyOrderForPayout)

In order to pay an Office Pickup order, the first step is to call the method OP_VerifyOrderForPayout including the PIN of the order (e.g. 11313793692). This method is called to check if the order is available to be paid and to obtain information about the customer and the beneficiary. Also, this method returns some fields like "TransRefID", "OrderNo", "BeneCurrency","BeneAmount" that are needed in the request of method OP_ConfirmOrderPaid to confirm payment of the order. The field "TransRefID" can also be used by the method OP_VoidOrderPaidConfirmation.

The PayingCorrespID is a number that identifies the correspondent. It is provided by RIA and is used for all requests.

In case that the order is available to be paid this method returns the message "Order is available for payout" and the Response code is "1000".

The image below shows the Request and the Response of method OP_VeryfOrderForPayout




3 Pay orders (OP_ConfirmOrderPaid)

Call the method OP_ConfirmOrderPaid to pay the order with information obtained from the OP_VerifyOrderForPayout response (TransRefID,PIN, OrderNo, BeneCurrency, BeneAmount). When this method returns a ResponseCode = 1000 and ResponseText = "Order confirmed as paid", then the order is marked as Paid from RIA side.

In this request, information about the beneficiary (e.g. the document type, number of the document, the country where the document was issued, etc.) should be provided. The ID code or number that identifies the location where the transaction was paid needs to be included in the CorrespLocID tag. At this point, RIA should know the ID number of all the locations of the correspondent where transactions will be paid. Using the information provided in this tag, RIA can know where each individual transaction is paid at.

The method OP_ConfirmOrderPaid should be called immediately after calling OP_VerifyOrderForPayout. This is necessary as the service returns information on real time and either RIA, or the sender, can change the order information between these two calls.

The image below shows the Request and the Response of method OP_ConfirmOrderPaid



4 Void orders (OP_VoidOrderPaidConfirmation)

The goal of method OP_VoidOrderPaidConfirmation is to reverse the actions taken when calling OP_ConfirmOrderPaid in case that this method was not carried out correctly from RIA's side or Correspondent's side. E.g. network interruption, network micro cut, power issue, etc.

Once the method OP_VoidOrderPaidConfirmation is called, then the state of order from RIA changes from "Paid" to "Available for payout" once again.

This method should be requested automatically without any intervention from the teller. The correspondent should mark the order as paid when they receive the correct response from OP_ConfirmOrderPaid and not at the moment of the request.

Keep in mind that the marking an order Paid on one side but not on the other can create a cascade effect that can consume a large amount of resources to correct the situation. This situation is easily solved by implementing OP_ VoidOrderPaidConfirmation correctly.


There are two different scenarios where OP_VoidOrderPaidConfirmation should be called.

The first one (Scenario A) happens when the correspondent calls OP_ConfirmOrderPaid and the web service return a TimeOutException, so the correspondent doesn't know if the order has been saved as paid by Ria. In this case, the method OP_VoidOrderPaidConfirmation is called with the field OrderPaidTranRefID obtained from the field TransRefID of the response of method OP_VerifyOrderForPayout. If the service returns TimeOutException also in the method OP_VoidOrderPaidConfirmation, recall this method several times until a valid response is received.


The second one (Scenario B) happens when the correspondent receives a correct response of OP_ConfirmOrderPaid but receives an exception when try to save the order as paid in their database. In this case, the method OP_VoidOrderPaidConfirmation is called with the field OrderPaidTranRefID obtained from the field TransRefID of response of method OP_ConfirmOrderPaid.

Note: This method can only be called within 2 minutes after calling the method OP_ConfirmOrderPaid.


Scenario A: Timeout Exception



Scenario B: Exception from Correspondent Side.



The image below shows the Request and the Response of method OP_VoidOrderPaidConfirmation.



II. PAYING BANK DEPOSIT TRANSACTIONS

The aim of these methods is to make the process of bank deposit payment efficient and effective from the correspondent's side. Developing these methods as indicated will avoid future problems between RIA and the correspondent.

All the methods described in this section are mandatory to be developed in order to integrate with RIA for paying bank deposit transactions. RIA will test all the methods developed by the correspondent in the test environment before to go to real environment.

1. Web Service methods

- GetOrdersForDownload (see appendix A for fields type and code responses)
- GetCancelationRequests (see appendix A for fields type and code responses)
- InputOrderStatusNotices (see appendix A for fields type and code responses)

2. Downloading transactions (GetOrdersForDownload)

The first method that needs to be called is GetOrdersForDownload. This method will return all the transactions ready to be paid by the correspondent. This method should be called continuously. By default, each transaction can only be downloaded once. The image below shows the request and the response of the method GetOrdersForDownload.



At the moment that transactions are downloaded, the correspondent has to inform to RIA that those transactions have been received. This is done by calling the method InputOrderStatusNotices with the field OrderStatus = "RECEIVED".

- PCOrderNo is a unique ID provided by the correspondent to identify each order.
- SCOrderNo is a unique ID provided by the RIA to identify each order.
- NotificationID is a unique ID provided by the correspondent to identify each notification.



3. Paying transactions (InputOrderStatusNotices)

The payment of bank deposit transactions is done by calling the method InputOrderStatusNotices with the field OrderStatus = "PAID" and including also information related to the beneficiary (e.g. document type, document number, the country where the document was issued, etc.)

Before the payment of any transaction, method GetCancelationRequests should be called to get all the transactions that have been canceled by RIA, previously downloaded by the paying correspondent. In case that an order has been canceled by RIA, that order cannot be paid. In that case the correspondent should call the method InputOrderStatusNotices with OrderStatus = "CANCELED".

The method GetCancelationRequests can be called continuously but it is important that it is called before paying any order. In the image below we can show that an order that was previously downloaded by the paying correspondent has been canceled by RIA or the sender correspondent.


In this image is shown the request and the response of the method GetCancelationRequests.



In this image is shown the request and the response of method InputOrderStatusNotices with OrderStatus = "CANCELED".



In this image is shown the request and the response of the method InputOrderStatusNotices with OrderStatus = "PAID" and the beneficiary information.



4. Reject transactions (InputOrderStatusNotices)

Bank deposit transactions can be rejected when the information is not consistent or is wrong. This can be done by calling the method InputOrderStatusNotices with OrderStatus = "REJECTED" and giving a reason for that rejection.




III. PAYING MOBILE WALLET TRANSACTIONS

The process to pay Mobile Wallet orders is identical as paying bank deposit transactions. The only difference is in the field DeliveryMethod in the response of method GetOrdersForDownload. This field will be 34 for transactions type Home Delivery and 2 for transactions type Bank Deposit. In the image below are shown Mobile Wallet transactions received from the method GetOrdersForDownload.


```
<Root xsi:noNamespaceSchemaLocation="DownloadedOrders_1.5.xsd" xmlns="">
   <ResponseLayoutVersion>1.5</ResponseLayoutVersion>
   <RequestType>OrdersForDownload</RequestType>
   <RequestResponses>
      <Order>
         <OrderNo>UK693510056</OrderNo>
         <PIN>11331849163</PIN>
         <SendingCorrespSeqID>2219</SendingCorrespSeqID>
         <PayingCorrespSeqID>2109</PayingCorrespSeqID>
         <SalesDate>20151019</SalesDate>
         <SalesTime>083309</SalesTime>
         <CountryFrom>UK</CountryFrom>
         <CountryTo>CI</CountryTo>
         <PayingCorrespLocID>657148</PayingCorrespLocID>
         <SendingCorrespBranchNo>UK10000</SendingCorrespBranchNo>
         <BeneQuestion/>
         <BeneAnswer/>
         <PmtInstructions/>
         <BeneficiaryCurrency>XOF</BeneficiaryCurrency>
         <BeneficiaryAmount>129109.80</BeneficiaryAmount>
         <DeliveryMethod>34</DeliveryMethod>
         <PaymentCurrency>EUR</PaymentCurrency>
         <PaymentAmount>196.83</PaymentAmount>
         <CommissionCurrency></CommissionCurrency>
         <CommissionAmount>0.00</CommissionAmount>
         <CustomerChargeCurrency>GBP</CustomerChargeCurrency>
         <CustomerChargeAmount>6.00</CustomerChargeAmount>
         <BeneID>26010655</BeneID>
         <BeneFirstName>Adolfo</BeneFirstName>
         <BeneMiddleName/>
         <BeneLastName>Galvez</BeneLastName>
         <BeneLastName2/>
         <BeneAddress>Arama Avenue Ggdfqs Hhkjj</BeneAddress>
         <BeneCity>Abobo</BeneCity>
         <BeneState>01</BeneState>
         <BeneZipCode>12545</BeneZipCode>
         <BeneCountry>CI</BeneCountry>
         <BenePhoneNo>123123</BenePhoneNo>
         <BeneCellNo/>
         <BeneMessage/>
         <CustID>45974477</CustID>
         <CustFirstName>Alfa</CustFirstName>
         <CustMiddleName/>
         <CustLastName>Diallo</CustLastName>
         <CustLastName2>Smith</CustLastName2>
         <CustCountry>ES</CustCountry>
         <CustID1Type>B1/B2 Visa/Border Crossing Card</CustID1Type>
         <CustID1No>123456789</CustID1No>
         <CustID1IssuedBy>Police</CustID1IssuedBy>
         <CustID1IssuedByState/>
         <CustID1IssuedByCountry>ES</CustID1IssuedByCountry>
         <CustID1IssuedDate>20101010</CustID1IssuedDate>
         <CustID1ExpirationDate>20201010</CustID1ExpirationDate>
         <CustID2Type/>
         <CustID2No/>
         <CustID2IssuedBy/>
         <CustID2IssuedByState/>
         <CustID2IssuedByCountry></CustID2IssuedByCountry>
         <CustID2IssuedDate/>
         <CustID2ExpirationDate/>
         <CustTaxID>789789789</CustTaxID>
         <CustTaxCountry>ES</CustTaxCountry>
         <CustCountryOfBirth></CustCountryOfBirth>
         <CustNationality/>
         <CustDateOfBirth>19880825</CustDateOfBirth>
         <CustOccupation>Arquitecture</CustOccupation>
         <CustSourceOfFunds>Work Place</CustSourceOfFunds>
         <CustPaymentMethod>Bank Account</CustPaymentMethod>
         <TransferReason>Family Assistance</TransferReason>
         <BankName/>
         <BankAccountNo/>
         <BeneIDType/>
         <BeneIDNo/>
         <BeneTaxID/>
         <BankCity/>
         <BankBranchNo/>
         <BankBranchName/>
         <BankBranchAddress/>
         <BankCode/>
         <BankRoutingCode/>
         <BIC_SWIFT/>
         <UnitaryBankAccountNo/>
         <MobileWalletPrefix>055</MobileWalletPrefix>
         <MobileWalletAccountNo>351351351</MobileWalletAccountNo>
      </Order>
```

IV.PAYING HOME DELIVERY TRANSACTIONS

The process to pay home delivery orders is identical as paying bank deposit transactions. The only difference is in the field DeliveryMethod in the response of method GetOrdersForDownload. This field will be 3 for transactions type Home Delivery and 2 for transactions type Bank Deposit. In the image below are shown Home Delivery transactions received from the method GetOrdersForDownload.



V. CUSTOMER SERVICE MESSAGES

The purpose of these methods is to offer the correspondent the ability to communicate on real time with RIA Customer Service for any transaction paid. It also provides the correspondent the option of having a history log for any transaction and being informed of all the actions taken by Ria Customer Service related to the orders paid.

All the methods described in this section are mandatory to be developed by the correspondent in order to integrate with RIA. RIA will test all the methods developed by the correspondent in the test environment before going to the live environment.

1. Web Service methods

- InputPayersCustSvcMsgs (see appendix A for fields type and code responses)
- GetSendersCustSvcMsgs (see appendix A for fields type and code responses)


2. Send messages to RIA (InputPayersCustSvcMsgs)

Call method InputPayersCustSvcMsgs to send messages directly to RIA Customer Service Department related to orders paid by correspondent. These messages will be received by RIA Customer Service Department and will help RIA to make decisions and transmit the messages to the correspondent that sent the order.

The method InputPayersCustSvcMsgs is combined with the method GetSendersCustSvcMsgs to create a way of communication through messages between Correspondent and RIA, for those orders that have been paid by Correspondent.

Below is shown the request and the response of method InputPayersCustSvcMsgs.

- PCOrderNo is a unique ID provided by the correspondent to identify each order.
- MessageID is a unique ID provided by the correspondent to identify each Message.



3. Receive messages from RIA (GetSendersCustSvcMsgs)

Call method GetSendersCustSvcMsgs to receive the messages from RIA Customer Service Department and the messages from correspondent that sent the order, related to those orders paid by correspondent. These messages will be sent by RIA or Sender Correspondent and will help the payer correspondent to make decisions.

Once a message is received by the Correspondent, that message will not be delivered again by RIA. Below is shown the request and the response of method GetSendersCustSvcMsgs.



VI.APPENDIX A (FIELDS TYPES & RESPONSE CODES)

Required – YES: The tag and the value mandatory

Required – Requested: The tag is mandatory

1. OP_VerifyOrderForPayout

Fields Type

Nombre	USE	MIN-MAX	GenericType	Required
PayingCorrespID		1-1	xs:unsignedInt	YES
RequestLayoutVersion		1-1	LayoutVersion	YES
DateTimeLocal		1-1	DateYYYYMMDDHHMMSS (R)	YES
DateTimeUTC		1-1	DateYYYYMMDDHHMMSS (R)	YES
PIN		1-1	PIN (R)	YES
BeneAmount		1-1	Money (R)	YES

Response Codes
1000 Order is available for payout. 2001 No order found matching supplied PIN and BeneficiaryAmount. 2002 Order has already been marked as paid to beneficiary. 2003 Order has been cancelled. 2004 Order exists but is not currently available for payout. Contact RIA Customer Service department for explanation. 2005 The Order's delivery method does not allow for Open Payout. It must be downloaded. (New to ver 1.4) 2006 Order Is Not Assigned To Paying Correspondent's Country (New to ver 1.5) 5000 Input XML is Invalid. Mandatory <PayingCorrespID> element not found or contains an invalid value. 5001 Input XML is Invalid. Schema Messages: <Messages> 5002 Exception occurred while doing generic input document validation. 5003 Invalid Client Certificate Thumbprint Presented

2. OP_ConfirmOrderPaid

Nombre	USE	MIN-MAX	GenericType	Required
PayingCorrespID		1-1	xs:unsignedInt	YES
RequestLayoutVersion		1-1	LayoutVersion	YES
DateTimeLocal		1-1	DateYYYYMMDDHHMMSS	YES
DateTimeUTC		1-1	DateYYYYMMDDHHMMSS	YES
VerifyOrderTransRefID		1-1	xs:unsignedInt	YES
OrderNo		1-1	OrderNo (R)	YES
PIN		1-1	PIN (R)	YES
BeneCurrency		1-1	Currency (R)	YES

BeneAmount		1-1	Money (R)	YES
PaidDateTimeLocal		1-1	DateYYYYMMDDHHMMSS (R)	YES
PaidDateTimeUTC		1-1	DateYYYYMMDDHHMMSS (R)	YES
CorrespLocID		1	StringMin0Max20	Requested
BeneIDType		1-1	StringMin1Max50 (R)	YES
BeneIDNumber		1-1	StringMin1Max50 (R)	YES
BeneIDIssuedByCountry		1-1	CountryCode (R)	YES
BeneIDIssuedByState		1-1	StringMin0Max50	Requested
BeneIDExpirationDate		1-1	DateYYYYMMDDOptional	Requested

Response Codes
1000 Order confirmed as paid. 2000 Invalid CorrespID Value 2001 No order found matching supplied PIN and BeneficiaryAmount. 2002 Order has already been marked as paid to beneficiary. 2003 Order has been cancelled. 2004 Order exists but is not currently available for payout. Contact RIA Customer Service department for explanation. 2005 Order must be successfully verified using the VerifyOrderForPayout method prior to confirming payment. 2006 One or both paid datetime values are illegitimate. 2007 One or both paid datetime values differ by more than 24 hours from current UTC time. 2008 Order could not be marked paid. Please contact RIA Customer Service department for assistance. 2009 Beneficiary Currency And/Or Amount Is Incorrect. (New to ver 1.5) 5000 Input XML is Invalid. Mandatory <PayingCorrespID> element not found or contains an invalid value. 5001 Input XML is Invalid. Schema Messages: <Messages> 5002 Exception occurred while doing generic input document validation. 5003 Invalid Client Certificate Thumbprint Presented

3. OP_VoidOrderPaidConfirmation

Nombre	USE	MIN-MAX	GenericType	Required
PayingCorrespID		1-1	xs:unsignedInt	YES
RequestLayoutVersion		1-1	LayoutVersion	YES
DateTimeLocal		1-1	DateYYYYMMDDHHMMSS (R)	YES
DateTimeUTC		1-1	DateYYYYMMDDHHMMSS (R)	YES
OrderPaidTransRefID		1-1	xs:unsignedInt	Requested
OrderNo		1-1	OrderNo (R)	YES
PIN		1-1	PIN (R)	YES
BeneCurrency		1-1	Currency (R)	YES
BeneAmount		1-1	Money (R)	YES

Response Codes
1000 Paid confirmation has been voided successfully. 2000 Invalid CorrespID Value 2010 Order cannot be confirmed as having been paid. Please contact Ria Customer Service department. 2011 Payment confirmations can only be voided within two minutes of their receipt. Please contact Ria Customer Service department. 2012 Paid confirmation could not be voided. Please contact RIA Customer Service department for assistance. 5000 Input XML is Invalid. Mandatory <PayingCorrespID> element not found or contains an invalid value. 5001 Input XML is Invalid. Schema Messages: <Messages> 5002 Exception occurred while doing generic input document validation. 5003 Invalid Client Certificate Thumbprint Presented

4. GetOrdersForDownload

Nombre	USE	MIN-MAX	GenericType	Required
PayingCorrespID		1-1	xs:unsignedInt	YES
RequestType	OrdersForDownload	1-1		YES

5. GetCancellationRequests

Nombre	USE	MIN-MAX	GenericType	Required
PayingCorrespID		1-1	xs:unsignedInt	YES
RequestType	CancelationRequests	1-1		YES

Response Codes
1000 Success 2000 Invalid CorrespID Value 2020 Sending Correspondent Cannot Locate SCOrderNo: <SCOrderNo>. Notification Refused. 2021 Cannot Verify PayingCorrespondent Controls SCOrderNo: <SCOrderNo>. Notification Refused. 5000 Input XML is Invalid. Mandatory <PayingCorrespID> element not found or contains an invalid value. 5001 Input XML is Invalid. Schema Messages: <Messages> 5002 Exception occurred while doing generic input document validation. 5003 Invalid Client Certificate Thumbprint Presented 5004 Exception Occurred While Authenticating Caller 6000 Processing Error

6. InputOrderStatusNotices

Nombre	USE	MIN-MAX	GenericType	Required
PCOrderNo		1	OrderNo (R)	YES
SCOrderNo		1	OrderNo (R)	YES
NotificationID		0	xs:unsignedLong	
OrderStatus		1	OrderStatus	YES

StatusDate		1	DateYYYYMMDD	YES
StatusTime		1	Time (R)	YES
Reason		0	StringMin0Max1000	
BenIDType		0	StringMin1Max50	
BenIDNo		0	StringMin1Max50	
BenIDExpDate		0	DateYYYYMMDDOptional	
BenIDIssuedBy		0	StringMin1Max50	

Response Codes
1000 Success 2000 Invalid CorrespID Value 2020 Sending Correspondent Cannot Locate SCOrderNo: <SCOrderNo>. Notification Refused. 2021 Cannot Verify PayingCorrespondent Controls SCOrderNo: <SCOrderNo>. Notification Refused. 2022 PAID Notification Rejected. Order Was Already Marked as <"CANCELED"/"PAID"/"VOID"> 2023 CANCELED Notification Rejected. Order Was Already Marked as <"CANCELED"/"PAID"/"VOID"> 2030 Invalid PaidBy CorrespondentID (New to ver 1.6) 5000 Input XML is Invalid. Mandatory <PayingCorrespID> element not found or contains an invalid value. 5001 Input XML is Invalid. Schema Messages: <Messages> 5002 Exception occurred while doing generic input document validation. 6000 Processing Error

7. InputPayersCustSvcMsgs

Nombre	USE	MIN-MAX	GenericType	Required
PCOrderNo		1-1	OrderNo (R)	YES
SCOrderNo		1-1	OrderNo (R)	YES
MessageID		0-1	xs:unsignedLong	
MessageText		1-1	StringMin1Max1000	YES
EnteredBy		1-1	xs:string	YES

Response Codes
1000 Success 2000 Invalid CorrespID Value 2001 Error ocurred during order lookup. CS message rejected. 2002 CSMessage Insertion Error (No longer used as of ver 1.5) 2003 Order not found. CS Message rejected. 5000 Input XML is Invalid. Mandatory <PayingCorrespID> element not found or contains an invalid value. 5001 Input XML is Invalid. Schema Messages: <Messages> 5002 Exception occurred while doing generic input document validation.

8. GetSendersCustSvcMsgs

Nombre	USE	MIN-MAX	GenericType	Required
PayingCorrespID		1-1	xs:unsignedInt	YES
RequestType	SendersCustSvcMsgs	1-1		YES