Agent Integration through IC Web Service (ICWS)

Version No.	Version 1.1.6
Date	26/03/2015
Document Name	Agent Integration(Receive) through IC Web Service (ICWS)
Company	Instant Cash FZE
Prepared by	IT Dept.
Reviewed By	Instant Cash Operation Dept.

Version History

Version	Date	Author(s)	Review By	Description
1.0.1	12/09/2007	Mr. Nisar Ahmed Ansari	Mr. Aziz Ahmed	Created
1.0.2	21/02/2008	Mr. Nisar Ahmed Ansari	Mr. Aziz Ahmed	Modified
1.0.3	22/10/2009	Mr. Nisar Ahmed Ansari	Mr. Aziz Ahmed, Mrs. Rahat	Modified
1.0.4	15/08/2010	Mr. Nisar Ahmed Ansari	Mr. Aziz Ahmed, Mr. Usman	Modified
1.0.5	31/08/2010	Mr. Shihab Hamza	Mr. Nisar Ahmed Ansari	Modified
1.0.6	11/11/2010	Mr. Nisar Ansari	Mr. Aziz Ahmed	Modified
1.0.7	22/02/2011	Mr. Shihab Hamza	Mr. Nisar Ahmed Ansari	Modified
1.0.8	26/06/2011	Mr. Shihab Hamza	Mr. Nisar Ahmed Ansari	Modified
1.0.9	17/07/2011	Mr. Shihab Hamsa	Mr. Nisar Ahmed Ansari	Modified
1.1.1	26/02/2013	Mr. Shihab Hamsa	Mr. Nisar Ahmed Ansari	Modified
1.1.2	16/07/2013	Mr. Shihab Hamsa	Mr. Nisar Ahmed Ansari	Modified
1.1.3	01/10/2013	Mr. Shihab Hamsa	Mr. Nisar Ahmed Ansari	Modified
1.1.4	10/11/2013	Mrs. Shihal Rafi	Mr. Nisar Ahmed Ansari	Modified
1.1.5	17/03/2015	Mrs. Shihal Rafi	Mr. Shihab Hamza	Modified
1.1.6	26/03/2015	Mrs. Shihal Rafi	Mr. Shihab Hamza	Modified

Modified contents are in green color.

ICWebService (ICWS)

Objective

Agents can integrate their system with Instant Cash to Receive, Update or Query the transactions via XML Web Service.

Intended Audience

It is assumed programmers are familiar with the xml web service. This document does not include general information about web service; it includes the details of integration with ICWS API along with Input/output parameters.

Detail Description

Once the agreement signed between agent and instant Cash(IC) then following procedure will complete by our operation and account dept.

1) IC operation Dept. will create agent's profile, user login and defined necessary parameters in the system.
2) Account Dept. will create necessary settlement accounts in the system.
3) We will add your mail id in our mailing list to notify about agent's Addition/Modification/Deactivation/Activation.

Once the above procedure completed in system then you can start using below given API in your system for integration.

Agent Integration through ICWS API contains 5 web methods for receiving agents out of 11 major web methods. This document describes about 5 web methods needed for receiving payment integration.

1. **GetOutstandingRemittance**
2. **ConfirmTran**
3. **GetIctcPayStatus**
4. **Reconcile**
5. **ReceivePayment**
6. **UnlockIcTran**

Endpoint

Test: https://instantcashworldwide.ae/IcIntegrationUAT/IcWebservice.asmx

Live: https://icint.wallstreet.ae/IcIntegration/IcWebService.asmx

WSDL Location

Test: https://instantcashworldwide.ae/IcIntegrationUAT/IcWebservice.asmx?wsdl

Live: https://icint.wallstreet.ae/IcIntegration/IcWebService.asmx?wsdl

- Each SOAP request to the ICWS contains two parts, the SOAP Header and the SOAP Body.
- Each response from the ICWS contains two parts, IC Result and Details.
- These patterns will be followed through all Web Methods.
- If Authentication fails or error occurs while processing client request, system will generate SOAP exception.
- In case of any validation error or custom error, the error details will be available in IC Result section.

SOAP Header for Authentication

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M) /Optional(O)
1	**Agent_UserID**	String	15	A UserId for the corresponding use of the branch will be created	US00100001	M
2	**Agent_CorrespondentID**	String	6	Sending/Paying branch code First 2 digits are country swift code followed by 4-digit sequence number.	US0001	M
3	**User_Password**	String	10	Password supplied by our operation dept.		M

IC Result Members

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M)/Optional(O)
1	**Result_Flag**	Integer	1	System will return 1 on success and 0 on failure	1 = Successful 0 = Failure	M
2	**Error_Code**	String	6	The value of this filed will be 4 digit error code like E001,E002 ETC.	E001	O/M
3	**Error_Message**	String	50	In case the transaction fails, the system will return the reason for failure. This will have a non-blank value in case of failure and will be blank in case of success	Invalid parameter length	O/M
4	**Error_Description**	String	100	Detailed error description	Minimum length of Settlement_Currency cannot be less than 3	O/M

Error Codes and Descriptions

S. No.	Error Code	Error Message
1	**E001**	Authentication Failed
2	**E002**	System Error
3	**E003**	Process Error
4	**E004**	Other Unknown Error

5	**E005**	No Records
6	**E006**	Parameter/value missing
7	**E007**	Invalid parameter length
8	**E008**	Invalid parameter format
9	**E009**	Invalid Input Parameters

Web Service Methods

1. Getting Outstanding Remittances

Method Name: GetOutstandingRemittance
Web method for downloading outstanding remittances belongs to corresponding agent.

SOAP Request: SOAP Header Only
List of Arguments: No arguments
Response: IC Result and OutstandingRemittance Records

OutstandingRemittance Members:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M) / Optional(O)
1	ICTC_Number	Integer	9	This is 9-digit system generated number given to Remitter.	001256249	M
2	Agent_OrderNumber	String	20	Agent's unique Order Number submitted at the time of sending a transaction.	XA08754434	O
3	Remitter_Name	String	35	Remitter's Name.	Maria Stanches	M
4	Remitter_Address	String	105	Remitter's Address.		M
5	Remitter_IDType	Integer	2	Remitter Id Type.	06 = Driving License 15 = State Id 11 = Passport 09 = Labour Card 18 = Alien Registration 99 = Other	M
6	Remitter_IDDtl	String	20	Primary Id Details.	Passport No. E265434	O
7	Originating_Country	String	2	Two digits ISO Swift Code.	AE,BD,IN,PK, US,GB etc.	M
8	Delivery_Mode	String	30	Delivery Mode.	Cash, Account Transfer, Courier Draft	M

9	Paying_Amount	Double	14,3	Amount to Pay to Recipient, a decimal point is required.	50000.00 The number of digits after decimal point depends upon paying currency code. System will accept and validate the decimal point against the paying currency.	M
10	PayingAgent_CommShare	Double	18,9	Paying Agent Commission Share amount.	12.00	M
11	Paying_Currency	String	3	It should be the Local Currency Code of Paying Agent.	INR, PKR, BDT, PHP etc.	M
12	Paying_Agent	String	6	Six digits Paying Agent Code.	INXXXX	M
13	Paying_AgentName	String	35	Paying Agent Name.	WallStreet Exchange Center.	M
14	Beneficiary_Name	String	35	Beneficiary Name.	Mustafa Khan	M
15	Beneficiary_Address	String	105	Beneficiary Address	55/56768, Nehru Nagar, Chembur (E).	M
16	Beneficiary_City	String	35	Beneficiary City	Mumbai	O
17	Destination_Country	String	2	Two digits ISO Swift Code.	AE,BD,IN,PK, US,GB etc.	M
18	Beneficiary_TelNo	String	25	Beneficiary Telephone Number, it is useful to inform Beneficiary by Receiver agent.	0091-22-25289188	O
19	Beneficiary_MobileNo	String	15	Beneficiary 's Mobile Number.	009171 50553456	M
20	Expected_BenefID	String	20	Expected Beneficiary ID and Details.	Any Valid ID.	O
21	Bank_Address	String	60	Address of Payee Bank.	Syndicate Bank, Mumbai, India.	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
22	Bank_Account_Number	String	20	Bank Account Number of Beneficiary.	For example: 528916798	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
23	Bank_Name	String	35	Name of Payee Bank.	Syndicate Bank.	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
24	Purpose_Remit	Integer	2	Purpose of	01-Family	M

				Remittance.	Maintenance 02-Tourism 03-Education 04-Medical	
25	Message_PayeeBranch	String	100	Message to Payee Agent.	Call to beneficiary and pay the amount urgently.	O
26	Bank_BranchCode	String	20	Branch Code of Payee Bank.	SD0922	O
27	SettlementRate	Double	18,9	This field will be applicable for those agents having different settlement currency different than paying currency.	For example in paying currency in India is INR and settlement currency is USD then value will be 39.50	M/O
28	PrinSetlAmout	Double	14,3	This field will be applicable for those agents having different settlement currency then paying currency.	For example in paying currency in India is INR and settlement currency is USD Ten value of this field will be 1265.82	M/O
29	Transaction_SentDate	String	8	Transaction sent date (**yyyyMMdd**)	20101026	M

Demo

SOAP Request

POST /ICAgentIntegTest/IcWebService.asmx HTTP/1.1
Host: 195.229.231.233
Content-Type: text/xml; charset=utf-8
Content-Length: **length**
SOAPAction: "ICWS/GetOutstandingRemittance"

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <AuthHeader xmlns="ICWS">
      <Agent_UserID>UA010301</Agent_UserID>
      <User_Password>TESTIC</User_Password>
      <Agent_CorrespondentID>AE0021</Agent_CorrespondentID>
    </AuthHeader>
  </soap:Header>
  <soap:Body>
    <GetOutstandingRemittance xmlns="ICWS" />
  </soap:Body>
</soap:Envelope>
```

SOAP Response

HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: **length**

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchemainstance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <GetOutstandingRemittanceResponse xmlns="ICWS">
      <GetOutstandingRemittanceResult>
        <Result>
          <Result_Flag>1</Result_Flag>
          <Error_Code />
          <Error_Message />
          <Error_Description />
        </Result>
        <Records>
          <OutstandingRemittance>
            <ICTC_Number>40002829</ICTC_Number>
            <Agent_OrderNumber />
            <Remitter_Name>JAM SAAB</Remitter_Name>
            <Remitter_Address>DUBAI</Remitter_Address>
            <Remitter_IDType>15</Remitter_IDType>
            <Remitter_IDDtl>245121</Remitter_IDDtl>
            <Originating_Country>GC</Originating_Country>
            <Delivery_Mode>cash</Delivery_Mode>
            <Paying_Amount>856</Paying_Amount>
            <PayingAgent_CommShare>0</PayingAgent_CommShare>
            <Paying_Currency>AED</Paying_Currency>
            <Paying_Agent>AE0021</Paying_Agent>
            <Paying_AgentName>ASIA EXCHANGE CENTERDEIRA,DUBAI
            </Paying_AgentName>
            <Beneficiary_Name>KHAN SAAB</Beneficiary_Name>
            <Beneficiary_Address>ALAIN</Beneficiary_Address>
            <Beneficiary_City />
            <Destination_Country>AE</Destination_Country>
            <Beneficiary_TelNo />
            <Beneficiary_MobileNo />
            <Expected_BenefID />
            <Bank_Address />
            <Bank_Account_Number />
            <Bank_Name />
            <Purpose_Remit>EDUCATION</Purpose_Remit>
            <Message_PayeeBranch />
            <Bank_BranchCode />
            <Settlement_Rate>39.50</Settlement_Rate >
            <PrinSettlement_Amount>1265.82</PrinSettlement_Amount>
          </OutstandingRemittance>
          <OutstandingRemittance>
            <ICTC_Number>40004213</ICTC_Number>
            <Agent_OrderNumber />
            <Remitter_Name>ANABELLE TANGO ALCANTARA</Remitter_Name>
            <Remitter_Address>NAIF DUBAI UAE</Remitter_Address>
            <Remitter_IDType>0</Remitter_IDType>
            <Remitter_IDDtl>52369897</Remitter_IDDtl>
            <Originating_Country>AE</Originating_Country>
            <Delivery_Mode>cash</Delivery_Mode>
            <Paying_Amount>291.66</Paying_Amount>
            <PayingAgent_CommShare>0</PayingAgent_CommShare>
            <Paying_Currency>AED</Paying_Currency>
            <Paying_Agent>AE0021</Paying_Agent>
            <Paying_AgentName>ASIA EXCHANGE CENTERDEIRA,DUBAI
            </Paying_AgentName>
            <Beneficiary_Name>FERDINAND JR. TANGO ALCANTARA
            </Beneficiary_Name>
            <Beneficiary_Address>MACANAYA MANILA</Beneficiary_Address>
```

```
            <Beneficiary_City>PHILIPPINES</Beneficiary_City>
            <Destination_Country>AE</Destination_Country>
            <Beneficiary_TelNo>0918405</Beneficiary_TelNo>
            <Beneficiary_MobileNo>09184055658</Beneficiary_MobileNo>
            <Expected_BenefID>PASSPORT: PH4569348</Expected_BenefID>
            <Bank_Address />
            <Bank_Account_Number />
            <Bank_Name />
            <Purpose_Remit>FAMILY MAINTENANCE</Purpose_Remit>
            <Message_PayeeBranch />
            <Bank_BranchCode />
            <Settlement_Rate>39.50</Settlement_Rate >
            <PrinSettlement_Amount>1265.82</PrinSettlement_Amount>
          </OutstandingRemittance>
        </Records>
      </GetOutstandingRemittanceResult>
    </GetOutstandingRemittanceResponse>
  </soap:Body>
</soap:Envelope>
```

2. Confirm Downloaded Transactions

Method Name: ConfirmTran

After downloading the outstanding remittances using GetOutstandingRemittance web method, agent can confirm the status of downloaded transactions as downloaded, paid or report error. System will check the validity and update the status.

SOAP Request: SOAP Header and Confirmation Records

List of input Arguments:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory(M) / Optional(O)
1	ICTC_Number	Integer	9	This is 9-digit system generated number given to Remitter.	001256249	M
2	Status_Flag	String	1	Status to be updated	D - Downloaded Y – Paid X – Error	M
3	Remarks	String	100	Remarks to be added in case of Error (X)	Incomplete Beneficiary details	M/O

SOAP Response: IC Result and Confirmation Records.

Confirmation Members:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M) / Optional(O)
1	ICTC_Number	Integer	9	This is 9-digit system generated number given to Remitter.	001256249	M
2	Confirmed	Boolean	5	Confirmed or not	True or False	M
3	Description	String	50	Description of updated status or reason for failure	Already Confirmed	O

Demo

SOAP Request

POST /IcIntegrationTest/IcWebService.asmx HTTP/1.1
Host: instantcashworldwide.ae
Content-Type: text/xml; charset=utf-8
Content-Length: **length**
SOAPAction: "ICWS/ConfirmTran"

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <AuthHeader xmlns="ICWS">
      <Agent_UserID>UA010101</Agent_UserID>
      <User_Password>TESTIC</User_Password>
      <Agent_CorrespondentID>AE0001</Agent_CorrespondentID>
    </AuthHeader>
  </soap:Header>
  <soap:Body>
    <ConfirmTran xmlns="ICWS">
      <Input>
        <Records>
          <Confirm>
           <ICTC_Number>042668672</ICTC_Number>
           <Status_Flag>D</Status_Flag>
           <Remarks></ Remarks>
          </Confirm >
          <Confirm>
           <ICTC_Number>042668675</ICTC_Number>
           <Status_Flag>Y</Status_Flag>
           <Remarks></ Remarks>
          </Confirm>
          <Confirm>
           <ICTC_Number>042668676</ICTC_Number>
           <Status_Flag>Incomplete Beneficiary Details</Status_Flag>
           <Remarks></ Remarks>
          </Confirm>
        </Records>
      </Input>
    </ConfirmTran>
  </soap:Body>
</soap:Envelope>
```

SOAP Response

HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: **length**

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ConfirmTranResponse xmlns="ICWS">
      <ConfirmTranResult>
        <Result>
          <Result_Flag>1</Result_Flag>
```

```
            <Error_Code />
            <Error_Message />
            <Error_Description />
          </Result>
          <Records>
            <Confirmation>
              <ICTC_Number>042668675</ICTC_Number>
              <Confirmed>True</Confirmed>
              <Description></Description>
            <Confirmation>
              <ICTC_Number>042668672</ICTC_Number>
              <Confirmed>False</Confirmed>
              <Description>Already paid</Description>
            </Confirmation>
            <Confirmation>
              <ICTC_Number>042668676</ICTC_Number>
              <Confirmed>True</Confirmed>
              <Description></Description>
          </Records>
        </ConfirmTranResult>
      </ConfirmTranResponse>
    </soap:Body>
</soap:Envelope>
```

3. Getting ICTC Payment Status

Method Name: GetIctcPayStatus

Web method to query the payment status of ICTC. System will retrieve the current status and payment details of corresponding ICTC Number.

SOAP Request: SOAP Header and Input Arguments

List of Input Arguments:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory(M) /Optional(O)
1*	ICTC_Number	Integer	9	The unique ICTC number generated in IC system.	001256788	M/O
2*	Agent_OrderNumber	String	20	Agents unique order number submitted at the time of sending a request.	XA0001983	M/O

1* 2* Either **ICTC_Number** or **Agent_OrderNumber** is required; both values cannot be passed at a time.

SOAP Response: IC Result and Payment Status Details.

Payment Status Details **Members:**

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M)/ Optional(O)
1	ICTC_Number	Integer	9	System will return the unique ICTC number generated in IC system.	001256788	M
2	Agent_OrderNumber	String	20	Agents unique order number submitted at the time of sending a	XA0001983	M

				request.		
3	Transaction_Status	String	1	A single character status flag.	**C** = Cancelled **O** = Remitter and Beneficiary Name matched in watch list **P** = Beneficiary Name matched in watch list **S** = Remitter Name matched in watch list **Y** = Paid If the status is blank then transaction status show as 'Outstanding'.	M
4	Status_Description	String	30	Description of the status.	Paid, Outstanding etc.	M
5	Paid_Agent	String	6	6 digit paid agent code.	IN0001, BD0001 etc.	O
6	Paid_AgentDetail	String	35	Name of paid agent.	Dhanalaxmi bank, Trichur.	O
7	Extra_Flag1	String	30	For future use.		O

Demo

SOAP Request

POST /ICAgentIntegTest/IcWebService.asmx HTTP/1.1
Host: 195.229.231.233
Content-Type: text/xml; charset=utf-8
Content-Length: **length**
SOAPAction: "ICWS/GetIctcPayStatus"

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <AuthHeader xmlns="ICWS">
      <Agent_UserID>UK001001</Agent_UserID>
      <User_Password>TESTIC</User_Password>
      <Agent_CorrespondentID>GB0101</Agent_CorrespondentID>
    </AuthHeader>
  </soap:Header>
  <soap:Body>
    <GetIctcPayStatus xmlns="ICWS">
      <Input>
        <ICTC_Number>400031782</ICTC_Number>
        <Agent_OrderNumber></Agent_OrderNumber>
      </Input>
    </ GetIctcPayStatus>
  </soap:Body>
</soap:Envelope>
```

SOAP Response

```
HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: length
```

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    < GetIctcPayStatusResponse xmlns="ICWS">
      <GetIctcPayStatusResult>
        <Result>
          <Result_Flag>1</Result_Flag>
          <Error_Code />
          <Error_Message />
          <Error_Description />
        </Result>
        <Details>
          <ICTC_Number>400031782</ICTC_Number>
          <Agent_OrderNumber>FX00743214</Agent_OrderNumber>
          <Transaction_Status>Y</Transaction_Status>
          <Status_Description>Paid</Status_Description>
          <Paid_Agent>IN0001</Paid_Agent>
          <Paid_AgentDetail>Wallstreet Exchange</Paid_AgentDetail>
          <Extra_Flag1 />
        </Details>
      </GetIctcPayStatusResult>
    </GetIctcPayStatusResponse>
  </soap:Body>
</soap:Envelope>
```

4. Reconcile the transactions

Method Name: Reconcile

Web method to reconcile the transactions within given date range. The purpose of this method is not only reconciliation but also can be download transactions details after creating transactions in IC system.

SOAP Request: SOAP Header and Input Arguments

List of Input Arguments:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory(M) /Optional(O)
1	Date_From	String	8	Date range from. Format is **yyyyMMdd**	20090102	M
2	Date_To	String	8	Date range to. Format is **yyyyMMdd**	20090103	M
3	Report_Level	Character	1	Level of report. **U** – All transactions made by user **B** – All transactions belongs to user branch **H** – All transactions belongs to head office	**U**, **B** or **H**	M

Note: - Date_From and Date_To will be comparing against the date stored in UAE time zone in the Instant cash system.

SOAP Response: IC Result and Reconcile Records.

Reconcile Record Members:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M) / Optional(O)
1	Transaction_Type	Character	1	Type of transaction. **I** – Inward **O** – Outward **C** – Cancel	**I**, **O** or **C**	M
2	ICTC_Number	Integer	9	This is 9-digit system generated number given to Remitter.	001256249	M
3	Agent_OrderNumber	String	20	Agent's unique Order Number submitted at the time of sending a transaction.	XA08754434	O
4	Agent_UserID	String	15	UserId of transaction Send/Receive/Cancel	US00100001	M
5	Agent_Code	String	6	6 digit Agent Code of transaction Send/Receive/Cancel	US0001	M
6	Agent_Name	String	30	Agent Name of transaction Send/Receive/cancel	Wallstreet Exchange Centre	M
7	Remitter_Name	String	35	Remitter's Name	Maria Stanches	M
8	Mode_Description	String	30	Description of delivery mode	Cash, Account Transfer etc.	M
9	Remitter_Address	String	105	Remitter's Address	P. B No. 9999, Dubai	M
10	Originating_Country	String	2	Two digits ISO Swift Code	AE,BD,IN,PK, US,GB etc.	M
11	Remitter_TelNo	String	25	Remitter's Tel. Number	001-716-5051400	O
12	Remitter_MobileNo	String	20	Remitter's mobile Number		O
13	Message_PayeeBranch	String	100	Message to Payee Agent	Call to beneficiary and pay the amount urgently.	O
14	Remitter_ID_Type	Integer	2	Remitter Id Type	06 = Driving License 15 = State Id 11 = Passport 09 = Labour Card 18 = Alien Registration 99 = Other	M
15	Remitter_IDDtl1	String	20	Primary Id Details	Passport No. E265434	O
16	Transaction_Date	String	8	Transaction date (**yyyyMMdd)**	20090203	M

17	Transaction_Time	String	8	Transaction time (**HH.mm.ss**)	10.30.20	M
18	Customer_Princ_Amount	Double	14,3	Customer Principle Amount	500.00	M
19	FC Amount	Double	14,3	Amount in Foreign Currency	7540.24	M
20	Settlement_Rate	Double	18,9	This field will be applicable for those agents having different settlement currency different from paying currency.	For example in paying currency in India is INR and settlement currency is USD then value will be 39.50	M/O
21	Total_Commission	Double	18,9	Total Commission	15.00	M
22	Agent_Share	Double	18,9	Paying Agent Commission Share amount	12.00	M
23	Settlement_Amount	Double	14,3	Settlement Amount	515.00	M
24	Paying_Currency	String	3	It should be the Local Currency Code of Paying Agent.	INR, PKR, BDT, PHP etc.	M
25	Beneficiary_Name	String	35	Beneficiary Name	Mustafa Khan	M
26	Expected_BenefID	String	20	Expected Beneficiary ID and Details	Any Valid ID	O
27	Bank_Account_Number	String	20	Bank Account Number of Beneficiary	For example: 528916798	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
28	Bank_Name	String	35	Name of Payee Bank	Syndicate Bank.	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
29	Bank_Address	String	60	Address of Payee Bank	Syndicate Bank, Mumbai, India	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
30	Receiving_Agent_Code	String	6	Six digits Receiving Agent Code	IN0001	M
31	Receiving_Agent_Name	String	35	Receiving Agent Name	WallStreet Exchange Center	M
32	Beneficiary_Address	String	105	Beneficiary Address	55/56768, Nehru Nagar, Chembur (E)	M
33	Beneficiary_Country	String	35	Beneficiary Country name	INDIA	M
34	Beneficiary_TelNo	String	25	Beneficiary Telephone Number, it is useful to inform Beneficiary by Receiver agent	0091-22-25289188	O
35	Beneficiary_MobileNo	String	15	Beneficiary 's Mobile Number	009171 50553456	O
36	Purpose_Remit	Integer	2	Purpose of	01-Family	M

				Remittance	Maintenance 02-Tourism 03-Education 04-Medical	
37	Perc_Refund_Comm	Double	14,3	Percentage of refund commission	1.2	O
38	BranchCode	String	20	Agent Branch Code	103	O
39	Status_Flag	String	1	A single character status flag.	C = Cancelled O = Remitter and Beneficiary Name matched in watch list P = Beneficiary Name matched in watch list S = Remitter Name matched in watch list Y = Paid If the status is blank then transaction status show as outstanding.	M
40	Status_Description	String	30	Description of status of transaction	Already Confirmed	M

Demo

SOAP Request

POST /IcIntegrationTest/IcWebService.asmx HTTP/1.1
Host: instantcashworldwide.ae
Content-Type: text/xml; charset=utf-8
Content-Length: **length**
SOAPAction: "ICWS/Reconcile"

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <AuthHeader xmlns="ICWS">
      <Agent_UserID>AE00400403</Agent_UserID>
      <User_Password>XYZ123</User_Password>
      <Agent_CorrespondentID>AE0106</Agent_CorrespondentID>
    </AuthHeader>
  </soap:Header>
  <soap:Body>
    <Reconcile xmlns="ICWS">
      <Input>
        <Date_From>20081010</Date_From>
        <Date_To>20081021</Date_To>
        <Report_Level>U</Report_Level>
      </Input>
    </Reconcile>
  </soap:Body>
</soap:Envelope>
```

SOAP Response

HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: **length**

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <ReconcileResponse xmlns="ICWS">
      <ReconcileResult>
        <Result>
          <Result_Flag>1</Result_Flag>
          <Error_Code/>
          <Error_Message/>
          <Error_Description/>
        </Result>
        <Records>
          <Transaction>
            <Transaction_Type>O</Transaction_Type>
            <ICTC_Number>40005228</ICTC_Number>
            <Agent_OrderNumber />
            <Agent_UserID>AE00400403</Agent_UserID>
            <Agent_Code>AE0106</Agent_Code>
            <Agent_Name>EMIRATES POST -SATWA PO</Agent_Name>
            <Mode_Description>cash</Mode_Description>
            <Remitter_Name>TEST SENDER</Remitter_Name>
            <Remitter_Address>SHARJAH</Remitter_Address>
            <Originating_Country>UNITED ARAB EMIRATES</Originating_Country>
            <Remitter_TelNo/>
            <Remitter_MobileNo/>
            <Message_PayeeBranch/>
            <Remitter_ID_Type>11</Remitter_ID_Type>
            <Remitter_IDDtl1 />
            <Transaction_Date>20081020</Transaction_Date>
            <Transaction_Time>11.10.02</Transaction_Time>
            <Customer_Princ_Amount>500</Customer_Princ_Amount>
            <FC_Amount>7540.24</FC_Amount>
            <Settlement_Rate>15.130483064</Settlement_Rate>
            <Total_Commission>15</Total_Commission>
            <Agent_Share>6</Agent_Share>
            <Settlement_Amount>507.34</Settlement_Amount>
            <Paying_Currency>PRS</Paying_Currency>
            <Beneficiary_Name>TEST RECEIVER</Beneficiary_Name>
            <Expected_BenefID />
            <Bank_Account_Number />
            <Bank_Name />
            <Bank_Address />
            <Receiving_Agent_Code>PK0421</Receiving_Agent_Code>
            <Receiving_Agent_Name>REJGAN EXCHANGE COMPANY</Receiving_Agent_Name>
            <Beneficiary_Address>PAKISTAN LAHOR</Beneficiary_Address>
            <Beneficiary_Country>PAKISTAN</Beneficiary_Country>
            <Beneficiary_TelNo />
            <Beneficiary_MobileNo />
            <Purpose_Remit>EDUCATION</Purpose_Remit>
            <Perc_Refund_Comm>0</Perc_Refund_Comm>
            <Branch_Code>203</Branch_Code>
            <Transaction_Status>Y</Transaction_Status>
            <Transaction_Status_Description>Paid</Transaction_Status_Description>
          </Transaction>
          <Transaction>
```

```
            <Transaction_Type>I</Transaction_Type>
            <ICTC_Number>40005186</ICTC_Number>
            <Agent_OrderNumber />
            <Agent_UserID>QA00100001</Agent_UserID>
            <Agent_Code>AE0106</Agent_Code>
            <Agent_Name>EMIRATES POST -SATWA PO</Agent_Name>
            <Mode_Description>cash</Mode_Description>
            <Remitter_Name>ERT  ERT</Remitter_Name>
            <Remitter_Address>RT ERT</Remitter_Address>
            <Originating_Country>QATAR</Originating_Country>
            <Remitter_TelNo />
            <Remitter_MobileNo />
            <Message_PayeeBranch />
            <Remitter_ID_Type>06</Remitter_ID_Type>
            <Remitter_IDDtl1>345634</Remitter_IDDtl1>
            <Transaction_Date>20081014</Transaction_Date>
            <Transaction_Time>14:53:28</Transaction_Time>
            <Customer_Princ_Amount>221.06</Customer_Princ_Amount>
            <FC_Amount>0</FC_Amount>
            <Settlement_Rate>0</Settlement_Rate>
            <Total_Commission>0</Total_Commission>
            <Agent_Share>7.689</Agent_Share>
            <Settlement_Amount>228.749</Settlement_Amount>
            <Paying_Currency>AED</Paying_Currency>
            <Beneficiary_Name>RTY RTYRT</Beneficiary_Name>
            <Expected_BenefID />
            <Bank_Account_Number />
            <Bank_Name />
            <Bank_Address />
            <Receiving_Agent_Code>AE0106</Receiving_Agent_Code>
            <Receiving_Agent_Name>EMIRATES POST -SATWA PO</Receiving_Agent_Name>
            <Beneficiary_Address>ERT  ERT ETRER</Beneficiary_Address>
            <Beneficiary_Country>UNITED ARAB EMIRATES</Beneficiary_Country>
            <Beneficiary_TelNo />
            <Beneficiary_MobileNo />
            <Purpose_Remit>FAMILY MAINTENANCE</Purpose_Remit>
            <Perc_Refund_Comm>0</Perc_Refund_Comm>
            <Branch_Code>203</Branch_Code>
            <Transaction_Status>Y</Transaction_Status>
            <Transaction_Status_Description>Paid</Transaction_Status_Description>
          </Transaction>
        </Records>
      </ReconcileResult>
    </ReconcileResponse>
  </soap:Body>
</soap:Envelope>
```

5. Receiving a payment

Method Name: ReceivePayment

Web method to retrieve an outstanding payment details using either ICTC number or Agent Order number.

SOAP Request: SOAP Header and Input Arguments

List of Input Arguments:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory(M) /Optional(O)
1*	ICTC_Number	Integer	9	The unique ICTC number generated in IC system	001256788	M/O

2*	Agent_OrderNumber	String	20	Sending Agent's unique order number submitted at the time of sending a request	XA0001983	M/O

1* 2* Either **ICTC_Number** or **Agent_OrderNumber** is required; both values cannot be passed at a time.

SOAP Response: IC Result and Payment Details.

Payment Details Members:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory (M) / Optional(O)
1	ICTC_Number	Integer	9	This is 9-digit system generated number given to Remitter	001256249	M
2	Agent_OrderNumber	String	20	Agent's unique Order Number submitted at the time of sending a transaction.	XA08754434	O
3	Remitter_Name	String	35	Remitter Name	Maria Stanches	M
4	Remitter_Address	String	105	Remitter Address		M
5	Remitter_IDType	Integer	2	Remitter Id Type	06 = Driving License 15 = State Id 11 = Passport 09 = Labour Card 18 = Alien Registration 99 = Other	M
6	Remitter_IDDtl	String	20	Primary Id Details	Passport No. E265434	O
7	Originating_Country	String	2	Two digits ISO Swift Code	AE,BD,IN,PK, US,GB etc.	M
8	Delivery_Mode	String	30	Delivery Mode	Cash, Account Transfer, Courier Draft	M
9	Paying_Amount	Double	14,3	Amount to Pay to Recipient, a decimal point is required.	50000.00 The number of digits after decimal point depends upon paying currency code. System will accept and validate the decimal point against the paying currency.	M
10	PayingAgent_CommShare	Double	18,9	Paying Agent Commission	12.00	M

				Share amount		
11	Paying_Currency	String	3	It should be the Local Currency Code of Paying Agent.	INR, PKR, BDT, PHP etc.	M
12	Paying_Agent	String	6	Six digits Paying Agent Code	INXXXX	M
13	Paying_AgentName	String	35	Paying Agent Name	WallStreet Exchange Center	M
14	Beneficiary_Name	String	35	Beneficiary Name	Mustafa Khan	M
15	Beneficiary_Address	String	105	Beneficiary Address	55/56768, Nehru Nagar, Chembur (E)	M
16	Beneficiary_City	String	35	Beneficiary City	Mumbai	O
17	Destination_Country	String	2	Two digits ISO Swift Code	AE,BD,IN,PK, US,GB etc.	M
18	Beneficiary_TelNo	String	25	Beneficiary Telephone Number, it is useful to inform Beneficiary by Receiver agent	0091-22-25289188	O
19	Beneficiary_MobileNo	String	15	Beneficiary 's Mobile Number	009171 50553456	M
20	Expected_BenefID	String	20	Expected Beneficiary ID and Details	Any Valid ID	O
21	Bank_Address	String	60	Address of Payee Bank	Syndicate Bank, Mumbai, India	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
22	Bank_Account_Number	String	20	Bank Account Number of Beneficiary	For example: 528916798	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
23	Bank_Name	String	35	Name of Payee Bank	Syndicate Bank.	M - **for Bank Transfer or Courier Draft,** O - **for Cash**
24	Purpose_Remit	Integer	2	Purpose of Remittance	01-Family Maintenance 02-Tourism 03-Education 04-Medical	M
25	Message_PayeeBranch	String	100	Message to Payee Agent	Call to beneficiary and pay the amount urgently.	O
26	Bank_BranchCode	String	20	Branch Code of Payee Bank	SD0922	O
27	Settlement_Rate	Double	18,9	This field will be applicable for those agents having different settlement currency different from paying currency.	For example in paying currency in India is INR and settlement currency is USD then value will be 39.50	M/O
28	PrinSettlement_Amount	Double	14,3	This field will be applicable for	For example in paying currency	M/O

				those agents having different settlement currency then paying currency.	in India is INR and settlement currency is USD then value of this field will be 1265.82	
29	Transaction_SentDate	String	8	Transaction sent date (**yyyyMMdd**)	20101026	M

Demo

SOAP Request

POST /IcIntegrationTest/IcWebService.asmx HTTP/1.1
Host: instantcashworldwide.ae
Content-Type: text/xml; charset=utf-8
Content-Length: **length**
SOAPAction: "ICWS/ReceivePayment"

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <AuthHeader xmlns="ICWS">
      <Agent_UserID>IN12201562</Agent_UserID>
      <User_Password>xxxxxxxxx</User_Password>
      <Agent_CorrespondentID>IN0888</Agent_CorrespondentID>
    </AuthHeader>
  </soap:Header>
  <soap:Body>
    <ReceivePayment xmlns="ICWS">
      <Input>
        <ICTC_Number>40336781</ICTC_Number>
        <Agent_OrderNumber></Agent_OrderNumber>
      </Input>
    </ReceivePayment>
  </soap:Body>
</soap:Envelope>
```

SOAP Response

HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: **length**

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <ReceivePaymentResponse xmlns="ICWS">
      <ReceivePaymentResult>
        <Result>
          <Result_Flag>1</Result_Flag>
          <Error_Code />
          <Error_Message />
          <Error_Description />
        </Result>
        <Details>
          <ICTC_Number>40336781</ICTC_Number>
```

```
            <Agent_OrderNumber>REF036004</Agent_OrderNumber>
            <Remitter_Name>TEST SENDER</Remitter_Name>
            <Remitter_Address>TEST ADDR1 TEST ADDR2 TEST ADDR3</Remitter_Address>
            <Remitter_IDType>11</Remitter_IDType>
            <Remitter_IDDtl>H268976</Remitter_IDDtl>
            <Originating_Country>UNITED ARAB EMIRATES</Originating_Country>
            <Delivery_Mode>cash</Delivery_Mode>
            <Paying_Amount>6262</Paying_Amount>
            <PayingAgent_CommShare>0</PayingAgent_CommShare>
            <Paying_Currency>INR</Paying_Currency>
            <Paying_Agent>IN0888</Paying_Agent>
            <Paying_AgentName>MANAPPURAM BENEFIT FUND.,WEST FORT</Paying_AgentName>
            <Beneficiary_Name>TEST BENEF</Beneficiary_Name>
            <Beneficiary_Address>ADDR 4 ADDR 5 ADDR 6</Beneficiary_Address>
            <Beneficiary_City />
            <Destination_Country>INDIA</Destination_Country>
            <Beneficiary_TelNo>+914877359836</Beneficiary_TelNo>
            <Beneficiary_MobileNo>+919867676799</Beneficiary_MobileNo>
            <Expected_BenefID>ELECTION ID CARD WITH PHOTO</Expected_BenefID>
            <Bank_Address />
            <Bank_Account_Number />
            <Bank_Name />
            <Purpose_Remit>FAMILY MAINTENANCE</Purpose_Remit>
            <Message_PayeeBranch>PLEASE CALL AND PAY THE CASH</Message_PayeeBranch>
            <Bank_BranchCode />
            <Settlement_Rate>12.52448313</Settlement_Rate>
            <PrinSettlement_Amount>6262</PrinSettlement_Amount>
           <Transaction_SentDate>20101022</Transaction_SentDate>
         </Details>
       </ReceivePaymentResult>
     </ReceivePaymentResponse>
   </soap:Body>
</soap:Envelope>
```

6. Unlock Transaction

Method Name: UnlockIcTran

Web method to unlock the transaction read by a receiving agent. Transaction can be unlocked using Agent correspondent ID of the branch or head office of the received agent who read the transaction.

SOAP Request: SOAP Header and Input Arguments

List of Input Arguments:

S. No.	Field	Data Type	Max Length	Description	Format	Mandatory(M) /Optional(O)
1*	ICTC_Number	Integer	9	The unique ICTC number generated in IC system	001256788	M

SOAP Response: IC Result.

Demo

SOAP Request

```
POST /IcIntegrationTest/IcWebService.asmx HTTP/1.1
Host: instantcashworldwide.ae
Content-Type: text/xml; charset=utf-8
Content-Length: length
```

SOAPAction: "ICWS/UnlockIcTran"

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Header>
    <AuthHeader xmlns="ICWS">
      <Agent_UserID>IN12201562</Agent_UserID>
      <User_Password>xxxxxxxxx</User_Password>
      <Agent_CorrespondentID>IN0888</Agent_CorrespondentID>
    </AuthHeader>
  </soap:Header>
  <soap:Body>
    <UnlockIcTran xmlns="ICWS">
      <Input>
        <ICTC_Number>40336781</ICTC_Number>
      </Input>
    </UnlockIcTran>
  </soap:Body>
</soap:Envelope>
```

SOAP Response

HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: **length**

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Body>
    <UnlockIcTranResponse xmlns="ICWS">
      <UnlockIcTranResult>
        <Result>
          <Result_Flag>1</Result_Flag>
          <Error_Code />
          <Error_Message />
          <Error_Description />
        </Result>
      </UnlockIcTranResult>
    </UnlockIcTranResponse>
  </soap:Body>
</soap:Envelope>
```

NOTE: Agent must provide the public IP to activate these services. This will be accessible from computer/server assigned the given IP. Whenever system needs modification to accommodate current market requirement, we will inform you with new version of the document prior to change in live system.

top