JSBL





RemitHome Web Service (Push Model)

Version 01.02.07

12th May 2017

Table of Content

REMITHOME WEB SERVICE API (PUSH MODEL) 3
INTRODUCTION: 3
INTENDED AUDIENCE: 3
WSDL LOCATION 3
TEST AND PRODUCTION ENVIRONMENTS 3
NETWORK CONNECTIVITY 3
BUSINESS SCOPE 4
TRANSACTION SET: 5
PROCESS FLOW 5
GENERAL INFORMATION 6
API METHODS DETAIL 7
API RESPONSE CODES 33

RemitHome Web Service API (Push Model)

Introduction:

The RemitHome Web Service API (Push Model) enables third party applications to connect with RemitHome and perform validations, inquiries and execute transactions.

RemitHome Web Service API supports both real time and delayed transfer/processing of funds into a beneficiary bank account (direct credit) or for cash over the counter payments. With RemitHome web service API, remitting entities will be able to effect the payments directly into HBL's core banking system and get acknowledgements.

Intended Audience:

Although, this document is primarily targeted for programmers, it also has some content for business users. This document presents the detail of integration with the RemitHome Web Service API(Push Model) .

WSDL Location

WSDL file is provided separately along with this document. The actual web-service URL will be communicated to the partner before the commencement of testing and before going live (for production site).

Test and Production Environments

In addition to the production environment, a separate test environment will be made available to the partners upon request to facilitate testing of their client application.

Network Connectivity

The web-service interface (for both test and production systems) would be made available to the partner on the Internet accessible via a public IP address. Only the designated partner's source IP addresses will be white-listed at HBL's firewall and the web-service will not be accessible to any other IP. The web-service will listen on a custom SSL port. The SSL certificate will be shared in advance with the partner.

Business Scope

In general, transaction processing is divided into two processing modes, (can be defined in transaction request).

a) Real Time Transaction Processing.
b) Delayed Transaction Processing.

RemitHome API by default attempts to process transaction in real-time mode, however, if the transaction cannot be processed in real-time, then it will be moved to delayed transaction processing mode (if instructed by the requester application). Response to requesting application will send accordingly.

Transaction can be move to Delayed Transaction Processing mode for following reasons.

- Invalid or incomplete account information **[Only For Transaction Mode=2]**
- Transactions belonging to other local banks that could not provide real-time interface.
- Delay in AML Verification.

In latest patch of PUSH API, a new value [**Transaction Mode=3]** has been introduced for delay mode processing. Own Account transactions sent with this mode value must contain valid Account Information for smooth processing otherwise PUSH API would be reject the transaction even in the delay mode.

Following types of payments are covered in RemitHome API:

- Cash over the Counter (COTC) transactions: In this case Remitting Entity will forward COTC transactions to RemitHome web server API and transaction will be ready for collection by beneficiary from any branch.
- Account Credit transactions: In this case remitting entity will provide credit directly to beneficiary account including non-HBL local bank accounts after verification of beneficiary account details.
    - HBL customer accounts.
    - Third-party bank beneficiary accounts

Transaction Set:

RemitHome Web Service API (Push Model) provides following set of web methods for third party integration.

Category	Web Method Name	Description
General Inquiries	FetchAccountTitle	To fetch title against account holder bank id and A/c number.
	BalanceInquiry	Remitting Entity A/c balance inquiry.
	BankCodes	To get list of allowed third party banks
Transaction Inquiry	GetTransactionStatus	To get status of previously sent transactions.
Transactions Request	TransfertoCOTC	To forward cash over the counter transaction.
	TransfertoAccount	To forward direct credit transaction

Process Flow

- RemitHome web service API exposes corresponding classes against each web methods for submission of requests and retrieval of responses.

- Each Request authenticated by following Parameters.
- Agent ID. (Provided by Bank)
- User ID. (Provided by Bank)
- Password. (Provided by Bank)

- After authentication gets successful then the corresponding activity executed, otherwise ***"Authentication Failure Response"*** sent in response.

- Each request is acknowledged by sending valid ***Response Code*** and ***Response Message*** to requester, which shows activity status either Successful ***or Failure.***

General Information

Request

All methods expect a single Object as parameter. This Object will contain the different values as Object's properties.

Response

All methods return a response object with updated status of the corresponding inquiry, status or payments request. The information is contained within the object properties.


API Methods Detail

➢ Fetch Account Title:

Method Name: FetchAccountTitle (FetchAccountTitleRequest)

This method is used for verification of beneficiary account information.
Web method will returns FetchAccountTitleResponse Object for Account Information of the Beneficiary Account if exists.


- **Fetch Account Title Request:**



Request Attributies Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	Agent ID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other information for tracking purpose.	O
5	BankID	String	10	Bank ID of Beneficiary account's bank . Updated Bank ID(s) can be retrieved by using API Web Method GetIBFTBank	M
6	Account Number	String	30	Account Number of the beneficiary.	M
7	Reserved1	String	50	For future use	O
8	Reserved2	String	50	For future use	O

- **Fetch Account Title Response :**



Response Attributes Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional/ Conditional
1	ResponseCode	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	CallerRef	String	50	Other information for tracking purpose.	O
4	BankID	String	10	Bank ID of Beneficiary's Bank. Updated Bank ID(s) can be retrieved by using API Web Method GetIBFTBankCodes	M
5	Account Number	String	30	Same Account Number of the beneficiary will be return.	M
6	AccountTitle	String	50	Account Title of the beneficiary	C
7	AccountStatus	String	3	Beneficiary Account Status (not available for IBFT banks) 001 – Active 002 – In-Active 003 – Closed	C
8	AccountCurrency	String	3	Beneficiary Account Currency (not available for IBFT banks)	C
9	Reserved 1	String	50	For Future use	O
10	Reserved 2	String	50	For Future use	O

➢ Cash Over the Counter Transfer

Method Name: TransferCOTC (TransactionCotcRequest)

This method is used to forward COTC transaction to RemitHome and after processing transaction will be available to collect from branch by beneficiary.

Note: Method overloaded to incorporate new fields

- **Transfer COTC Request :**


Request Attributes Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	AgentID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other Information for tracking purpose	O
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Transaction Mode	Number	(1)	**1 – Real-time only mode.** (Reject the transaction if it cannot be processed in real-time) **2 – Delayed mode allowed.** (if real-time processing is not possible then process transaction in delay mode)	M
7	RemitterFirstName	String	100	Remitter First Name	M
8	RemitterMiddle Name	String	100	Remitter Middle Name	O
9	RemitterLastName	String	100	Remitter Last Name	O
10	RemitterAddress1	String	100	RemitterAddress1	M
11	RemitterAddress2	String	100	RemitterAddress2	O
12	RemitterAddress3	String	100	RemitterAddress3	O
13	RemitterMobileNo	String	20	Remitter Mobile Number	O
14	BeneficiaryFirst Name	String	100	Beneficiary First Name	M
15	BeneficiaryMiddleName	String	100	Beneficiary Middle Name	O
16	BeneficiaryLast Name	String	100	Beneficiary Last Name	O

17	Beneficiary MobileNo	String	20	Beneficiary Mobile No	O
18	Beneficiary Address1	String	100	BeneficiaryAddress1	O
19	Beneficiary Address2	String	100	BeneficiaryAddress2	O
20	Beneficiary Address3	String	100	BeneficiaryAddress3	O
21	BeneficiaryIDType	String	4	Beneficiary Identification type 0001-Computerize National ID 0002-Passport ID 0003-Other	O
22	BeneficiaryID	String	20	Beneficiary Identification Number	O
23	BeneficiaryDateOfBirth	Date	8	Beneficiary Date of Birth	M
24	BeneficiaryIDExpiryDate	Date	8	Beneficiary ID expiry Date	M
25	FathrerORHusband Name	String	100	Father or husband name of beneficiary	O
26	PayInCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	O
27	PayOutCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	M
28	Transaction Amount	Double	(20,2)	Transaction Amount in Payout Currency	M
29	RemitPurpose	String	200	Remittance Purpose	M
30	Reserved 1	String	50	For future use	O
31	Reserved 2	String	50	For future use	O
32	Membership	String	25	Member Ship ID/Number	O
33	ProductCode	String	50	Product Code	O
34	ProductName	String	250	Product Name	O
35	RelationshipWithBenefi ciary	String	25	Relationship with Beneficiary Ex: Brother, Sister, Mother and etc.	O
36	RemitterNationality	String	250	Remitter's Nationality Ex: Pakistani	O
37	RemitterDOB	Date	8	Remitter'sDate of Birth. If no data is provided then default value (09/09/1901) is	O

				used.	
38	RemitterPOB	String	30	Remitter's Place of Birth Ex: Karachi	O
39	BeneficiaryNationality	String	250	Beneficiary's Nationality Ex: Pakistani	O
40	BeneficiaryPOB	String	30	Beneficiary's Place of Birth Ex: Hyderabad	O
41	A1	String	250	For future use	O
42	A2	String	250	For future use	O
43	A3	String	250	For future use	O
44	A4	String	250	For future use	O
45	A5	String	250	For future use	O
46	A6	String	250	For future use	O
47	RemitterId	String	250	Remitter's Id Ex: 12345	O
48	R1	String	250	For future use	O
49	R2	String	250	For future use	O
50	R3	String	250	For future use	O
51	R4	String	250	For future use	O
52	R5	String	250	For future use	O
53	R6	String	250	For future use	O
54	R7	String	250	For future use	O
55	R8	String	250	For future use	O
56	R9	String	250	For future use	O

- **Transfer COTC Response :**



Response Attributes Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	Response Code	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	CallerRef	String	50	Other information for tracking purpose	O
4	TranReferenceNo	String	25	RemitHome Transaction Number.	M
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Reserved 1	String	50	For future use	O
7	Reserved 2	String	50	For future use	O

➢ Account Credit Transfer

Method Name: TransfertoAccount (TransfertoAccountRequest)

This Method is used to processes direct credit transaction in beneficiary account including third party banks.

Note: Method overloaded to incorporate new fields

- **Transfer Account Credit Request :**


Request Attributes Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	AgentID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other information for tracking purpose.	O
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Transaction Mode	Number	(1)	**1 – Real-time only mode.** (Reject the transaction if it cannot be processed in real-time) **2 – Delayed mode allowed.** (if real-time processing is not possible then process transaction in delay mode) **3 – Delayed mode allowed.** Same as above but will reject the transactions for Invalid Account/In Active Account.	M
7	RemitterFirst Name	String	100	Remitter First Name	M
8	RemitterMiddle Name	String	100	Remitter Middle Name	O
9	RemitterLast Name	String	100	Remitter Last Name	O
10	RemitterAddress1	String	100	RemitterAddress1	M
11	RemitterAddress2	String	100	RemitterAddress2	O
12	RemitterMobileNo	String	20	Remitter Mobile Number	O
13	RemitterAddress3	String	100	RemitterAddress3	O
14	BeneficiaryFirst Name	String	100	Beneficiary First Name	M
15	BeneficiaryMiddle Name	String	100	Beneficiary Middle Name	O

16	BeneficiaryLast Name	String	100	Beneficiary Last Name	O
17	FathrerORHusband Name	String	100	Father or husband name of beneficiary	O
18	BeneficiaryDateOf Birth	Date	8	Beneficiary Date of Birth	M
19	BeneficiaryIDExpiry Date	Date	8	Beneficiary ID expiry Date	M
20	PayInCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	O
21	PayOutCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	M
22	Beneficairy Account	String	30	Account Number of the beneficiary	M
23	BankID	String	10	Beneficiary Bank Code	M
24	Transaction Amount	Double	(20,2)	Transaction Amount in Payout Currency	M
25	RemitPurpose	String	200	Remittance Purpose	M
26	Branch Code	String	4	Branch Code of Beneficiary's Bank	O
27	Branch Name	String	30	Beneficiary Branch Name	O
28	Branch Address1	String	30	Beneficiary Branch Address Line1	O
29	Branch Address2	String	30	Beneficiary Branch Address Line1	O
30	Branch Address3	String	30	Beneficiary Branch Address Line1	O
31	Reserved 1	String	50	For future use	O
32	Reserved 2	String	50	For future use	O
33	Membership	String	25	Member Ship ID/Number	O
35	ProductCode	String	50	Product Code	O
36	ProductName	String	250	Product Name	O
37	RelationshipWithBeneficiary	String	25	Relationship with Beneficiary Ex: Brother, Sister, Mother and etc.	O
38	RemitterNationality	String	250	Remitter's Nationality Ex: Pakistani	O

39	RemitterDOB	Date	8	Remitter'sDate of Birth. If no data is provided then default value (09/09/1901) is used.	O
40	RemitterPOB	String	30	Remitter's Place of Birth Ex: Karachi	O
41	BeneficiaryNationality	String	250	Beneficiary's Nationality Ex: Pakistani	O
42	BeneficiaryPOB	String	30	Beneficiary's Place of Birth Ex: Hyderabad	O
43	A1	String	250	For future use	O
44	A2	String	250	For future use	O
45	A3	String	250	For future use	O
46	A4	String	250	For future use	O
47	A5	String	250	For future use	O
48	A6	String	250	For future use	O
49	RemitterId	String	250	Remitter's Id Ex: 12345	O
50	R1	String	250	For future use	O
51	R2	String	250	For future use	O
52	R3	String	250	For future use	O
53	R4	String	250	For future use	O
54	R5	String	250	For future use	O
55	R6	String	250	For future use	O
56	R7	String	250	For future use	O
57	R8	String	250	For future use	O
58	R9	String	250	For future use	O
59	BeneficiaryMobileNo	String	20	Beneficiary's Mobile No.	O
60	BeneficiaryIDType	String	4	Beneficiary Identification type 0001-Computerize National ID 0002-Passport ID 0003-Other	O

- **Transfer Account Credit Response :**



Response Attributes Detail:


Sr. No.	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	ResponseCode	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	CallerRef	String	50	Other information for tracking purpose.	O
4	TranReferenceNo	String	25	RemitHome Transaction Number.	M
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Reserved 1	String	50	For future use	O
7	Reserved 2	String	50	For future use	O

➢ Transaction Status

Method Name: GetTransactionStatus (TransactionStatusRequest)

Web Method to return status of previously forwarded transactions in RemitHome system.


- **Transaction Status Request :**



Request Attributes Detail:

Sr. No.	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	AgentID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other information for tracking purpose.	O
5	Unique ReferenceNo	String	25	Unique Reference Number to get the transaction status.	M
6	Reserved 1	String	50	For future use	O
7	Reserved 2	String	50	For future use	O

- **Transaction Status Response :**



Response Attributes Detail:


Sr. No.	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	ResponseCode	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	CallerRef	String	50	Other information for tracking purpose.	O
4	Unique ReferenceNo	String	25	Same Unique Reference Number	M
5	Status Code	Number	1	Status Code of transaction returned by RemitHome System 0 – Processed 1 – Available for collection. 2- Successfully forwarded to third party bank for on work processing. 3 – Under Processing. 4-Transaction Cancelled	M
6	Status Description	String	50	Description of Status code for better understanding	M
7	Reserved 1	String	50	For future use	O
8	Reserved 2	String	50	For future use	O

➢ Bank Codes

Method Name: GetBankCodes(BankCodeRequest)

Web Method to get updated Bank codes. Array of object will be returned.


- **Bank Codes Request :**



Request Attributes Detail:

Sr. No.	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	AgentID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other Information for tracking purpose.	O

- **Bank Codes Response :** `Array of Objects`



Response Attributes Detail:

Sr. No.	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	ResponseCode	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	Banks[]	UD		BankID : Bank ID, BankName : Bank Name, IsRealTimeFTAllowed: Real time Fund transfer allowed or not.	M

➢ Cash Over the Counter Transfer (Method for new fields)

Method Name:

`TransfertoCOTCNewFields(TransactionCotcNewfieldsRequest,Membership,RelationshipwithBeneficiary)`

This method is used to forward COTC transaction to RemitHome and after processing transaction will be available to collect from branch by beneficiary.

Note: Method overloaded to incorporate new fields

- **Transfer COTC New fields Request :**


Request Attributes Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	AgentID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other Information for tracking purpose	O
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Transaction Mode	Number	(1)	**1 – Real-time only mode.** (Reject the transaction if it cannot be processed in real-time) **2 – Delayed mode allowed.** (if real-time processing is not possible then process transaction in delay mode)	M
7	RemitterFirstName	String	100	Remitter First Name	M
8	RemitterMiddle Name	String	100	Remitter Middle Name	O
9	RemitterLastName	String	100	Remitter Last Name	O
10	RemitterAddress1	String	100	RemitterAddress1	M
11	RemitterAddress2	String	100	RemitterAddress2	O
12	RemitterAddress3	String	100	RemitterAddress3	O
13	RemitterMobileNo	String	20	Remitter Mobile Number	O
14	BeneficiaryFirst Name	String	100	Beneficiary First Name	M
15	BeneficiaryMiddleName	String	100	Beneficiary Middle Name	O
16	BeneficiaryLast Name	String	100	Beneficiary Last Name	O
17	Beneficiary MobileNo	String	20	Beneficiary Mobile No	O
18	Beneficiary Address1	String	100	BeneficiaryAddress1	O

19	Beneficiary Address2	String	100	BeneficiaryAddress2	O
20	Beneficiary Address3	String	100	BeneficiaryAddress3	O
21	BeneficiaryIDType	String	4	Beneficiary Identification type 0001-Computerize National ID 0002-Passport ID 0003-Other	O
22	BeneficiaryID	String	20	Beneficiary Identification Number	O
23	BeneficiaryDateOfBirth	Date	8	Beneficiary Date of Birth	O
24	BeneficiaryIDExpiryDate	Date	8	Beneficiary ID expiry Date	O
25	FathrerORHusband Name	String	100	Father or husband name of beneficiary	O
26	PayInCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	O
27	PayOutCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	M
28	Transaction Amount	Double	(20,2)	Transaction Amount in Payout Currency	M
29	RemitPurpose	String	200	Remittance Purpose	M
30	Reserved 1	String	50	For future use	O
31	Reserved 2	String	50	For future use	O
32	Membership	String	25	Member Ship ID/Number	O
33	RelationshipwithBeneficiary	String	50	Relationship with Beneficiary Ex: Brother, Sister, Mother and etc..	O
34	ProductCode	String	50	Product Code	O
35	ProductName	String	250	Product Name	O
36	RemitterNationality	String	250	Remitter's Nationality Ex: Pakistani	O
37	RemitterDOB	Date	8	Remitter'sDate of Birth. If no data is provided then default value (09/09/1901) is used.	O
38	RemitterPOB	String	30	Remitter's Place of Birth Ex: Karachi	O

39	BeneficiaryNationality	String	250	Beneficiary's Nationality Ex: Pakistani	O
40	BeneficiaryPOB	String	30	Beneficiary's Place of Birth Ex: Hyderabad	O
41	A1	String	250	For future use	O
42	A2	String	250	For future use	O
43	A3	String	250	For future use	O
44	A4	String	250	For future use	O
45	A5	String	250	For future use	O
46	A6	String	250	For future use	O
47	RemitterId	String	250	Remitter's Id Ex: 12345	O
48	R1	String	250	For future use	O
49	R2	String	250	For future use	O
50	R3	String	250	For future use	O
51	R4	String	250	For future use	O
52	R5	String	250	For future use	O
53	R6	String	250	For future use	O
54	R7	String	250	For future use	O
55	R8	String	250	For future use	O
56	R9	String	250	For future use	O

- **Transfer COTC Response :**



Response Attributes Detail:

Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	Response Code	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	CallerRef	String	50	Other information for tracking purpose	O
4	TranReferenceNo	String	25	RemitHome Transaction Number.	M
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Reserved 1	String	50	For future use	O
7	Reserved 2	String	50	For future use	O

➢ Account Credit Transfer (Method for new fields)

Method Name: TransfertoAccountNewFields(TransfertoAccountNewfieldsRequest, Membership,RelationshipwithBeneficiary)

This Method is used to processes direct credit transaction in beneficiary account including third party banks.

Note: Method overloaded to incorporate new fields

- **Transfer Account New Fields Request :**

Request Attributes Detail:


Sr. No	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	AgentID	String	10	Agent ID provided by Bank	M
2	UserID	String	50	User ID of Agent's user provided by Bank	M
3	Password	String	20	Password of Agent's user provided by Bank	M
4	CallerRef	String	50	Other information for tracking purpose.	O
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Transaction Mode	Number	(1)	**1 – Real-time only mode.** (Reject the transaction if it cannot be processed in real-time) **2 – Delayed mode allowed.** (if real-time processing is not possible then process transaction in delay mode) **3 – Delayed mode allowed.** Same as above but will reject the transactions for Invalid Account/In Active Account.	M
7	RemitterFirst Name	String	100	Remitter First Name	M
8	RemitterMiddle Name	String	100	Remitter Middle Name	O
9	RemitterLast Name	String	100	Remitter Last Name	O
10	RemitterAddress1	String	100	RemitterAddress1	M
11	RemitterAddress2	String	100	RemitterAddress2	O
12	RemitterMobileNo	String	20	Remitter Mobile Number	O
13	RemitterAddress3	String	100	RemitterAddress3	O
14	BeneficiaryFirst Name	String	100	Beneficiary First Name	M
15	BeneficiaryMiddle Name	String	100	Beneficiary Middle Name	O

16	BeneficiaryLast Name	String	100	Beneficiary Last Name	O
17	FathrerORHusband Name	String	100	Father or husband name of beneficiary	O
18	BeneficiaryDateOf Birth	Date	8	Beneficiary Date of Birth	O
19	BeneficiaryIDExpiry Date	Date	8	Beneficiary ID expiry Date	O
20	PayInCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	O
21	PayOutCurrency	String	3	ISO 4217 Currency Codes, e.g. PKR	M
22	Beneficairy Account	String	30	Account Number of the beneficiary	M
23	BankID	String	10	Beneficiary Bank Code	M
24	Transaction Amount	Double	(20,2)	Transaction Amount in Payout Currency	M
25	RemitPurpose	String	200	Remittance Purpose	M
26	Branch Code	String	4	Branch Code of Beneficiary's Bank	O
27	Branch Name	String	30	Beneficiary Branch Name	O
28	Branch Address1	String	30	Beneficiary Branch Address Line1	O
29	Branch Address2	String	30	Beneficiary Branch Address Line1	O
30	Branch Address3	String	30	Beneficiary Branch Address Line1	O
31	Reserved 1	String	50	For future use	O
32	Reserved 2	String	50	For future use	O
33	Membership	String	25	Member Ship ID/Number	O
34	RelationshipwithBeneficiary	String	50	Relationship with Beneficiary Ex: Brother, Sister, Mother and etc..	O
35	ProductCode	String	50	Product Code	O
36	ProductName	String	250	Product Name	O
37	RelationshipWithBeneficiary	String	25	Relationship with Beneficiary Ex: Brother, Sister, Mother and etc.	O

38	RemitterNationality	String	250	Remitter's Nationality Ex: Pakistani	O
39	RemitterDOB	Date	8	Remitter'sDate of Birth. If no data is provided then default value (09/09/1901) is used.	O
40	RemitterPOB	String	30	Remitter's Place of Birth Ex: Karachi	O
41	BeneficiaryNationality	String	250	Beneficiary's Nationality Ex: Pakistani	O
42	BeneficiaryPOB	String	30	Beneficiary's Place of Birth Ex: Hyderabad	O
43	A1	String	250	For future use	O
44	A2	String	250	For future use	O
45	A3	String	250	For future use	O
46	A4	String	250	For future use	O
47	A5	String	250	For future use	O
48	A6	String	250	For future use	O
49	RemitterId	String	250	Remitter's Id Ex: 12345	O
50	R1	String	250	For future use	O
51	R2	String	250	For future use	O
52	R3	String	250	For future use	O
53	R4	String	250	For future use	O
54	R5	String	250	For future use	O
55	R6	String	250	For future use	O
56	R7	String	250	For future use	O
57	R8	String	250	For future use	O
58	R9	String	250	For future use	O
59	BeneficiaryMobileNo	String	20	Beneficiary's Mobile No.	O

60	BeneficiaryIDType	String	4	Beneficiary Identification type 0001-Computerize National ID 0002-Passport ID 0003-Other	O

- **Transfer Account Credit Response :**



Response Attributes Detail:

Sr. No.	Field	Data Type	Max Length	Description	Mandatory/ Optional
1	ResponseCode	String	4	Response for the Success or Failure	M
2	ResponseMessage	String	1000	Result Message	M
3	CallerRef	String	50	Other information for tracking purpose.	O
4	TranReferenceNo	String	25	RemitHome Transaction Number.	M
5	Unique ReferenceNo	String	25	Agent's Unique Transaction Number.	M
6	Reserved 1	String	50	For future use	O
7	Reserved 2	String	50	For future use	O

API Response Codes

Codes	Details	Service Category
0000	Successful	General
0001	Successful, transaction accepted in delayed mode	FT
1004	Invalid Input Parameters/Values missing	General
1005	Authentication Failure	General
1006	System Failure	General
1010	Invalid Parameter Length Found	General
1014	PRI Transaction Not found	Transaction Status
1021	Transaction Timeout	General
1032	AML Down (Service is not running)	FT
1033	AML Status Rejected **(New)**	FT
1034	AML Status Blocked **(New)**	FT
1035	Invalid IBAN	FT/Title Fetch
1037	Transaction Auto Reversed **(New)**	FT
1038	Transaction Reverse Unsuccessful **(New)**	FT
9009	Mandatory fields missing! Currency field(s) mandatory!	FT
9012	COTC STP limit exceeded!	FT
9015	Own accounts STP limit exceeded!	FT
9016	Duplicate Unique Reference No found. Record Cancelled	FT
9019	Commercial Payment	FT
9026	Unique Reference Number Limit exceeds!	FT
9028	Title Fetch Unsuccessful	FT/Title Fetch
9029	Insufficient Balance	FT
9030	Fund Transfer Failed	FT
9031	API settings are not configured or In Active	General
9043	Invalid Account	FT/Title Fetch
9045	Invalid Other Bank	Account-FT/Title Fetch
9046	AML Transaction Timeout	FT
9047	In Active Account, Transaction is not allowed.	FT
9048	Account Title does not match with Beneficiary Name!	Account-FT
9049	Invalid Account Length	Account-FT/Title Fetch
9999	Any unknown error occurred during web method call. **[Message will be displaying the actual error]**	General

[Note: It is not possible to accommodate each error with separate response code. Therefore, in some cases '9999' can also be returned. Except for two response codes [0000, 0001] each response code is being use to represent transaction failure]

Delay Mode Transaction Response Codes Handling

Successful Transaction in Delay Mode

Successful transaction in delay mode even returns '0000' response code along with the message. If sent transaction could not process successfully then it would forward to RHAPI in delay mode and return '1001' response along with following messages showing the actual reason.

Codes	Details
0001	Transaction forwarded to Delay mode due to: AML Status : Transaction Blocked
0001	Transaction forwarded to Delay mode due to: AML Status : AML Down
0001	Transaction forwarded to Delay mode due to: AML Status : AML Timeout
0001	Transaction forwarded to Delay mode due to: Illegal Character found in Account
0001	Transaction forwarded to Delay mode due to: Special Character not allowed
0001	Transaction forwarded to Delay mode due to: Transaction Timeout during Title Fetch
0001	Transaction forwarded to Delay mode due to: Invalid Account
0001	Transaction forwarded to Delay mode due to: In Active Account
0001	Transaction forwarded to Delay mode due to: Invalid Account Length
0001	Transaction forwarded to Delay mode due to: Title Fetch Failed
0001	Transaction forwarded to Delay mode due to: Account Title does not match with Beneficiary Name
0001	Transaction forwarded to Delay mode due to: Invalid IBFT Bank ID
0001	Transaction forwarded to Delay mode due to: Invalid IBAN
0001	Transaction forwarded to Delay mode due to: Transaction Timeout during Fund Transfer
0001	Transaction forwarded to Delay mode due to: Insufficient Balance
0001	Transaction forwarded to Delay mode due to: Other Bank Fund Transfer Failed
0001	Transaction forwarded to Delay mode due to: COTC STP Limit
0001	Transaction forwarded to Delay mode due to: Account STP Limit
0001	Transaction forwarded to Delay mode due to: Other Bank STP Limit

Rejected Transaction in Delay Mode

Whether transaction sent in Real time or Delay mode, RHAPI will never accept the transactions with following response codes.

Codes	Details
1010	Invalid Parameter Length Found
1021	Web Service Timeout Error Occurred
1004	Invalid Input Parameters/Values missing
1005	Authentication Failure
1006	System Failure
9009	Mandatory fields missing!
9016	Duplicate Unique Reference No found. Record Cancelled!
9019	Commercial Payment

9026	Unique Reference Number Limit exceeds!
9031	API settings are not configured or In Active
1004	Invalid Beneficiary ID Type of Beneficiary ID Number Invalid Beneficiary ID Expiry Date! Invalid Beneficiary Date of Birth!