QUALYS EXPRESS

Scan Results

March 14, 2017

Report Summary	
User Name:	Muneeb Imtiaz
Login Name:	sbank-mm
Company:	JS Bank
User Role:	Manager
Address:	1st Floor, Shaheen Complex I. I. Chundrigar Road
City:	Karachi
State:	None
Zip:	75500
Country:	Pakistan
Created:	03/14/2017 at 13:13:22 (GMT+0500)
Launch Date:	03/14/2017 at 13:05:09 (GMT+0500)
Active Hosts:	1
Total Hosts:	1
Type:	On demand
Status:	Finished
Reference:	scan/1489478547.55026
Scanner Appliances:	JSScan (Scanner 9.1.27-1, Vulnerability Signatures 2.3.562-3)
Authentication:	Windows authentication was successful for 1 host
Duration:	00:04:51
Title:	Home Remit UAT Test - Authenticated - 20170314 - Admin
Asset Groups:	-
IPs:	10.111.200.118
Excluded IPs:	-
Options Profile:	Authenticated Scan v.1


Summary of Vulnerabilities

Vulnerabilities Total	224	Security Risk (Avg)	5.0


by Severity				
Severity	Confirmed	Potential	Information Gathered	Total
5	9	0	0	9
4	31	0	0	31
3	21	2	11	34
2	6	2	52	60
1	0	1	89	90
Total	67	5	152	224

5 Biggest Categories				
Category	Confirmed	Potential	Information Gathered	Total
Security Policy	3	1	60	64
Windows	30	3	27	60
Information gathering	0	1	26	27
Office Application	19	0	2	21
General remote services	9	0	11	20
Total	61	5	126	192


Vulnerabilities by Severity



Operating Systems Detected



Services Detected



Detailed Results

Vulnerabilities (67)

5 Microsoft Foundation Class Library Remote Code Execution Vulnerability (MS11-025)

QID:	90698
Category:	Windows
CVE ID:	CVE-2010-3190
Vendor Reference:	MS11-025
Bugtraq ID:	42811
Service Modified:	03/16/2013
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

The Microsoft Foundation Class Library is an application framework for programming in Microsoft Windows.
A remote code execution vulnerability exists in the way that certain applications built with Microsoft Foundation Classes handle the loading of DLL files.
Affected Software:
Microsoft Visual Studio .NET 2003 Service Pack 1
Microsoft Visual Studio 2005 Service Pack 1
Microsoft Visual Studio 2008 Service Pack 1
Microsoft Visual Studio 2010
Microsoft Visual C++ 2005 Service Pack 1 Redistributable Package
Microsoft Visual C++ 2008 Service Pack 1 Redistributable Package
Microsoft Visual C++ 2010 Redistributable Package

IMPACT:

An attacker who successfully exploited this vulnerability could run arbitrary code as the logged-on user. An attacker could then install programs; view, change, or delete data; or create new accounts with full user rights. If a user is logged on with administrative user rights, an attacker could take complete control of the affected system. Users whose accounts are configured to have fewer user rights on the system could be less impacted than users who operate with administrative user rights.

SOLUTION:

Workaround:
1)Disable loading of libraries from WebDAV and remote network shares
2) Disable the WebClient service
Impact of workaround #2: When the WebClient service is disabled, Web Distributed Authoring and Versioning (WebDAV) requests are not transmitted. In addition, any services that explicitly depend on the Web Client service will not start, and an error message will be logged in the System log.
3) Block TCP ports 139 and 445 at the firewall
Impact of workaround #3: Several Windows services use the affected ports. Blocking connectivity to the ports may cause various applications or services to not function.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-025: Microsoft Visual Studio 2010 (http://www.microsoft.com/en-us/download/details.aspx?id=26351)
MS11-025: Microsoft Visual Studio 2010 Service Pack 1 (http://www.microsoft.com/en-us/download/details.aspx?id=27049)
MS11-025: Microsoft Visual C++ 2005 Service Pack 1 Redistributable Package (http://www.microsoft.com/en-us/download/details.aspx?id=26347)
MS11-025: Microsoft Visual C++ 2008 Service Pack 1 Redistributable Package (http://www.microsoft.com/en-us/download/details.aspx?id=26368)
MS11-025: Microsoft Visual Studio .NET 2003 Service Pack 1 (http://www.microsoft.com/en-us/download/details.aspx?id=6818)
MS11-025: Microsoft Visual Studio 2005 Service Pack 1 (http://www.microsoft.com/en-us/download/details.aspx?id=26401)
MS11-025: Microsoft Visual Studio 2008 Service Pack 1 (http://www.microsoft.com/en-us/download/details.aspx?id=26360)
MS11-025: Microsoft Visual C++ 2010 Redistributable Package (http://www.microsoft.com/en-us/download/details.aspx?id=21576)
MS11-025: Microsoft Visual C++ 2010 Redistributable Package Service Pack 1 (http://www.microsoft.com/en-us/download/details.aspx?id=26999)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HKLM\SOFTWARE\Microsoft\DevDiv\VC\Servicing\8.0\RED exists
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall\{071c9b48-7c32-4621-a0ac-3f809523288f} DisplayName = Microsoft Visual C++ 2005 Redistributable (x64)
%windir%\WinSxS\amd64_microsoft.vc80.atl_1fc8b3b9a1e18e3b_8.0.50727.4053_none_8a1a02152edb659b\atl80.dll Version is 8.0.50727.4053
%windir%\WinSxS\amd64_microsoft.vc80.atl_1fc8b3b9a1e18e3b_8.0.50727.762_none_ca3f79d486b08636\atl80.dll Version is 8.0.50727.762
%windir%\WinSxS\x86_microsoft.vc80.atl_1fc8b3b9a1e18e3b_8.0.50727.1_none_0c9d76766bee2c32\atl80.dll Version is 8.0.50727.1
%windir%\WinSxS\x86_microsoft.vc80.atl_1fc8b3b9a1e18e3b_8.0.50727.4053_none_d1c738ec43578ea1\atl80.dll Version is 8.0.50727.4053

5 Microsoft Group Policy Remote Code Execution Vulnerability (MS15-011)

QID:	91017
Category:	Windows
CVE ID:	CVE-2015-0008
Vendor Reference:	MS15-011
Bugtraq ID:	72477
Service Modified:	02/06/2017
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

The security update addresses the vulnerability by improving how domain-configured systems connect to domain controllers prior to Group Policy accepting configuration data.
This security update is rated Critical for all supported editions of Windows Server 2003, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows RT, Windows 8.1, Windows Server 2012 R2, and Windows RT 8.1
Note: There is no update released for Windows 2003. This vulnerability requires that a user connect their computer to an untrusted network such as a Wi-Fi hotspot in a coffee shop; therefore, workstations that are connected to an untrusted network are most at risk from this vulnerability.

IMPACT:

The vulnerability could allow remote code execution if an attacker convinces a user with a domain-configured system to connect to an attacker-controlled network.

SOLUTION:

Refer to MS15-011 (https://technet.microsoft.com/library/security/ms15-011)to obtain further information.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-011: Windows Vista Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=ddf6f5df-113d-4e08-9422-d72f1bb3ea01)
MS15-011: Windows Vista x64 Edition Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=ab8a7a65-a0f6-4f79-99ed-4b4cfcbcadfd)
MS15-011: Windows Server 2008 for 32-bit Systems Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=a507236d-0ce1-4e8c-adbe-20186f2c1e1b)
MS15-011: Windows Server 2008 for x64-based Systems Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=5b009bb4-738d-42ce-9e35-5d4580b0ad25)
MS15-011: Windows Server 2008 for Itanium-based Systems Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=7c37a025-81ea-4360-bcde-65b39171202f)
MS15-011: Windows 7 for 32-bit Systems Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=51090490-014f-41c4-a9e5-00765457737f)
MS15-011: Windows 7 for x64-based Systems Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=0f56004d-5870-4294-b630-2f984640e8c6)
MS15-011: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=b52b259b-5c72-46a9-8559-3d38c0c7a126)
MS15-011: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=432b66df-a531-4280-9aaf-6ce696e2f696)
MS15-011: Windows 8 for 32-bit Systems (http://www.microsoft.com/downloads/details.aspx?familyid=54e7605b-a6b3-445f-9d43-ac3fa937bc47)
MS15-011: Windows 8 for x64-based Systems (http://www.microsoft.com/downloads/details.aspx?familyid=374c14fc-82cf-4cfa-94f0-695e99d7c423)
MS15-011: Windows 8.1 for 32-bit Systems (http://www.microsoft.com/downloads/details.aspx?familyid=29857dc6-8dec-41c1-afee-a898d602d3ef)
MS15-011: Windows 8.1 for x64-based Systems (http://www.microsoft.com/downloads/details.aspx?familyid=f0adfdbe-6056-4be1-8294-3b808c0a0e89)
MS15-011: Windows Server 2012 (http://www.microsoft.com/downloads/details.aspx?familyid=1e6052c8-77a2-4bfd-905f-50e86d6e5efa)
MS15-011: Windows Server 2012 R2 (http://www.microsoft.com/downloads/details.aspx?familyid=48248922-d55a-43b7-a564-671d79127ac7)
MS15-011: Windows Server 2008 for 32-bit Systems Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=a507236d-0ce1-4e8c-adbe-20186f2c1e1b)
MS15-011: Windows Server 2008 for x64-based Systems Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=5b009bb4-738d-42ce-9e35-5d4580b0ad25)

MS15-011: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=b52b259b-5c72-46a9-8559-3d38c0c7a126)
MS15-011: Windows Server 2012 (http://www.microsoft.com/downloads/details.aspx?familyid=1e6052c8-77a2-4bfd-905f-50e86d6e5efa)
MS15-011: Windows Server 2012 R2 (http://www.microsoft.com/downloads/details.aspx?familyid=48248922-d55a-43b7-a564-671d79127ac7)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Core Security
Reference: CVE-2015-0008
Description: Microsoft Windows Group Policy Remote Code Execution Vulnerability Exploit (MS15-011) - Core Security Category : Exploits/Remote

Qualys
Reference: CVE-2015-0008
Description: Microsoft Windows Group Policy Remote Code Execution Vulnerability Exploit (MS15-011) - MWR InfoSecurity
Link: https://labs.mwrinfosecurity.com/blog/practically-exploiting-ms15-014-and-ms15-011/

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Group Policy\History MachineDomain = jsbl.com
Minimum recommended settings for MS15-011 mentioned in KB3000483 is not applied on the target.

5 Microsoft Graphics Component Remote Code Execution Vulnerability (MS15-080)

QID:	91085
Category:	Windows
CVE ID:	CVE-2015-2431, CVE-2015-2432, CVE-2015-2433, CVE-2015-2453, CVE-2015-2454, CVE-2015-2458, CVE-2015-2459, CVE-2015-2460, CVE-2015-2461, CVE-2015-2462, CVE-2015-2435, CVE-2015-2455, CVE-2015-2456, CVE-2015-2463, CVE-2015-2464, CVE-2015-2465
Vendor Reference:	MS15-080
Bugtraq ID:	76238, 76213, 76216, 76241, 76209, 76215, 76239, 76240
Service Modified:	11/07/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
This security update resolves vulnerabilities in Microsoft Windows, Microsoft .NET Framework, Microsoft Office, Microsoft Lync, and Microsoft Silverlight. The most severe of the vulnerabilities could allow remote code execution if a user opens a specially crafted document or visits an untrusted webpage that contains embedded TrueType or OpenType fonts.
This security update is rated Critical.

IMPACT:
An attacker who successfully exploited these vulnerabilities could take complete control of the affected system.

SOLUTION:
Please refer to MS15-080 (https://technet.microsoft.com/library/security/ms15-080) for more details.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-080: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=c7328662-404a-4cc5-9d3f-719203905045)
MS15-080: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=e4cb2e6a-cc6d-42e3-8b48-e60f69d1ee54)
MS15-080: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=e1d81b33-62c3-42aa-801b-ad7f63f9cf5c)
MS15-080: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=eb898fe4-5637-41bd-a22e-bddabd9f8c4a)
MS15-080: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=1fdb580b-4ffd-455f-9f62-26722cc6912f)
MS15-080: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=740db25d-f7fd-4b12-83aa-29b6ff6f8b37)

MS15-080: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=24aa4f1e-b7aa-44fd-8c60-c7fab849fd46)
MS15-080: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=df447b6f-6665-4c70-9b1d-a9a6bc8e63f6)
MS15-080: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=7e074e55-e815-4a7e-bdbf-919aebc0c873)
MS15-080: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=ed6502ca-131b-49ef-a6a2-460536365211)
MS15-080: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=dc921461-650f-403e-9def-be035d10508b)
MS15-080: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=fbae517a-b3fc-4dde-a8dc-794f76d8ec31)
MS15-080: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=d1fb93c3-5d47-4e2e-9bc3-b4526c3f1501)
MS15-080: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=a8a7b5bb-3bb7-409e-88f9-1179a04f8460)
MS15-080: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=6a406a0e-83e1-4491-a384-52d8c789d944)
MS15-080: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3081435)
MS15-080: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3081435)
MS15-080: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=?...?https://www.microsoft.com/downloads/details.aspx?familyid=6a406a0e-83e1-4491-a384-52d8c789d944)
MS15-080: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=43ae9536-be2e-4b8e-b329-e5bed8bd8a79)
MS15-080: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=ded29975-3c4b-44f3-9fd6-64c7aabed99a)
MS15-080: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=459a202c-90be-4878-843e-608f2f0e1a5e)
MS15-080: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=4d4fae8c-aec2-4189-8edd-47566f7c6d21)
MS15-080: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=43ae9536-be2e-4b8e-b329-e5bed8bd8a79)
MS15-080: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=ded29975-3c4b-44f3-9fd6-64c7aabed99a)
MS15-080: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=459a202c-90be-4878-843e-608f2f0e1a5e)
MS15-080: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=4d4fae8c-aec2-4189-8edd-47566f7c6d21)
MS15-080: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=43ae9536-be2e-4b8e-b329-e5bed8bd8a79)
MS15-080: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=ded29975-3c4b-44f3-9fd6-64c7aabed99a)
MS15-080: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=459a202c-90be-4878-843e-608f2f0e1a5e)
MS15-080: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=4d4fae8c-aec2-4189-8edd-47566f7c6d21)
MS15-080: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=43ae9536-be2e-4b8e-b329-e5bed8bd8a79)
MS15-080: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=ded29975-3c4b-44f3-9fd6-64c7aabed99a)
MS15-080: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=459a202c-90be-4878-843e-608f2f0e1a5e)
MS15-080: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=4d4fae8c-aec2-4189-8edd-47566f7c6d21)
MS15-080: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=02477b6a-a803-46f5-ae8d-b7e99c47d926)
MS15-080: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=02477b6a-a803-46f5-ae8d-b7e99c47d926)
MS15-080: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=02477b6a-a803-46f5-ae8d-b7e99c47d926)
MS15-080: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=7dcb4ed7-22f8-4a4a-a98d-65a5c289e330)
MS15-080: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=7dcb4ed7-22f8-4a4a-a98d-65a5c289e330)
MS15-080: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9a1e320f-0cc5-44df-8400-b140e5ca907a)
MS15-080: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9a1e320f-0cc5-44df-8400-b140e5ca907a)
MS15-080: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=7dcb4ed7-22f8-4a4a-a98d-65a5c289e330)
MS15-080: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9a1e320f-0cc5-44df-8400-b140e5ca907a)
MS15-080: Windows 10 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://support.microsoft.com/kb/3081435)
MS15-080: Windows 10 for 64-bit Systems (Microsoft .NET Framework 3.5) (https://support.microsoft.com/kb/3081435)
MS15-080: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=02477b6a-a803-46f5-ae8d-b7e99c47d926)
MS15-080: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=7dcb4ed7-22f8-4a4a-a98d-65a5c289e330)
MS15-080: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9a1e320f-0cc5-44df-8400-b140e5ca907a)
MS15-080: Microsoft Office 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=7f8e9f33-30bb-4fa9-b2b8-082fe4462cd2)

MS15-080: Microsoft Office 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=6b888c5c-5c07-47ab-9dc1-4ad71dea9760)
MS15-080: Microsoft Office 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=4d0ffeb4-239f-4dc4-9563-473565795c29)
MS15-080: Microsoft Live Meeting 2007 Console (http://office.microsoft.com/en-us/help/download-the-microsoft-office-live-meeting-2007-client-HA010173383.aspx)
MS15-080: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=c1836407-ea9a-4312-98e4-8f9cd38c28ba)
MS15-080: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=e04d658b-68e1-4d64-bae3-adede6f5642d)
MS15-080: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=a3208b6b-977e-44b5-8d85-d9b956adeb8a)
MS15-080: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=5255183c-8f0f-447b-b2bb-4c6235fa91dd)
MS15-080: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=b5f521cf-40b1-4846-bdab-820d65b06f7e)
MS15-080: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=b5f521cf-40b1-4846-bdab-820d65b06f7e)
MS15-080: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=a286aeeb-d396-44d4-a884-c26a042f1caf)
MS15-080: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=a286aeeb-d396-44d4-a884-c26a042f1caf)
MS15-080: Microsoft Silverlight 5 (https://www.microsoft.com/downloads/details.aspx?familyid=f8949a94-43f0-47a8-839f-f8fc4f050f37)
MS15-080: Microsoft Silverlight 5 Developer Runtime (https://www.microsoft.com/downloads/details.aspx?familyid=f8949a94-43f0-47a8-839f-f8fc4f050f37)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:

Metasploit

Reference: CVE-2015-2433
Description: MS15-078 Microsoft Windows Font Driver Buffer Overflow - Metasploit Ref : /modules/exploit/windows/local/ms15_078_atmfd_bof
Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/windows/local/ms15_078_atmfd_bof.rb

The Exploit-DB

Reference: CVE-2015-2464
Description: Microsoft Windows - 'win32k.sys' TTF Font Processing win32k!fsc_BLTHoriz Out-of-Bounds Pool Write - The Exploit-DB Ref : 37914
Link: http://www.exploit-db.com/exploits/37914

Reference: CVE-2015-2463
Description: Microsoft Windows - 'win32k.sys' TTF Font Processing win32k!fsc_RemoveDups Out-of-Bounds Pool Memory Access - The Exploit-DB Ref : 37915
Link: http://www.exploit-db.com/exploits/37915

Reference: CVE-2015-2462
Description: Microsoft Windows - 'ATMFD.DLL' Out-of-Bounds Read Due to - Malformed FDSelect Offset in the CFF Table - The Exploit-DB Ref : 37916
Link: http://www.exploit-db.com/exploits/37916

Reference: CVE-2015-2461
Description: Microsoft Windows - 'ATMFD.DLL' Out-of-Bounds Read Due to - Malformed Name INDEX in the CFF Table - The Exploit-DB Ref : 37917
Link: http://www.exploit-db.com/exploits/37917

Reference: CVE-2015-2456
Description: Microsoft Windows - 'win32k.sys' TTF Font Processing win32k!scl_ApplyTranslation Pool-Based Buffer Overflow - The Exploit-DB Ref : 37918
Link: http://www.exploit-db.com/exploits/37918

Reference: CVE-2015-2455
Description: Microsoft Windows - 'win32k.sys' TTF Font Processing IUP[] Program Instruction Pool-Based Buffer Overflow - The Exploit-DB Ref : 37919
Link: http://www.exploit-db.com/exploits/37919

Reference: CVE-2015-2432
Description: Microsoft Windows - 'ATMFD.DLL' Write to Uninitialized Address Due to - Malformed CFF Table - The Exploit-DB Ref : 37920
Link: http://www.exploit-db.com/exploits/37920

Reference: CVE-2015-2460

Description: Microsoft Windows - 'ATMFD.dll' CFF table (ATMFD+0x3440b / ATMFD+0x3440e) Invalid Memory Access - The Exploit-DB Ref : 37921
Link: http://www.exploit-db.com/exploits/37921

Reference: CVE-2015-2459
Description: Microsoft Windows - 'ATMFD.DLL' CFF table (ATMFD+0x34072 - / ATMFD+0x3407b) Invalid Memory Access - The Exploit-DB Ref : 37922
Link: http://www.exploit-db.com/exploits/37922

Reference: CVE-2015-2458
Description: Microsoft Windows - 'ATMFD.dll' CharString Stream Out-of-Bounds Reads (MS15-021) - The Exploit-DB Ref : 37923
Link: http://www.exploit-db.com/exploits/37923

Reference: CVE-2015-2433
Description: Microsoft Windows - Font Driver Buffer Overflow (MS15-078) (Metasploit) - The Exploit-DB Ref : 38222
Link: http://www.exploit-db.com/exploits/38222

Reference: CVE-2015-2431
Description: Microsoft Office 2007 - 'OGL.dll' DpOutputSpanStretch::OutputSpan Out of Bounds Write (MS15-080) - The Exploit-DB Ref : 37911
Link: http://www.exploit-db.com/exploits/37911

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\system32\presentationcffrasterizernative_v0300.dll Version is 3.0.6920.7903
%windir%\system32\presentationcffrasterizernative_v0300.dll Version is 3.0.6920.7903

5 Microsoft Windows Graphics Component Remote Code Execution Vulnerability (MS15-128)

QID:	91140
Category:	Windows
CVE ID:	CVE-2015-6106, CVE-2015-6107, CVE-2015-6108
Vendor Reference:	MS15-128
Bugtraq ID:	-
Service Modified:	12/09/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Multiple remote code execution vulnerabilities exist when the Windows font library improperly handles specially crafted embedded fonts.
This security update is rated Critical for all supported releases of Microsoft Windows, affected editions of Microsoft Office 2007 and Microsoft Office 2010, affected versions of Microsoft .NET Framework on all supported releases of Microsoft Windows, affected editions of Skype for Business 2016, Microsoft Lync 2013, and Microsoft Lync 2010.

IMPACT:
An attacker who successfully exploited these vulnerabilities can install programs, view, change, or delete data,or create new accounts with full user rights.

SOLUTION:
Refer to MS15-128 (https://technet.microsoft.com/en-us/library/security/ms15-128.aspx) for more information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-128: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=8623fc3a-3d15-4063-a9e9-9f5545aba775)
MS15-128: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=350ca486-0a41-4052-8262-954688ce6547)
MS15-128: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=417669f9-7396-4f8f-ae74-810891678488)
MS15-128: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=

c633d435-83b9-492a-a53f-c62003c3fca8)
MS15-128: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=4349ae3f-c177-4b7a-8db8-09da103bf657)
MS15-128: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=66d9e66c-1698-4915-a1ac-cb5ce247a93a)
MS15-128: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=5e494723-75d9-4245-8895-3fd5be147cf4)
MS15-128: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=53b5d13d-0353-461e-9101-bf026f57c473)
MS15-128: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=8b7d120e-9e21-4ebe-8b09-baa99b1268ad)
MS15-128: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=1d500d29-ac20-4b0f-a274-7cf2d5b6fc97)
MS15-128: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=78b9dba3-b147-4dc6-bccf-6772abdc4500)
MS15-128: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=bfa33fb4-f35e-456f-a620-a5b76986a4a6)
MS15-128: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=ce9709ca-0a92-45c9-b460-7b09f9c68289)
MS15-128: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=5d30456f-d1a4-494d-b35c-64eb2466a314)
MS15-128: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=b01743e5-111e-428f-b414-8ac9c29fd7b5)
MS15-128: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3116869)
MS15-128: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3116869)
MS15-128: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3116900)
MS15-128: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3116900)
MS15-128: Microsoft Office 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=03fa5216-11c6-4e71-9d0e-ca527d898a81)
MS15-128: Microsoft Office 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=752d97a2-2b6c-4d11-91c3-2d457cbd4d81)
MS15-128: Microsoft Office 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=38194d8c-a2bc-40b3-bd9e-630071b70e68)
MS15-128: Microsoft Word Viewer (https://www.microsoft.com/downloads/details.aspx?familyid=ccd9c94b-7150-4a11-932a-5e23920cc6c1)
MS15-128: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=ed692a38-cb00-42ee-835b-0908da72828c)
MS15-128: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=92a74412-32c5-431e-af3e-ef7592f6944d)
MS15-128: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=00b86a12-3654-44aa-aaed-0d428accead7)
MS15-128: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=06363a1f-ca0f-4532-94a4-ae6ecf84b100)
MS15-128: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=ed692a38-cb00-42ee-835b-0908da72828c)
MS15-128: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=92a74412-32c5-431e-af3e-ef7592f6944d)
MS15-128: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=00b86a12-3654-44aa-aaed-0d428accead7)
MS15-128: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=06363a1f-ca0f-4532-94a4-ae6ecf84b100)
MS15-128: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=ed692a38-cb00-42ee-835b-0908da72828c)
MS15-128: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=92a74412-32c5-431e-af3e-ef7592f6944d)
MS15-128: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=00b86a12-3654-44aa-aaed-0d428accead7)
MS15-128: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=06363a1f-ca0f-4532-94a4-ae6ecf84b100)
MS15-128: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=ed692a38-cb00-42ee-835b-0908da72828c)
MS15-128: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=92a74412-32c5-431e-af3e-ef7592f6944d)
MS15-128: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=00b86a12-3654-44aa-aaed-0d428accead7)
MS15-128: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=06363a1f-ca0f-4532-94a4-ae6ecf84b100)
MS15-128: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5a0fe361-2525-4550-8a80-be23a3ea7bbc)
MS15-128: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5a0fe361-2525-4550-8a80-be23a3ea7bbc)
MS15-128: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5a0fe361-2525-4550-8a80-be23a3ea7bbc)
MS15-128: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=60bd7347-d0aa-4c9c-b298-dfa6204a70f8)
MS15-128: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=60bd7347-d0aa-4c9c-b298-dfa6204a70f8)
MS15-128: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0b5e3734-3121-46ac-a268-ed6f81e2c11f)
MS15-128: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0b5e3734-3121-46ac-a268-ed6f81e2c11f)
MS15-128: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=60bd7347-d0aa-4c9c-b298-dfa6204a70f8)

MS15-128: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0b5e3734-3121-46ac-a268-ed6f81e2c11f)
MS15-128: Windows 10 for 64-bit Systems (https://support.microsoft.com/kb/3116869)
MS15-128: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5a0fe361-2525-4550-8a80-be23a3ea7bbc)
MS15-128: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=60bd7347-d0aa-4c9c-b298-dfa6204a70f8)
MS15-128: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0b5e3734-3121-46ac-a268-ed6f81e2c11f)
MS15-128: Skype for Business 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=10d11ecc-f635-4a66-9194-4c914937923e)
MS15-128: Skype for Business Basic 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=10d11ecc-f635-4a66-9194-4c914937923e)
MS15-128: Skype for Business 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=54cf7315-1dc5-44d6-9174-3179888a563e)
MS15-128: Skype for Business Basic 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=54cf7315-1dc5-44d6-9174-3179888a563e)
MS15-128: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=48ab8cfc-bc37-4041-a163-e3cf697626de)
MS15-128: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=48ab8cfc-bc37-4041-a163-e3cf697626de)
MS15-128: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=d8d283e1-f4fc-4fe4-b7f7-7f302b1128cc)
MS15-128: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=d8d283e1-f4fc-4fe4-b7f7-7f302b1128cc)
MS15-128: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=486bf43e-3fd0-49df-b534-1e1c9b96e4d3)
MS15-128: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=710c2ad4-4674-4df7-8885-cc36d4d86252)
MS15-128: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=9948f034-5c4d-4f2a-a07e-990d7b22a8a6)
MS15-128: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=a669c12d-6760-4816-8553-ffb4d923669c)
MS15-128: Microsoft Live Meeting 2007 Console (https://www.microsoft.com/downloads/details.aspx?familyid=7c05b461-a3f1-49fc-863d-a9541d506309)
MS15-128: Microsoft Silverlight 5 (https://www.microsoft.com/downloads/details.aspx?familyid=8240d856-93d9-4614-87af-3525ad021a56)
MS15-128: Microsoft Silverlight 5 Developer Runtime (https://www.microsoft.com/downloads/details.aspx?familyid=8240d856-93d9-4614-87af-3525ad021a56)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework\v3.0\WPF\presentationhostdll.dll Version is 3.0.6920.7903
%windir%\Microsoft.NET\Framework\v3.0\WPF\presentationhostdll.dll Version is 3.0.6920.7903

 5 Microsoft Windows Graphics Component Security Update (MS16-039)

QID:	91204
Category:	Windows
CVE ID:	CVE-2016-0143, CVE-2016-0165, CVE-2016-0167, CVE-2016-0145
Vendor Reference:	MS16-039
Bugtraq ID:	-
Service Modified:	04/14/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
- Elevation of privilege vulnerabilities exist when the Windows kernel-mode driver fails to properly handle objects in memory.
- A remote code execution vulnerability exists when the Windows font library improperly handles specially crafted embedded fonts.
This security update is rated Critical for all supported released of Microsoft Windows, affected versions of Microsoft .NET framework, affected editions of Skype for business 2016, Microsoft Lync 2013 and Microsoft Office 2010.
This security update is rated Important for all affected editions of Microsoft Office 2007 and Microsoft Office 2010.

IMPACT:
Successful exploitation allows attacker to execute arbitrary code.

SOLUTION:

Customers are advised to refer to Microsoft Advisory MS16-039 (https://technet.microsoft.com/library/security/ms16-039) for more details pertaining to this vulnerability.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-039: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=2350321c-7c6e-4e76-9fa1-06b3906d3ba8)
MS16-039: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=e293a8bc-45d4-4a93-93a9-cfbb18ca80fa)
MS16-039: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=9fad9ae1-ea26-40e8-b861-9a8b0a399134)
MS16-039: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=71c4720b-a5cb-456f-bd51-920be9b1e53a)
MS16-039: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=ba86f043-2390-4ceb-bed0-6c16b1433bc4)
MS16-039: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=126dba8b-91ed-4981-a48b-ce7f80d5bb94)
MS16-039: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=18c67970-0068-4faf-b2c8-8391a7ccb289)
MS16-039: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=a0fbbb52-6d2e-4ee9-ab7c-00d4860a11c7)
MS16-039: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=18c75e35-49e6-4839-bd53-649bf12384bb)
MS16-039: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=669cd30d-d220-49b0-ad48-f251debabce4)
MS16-039: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=9d14fc68-41a1-464d-ac62-02771431af37)
MS16-039: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=ebf824a1-d6c9-4f0a-9fa5-1073434db026)
MS16-039: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=9a321756-1fcb-45a2-b61d-b612778346b9)
MS16-039: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3147461)
MS16-039: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3147461)
MS16-039: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3147458)
MS16-039: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3147458)
MS16-039: Microsoft Office 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=72c16021-7682-4966-8761-250cb114c220)
MS16-039: Microsoft Office 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=8df220ed-e745-4517-9814-f819c08112fb)
MS16-039: Microsoft Office 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=f4f40ad0-0fdd-4037-b790-8b17bcbc21bb)
MS16-039: Microsoft Word Viewer (https://www.microsoft.com/downloads/details.aspx?familyid=6230a277-b747-40c0-85db-28759b841cc0)
MS16-039: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=dd490c52-f3ea-4b45-ba90-65477c539eea)
MS16-039: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=dd490c52-f3ea-4b45-ba90-65477c539eea)
MS16-039: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=dd490c52-f3ea-4b45-ba90-65477c539eea)
MS16-039: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=dd490c52-f3ea-4b45-ba90-65477c539eea)
MS16-039: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=cf8bc898-1ca2-483b-8db6-a9fffdc2e13a)
MS16-039: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=cf8bc898-1ca2-483b-8db6-a9fffdc2e13a)
MS16-039: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=cf8bc898-1ca2-483b-8db6-a9fffdc2e13a)
MS16-039: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e6cae22-b99f-492a-a6f5-926109fdbc92)
MS16-039: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e6cae22-b99f-492a-a6f5-926109fdbc92)
MS16-039: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=8e1702a7-5ee7-450f-9158-5e463c2a3ca5)
MS16-039: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e6cae22-b99f-492a-a6f5-926109fdbc92)
MS16-039: Windows 10 for 64-bit Systems (https://support.microsoft.com/kb/3147461)
MS16-039: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=cf8bc898-1ca2-483b-8db6-a9fffdc2e13a)
MS16-039: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=8e1702a7-5ee7-450f-9158-5e463c2a3ca5)
MS16-039: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e6cae22-b99f-492a-a6f5-926109fdbc92)
MS16-039: Skype for Business 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=d9f0dd7b-fbe4-42fc-907c-a325d336775e)
MS16-039: Skype for Business Basic 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=d9f0dd7b-fbe4-42fc-907c-a325d336775e)
MS16-039: Skype for Business 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=cf6c0028-a0cb-458b-9ceb-f63a9a4a1e6e)
MS16-039: Skype for Business Basic 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=cf6c0028-a0cb-458b-9ceb-f63a9a4a1e6e)
MS16-039: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=2c6cf87e-7e8f-4456-92d0-79aa8c56198b)
MS16-039: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=2c6cf87e-7e8f-4456-92d0-79aa8c56198b)
MS16-039: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=64b9da10-f429-4b4a-9da2-4d38c78b5ec5)
MS16-039: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=64b9da10-f429-4b4a-9da2-4d38c78b5ec5)

MS16-039: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=62d5df0a-75c1-4245-b44d-20f02e224163)
MS16-039: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=4948767a-288d-4435-8483-49994188abd8)
MS16-039: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=b04810c4-846d-49c5-a3ba-b84e22004cd3)
MS16-039: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=fbb29bc9-331b-4f82-96f7-9ec3fe8d7809)
MS16-039: Microsoft Live Meeting 2007 Console (https://support.microsoft.com/kb/3144432)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2016-0165
Description: Microsoft Windows Integer Overflow Exploit (MS16-039) - Core Security Category : Exploits/Local

The Exploit-DB

Reference: CVE-2016-0143
Description: Microsoft Windows Kernel - DrawMenuBarTemp Wild-Write (MS16-039) - The Exploit-DB Ref : 39712
Link: http://www.exploit-db.com/exploits/39712

Reference: CVE-2016-0145
Description: Microsoft Windows Kernel - 'win32k.sys' TTF Processing EBLC / EBSC Tables Pool Corruption (MS16-039) - The Exploit-DB Ref : 39743
Link: http://www.exploit-db.com/exploits/39743

Qualys

Reference: CVE-2016-0165
Description: Microsoft reported active attacks against CVE-2016-0165
Link: https://technet.microsoft.com/library/security/MS16-039

Reference: CVE-2016-0167
Description: Microsoft reported active attacks against CVE-2016-0167
Link: https://technet.microsoft.com/library/security/MS16-039

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework\v3.0\WPF\presentationhostdll.dll Version is 3.0.6920.7903

5 Microsoft Windows Graphics Component Security Update (MS16-120)

QID:	91287
Category:	Windows
CVE ID:	CVE-2016-3393, CVE-2016-3396, CVE-2016-3209, CVE-2016-3262, CVE-2016-3263, CVE-2016-7182, CVE-2016-3270
Vendor Reference:	MS16-120
Bugtraq ID:	93385, 93390, 93394, 93403, 93377, 93380, 93395
Service Modified:	12/07/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
- A remote code execution vulnerability exists due to the way the Windows GDI component handles objects in the memory.
- A remote code execution vulnerability exists when the Windows font library improperly handles specially crafted embedded fonts.
- Multiple information disclosure vulnerabilities exist in the way that the Windows Graphics Device Interface (GDI) handles objects in memory.
- An elevation of privilege vulnerability exists when the Windows Graphics Component improperly handles objects in memory.
- An elevation of privilege vulnerability exists in Windows when the Windows kernel fails to properly handle objects in memory.
This security update is rated Critical for all supported releases of Microsoft Windows. This security update is rated Important for affected editions of Microsoft Office 2007 and Microsoft Office 2010 affected editions of Skype for Business 2016, Microsoft Lync 2013, and Microsoft Lync 2010 affected editions of Microsoft .NET Framework affected editions of Silverlight.

IMPACT:
Successful exploitation allows remote code execution.

SOLUTION:
Customers are advised to refer to Microsoft Advisory MS16-120 (https://technet.microsoft.com/library/security/ms16-120) for more details pertaining to this vulnerability.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-120: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=50c1f5ff-f9af-4a85-9f1d-b39842e73dff)
MS16-120: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=76756760-b756-405c-b480-3c6d82398d94)
MS16-120: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=20843ec5-7bc3-4264-9003-bd656f72535e)
MS16-120: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=4da722a9-e219-47a9-8108-2e0b04b5488d)
MS16-120: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=10fff467-bfe7-4b31-bec5-b3126a271c88)
MS16-120: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=560a16c3-02f3-4d88-8333-faae9b4f573c)
MS16-120: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=d188d773-ee20-4a07-aef4-061cf175889c)
MS16-120: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=3bcc461d-748f-4f00-a3ec-458cbcd70bd3)
MS16-120: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=a037fccf-ec28-49ca-b97d-690cad03bebf)
MS16-120: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=ba08e1ce-fa47-4ac9-b5a8-00771c89b3c1)
MS16-120: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=6a2f510a-3c32-441d-8d94-754e8faacfff)
MS16-120: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=a82a5df6-f34e-4d86-bd27-e9ce591c3103)
MS16-120: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=347fd4d8-0791-422c-ba54-6449b586c255)
MS16-120: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=ae015b9f-1a60-400b-9764-2a1dfab000c0)
MS16-120: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=8c5eb7d4-b73a-4591-8aad-085b00e445c6)
MS16-120: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=f721629e-db7a-4cb3-b44e-847b2c690257)
MS16-120: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=7bba5acc-4b66-4533-98d6-f5efe617f784)
MS16-120: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=17dc5103-8380-440a-9e5b-a55cdc33388b)
MS16-120: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=93b4d5dd-9784-4fb4-9c0c-9171a24efca5)
MS16-120: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=11f42808-27c8-4efa-a343-acc3e1afb7d2)
MS16-120: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=bff718cf-90c3-4270-b6dd-acd3c12832d0)
MS16-120: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3192440)
MS16-120: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3192440)
MS16-120: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3192441)
MS16-120: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3192441)
MS16-120: Windows 10 Version 1607 for 32-bit Systems (https://support.microsoft.com/kb/3194798)
MS16-120: Windows 10 Version 1607 for x64-based Systems (https://support.microsoft.com/kb/3194798)
MS16-120: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=1ba228fb-4f49-4501-af68-4d33a7b709e1)
MS16-120: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5893cf34-5791-4e8e-a585-d63f93ba6417)
MS16-120: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ffa6694e-64a0-44cc-a66f-031b997c1d05)
MS16-120: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=1ba228fb-4f49-4501-af68-4d33a7b709e1)
MS16-120: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5893cf34-5791-4e8e-a585-d63f93ba6417)
MS16-120: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ffa6694e-64a0-44cc-a66f-031b997c1d05)
MS16-120: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=1ba228fb-4f49-4501-af68-4d33a7b709e1)
MS16-120: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5893cf34-5791-4e8e-a585-d63f93ba6417)
MS16-120: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ffa6694e-64a0-44cc-a66f-031b997c1d05)
MS16-120: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=1ba228fb-4f49-4501-af68-4d33a7b709e1)
MS16-120: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5893cf34-5791-4e8e-a585-d63f93ba6417)
MS16-120: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ffa6694e-64a0-44cc-a66f-031b997c1d05)
MS16-120: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=d0a95809-58ee-4a0f-8132-965f11118063)
MS16-120: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.

aspx?FamilyID=d0a95809-58ee-4a0f-8132-965f11118063)
MS16-120: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=d0a95809-58ee-4a0f-8132-965f11118063)
MS16-120: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=d0a95809-58ee-4a0f-8132-965f11118063)
MS16-120: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5b6ff53a-833b-431f-b124-11810a42fb95)
MS16-120: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5b6ff53a-833b-431f-b124-11810a42fb95)
MS16-120: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=8ebe1d59-5a87-4563-9b8f-bc43452df6dd)
MS16-120: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5b6ff53a-833b-431f-b124-11810a42fb95)
MS16-120: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=d0a95809-58ee-4a0f-8132-965f11118063)
MS16-120: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=8ebe1d59-5a87-4563-9b8f-bc43452df6dd)
MS16-120: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=5b6ff53a-833b-431f-b124-11810a42fb95)
MS16-120: Microsoft Office 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=6b34f57a-8e6e-48ee-9d28-3db1223301f7)
MS16-120: Microsoft Office 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=1faa41d7-d702-4f6b-a065-8542c2b4ef74)
MS16-120: Microsoft Office 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=bd1b477e-7425-42e1-813a-3e7efb848e9b)
MS16-120: Microsoft Word Viewer (https://www.microsoft.com/downloads/details.aspx?familyid=37423544-2eda-4532-a55d-fb810b85d214)
MS16-120: Skype for Business 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=f0ba5411-c983-4541-95e4-6f54eb4f1582)
MS16-120: Skype for Business Basic 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=f0ba5411-c983-4541-95e4-6f54eb4f1582)
MS16-120: Skype for Business 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=f0f949dc-2bf8-4470-8a57-ed753d5cc97e)
MS16-120: Skype for Business Basic 2016 (https://www.microsoft.com/downloads/details.aspx?familyid=f0f949dc-2bf8-4470-8a57-ed753d5cc97e)
MS16-120: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=f66d62d2-7d3a-41c1-a00d-2377e9b56e21)
MS16-120: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=f66d62d2-7d3a-41c1-a00d-2377e9b56e21)
MS16-120: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=ffd14e33-ba80-466f-b77a-b7855005abb9)
MS16-120: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=ffd14e33-ba80-466f-b77a-b7855005abb9)
MS16-120: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=ed3e2f47-a13c-46d5-8a52-83398a3a4610)
MS16-120: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=b1ef4a7c-2c88-4048-9bb8-ae004ac28dcf)
MS16-120: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=798a3367-cf4b-45b0-a808-0602cbbc0edc)
MS16-120: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=da3a99c9-4ddc-4602-a2b3-9a39e9de8f7c)
MS16-120: Microsoft Live Meeting 2007 Console (https://www.microsoft.com/downloads/details.aspx?familyid=%207c05b461-a3f1-49fc-863d-a9541d506309)
MS16-120: Microsoft Silverlight 5 (https://www.microsoft.com/downloads/details.aspx?familyid=8dff48ec-f9fe-45e7-a157-c1e5b10448da)
MS16-120: Microsoft Silverlight 5 Developer Runtime (https://www.microsoft.com/downloads/details.aspx?familyid=8dff48ec-f9fe-45e7-a157-c1e5b10448da)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

The Exploit-DB

Reference: CVE-2016-3209
Description: Microsoft Windows - 'win32k.sys' TTF Processing RCVT TrueType Instruction Handler Out-of-Bounds Read (MS16-120) - The Exploit-DB Ref : 40598
Link: http://www.exploit-db.com/exploits/40598

Reference: CVE-2016-7182
Description: Microsoft Windows - 'win32k.sys' TTF Processing win32k!sbit_Embolden / win32k!ttfdCloseFontContext Use-After-Free (MS16-120) - The Exploit-DB Ref : 40599
Link: http://www.exploit-db.com/exploits/40599

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

%windir%\Microsoft.NET\Framework\v3.0\WPF\presentationhostdll.dll Version is 3.0.6920.7903
%windir%\Microsoft.NET\Framework\v3.0\WPF\presentationhostdll.dll Version is 3.0.6920.7903

5 Microsoft Internet Explorer Type Confusion Vulnerability - Zero Day

QID:	91333
Category:	Windows
CVE ID:	CVE-2017-0037
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/02/2017
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Internet Explorer is a web-browser developed by Microsoft which is included in Microsoft Windows Operating Systems. Microsoft Internet Explorer suffers from a type confusion in the Layout::MultiColumnBoxBuilder::HandleColumnBreakOnColumnSpanningElement function in mshtml.dll, which allows
remote attackers to execute arbitrary code via vectors involving a crafted Cascading Style Sheets (CSS) token sequence and crafted JavaScript code that operates on a TH element.

Affected Versions:
Microsoft Internet Explorer 11 on Windows 7 SP1
Microsoft Internet Explorer 11
on Windows 8.1
Microsoft Internet Explorer 11 on Windows 10
Microsoft Internet Explorer 11 on Windows Server 2012
Microsoft Internet
Explorer 11 on Windows Server 2016

IMPACT:
An unuauthenticated,remote attacker could exploit this vulnerability to execute malicious code on the system.

SOLUTION:
The vendor has not confirmed the vulnerability and no patch information is available at this time.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
The Exploit-DB

Reference:	CVE-2017-0037
Description:	Microsoft Edge and Internet Explorer - 'HandleColumnBreakOnColumnSpanningElement' Type Confusion - The Exploit-DB Ref : 41454
Link:	http://www.exploit-db.com/exploits/41454

Qualys

Reference:	CVE-2017-0037
Description:	Microsoft Edge and IE: Type confusion in HandleColumnBreakOnColumnSpanningElement
Link:	https://bugs.chromium.org/p/project-zero/issues/detail?id=1011

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\System32\mshtml.dll Version is 11.0.9600.18538

5 Microsoft Sync Framework Service Pack 1 Not Installed

QID:	105489
Category:	Security Policy
CVE ID:	-
Vendor Reference:	Microsoft Support Lifecycle
Bugtraq ID:	-
Service Modified:	07/08/2014
User Modified:	-

Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

Microsoft Sync Framework is a comprehensive synchronization platform that enables collaboration and offline scenarios for applications, services, and devices.
Qualys has detected that Microsoft Sync Framework Service Pack 1 is not installed on the targeted system. Microsoft Sync Framework Service Pack 1 provides the latest updates, general product fixes that include improvements in stability, performance and security for Microsoft Sync Framework Service.

IMPACT:

Microsoft Sync Framework Service Pack 1 fixes several security and stability issues that may be exploited by malicious users to cause a loss of confidentiality and/or integrity.

SOLUTION:

Microsoft recommends upgrading to the Microsoft Sync Framework Service Pack 1 or above. Information about this product can be found at Microsoft Sync Framework (http://msdn.microsoft.com/en-us/sync/default).
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Microsoft Sync Framework Service Pack 1: Windows (http://www.microsoft.com/en-in/download/details.aspx?id=17616)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

%programfiles%\Microsoft Sync Framework\v1.0\Runtime\x64\Microsoft.Synchronization.dll Version is 1.0.1504.0

5 Microsoft Office Remote Code Execution Vulnerabilities (MS16-070)

QID:	110273
Category:	Office Application
CVE ID:	CVE-2016-0025, CVE-2016-3233, CVE-2016-3234, CVE-2016-3235
Vendor Reference:	MS16-070
Bugtraq ID:	-
Service Modified:	06/17/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

Microsoft is prone to multiple vulnerabilities that could result in memory corruption, information disclosure or allow OLE Side DDL Loading.
Microsoft has released a security update that addresses the vulnerabilities by correcting how:
Office handles objects in memory
Certain functions handle objects in memory
Windows validates input before loading libraries

IMPACT:

The most severe of the vulnerabilities could allow remote code execution if a user opens a specially crafted Microsoft Office file. An attacker who successfully exploited the vulnerabilities could run arbitrary code in the context of the current user. Customers whose accounts are configured to have fewer user rights on the system could be less impacted than those who operate with administrative user rights.

SOLUTION:
Refer to MS16-070 (https://technet.microsoft.com/en-us/library/security/ms16-070.aspx) obtain more information.
Workaround:
1) Use Microsoft Office File Block policy to prevent Office from opening RTF documents from unknown or untrusted sources
Impact of workaround #1: Users who have configured the File Block policy and have not configured a special "exempt directory" as discussed in Microsoft Knowledge Base Article 922849 will be unable to open documents saved in the RTF format.
2) Prevent Word from loading RTF files

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-070: Microsoft Excel 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=76da419e-c37c-44c3-b0d1-a7a6ad1aaefe)
MS16-070: Microsoft Visio 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=7ffccc78-e24d-4469-8840-cbe5e3215ce8)
MS16-070: Microsoft Word 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=3ff7dadf-84e3-42ae-b117-5cf6d9995263)
MS16-070: Microsoft Office 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=bd7589dc-d229-4a8c-a4c1-e0c13630fdf8)
MS16-070: Microsoft Office 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=d6013d7b-a0ba-4d9a-b31d-cabcb49d10b1)
MS16-070: Microsoft Excel 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=76bd3f95-daa0-4256-a555-f912d8fa9a59)
MS16-070: Microsoft Excel 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=d0c21c8e-0c5f-4cf8-b01e-fe2f18a15564)
MS16-070: Microsoft Visio 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=db9aaa4b-23dd-4747-8495-cc01ad1ca461)
MS16-070: Microsoft Visio 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=1587401f-9283-458b-b6e2-657e904d4b69)
MS16-070: Microsoft Word 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=150d0f05-d3d3-4145-8bcf-cdf60bd34506)
MS16-070: Microsoft Word 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=0dbd0d47-4e0b-4598-af52-84ebed1ffce6)
MS16-070: Microsoft Visio 2013 Service Pack 1 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=9d4d4ed8-a123-4906-8d24-047208369a47)
MS16-070: Microsoft Visio 2013 Service Pack 1 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=34fe6d0d-6b74-45a0-b86e-adb5933b9dc0)
MS16-070: Microsoft Word 2013 Service Pack 1 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=c0cd107a-4808-448b-8592-36d039b811f7)
MS16-070: Microsoft Word 2013 Service Pack 1 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=f13fc7ed-2f11-48cd-be0d-9a6fec0878ac)
MS16-070: Microsoft Office 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=27c0d44d-cd7a-4722-b58d-4d63a9a4bc0e)
MS16-070: Microsoft Office 2016 (64-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=38851be9-b38a-4f62-b6e1-765c1f83d34d)
MS16-070: Microsoft Visio 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=876a7a9b-9a83-4a71-9761-ff815e83bea8)
MS16-070: Microsoft Visio 2016 (64-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=8c81bdb7-58cb-4a0c-aa21-6311babcf17d)
MS16-070: Microsoft Word 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=487ef765-33f6-495f-a947-22cdd90ae64e)
MS16-070: Microsoft Word 2016 (64-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=81c901f1-28de-4253-b128-f4142fd707b3)
MS16-070: Microsoft Word for Mac 2011 (https://www.microsoft.com/downloads/details.aspx?FamilyID=54045f84-c76b-487c-87b9-e5baaaf373aa)
MS16-070: Microsoft Word 2016 for Mac (http://go.microsoft.com/fwlink/?LinkID=799195)
MS16-070: Microsoft Office Compatibility Pack Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=4c04db0d-7fda-4152-abc0-0e16b3810702)
MS16-070: Microsoft Office Compatibility Pack Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=0283d351-1a65-4825-a0d8-6470321b7c64)
MS16-070: Microsoft Word Viewer (https://www.microsoft.com/downloads/details.aspx?familyid=74c7b4c9-5b54-41d6-b661-b65f5bc1f155)
MS16-070: Microsoft Visio Viewer 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=2f542651-1275-4d04-a399-be826df4b888)
MS16-070: Microsoft Visio Viewer 2010 (32-bit Edition) (https://www.microsoft.com/downloads/details.aspx?familyid=b6ba875f-21cd-4992-98cd-5fbfc9fedd29)
MS16-070: Microsoft Visio Viewer 2010 (64-bit Edition) (https://www.microsoft.com/downloads/details.aspx?familyid=4ba69057-e474-4468-9dfa-491c56ccb9f0)
MS16-070: Word Automation Services on Microsoft SharePoint Server 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=f1956090-d21c-4c5f-930b-137c75273b68)
MS16-070: Word Automation Services on Microsoft SharePoint Server 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=138c556e-a719-42da-b075-338291d910d8)
MS16-070: Microsoft Office Web Apps 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=0138a159-f3f8-4eae-9b7d-ed414a8096b1)
MS16-070: Microsoft Office Web Apps Server 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=b5f59df3-12a6-486c-84eb-c6bef83f53ae)
MS16-070: Office Online Server (https://www.microsoft.com/downloads/details.aspx?familyid=dd0f7f2c-b213-49cd-8858-6504e6af9026)
MS16-070: Microsoft Office OneNote 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=85643c49-0d7c-4f44-95e7-8dd52347ce8a)
MS16-070: Microsoft Office OneNote 2016 (64-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=1b91de0c-7989-404a-b7b0-a04e3a37eb20)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Metasploit
Reference: CVE-2016-3235
Description: Office OLE Multiple DLL Side Loading Vulnerabilities - Metasploit Ref : /modules/exploit/windows/fileformat/office_ole_multiple_dll_hijack
Link:
https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/windows/fileformat/office_ole_multiple_dll_hijack.rb

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\vviewdwg.dll Version is 14.0.4750.1000

4 Microsoft .NET Framework .Net Remoting Elevation of Privileges (MS14-026)

QID:	90952
Category:	Windows
CVE ID:	CVE-2014-1806
Vendor Reference:	MS14-026
Bugtraq ID:	67286
Service Modified:	09/04/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft .NET Remoting is a technology that simplifies the way applications communicate and share objects with other applications.
An elevation of privilege vulnerability exists in the way that .NET Framework handles TypeFilterLevel checks for some malformed objects (CVE-2014-1806).
This security update is rated Important for Microsoft .NET Framework 1.1 Service Pack 1, Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4, Microsoft .NET Framework 4.5, and Microsoft .NET Framework 4.5.1 on affected releases of Microsoft Windows.

IMPACT:
An attacker who successfully exploited this vulnerability could take complete control of the affected system. An attacker could then install programs; view, change, or delete data; or create new accounts with full user rights.

SOLUTION:
Customers are advised to refer to MS14-026 (https://technet.microsoft.com/en-us/security/bulletin/MS14-026).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS14-026: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 1.1 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=ca773e4c-8380-4335-95ec-e2578cf2161b)
MS14-026: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=05dff6b6-8d0e-4925-aac7-c61db8c7faf6)
MS14-026: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=05dff6b6-8d0e-4925-aac7-c61db8c7faf6)
MS14-026: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=05dff6b6-8d0e-4925-aac7-c61db8c7faf6)
MS14-026: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=502eeb3a-3d4c-4df0-9640-3fd85bfbeeb6)
MS14-026: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=

db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=502eeb3a-3d4c-4df0-9640-3fd85bfbeeb6)
MS14-026: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=502eeb3a-3d4c-4df0-9640-3fd85bfbeeb6)
MS14-026: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=502eeb3a-3d4c-4df0-9640-3fd85bfbeeb6)
MS14-026: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=502eeb3a-3d4c-4df0-9640-3fd85bfbeeb6)
MS14-026: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=04b48334-68aa-4c97-9b64-25ce64b76394)
MS14-026: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=04b48334-68aa-4c97-9b64-25ce64b76394)
MS14-026: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=04b48334-68aa-4c97-9b64-25ce64b76394)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=04b48334-68aa-4c97-9b64-25ce64b76394)
MS14-026: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=28f243a4-9432-4afa-8488-28d36900cf2b)
MS14-026: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=28f243a4-9432-4afa-8488-28d36900cf2b)
MS14-026: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=09237d7d-c15f-4945-b464-60cb6f8d771a)
MS14-026: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c26acfbc-ce2f-475e-affe-f15052a774d1)
MS14-026: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=09237d7d-c15f-4945-b464-60cb6f8d771a)
MS14-026: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=

c26acfbc-ce2f-475e-affe-f15052a774d1)
MS14-026: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=28f243a4-9432-4afa-8488-28d36900cf2b)
MS14-026: Windows Server 2012 (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows Server 2012 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=09237d7d-c15f-4945-b464-60cb6f8d771a)
MS14-026: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c26acfbc-ce2f-475e-affe-f15052a774d1)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=04b48334-68aa-4c97-9b64-25ce64b76394)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=b8fb92cb-aa1a-45b2-a319-6bd57819ee45)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=db705cbb-3d8b-4511-ac08-9656a0c4dc61)
MS14-026: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=28f243a4-9432-4afa-8488-28d36900cf2b)
MS14-026: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=bf28e89d-2f46-42b9-ba4e-919a69ab7bb2)
MS14-026: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=09237d7d-c15f-4945-b464-60cb6f8d771a)
MS14-026: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c26acfbc-ce2f-475e-affe-f15052a774d1)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
The Exploit-DB
Reference: CVE-2014-1806
Description: .NET Remoting Services - Remote Command Execution - The Exploit-DB Ref : 35280
Link: http://www.exploit-db.com/exploits/35280

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.runtime.remoting.dll Version is 2.0.50727.7905

4 Microsoft .Net Framework Remote Code Execution Vulnerability (MS14-057)

QID:	90982
Category:	Windows
CVE ID:	CVE-2014-4073, CVE-2014-4121, CVE-2014-4122
Vendor Reference:	MS14-057
Bugtraq ID:	70313, 70351, 70312
Service Modified:	10/15/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
A remote code execution vulnerability exists in the way that Microsoft .NET Framework improperly parses internationalized resource identifiers. An attacker who successfully exploits this vulnerability could take complete control of an affected system (CVE-2014-4121).
A security feature bypass vulnerability exists in Microsoft .NET Framework that could allow an attacker to bypass the Address Space Layout Randomization (ASLR) security feature, which helps protect users from a broad class of vulnerabilities (CVE-2014-4122).
An elevation of privilege vulnerability exists in Microsoft .NET Framework that could allow an attacker to elevate privileges on the targeted system (CVE-2014-4073).
This security update is rated Critical for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework

3.5.1, Microsoft .NET Framework 4, and Microsoft .NET Framework 4.5/4.5.1/4.5.2 on affected releases of Microsoft Windows.

IMPACT:
Successfully exploiting these vulnerabilities might allow a remote attacker to execute arbitrary code, gain escalated privileges or bypass ASLR on the target.

SOLUTION:
Refer to Microsoft Security Bulletin MS14-057 (https://technet.microsoft.com/en-us/security/bulletin/MS14-057) for further details.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS14-057: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=e1d50f82-5902-4e62-b4ac-50a134f8b13d)
MS14-057: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=8509df98-95ca-4a7e-bb10-4fcece996ac0)
MS14-057: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=e1d50f82-5902-4e62-b4ac-50a134f8b13d)
MS14-057: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=8509df98-95ca-4a7e-bb10-4fcece996ac0)
MS14-057: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=e1d50f82-5902-4e62-b4ac-50a134f8b13d)
MS14-057: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=8509df98-95ca-4a7e-bb10-4fcece996ac0)
MS14-057: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=0cfb8fed-9d5c-4ec4-8ebc-3e54b28af0ed)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5c2ed7d3-eb0f-468a-9b98-e355f2c2485c)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=48a0bc59-c701-471a-9560-3bbfd124c84f)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=0cfb8fed-9d5c-4ec4-8ebc-3e54b28af0ed)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5c2ed7d3-eb0f-468a-9b98-e355f2c2485c)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=48a0bc59-c701-471a-9560-3bbfd124c84f)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=0cfb8fed-9d5c-4ec4-8ebc-3e54b28af0ed)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5c2ed7d3-eb0f-468a-9b98-e355f2c2485c)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=48a0bc59-c701-471a-9560-3bbfd124c84f)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)

MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=0cfb8fed-9d5c-4ec4-8ebc-3e54b28af0ed)
MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5c2ed7d3-eb0f-468a-9b98-e355f2c2485c)
MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=48a0bc59-c701-471a-9560-3bbfd124c84f)
MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=0cfb8fed-9d5c-4ec4-8ebc-3e54b28af0ed)
MS14-057: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5c2ed7d3-eb0f-468a-9b98-e355f2c2485c)
MS14-057: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=48a0bc59-c701-471a-9560-3bbfd124c84f)
MS14-057: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5660fa40-518a-4c93-bafc-f6014c140d3f)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=447267d7-8096-40ff-9094-f5383f00340c)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=475b1f64-9153-4dd8-bb0a-118e708d1616)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5660fa40-518a-4c93-bafc-f6014c140d3f)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=447267d7-8096-40ff-9094-f5383f00340c)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=475b1f64-9153-4dd8-bb0a-118e708d1616)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5660fa40-518a-4c93-bafc-f6014c140d3f)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=447267d7-8096-40ff-9094-f5383f00340c)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=475b1f64-9153-4dd8-bb0a-118e708d1616)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5660fa40-518a-4c93-bafc-f6014c140d3f)
MS14-057: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=447267d7-8096-40ff-9094-f5383f00340c)
MS14-057: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=475b1f64-9153-4dd8-bb0a-118e708d1616)
MS14-057: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=73f78660-163b-47de-a95c-05525dbb0609)

MS14-057: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4a331dea-4c27-4661-b5b4-c7e2c2e80061)
MS14-057: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=688bfb21-6cdd-4aa2-b482-c85c58cee620)
MS14-057: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=7a63a709-8c04-48aa-9d9c-64405ee9e20c)
MS14-057: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d6866d2b-5428-4af9-9558-027fb783ed0a)
MS14-057: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=73f78660-163b-47de-a95c-05525dbb0609)
MS14-057: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4a331dea-4c27-4661-b5b4-c7e2c2e80061)
MS14-057: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=688bfb21-6cdd-4aa2-b482-c85c58cee620)
MS14-057: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=7a63a709-8c04-48aa-9d9c-64405ee9e20c)
MS14-057: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d6866d2b-5428-4af9-9558-027fb783ed0a)
MS14-057: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=55ff93ea-76dd-499a-b31c-41aef3361b87)
MS14-057: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d11e80a2-04f3-4528-884d-f1524d034295)
MS14-057: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bfef352c-b9b7-44e1-925c-adf78d7eea77)
MS14-057: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=26eefe30-bb90-461a-b091-fb90b1759e74)
MS14-057: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=9160dd1c-2734-47bf-9c1e-d921b05df3dd)
MS14-057: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=55ff93ea-76dd-499a-b31c-41aef3361b87)
MS14-057: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d11e80a2-04f3-4528-884d-f1524d034295)
MS14-057: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bfef352c-b9b7-44e1-925c-adf78d7eea77)
MS14-057: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=26eefe30-bb90-461a-b091-fb90b1759e74)
MS14-057: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=9160dd1c-2734-47bf-9c1e-d921b05df3dd)
MS14-057: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=73f78660-163b-47de-a95c-05525dbb0609)
MS14-057: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4a331dea-4c27-4661-b5b4-c7e2c2e80061)
MS14-057: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=688bfb21-6cdd-4aa2-b482-c85c58cee620)
MS14-057: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=7a63a709-8c04-48aa-9d9c-64405ee9e20c)
MS14-057: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d6866d2b-5428-4af9-9558-027fb783ed0a)
MS14-057: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=55ff93ea-76dd-499a-b31c-41aef3361b87)
MS14-057: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d11e80a2-04f3-4528-884d-f1524d034295)
MS14-057: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bfef352c-b9b7-44e1-925c-adf78d7eea77)
MS14-057: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=26eefe30-bb90-461a-b091-fb90b1759e74)
MS14-057: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=9160dd1c-2734-47bf-9c1e-d921b05df3dd)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5660fa40-518a-4c93-bafc-f6014c140d3f)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=447267d7-8096-40ff-9094-f5383f00340c)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=475b1f64-9153-4dd8-bb0a-118e708d1616)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=e55956e7-1cb3-4c2e-8a1c-7fcb86effcd1)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=d72dca66-3df2-434c-8544-7b413f4426d2)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=1e4c465c-8119-4441-8239-dc23f53388df)
MS14-057: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=3b9ed456-33ba-4abc-930a-71d500789e2a)
MS14-057: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=73f78660-163b-47de-a95c-05525dbb0609)
MS14-057: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4a331dea-4c27-4661-b5b4-c7e2c2e80061)
MS14-057: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=688bfb21-6cdd-4aa2-b482-c85c58cee620)

MS14-057: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=7a63a709-8c04-48aa-9d9c-64405ee9e20c)
MS14-057: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d6866d2b-5428-4af9-9558-027fb783ed0a)
MS14-057: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=55ff93ea-76dd-499a-b31c-41aef3361b87)
MS14-057: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d11e80a2-04f3-4528-884d-f1524d034295)
MS14-057: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=bfef352c-b9b7-44e1-925c-adf78d7eea77)
MS14-057: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=26eefe30-bb90-461a-b091-fb90b1759e74)
MS14-057: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=9160dd1c-2734-47bf-9c1e-d921b05df3dd)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\mscorie.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.deployment.dll Version is 2.0.50727.7905

4 Microsoft .Net Framework Elevation of Privilege Vulnerability (MS14-072)

QID:	90997
Category:	Windows
CVE ID:	CVE-2014-4149
Vendor Reference:	MS14-072
Bugtraq ID:	-
Service Modified:	12/09/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft .NET Remoting is a technology that simplifies the way applications communicate and share objects with other applications.
An elevation of privilege vulnerability exists in the way that .NET Framework handles TypeFilterLevel checks for some malformed objects (CVE-2014-4142).
This security update is rated Important for Microsoft .NET Framework 1.1 Service Pack 1, Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4, Microsoft .NET Framework 4.5, Microsoft .NET Framework 4.5.1, and Microsoft .NET Framework 4.5.2 on affected releases of Microsoft Windows.

IMPACT:
An attacker who successfully exploited this vulnerability could take complete control of the affected system. An attacker could then install programs; view, change, or delete data; or create new accounts with full user rights.

SOLUTION:
N/A
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS14-072: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 1.1 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=c064a16b-3dab-4756-b9cb-42622eba2b3a)
MS14-072: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=2ac844c4-63e4-4469-854b-ac66e7443c71)
MS14-072: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=2ac844c4-63e4-4469-854b-ac66e7443c71)
MS14-072: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?

familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=2ac844c4-63e4-4469-854b-ac66e7443c71)
MS14-072: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=6e2f21c3-bc20-4cea-9cce-0f362b6f0244)
MS14-072: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=6e2f21c3-bc20-4cea-9cce-0f362b6f0244)
MS14-072: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=6e2f21c3-bc20-4cea-9cce-0f362b6f0244)
MS14-072: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=6e2f21c3-bc20-4cea-9cce-0f362b6f0244)
MS14-072: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=6e2f21c3-bc20-4cea-9cce-0f362b6f0244)
MS14-072: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=6f4991cd-704b-48e8-a2de-166652979457)
MS14-072: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=6f4991cd-704b-48e8-a2de-166652979457)
MS14-072: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=6f4991cd-704b-48e8-a2de-166652979457)
MS14-072: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=6f4991cd-704b-48e8-a2de-166652979457)
MS14-072: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=18346ab6-a48a-433e-a20b-1c86eccd2d62)
MS14-072: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=85bf89e5-ede2-4a1c-9afc-0acff34e8325)
MS14-072: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=18346ab6-a48a-433e-a20b-1c86eccd2d62)
MS14-072: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=85bf89e5-ede2-4a1c-9afc-0acff34e8325)
MS14-072: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=2a2551df-0517-4ac3-b235-0d5dacb0cc52)
MS14-072: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=f6840237-786a-45ad-9ce8-e094944c6157)
MS14-072: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=2a2551df-0517-4ac3-b235-0d5dacb0cc52)
MS14-072: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=f6840237-786a-45ad-9ce8-e094944c6157)
MS14-072: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=18346ab6-a48a-433e-a20b-1c86eccd2d62)
MS14-072: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=85bf89e5-ede2-4a1c-9afc-0acff34e8325)
MS14-072: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=2a2551df-0517-4ac3-b235-0d5dacb0cc52)
MS14-072: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=

f6840237-786a-45ad-9ce8-e094944c6157)
MS14-072: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=6f4991cd-704b-48e8-a2de-166652979457)
MS14-072: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=0de8f816-698d-42e0-9ea7-19451f8cf78e)
MS14-072: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=de59a188-91d7-44d0-9cab-be3dd326e6a6)
MS14-072: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=18346ab6-a48a-433e-a20b-1c86eccd2d62)
MS14-072: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=85bf89e5-ede2-4a1c-9afc-0acff34e8325)
MS14-072: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=2a2551df-0517-4ac3-b235-0d5dacb0cc52)
MS14-072: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=f6840237-786a-45ad-9ce8-e094944c6157)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.runtime.remoting.dll Version is 2.0.50727.7905

 4 Microsoft .NET Framework Elevation of Privilege and Denial Of Service Vulnerability (MS15-048)

QID:	91053
Category:	Windows
CVE ID:	CVE-2015-1672, CVE-2015-1673
Vendor Reference:	MS15-048
Bugtraq ID:	74482, 74487
Service Modified:	05/13/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
A denial of service vulnerability exists in Microsoft .NET Framework that could allow an unauthenticated attacker to degrade the performance of a .NET-enabled website and disrupt the availability of applications that use Microsoft .NET Framework. The vulnerability exists when Microsoft .NET Framework attempts to decrypt certain specially crafted XML data (CVE-2015-1672).
An elevation of privilege vulnerability exists in Microsoft .NET Framework that is caused when .NET's Windows Forms (WinForms) libraries improperly handle objects in memory (CVE-2015-1673).
This security update is rated Important for Microsoft .NET Framework 1.1 Service Pack 1, Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4, Microsoft .NET Framework 4.5, Microsoft .NET Framework 4.5.1, and Microsoft .NET Framework 4.5.2 on affected releases of Microsoft Windows.

IMPACT:
Successfully exploiting this vulnerabilities might allow an attacker to gain escalated privileges or cause denial-of-service like conditions.

SOLUTION:
Refer to MS15-048 (http://technet.microsoft.com/en-us/security/Bulletin/MS15-048) for further information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-048: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 1.1 Service Pack 1) (https://www.microsoft.com/downloads/details.aspx?familyid=42c51f30-6878-4148-a772-f280c2b26ca0)
MS15-048: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=d5a14df4-1aac-4fc9-954e-0580f657f3f8)
MS15-048: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=a9d03622-9155-4ded-a112-01778bb50712)
MS15-048: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)

MS15-048: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=d5a14df4-1aac-4fc9-954e-0580f657f3f8)
MS15-048: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=a9d03622-9155-4ded-a112-01778bb50712)
MS15-048: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=d5a14df4-1aac-4fc9-954e-0580f657f3f8)
MS15-048: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=a9d03622-9155-4ded-a112-01778bb50712)
MS15-048: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5B177320-B235-4B66-B1A0-E867AAF43C99)
MS15-048: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5310F729-B8E0-44D2-980D-1E9977E31F70)
MS15-048: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5B177320-B235-4B66-B1A0-E867AAF43C99)
MS15-048: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5310F729-B8E0-44D2-980D-1E9977E31F70)
MS15-048: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5B177320-B235-4B66-B1A0-E867AAF43C99)
MS15-048: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5310F729-B8E0-44D2-980D-1E9977E31F70)
MS15-048: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5B177320-B235-4B66-B1A0-E867AAF43C99)
MS15-048: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5310F729-B8E0-44D2-980D-1E9977E31F70)
MS15-048: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5B177320-B235-4B66-B1A0-E867AAF43C99)
MS15-048: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=5310F729-B8E0-44D2-980D-1E9977E31F70)
MS15-048: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=82157a8c-ccee-42b4-8688-8a7d424c3ebb)
MS15-048: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=21F326E5-C90E-48AB-85F4-D325E2F84A68)

MS15-048: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=82157a8c-ccee-42b4-8688-8a7d424c3ebb)
MS15-048: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=21F326E5-C90E-48AB-85F4-D325E2F84A68)
MS15-048: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=82157a8c-ccee-42b4-8688-8a7d424c3ebb)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=21F326E5-C90E-48AB-85F4-D325E2F84A68)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=82157a8c-ccee-42b4-8688-8a7d424c3ebb)
MS15-048: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=21F326E5-C90E-48AB-85F4-D325E2F84A68)
MS15-048: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=76a80371-dc01-4788-bda1-881eb281094d)
MS15-048: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9A459557-377C-4BC5-A7E7-164B6221ACAB)
MS15-048: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=34B0CC3F-7CCF-4CD0-B96B-72F4AFB3F454)
MS15-048: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=8AFCA9A4-C8A8-461B-8523-AD6E5098A0D9)
MS15-048: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=76a80371-dc01-4788-bda1-881eb281094d)
MS15-048: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9A459557-377C-4BC5-A7E7-164B6221ACAB)
MS15-048: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=34B0CC3F-7CCF-4CD0-B96B-72F4AFB3F454)
MS15-048: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=8AFCA9A4-C8A8-461B-8523-AD6E5098A0D9)
MS15-048: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0E3CCEA7-B224-4354-BDFF-0F40C6A77DA1)
MS15-048: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=6230334F-3E9C-4C51-A38F-28A3432C1732)
MS15-048: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=6dca0dae-bca2-4a6b-bdfe-250de4855c23)
MS15-048: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=23468FB2-7619-49A7-97AE-3898FBAE5465)
MS15-048: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0E3CCEA7-B224-4354-BDFF-0F40C6A77DA1)
MS15-048: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=6230334F-3E9C-4C51-A38F-28A3432C1732)
MS15-048: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=6dca0dae-bca2-4a6b-bdfe-250de4855c23)
MS15-048: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=23468FB2-7619-49A7-97AE-3898FBAE5465)
MS15-048: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=76a80371-dc01-4788-bda1-881eb281094d)
MS15-048: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9A459557-377C-4BC5-A7E7-164B6221ACAB)
MS15-048: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=34B0CC3F-7CCF-4CD0-B96B-72F4AFB3F454)

MS15-048: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=8AFCA9A4-C8A8-461B-8523-AD6E5098A0D9)
MS15-048: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0E3CCEA7-B224-4354-BDFF-0F40C6A77DA1)
MS15-048: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=6230334F-3E9C-4C51-A38F-28A3432C1732)
MS15-048: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=6dca0dae-bca2-4a6b-bdfe-250de4855c23)
MS15-048: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=23468FB2-7619-49A7-97AE-3898FBAE5465)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=82157a8c-ccee-42b4-8688-8a7d424c3ebb)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=21F326E5-C90E-48AB-85F4-D325E2F84A68)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=778456a2-fb04-4cc0-bc31-ebd4d858c432)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=880D5056-6B90-447B-BB09-16D2189EDF87)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=9e9f157f-5375-4800-b39b-17261f2c6ccc)
MS15-048: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b238d065-9f9f-4713-8647-1d8c0875742e)
MS15-048: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=76a80371-dc01-4788-bda1-881eb281094d)
MS15-048: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9A459557-377C-4BC5-A7E7-164B6221ACAB)
MS15-048: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=34B0CC3F-7CCF-4CD0-B96B-72F4AFB3F454)
MS15-048: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=8AFCA9A4-C8A8-461B-8523-AD6E5098A0D9)
MS15-048: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=0E3CCEA7-B224-4354-BDFF-0F40C6A77DA1)
MS15-048: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=6230334F-3E9C-4C51-A38F-28A3432C1732)
MS15-048: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=6dca0dae-bca2-4a6b-bdfe-250de4855c23)
MS15-048: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=23468FB2-7619-49A7-97AE-3898FBAE5465)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.windows.forms.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.security.dll Version is 2.0.50727.7905

 4 Microsoft Font Drivers Remote Code Execution Vulnerabilities (MS15-044)

QID:	91056
Category:	Windows
CVE ID:	CVE-2015-1670, CVE-2015-1671
Vendor Reference:	MS15-044
Bugtraq ID:	74485, 74490
Service Modified:	11/07/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
This security update resolves vulnerabilities in Microsoft Windows, Microsoft .NET Framework, Microsoft Office, Microsoft Lync, and Microsoft Silverlight. The more severe of the vulnerabilities could allow remote code execution if a user opens a specially crafted document or visits an

untrusted webpage that contains embedded TrueType fonts.
Affected Software:
This security update is rated Critical for supported releases of Microsoft Windows and all affected editions of Microsoft .NET Framework, Microsoft Office, Microsoft Lync, and Microsoft Silverlight.

IMPACT:

An attacker who successfully exploited the vulnerability through Windows GDI+ and Windows components could run arbitrary code in kernel mode and take complete control of an affected system.
An attacker who successfully exploited the vulnerability through Microsoft Office, Microsoft Visual Studio, or Microsoft Lync could gain the same user rights as the current user.

SOLUTION:

Refer to Microsoft Security Bulletin MS15-044 (https://technet.microsoft.com/library/security/ms15-044) for details.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-044: Windows Server 2003 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=19acf15d-e623-440a-9591-1c7d71d7a8c8)
MS15-044: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=1c2a8f89-16e1-4c60-86fc-99edba7e536b)
MS15-044: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c75264eb-52fe-4ee8-8eb9-8beacb2b27ef)
MS15-044: Windows Server 2003 x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=1377113d-6f56-458d-ab84-ba780cd6a3af)
MS15-044: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=1c2a8f89-16e1-4c60-86fc-99edba7e536b)
MS15-044: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c75264eb-52fe-4ee8-8eb9-8beacb2b27ef)
MS15-044: Windows Server 2003 with SP2 for Itanium-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=602c9586-689a-4bab-af57-c8b9bcd61640)
MS15-044: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=383cfa46-9a58-4ffe-a0a6-5c8f616c8bf8)
MS15-044: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=c593c875-0375-445d-8c2b-14e2194cf32a)
MS15-044: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c75264eb-52fe-4ee8-8eb9-8beacb2b27ef)
MS15-044: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=783e8794-5859-4c9e-9f8b-6a20c31d21af)
MS15-044: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=c186dd76-e7d6-4bb8-b508-ee9fc1b640d3)
MS15-044: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=c593c875-0375-445d-8c2b-14e2194cf32a)
MS15-044: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c75264eb-52fe-4ee8-8eb9-8beacb2b27ef)
MS15-044: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=783e8794-5859-4c9e-9f8b-6a20c31d21af)
MS15-044: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=6f2e390c-eeda-404d-acb3-f6c28b4616be)
MS15-044: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=c593c875-0375-445d-8c2b-14e2194cf32a)
MS15-044: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c75264eb-52fe-4ee8-8eb9-8beacb2b27ef)
MS15-044: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=783e8794-5859-4c9e-9f8b-6a20c31d21af)
MS15-044: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=b10166db-a6af-4e9f-b6ea-dd0cfc3eb6e8)
MS15-044: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=c593c875-0375-445d-8c2b-14e2194cf32a)
MS15-044: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c75264eb-52fe-4ee8-8eb9-8beacb2b27ef)
MS15-044: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=783e8794-5859-4c9e-9f8b-6a20c31d21af)
MS15-044: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=372aa8e3-d081-4fb6-bdc4-b3f2934833c5)
MS15-044: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=fd9345fb-394c-433a-921b-6ecb40dbc1d9)
MS15-044: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3f1a9a62-6d5e-4d0f-a68b-2c028fd9b334)
MS15-044: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=bfbbdba4-5528-4091-90f3-5bb0dce7d563)
MS15-044: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3f1a9a62-6d5e-4d0f-a68b-2c028fd9b334)
MS15-044: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=900ffc3d-0312-4119-9f3f-5403f8334fed)
MS15-044: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3f1a9a62-6d5e-4d0f-a68b-2c028fd9b334)
MS15-044: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=6d2fcc77-47b2-4a04-8ffe-3f2bd5d1524e)

MS15-044: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=c0d44cf8-ac1c-4d2d-882e-ef15432d3a6b)
MS15-044: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9742b4d1-494c-4a58-af69-f3b3f91e2d85)
MS15-044: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=266c9472-ad87-4fa9-9ae3-c53327f6b09f)
MS15-044: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9742b4d1-494c-4a58-af69-f3b3f91e2d85)
MS15-044: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=2e3d9b4e-c3cd-4724-9f5a-cbd69a4acdde)
MS15-044: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e246a4fe-feea-433f-90b4-64d6fa061e87)
MS15-044: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=3beb5391-b901-412b-9591-f57324cfb1fd)
MS15-044: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e246a4fe-feea-433f-90b4-64d6fa061e87)
MS15-044: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=f8662d6e-3836-48b4-a61c-09ccd58211fd)
MS15-044: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9742b4d1-494c-4a58-af69-f3b3f91e2d85)
MS15-044: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=85c1fe77-ef0e-4f65-aa13-3bf8f29d29d1)
MS15-044: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e246a4fe-feea-433f-90b4-64d6fa061e87)
MS15-044: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3f1a9a62-6d5e-4d0f-a68b-2c028fd9b334)
MS15-044: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=9742b4d1-494c-4a58-af69-f3b3f91e2d85)
MS15-044: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e246a4fe-feea-433f-90b4-64d6fa061e87)
MS15-044: Microsoft Office 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=68acb19c-e4b4-4816-981c-b502dbd8fc9f)
MS15-044: Microsoft Office 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=f842ea0b-21dc-4b2b-9d51-e011520cf097)
MS15-044: Microsoft Office 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=84a2aec4-c81b-497a-ba81-8dc0e959069b)
MS15-044: Microsoft Live Meeting 2007 Console (http://office.microsoft.com/en-us/help/download-the-microsoft-office-live-meeting-2007-client-HA010173383.aspx)
MS15-044: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=8552de4a-0af8-4363-8e07-127fffeeb69b)
MS15-044: Microsoft Lync 2010 (https://www.microsoft.com/downloads/details.aspx?familyid=001f48ed-860e-40ed-8ce0-1fdb64ff66e5)
MS15-044: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=e971fd6a-090c-4bc1-906e-a98bb9f7b218)
MS15-044: Microsoft Lync 2010 Attendee (https://www.microsoft.com/downloads/details.aspx?familyid=270d3ac5-2a80-4647-8cef-8a0f016b5723)
MS15-044: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=fbf9d029-2a5d-482e-91f0-a8e5c984d5a2)
MS15-044: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=fbf9d029-2a5d-482e-91f0-a8e5c984d5a2)
MS15-044: Microsoft Lync 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=1c941be9-d401-4ff8-9a82-5e5a868a809a)
MS15-044: Microsoft Lync Basic 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=1c941be9-d401-4ff8-9a82-5e5a868a809a)
MS15-044: Microsoft Silverlight 5 (https://www.microsoft.com/downloads/details.aspx?familyid=b0ccca17-8ad7-440c-8213-665e7b7a4a5d)
MS15-044: Microsoft Silverlight 5 Developer Runtime (https://www.microsoft.com/downloads/details.aspx?familyid=b0ccca17-8ad7-440c-8213-665e7b7a4a5d)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Qualys
Reference: CVE-2015-1671
Description: Security Researcher Kafeine reported that the TrueType vulnerability CVE-2015-1671 is used in the Angler ExploitKit through Silverlight
Link: ttp://malware.dontneedcoffee.com/2015/07/cve-2015-1671.html

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\system32\presentationcffrasterizernative_v0300.dll Version is 3.0.6920.7903

4 Microsoft .NET Framework Elevation of Privilege and Denial of Service Vulnerability (MS15-101)

QID:	91091
Category:	Windows
CVE ID:	CVE-2015-2504, CVE-2015-2526
Vendor Reference:	MS15-101

Bugtraq ID:	76560, 76567
Service Modified:	10/22/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
- An elevation of privilege vulnerability exists in the way that the .NET Framework validates the number of objects in memory before copying those objects into an array.

- A denial of service vulnerability exists that is caused when .NET fails to properly handle certain specially crafted requests.
This security update is rated Important for Microsoft .NET Framework on all supported releases of Microsoft Windows.

IMPACT:
Successfully exploiting this vulnerability might allow an attacker to gain escalated privileges or cause denial-of-service like conditions.

SOLUTION:
Refer to MS15-101 (http://technet.microsoft.com/en-us/security/Bulletin/MS15-101) for further information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-101 (https://technet.microsoft.com/en-us/library/security/ms15-101.aspx)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.drawing.dll Version is 2.0.50727.7905

 4 Microsoft Windows Remote Code Execution Vulnerability (MS16-007)

QID:	91151
Category:	Windows
CVE ID:	CVE-2016-0014, CVE-2016-0015, CVE-2016-0016, CVE-2016-0018, CVE-2016-0019, CVE-2016-0020
Vendor Reference:	MS16-007
Bugtraq ID:	-
Service Modified:	02/01/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
This security update resolves vulnerabilities in Microsoft Windows.

The security update addresses the vulnerabilities by:
1. Correcting how Windows validates input before loading DLL files,
2. Correcting how Microsoft DirectShow validates user input
3. Enforcing the default setting of not allowing remote logon for accounts without passwords.
This security update is rated Important for all supported releases of Microsoft Windows.

IMPACT:
The most severe of the vulnerabilities could allow remote code execution if an attacker is able to log on to a target system and run a specially

crafted application.

SOLUTION:
Refer to Microsoft Security Bulletin MS16-007 (http://technet.microsoft.com/en-us/security/bulletin/MS16-007) for further details.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-007: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=ad5b1f50-a31d-48eb-ba46-aa711f21a811)
MS16-007: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=f5584139-0a0f-4d76-a6ec-cf60ed0306f7)
MS16-007: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=17c84ea3-7214-4ed4-aae8-3b2b5d365b5f)
MS16-007: Windows Vista Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=655b61ac-89f2-4e3c-9338-aa14502927a0)
MS16-007: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=a99ee7bf-c1c3-4985-8c86-7d651bf571bb)
MS16-007: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=b580c399-39aa-4810-9a20-e607c9d60501)
MS16-007: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=851bcbe7-218a-479c-8c56-d733d3f4a17a)
MS16-007: Windows Vista x64 Edition Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=6a1cfd80-deb3-4884-bb4a-00d672dc32fc)
MS16-007: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=4d73bacd-78c3-409d-8c7a-d2a35293d8ab)
MS16-007: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=ae72ff7f-cdf6-42dc-a570-9eb80b1e5bd9)
MS16-007: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=04518ef4-96e1-4e3a-afc0-81fb0014321f)
MS16-007: Windows Server 2008 for 32-bit Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=e631e68b-79bf-48e7-8475-5e8d2540fbae)
MS16-007: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=a15c7ed3-ecb8-4285-bd86-7c0f7d319f15)
MS16-007: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=90c8ee96-88aa-4a42-aca6-accfe52d9ada)
MS16-007: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=6ACD6FA2-E539-4C2C-B56E-7EEC16C8E351)
MS16-007: Windows Server 2008 for x64-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=f0971590-89d6-4de8-a1bb-8577f1933c78)
MS16-007: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=ec3dab36-e593-47de-a70a-d57f5cd39ab8)
MS16-007: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=5b10e9a5-734a-4641-9942-8f94a771b518)
MS16-007: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=2020e2d0-e1e2-46a2-bbce-9b9c3bd2d1d2)
MS16-007: Windows Server 2008 for Itanium-based Systems Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=9eda7860-8199-4459-ac55-14a8a9c3c3d0)
MS16-007: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=7026297d-1ef9-4e3a-8164-423f53c6e336)
MS16-007: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=7bb28de8-b432-4511-b2c6-e380304f3773)
MS16-007: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=e47aba9b-8360-4b18-abd4-2d6ebb578fc5)
MS16-007: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=6ebffd9e-c101-44d4-946d-af3dfaa19323)
MS16-007: Windows 7 for 32-bit Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=570a7a95-2d78-4c72-838b-771e5f0ba185)
MS16-007: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=d201ee0a-a78e-4595-9160-64f0249a1aca)
MS16-007: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=1e069761-3b2a-4852-89a2-4510b038b568)
MS16-007: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=6f486ca3-6b48-41d5-81e9-dc7e33175e39)
MS16-007: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=19c373a3-7c3d-446d-92cd-8e5b1e49399c)
MS16-007: Windows 7 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=16acded5-9ed3-4985-a5a6-eb8aea5c4423)
MS16-007: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=8f35f782-0eaf-4748-9057-2e3c1f822d52)
MS16-007: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=23d04f0d-c375-474f-8f7d-5d29684e5ed9)
MS16-007: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=f117e9ef-9d33-47d0-92f8-d25704e8fc53)
MS16-007: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=faa15b91-0484-446c-8523-13c071612b57)
MS16-007: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=6cf72e35-bbc9-4e2b-822d-99b7f8a39807)
MS16-007: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=033e0f53-7648-4205-9976-5acf795417e9)
MS16-007: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=a1491c79-c272-42ef-a85c-9fb4faf5bcf5)
MS16-007: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?

familyid=526af9df-a521-4486-857b-0466282c4fe1)
MS16-007: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=a7e4c8f9-6d45-4442-8dc7-d310b8054e76)
MS16-007: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=b09ee557-7cc2-48a9-ac11-a4ac12fab900)
MS16-007: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=4cdb6a63-51e4-4751-8663-2d7f736d1ab5)
MS16-007: Windows 8 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=e73fa5d4-6145-41fb-898e-c28255c8b519)
MS16-007: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=0a87517a-c151-459b-880d-70b1b8d536f9)
MS16-007: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=9d03b855-edce-4e45-a906-1364c1db5f3d)
MS16-007: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=48ff609e-4154-4fad-905a-9d6081d27b16)
MS16-007: Windows 8 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=0d45b4e2-77a8-4fa2-983e-bbe669bd12e2)
MS16-007: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=ba663c9f-37a2-4bc5-854b-de1b3a43669c)
MS16-007: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=d71889cf-9543-42ee-822e-20d550ab8981)
MS16-007: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=fca2132e-712f-48a6-b8f5-356abe84fef3)
MS16-007: Windows 8.1 for 32-bit Systems (https://www.microsoft.com/downloads/details.aspx?familyid=402bf515-0c0d-4bd0-9836-d6a3cf61cafa)
MS16-007: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=c5809d71-d1b5-41e9-84f2-19012cdd1367)
MS16-007: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=b668a78a-a84a-4400-9483-b989bb5a0482)
MS16-007: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=825cb0c4-5aab-4bab-9bc1-cc460fa8e14f)
MS16-007: Windows 8.1 for x64-based Systems (https://www.microsoft.com/downloads/details.aspx?familyid=1cd1e974-7feb-4f35-9b1b-6e6eac7941b3)
MS16-007: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=1468091a-24f7-4c46-bb7e-a1278659e4f6)
MS16-007: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=0b04a9a0-bb81-451f-a053-830fbf13a79e)
MS16-007: Windows Server 2012 (https://www.microsoft.com/downloads/details.aspx?familyid=70AC9A1C-8B47-404C-B335-AFFEFC9109A8)
MS16-007: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=b3dab34b-fb87-4cb8-aa8b-3e52ec5c9a3e)
MS16-007: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=794c07b3-a634-4265-a69f-b459576d4511)
MS16-007: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=1a61df56-f417-4220-a761-4c2f7ee9028e)
MS16-007: Windows Server 2012 R2 (https://www.microsoft.com/downloads/details.aspx?familyid=76e46d0d-72b6-40a1-8d51-21df5fb7c7ad)
MS16-007: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3124266)
MS16-007: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3124266)
MS16-007: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3124263)
MS16-007: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3124263)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
The Exploit-DB

Reference:	CVE-2016-0015
Description:	Microsoft Windows = devenum.dll!DeviceMoniker::Load() Heap Corruption Buffer Underflow (MS16-007) - The Exploit-DB Ref : 39232
Link:	http://www.exploit-db.com/exploits/39232
Reference:	CVE-2016-0016
Description:	Microsoft Office / COM Object - 'WMALFXGFXDSP.dll' DLL Planting (MS16-007) - The Exploit-DB Ref : 39233
Link:	http://www.exploit-db.com/exploits/39233

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\system32\aepic.dll Version is 10.0.10109.0

4 Microsoft .NET Framework Denial of Service And Information Disclosure Vulnerabilities (MS16-019)

QID:	91167
Category:	Windows
CVE ID:	CVE-2016-0033, CVE-2016-0047
Vendor Reference:	MS16-019
Bugtraq ID:	-
Service Modified:	03/03/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

This security update resolves vulnerabilities in Microsoft .NET Framework.
- A denial of service vulnerability exists when .NET Framework fails to properly handle certain Extensible Stylesheet Language Transformations (XSLT.
- An information disclosure vulnerability exists in Microsoft .NET Framework that is caused when .NETs Windows Forms (WinForms) improperly handles icon data.

This security update is rated Important for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4.5.2, Microsoft .NET Framework 4.6, and Microsoft .NET Framework 4.6.1 on affected releases of Microsoft Windows.

IMPACT:

Successful exploitation allows attacker to cause denial of service and get access to sensitive information.

SOLUTION:

Customers are advised to refer to Microsoft Advisory MS16-019 (https://technet.microsoft.com/library/security/ms16-019) for more details pertaining to this vulnerability.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-019: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3135174)
MS16-019: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3135174)
MS16-019: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3135173)
MS16-019: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3135173)
MS16-019: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=fe7fae79-4cd6-4426-9fd9-42aad39c75a9)
MS16-019: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=3fbb2e18-7ea8-4735-a9fa-31d1e4cd55c2)
MS16-019: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=fe7fae79-4cd6-4426-9fd9-42aad39c75a9)
MS16-019: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=3fbb2e18-7ea8-4735-a9fa-31d1e4cd55c2)
MS16-019: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=fe7fae79-4cd6-4426-9fd9-42aad39c75a9)
MS16-019: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=3fbb2e18-7ea8-4735-a9fa-31d1e4cd55c2)
MS16-019: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=fe7fae79-4cd6-4426-9fd9-42aad39c75a9)
MS16-019: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=3fbb2e18-7ea8-4735-a9fa-31d1e4cd55c2)
MS16-019: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=fe7fae79-4cd6-4426-9fd9-42aad39c75a9)

MS16-019: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=3fbb2e18-7ea8-4735-a9fa-31d1e4cd55c2)
MS16-019: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a7ebaa0f-0ffc-49d2-bfe6-221f6b986df6)
MS16-019: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=c921d674-b239-414c-ae96-d47ade7e4718)
MS16-019: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a7ebaa0f-0ffc-49d2-bfe6-221f6b986df6)
MS16-019: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=c921d674-b239-414c-ae96-d47ade7e4718)
MS16-019: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a7ebaa0f-0ffc-49d2-bfe6-221f6b986df6)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=c921d674-b239-414c-ae96-d47ade7e4718)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=3aaa4729-da6a-466a-b951-e67b179f25d1)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=534a8724-9275-46ca-a647-1f0bbe2ddd9a)
MS16-019: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a7ebaa0f-0ffc-49d2-bfe6-221f6b986df6)
MS16-019: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=c921d674-b239-414c-ae96-d47ade7e4718)
MS16-019: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=c7194759-5c9a-4beb-ab25-085c4106bf7a)
MS16-019: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=213a03aa-0667-47fe-813d-ab8e28118e9e)
MS16-019: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=c32c8b6b-189e-4c42-8174-a6603bd69dc2)
MS16-019: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=683adf4c-e160-45be-b0d3-709558a0cea8)
MS16-019: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ffd35a15-4cfa-42a5-97a0-58875f732b8f)
MS16-019: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=7988e37a-d72e-47a3-841a-6514ec6e50b7)
MS16-019: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=c7194759-5c9a-4beb-ab25-085c4106bf7a)
MS16-019: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=213a03aa-0667-47fe-813d-ab8e28118e9e)
MS16-019: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=c32c8b6b-189e-4c42-8174-a6603bd69dc2)
MS16-019: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=683adf4c-e160-45be-b0d3-709558a0cea8)
MS16-019: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ffd35a15-4cfa-42a5-97a0-58875f732b8f)
MS16-019: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=7988e37a-d72e-47a3-841a-6514ec6e50b7)
MS16-019: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=aa5f781d-6cdf-460c-8ea9-7f889868c423)
MS16-019: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=a7a62aa2-8ffa-4ca7-9d56-8c556ceea968)
MS16-019: Windows Server 2012 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=e49957f8-3192-42f5-be46-f0387dcbb840)
MS16-019: Windows Server 2012 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=82557a9e-9945-4021-925c-7809305db191)
MS16-019: Windows Server 2012 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=4be2ea2d-2fc7-48be-bd96-c0084089ce33)
MS16-019: Windows Server 2012 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=31a15c77-e0a6-4ff2-b744-4cca01e48f81)

MS16-019: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=c7194759-5c9a-4beb-ab25-085c4106bf7a)
MS16-019: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=213a03aa-0667-47fe-813d-ab8e28118e9e)
MS16-019: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=c32c8b6b-189e-4c42-8174-a6603bd69dc2)
MS16-019: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=683adf4c-e160-45be-b0d3-709558a0cea8)
MS16-019: Windows Server 2012 R2 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ffd35a15-4cfa-42a5-97a0-58875f732b8f)
MS16-019: Windows Server 2012 R2 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=7988e37a-d72e-47a3-841a-6514ec6e50b7)
MS16-019: Windows RT 8.1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=c32c8b6b-189e-4c42-8174-a6603bd69dc2)
MS16-019: Windows RT 8.1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=683adf4c-e160-45be-b0d3-709558a0cea8)
MS16-019: Windows RT 8.1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ffd35a15-4cfa-42a5-97a0-58875f732b8f)
MS16-019: Windows RT 8.1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=7988e37a-d72e-47a3-841a-6514ec6e50b7)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a7ebaa0f-0ffc-49d2-bfe6-221f6b986df6)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=c921d674-b239-414c-ae96-d47ade7e4718)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=0ed68b93-54e7-48f7-9bb0-260e07c8af1b)
MS16-019: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=645350ed-89c1-4f64-a640-f66f150cdbea)
MS16-019: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=aa5f781d-6cdf-460c-8ea9-7f889868c423)
MS16-019: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=a7a62aa2-8ffa-4ca7-9d56-8c556ceea968)
MS16-019: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=e49957f8-3192-42f5-be46-f0387dcbb840)
MS16-019: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=82557a9e-9945-4021-925c-7809305db191)
MS16-019: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=4be2ea2d-2fc7-48be-bd96-c0084089ce33)
MS16-019: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=31a15c77-e0a6-4ff2-b744-4cca01e48f81)
MS16-019: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=c7194759-5c9a-4beb-ab25-085c4106bf7a)
MS16-019: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=213a03aa-0667-47fe-813d-ab8e28118e9e)
MS16-019: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=c32c8b6b-189e-4c42-8174-a6603bd69dc2)
MS16-019: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=683adf4c-e160-45be-b0d3-709558a0cea8)
MS16-019: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ffd35a15-4cfa-42a5-97a0-58875f732b8f)
MS16-019: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=7988e37a-d72e-47a3-841a-6514ec6e50b7)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%\Microsoft.NET\Framework64\v2.0.50727\system.drawing.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.xml.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v4.0.30319\system.drawing.dll Version is 4.6.1055.0
%windir%\Microsoft.NET\Framework64\v4.0.30319\system.xml.dll Version is 4.6.1055.0

 4 Microsoft .NET Framework Security Feature Bypass Vulnerability (MS16-035)

QID:	91180
Category:	Windows
CVE ID:	CVE-2016-0132

Vendor Reference:	MS16-035
Bugtraq ID:	84075
Service Modified:	03/09/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

This security update resolves vulnerabilities in Microsoft .NET Framework.
- A security feature bypass vulnerability exists in a .NET Framework component that does not properly validate certain elements of a signed XML document.
This security update is rated Important for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4.5.2, Microsoft .NET Framework 4.6, and Microsoft .NET Framework 4.6.1 on affected releases of Microsoft Windows.

IMPACT:

Successful exploitation allows an attacker to modify the contents of an XML file without invalidating the signature associated with the file.

SOLUTION:

Customers are advised to refer to Microsoft Advisory MS16-035 (https://technet.microsoft.com/library/security/ms16-035) for more details pertaining to this vulnerability.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-035: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=f59111d4-a791-4377-9d07-47e45509f847)
MS16-035: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=9aaa4dca-7b0f-4fa1-b797-b0269bfb92cd)
MS16-035: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=f59111d4-a791-4377-9d07-47e45509f847)
MS16-035: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=9aaa4dca-7b0f-4fa1-b797-b0269bfb92cd)
MS16-035: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=f59111d4-a791-4377-9d07-47e45509f847)
MS16-035: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=9aaa4dca-7b0f-4fa1-b797-b0269bfb92cd)
MS16-035: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=f59111d4-a791-4377-9d07-47e45509f847)
MS16-035: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=9aaa4dca-7b0f-4fa1-b797-b0269bfb92cd)
MS16-035: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=f59111d4-a791-4377-9d07-47e45509f847)
MS16-035: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5223b79d-1b6b-4d43-944d-78050fb298fa)
MS16-035: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=34463fbf-825d-40b7-961c-0254a7a330e1)
MS16-035: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5223b79d-1b6b-4d43-944d-78050fb298fa)
MS16-035: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=34463fbf-825d-40b7-961c-0254a7a330e1)
MS16-035: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.

aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5223b79d-1b6b-4d43-944d-78050fb298fa)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=34463fbf-825d-40b7-961c-0254a7a330e1)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=08d70c3e-0199-49c5-8479-601de222f2fb)
MS16-035: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5223b79d-1b6b-4d43-944d-78050fb298fa)
MS16-035: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e78bfa5-2d25-4f69-b714-c8956f7af698)
MS16-035: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=cabdd7b6-0c4f-431a-9748-90179bb2b119)
MS16-035: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=7b086e0b-71c1-4cd6-b143-f6f0d5e64867)
MS16-035: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=b842bf4d-06fb-4645-b7b2-b3b2c293fc50)
MS16-035: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e78bfa5-2d25-4f69-b714-c8956f7af698)
MS16-035: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=cabdd7b6-0c4f-431a-9748-90179bb2b119)
MS16-035: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=7b086e0b-71c1-4cd6-b143-f6f0d5e64867)
MS16-035: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=b842bf4d-06fb-4645-b7b2-b3b2c293fc50)
MS16-035: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=030688ed-7d28-466c-affb-d53d64ca08e8)
MS16-035: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=a6da83f7-86aa-4510-8b4e-171f9f1a2f5f)
MS16-035: Windows Server 2012 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=35d878df-03df-49e1-aa3b-705bcb603546)
MS16-035: Windows Server 2012 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ba5f9b40-6c85-428d-9a0d-56e5e8789462)
MS16-035: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e78bfa5-2d25-4f69-b714-c8956f7af698)
MS16-035: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=cabdd7b6-0c4f-431a-9748-90179bb2b119)
MS16-035: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=7b086e0b-71c1-4cd6-b143-f6f0d5e64867)
MS16-035: Windows Server 2012 R2 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=b842bf4d-06fb-4645-b7b2-b3b2c293fc50)
MS16-035: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3140745)
MS16-035: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3140745)
MS16-035: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3140768)
MS16-035: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3140768)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=5223b79d-1b6b-4d43-944d-78050fb298fa)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=34463fbf-825d-40b7-961c-0254a7a330e1)
MS16-035: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=f626907d-517f-4b46-8069-1b25cc57dc25)
MS16-035: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=030688ed-7d28-466c-affb-d53d64ca08e8)
MS16-035: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=a6da83f7-86aa-4510-8b4e-171f9f1a2f5f)
MS16-035: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=35d878df-03df-49e1-aa3b-705bcb603546)
MS16-035: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=ba5f9b40-6c85-428d-9a0d-56e5e8789462)
MS16-035: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=4e78bfa5-2d25-4f69-b714-c8956f7af698)
MS16-035: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=cabdd7b6-0c4f-431a-9748-90179bb2b119)
MS16-035: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=7b086e0b-71c1-4cd6-b143-f6f0d5e64867)
MS16-035: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=b842bf4d-06fb-4645-b7b2-b3b2c293fc50)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.security.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework\v3.0\WPF\presentationhostdll.dll Version is 3.0.6920.7903
%windir%\Microsoft.NET\Framework64\v4.0.30319\system.security.dll Version is 4.6.1055.0

4 Microsoft Windows .NET Framework Information Disclosure Vulnerability (MS16-065)

QID:	91213
Category:	Windows
CVE ID:	CVE-2016-0149
Vendor Reference:	MS16-065
Bugtraq ID:	90026
Service Modified:	05/11/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
An information disclosure vulnerability exists in the TLS/SSL protocol, implemented in the encryption component of Microsoft .NET Framework. This security update is rated Important for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4.5.2, Microsoft .NET Framework 4.6, and Microsoft .NET Framework 4.6.1 on affected releases of Microsoft Windows.

IMPACT:
An attacker who successfully exploited this vulnerability can decrypt encrypted SSL/TLS traffic.

SOLUTION:
Customers are advised to view MS16-065 (https://technet.microsoft.com/library/security/ms16-065) for instructions pertaining to the remediation of these vulnerabilities.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-065: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=76aad4f4-34b0-4f90-81c2-26d1275a6cb1)
MS16-065: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=76aad4f4-34b0-4f90-81c2-26d1275a6cb1)
MS16-065: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=76aad4f4-34b0-4f90-81c2-26d1275a6cb1)
MS16-065: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=76aad4f4-34b0-4f90-81c2-26d1275a6cb1)
MS16-065: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=76aad4f4-34b0-4f90-81c2-26d1275a6cb1)
MS16-065: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=f4bd9640-f2f5-4510-9a1e-935eee95414c)
MS16-065: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.

aspx?familyid=f4bd9640-f2f5-4510-9a1e-935eee95414c)
MS16-065: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=f4bd9640-f2f5-4510-9a1e-935eee95414c)
MS16-065: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=f4bd9640-f2f5-4510-9a1e-935eee95414c)
MS16-065: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e2027350-fb9c-4f7e-92f8-5c48cde471bb)
MS16-065: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b1045ebd-be10-4d7f-8953-6a24a99ab938)
MS16-065: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=356d1027-92cd-42a3-816b-a5d757445480)
MS16-065: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e2027350-fb9c-4f7e-92f8-5c48cde471bb)
MS16-065: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b1045ebd-be10-4d7f-8953-6a24a99ab938)
MS16-065: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=356d1027-92cd-42a3-816b-a5d757445480)
MS16-065: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=af916e33-3355-4162-825d-1d84e9198b1b)
MS16-065: Windows Server 2012 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=41cbcfd9-ebde-4565-856f-d1bf73ea2ca4)
MS16-065: Windows Server 2012 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a51422ea-3234-4e4d-a502-761a11ce84d4)
MS16-065: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e2027350-fb9c-4f7e-92f8-5c48cde471bb)
MS16-065: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b1045ebd-be10-4d7f-8953-6a24a99ab938)
MS16-065: Windows Server 2012 R2 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=356d1027-92cd-42a3-816b-a5d757445480)
MS16-065: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3156387)
MS16-065: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3156387)
MS16-065: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3156421)
MS16-065: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3156421)
MS16-065: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=f4bd9640-f2f5-4510-9a1e-935eee95414c)
MS16-065: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=cd711144-c95e-4a08-baa0-09dc1d65f57a)
MS16-065: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=01690bdc-f88c-4997-9383-41b273476639)
MS16-065: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=af916e33-3355-4162-825d-1d84e9198b1b)
MS16-065: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=41cbcfd9-ebde-4565-856f-d1bf73ea2ca4)
MS16-065: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=a51422ea-3234-4e4d-a502-761a11ce84d4)
MS16-065: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=e2027350-fb9c-4f7e-92f8-5c48cde471bb)
MS16-065: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=b1045ebd-be10-4d7f-8953-6a24a99ab938)
MS16-065: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?familyid=356d1027-92cd-42a3-816b-a5d757445480)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%\Microsoft.NET\Framework64\v2.0.50727\System.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v4.0.30319\System.dll Version is 4.6.1055.0

 4 Microsoft Windows .NET Framework Information Disclosure Vulnerability (MS16-091)

QID:	91254
Category:	Windows
CVE ID:	CVE-2016-3255
Vendor Reference:	MS16-091
Bugtraq ID:	91601
Service Modified:	07/13/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
An information disclosure vulnerability exists when .NET Framework improperly parses XML input containing a reference to an external entity.
This security update is rated Important for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4.5.2, Microsoft .NET Framework 4.6, and Microsoft .NET Framework 4.6.1 on affected releases of Microsoft Windows.

IMPACT:
An attacker who successfully exploited this vulnerability can read arbitrary files via an XML external entity declaration.

SOLUTION:
Customers are advised to view MS16-091 (https://technet.microsoft.com/library/security/ms16-091) for instructions pertaining to the remediation of these vulnerabilities.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-091: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=003ced35-ba88-4b3a-94e5-8304976c5b69)
MS16-091: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=EA7703A3-CD1B-4FF4-A156-117FA3AAFD89)
MS16-091: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=003ced35-ba88-4b3a-94e5-8304976c5b69)
MS16-091: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=EA7703A3-CD1B-4FF4-A156-117FA3AAFD89)
MS16-091: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=003ced35-ba88-4b3a-94e5-8304976c5b69)
MS16-091: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=EA7703A3-CD1B-4FF4-A156-117FA3AAFD89)
MS16-091: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=003ced35-ba88-4b3a-94e5-8304976c5b69)
MS16-091: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?FamilyID=EA7703A3-CD1B-4FF4-A156-117FA3AAFD89)
MS16-091: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=003ced35-ba88-4b3a-94e5-8304976c5b69)
MS16-091: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=e4bc950e-28a4-45ab-a733-bf9894f6a7ea)
MS16-091: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ea7703a3-cd1b-4ff4-a156-117fa3aafd89)
MS16-091: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=e4bc950e-28a4-45ab-a733-bf9894f6a7ea)
MS16-091: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ea7703a3-cd1b-4ff4-a156-117fa3aafd89)
MS16-091: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=e4bc950e-28a4-45ab-a733-bf9894f6a7ea)
MS16-091: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ea7703a3-cd1b-4ff4-a156-117fa3aafd89)
MS16-091: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/

downloads/details.aspx?FamilyID=e4bc950e-28a4-45ab-a733-bf9894f6a7ea)
MS16-091: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=88523492-3af6-426f-8693-931b372bd725)
MS16-091: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=00373D7A-D3D3-4DB0-BB99-D72EA71AE882)
MS16-091: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=9BF68050-0761-4DBD-B425-69EC33C7A15B)
MS16-091: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=88523492-3af6-426f-8693-931b372bd725)
MS16-091: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=00373D7A-D3D3-4DB0-BB99-D72EA71AE882)
MS16-091: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=9BF68050-0761-4DBD-B425-69EC33C7A15B)
MS16-091: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=d9f1cc61-fd9a-467e-8f6e-6f8dc71337cf)
MS16-091: Windows Server 2012 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=4020A8F4-BE3D-47D4-93C7-24CD6CEFD5A1)
MS16-091: Windows Server 2012 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=9016C4C7-E692-44F1-9B8D-524357E67E3D)
MS16-091: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=88523492-3af6-426f-8693-931b372bd725)
MS16-091: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=00373D7A-D3D3-4DB0-BB99-D72EA71AE882)
MS16-091: Windows Server 2012 R2 (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=9BF68050-0761-4DBD-B425-69EC33C7A15B)
MS16-091: Windows 10 for 32-bit Systems (https://support.microsoft.com/kb/3163912)
MS16-091: Windows 10 for x64-based Systems (https://support.microsoft.com/kb/3163912)
MS16-091: Windows 10 Version 1511 for 32-bit Systems (https://support.microsoft.com/kb/3172985)
MS16-091: Windows 10 Version 1511 for x64-based Systems (https://support.microsoft.com/kb/3172985)
MS16-091: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=e4bc950e-28a4-45ab-a733-bf9894f6a7ea)
MS16-091: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=177562b4-bc80-4199-bf03-27f243db0a4d)
MS16-091: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=ea7703a3-cd1b-4ff4-a156-117fa3aafd89)
MS16-091: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=D9F1CC61-FD9A-467E-8F6E-6F8DC71337CF)
MS16-091: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=4020A8F4-BE3D-47D4-93C7-24CD6CEFD5A1)
MS16-091: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=9016C4C7-E692-44F1-9B8D-524357E67E3D)
MS16-091: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?FamilyID=88523492-3af6-426f-8693-931b372bd725)
MS16-091: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.2) (https://www.microsoft.com/downloads/details.aspx?FamilyID=00373D7A-D3D3-4DB0-BB99-D72EA71AE882)
MS16-091: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.6/4.6.1) (https://www.microsoft.com/downloads/details.aspx?FamilyID=9BF68050-0761-4DBD-B425-69EC33C7A15B)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.data.dll Version is 2.0.50727.7905
%windir%\Microsoft.NET\Framework64\v4.0.30319\system.data.dll Version is 4.6.1055.0

4 Microsoft Windows Graphics Component Heap Based Out of Bounds Reads/Memory Disclosure Vulnerability - Zero Day

QID:	91331
Category:	Windows
CVE ID:	CVE-2017-0038
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/21/2017
User Modified:	-
Edited:	No
PCI Vuln:	Yes

Ticket State:

THREAT:
Microsoft Windows Graphics Component is prone to multiple vulnerabilities that could lead to information disclosure or privilege escalation attacks.
Affected versions:
Windows Vista Service Pack 2
Windows Server 2008 Service Pack 2
Windows Server 2008 R2 Service Pack 1
Windows Server 2012
Windows Server 2012 R2
Windows 7 Service Pack 1
Windows RT 8.1
Windows 8.1
Windows 10

IMPACT:
A remote attacker could exploit this vulnerability to read sensitive information from heap if victim opens a specially crafted document or visits a specially crafted website.

SOLUTION:
The vendor has not confirmed the vulnerability and no patch information is available at this time.

Workaround:
Do not open EMF files
from untrusted sources.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
The Exploit-DB

Reference:	CVE-2017-0038
Description:	Microsoft Windows - 'gdi32.dll' EMR_SETDIBITSTODEVICE Heap-Based Out-of-Bounds Reads / Memory Disclosure - The Exploit-DB Ref : 41363
Link:	http://www.exploit-db.com/exploits/41363

Qualys

Reference:	CVE-2017-0038
Description:	Windows gdi32.dll heap-based out-of-bounds reads / memory disclosure in EMR_SETDIBITSTODEVICE and possibly other records
Link:	https://bugs.chromium.org/p/project-zero/issues/detail?id=992

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\system32\Gdi32.dll Version is 6.3.9600.18525

4 Microsoft Office Remote Code Execution Vulnerability (MS10-087)

QID:	110102
Category:	Office Application
CVE ID:	CVE-2010-3333, CVE-2010-3334, CVE-2010-3335, CVE-2010-3336, CVE-2010-3337
Vendor Reference:	MS10-087
Bugtraq ID:	44652, 44656, 44659, 44660
Service Modified:	11/10/2010
User Modified:	-
Edited:	No

PCI Vuln: Yes
Ticket State:

THREAT:

Microsoft Office is prone to the following vulnerabilities:
1) When Microsoft Office software parses specially crafted RTF-formatted data, system memory may be corrupted in such a way that an attacker could execute arbitrary code.
2) When a user opens a specially crafted Office file, system memory may become corrupted in such a way that an attacker could execute arbitrary code.
3) A remote code execution vulnerability exists such that it requires a user to open a document contained within the same working directory as a specially crafted DLL file. The specially crafted DLL will be loaded into memory giving the attacker control of the affected system in the security context of the logged-on user.
Microsoft has released an update that addresses the vulnerabilities by modifying the way that Microsoft Office software parses files and by helping to ensure a vulnerable component of Microsoft Office uses a more appropriate and secure search order when loading libraries.
This security update is rated Critical for all supported editions of Microsoft Office 2007 and Microsoft Office 2010. This security update is also rated Important for all supported editions of Microsoft Office XP, Microsoft Office 2003, Microsoft Office 2004 for Mac, Microsoft Office 2008 for Mac, and Microsoft Office for Mac 2011; and Open XML File Format Converter for Mac.
Note: This was previously an iDefense exclusive vulnerability with iDefense ID 503260.

IMPACT:

If this vulnerability is successfully exploited, it will allow an unauthenticated attacker to execute arbitrary code with the privileges of the user.

SOLUTION:

Workarounds:
1) Avoid opening Office files received from un-trusted sources.
2) Use the Microsoft Office Isolated Conversion Environment (MOICE) when opening files from unknown or un-trusted sources because it protects Office 2003 installations by more securely opening Word, Excel, and PowerPoint binary format files. Information on MOICE can be found at KB935865 (http://support.microsoft.com/kb/935865).
Impact of workaround #2:
Office 2003 and earlier formatted documents that are converted to the 2007 Microsoft Office System Open XML format by MOICE lose their macro functionality. Documents protected with passwords and Digital Rights Management cannot be converted.
3) Microsoft Office File Block policy should be used to block the opening of Office 2003 and earlier documents from unknown or untrusted sources. The following registry scripts can be used to set the File Block policy.
Note: Modifying the Registry incorrectly can cause serious problems that may require re-installation of the operating system.
For Office 2003:
Windows Registry Editor Version 5.00
[HKEY_CURRENT_USER\Software\Microsoft\Office.0\Excel\Security\FileOpenBlock]
"BinaryFiles"=dword:00000001
For 2007 Office system:
Windows Registry Editor Version 5.00
[HKEY_CURRENT_USER\Software\Microsoft\Office.0\Excel\Security\FileOpenBlock]
"BinaryFiles"=dword:00000001
Impact of workaround #3:
If File Block policy is configured without special "exempt directory" configuration (see KB922848 (http://support.microsoft.com/kb/922848)), Office 2003 files or earlier versions will not open in Office 2003 or 2007 Microsoft Office System.
4) Read e-mails in plain text
Impact of workaround #4: E-mail messages that are viewed in plain text format will not contain pictures, specialized fonts, animations, or other rich content.
Detailed instructions on applying the workarounds can be found in Microsoft Security Bulletin MS10-087 (http://www.microsoft.com/technet/security/bulletin/MS10-087.mspx).
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS10-087: Microsoft Office XP Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?FamilyId=F32648E3-2FB5-472C-932F-360E5D3C0931)
MS10-087: Microsoft Office 2003 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=07a6cf76-2cea-4c54-b66d-50e9eed108ac)
MS10-087: Microsoft Office 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=be0c5878-60c0-4700-8836-50d369b51d04)
MS10-087: Microsoft Office 2010 (32-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=0b308508-0e1e-4e90-b2b8-7e32bfc5dbf4)
MS10-087: Microsoft Office 2010 (64-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=534c6a2a-e7c6-4adf-8b81-e009a2b5fff4)
MS10-087: Microsoft Office for Mac 2011 (http://www.microsoft.com/downloads/details.aspx?FamilyID=8bd6ca3b-8004-4e8d-a09d-220dcbbce799)
MS10-087: Microsoft Office for Mac 2008 (http://www.microsoft.com/downloads/en/details.aspx?FamilyID=ad1b1984-b2b2-49b3-a1dd-385b77d9248a)
MS10-087: Open XML File Format Converter for Mac (http://www.microsoft.com/downloads/en/details.aspx?FamilyID=b846d255-a7d4-4a2c-a084-d434c29fe676)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2010-3333
Description: Microsoft Office Word RTF Parsing Buffer Overflow Exploit (MS10-087) - Core Security Category : Exploits/Client Side

Metasploit

Reference: CVE-2010-3333
Description: MS10-087 Microsoft Word RTF pFragments Stack Buffer Overflow (File Format) - Metasploit Ref : /modules/exploit/windows/fileformat/ms10_087_rtf_pfragments_bof
Link: https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/windows/fileformat/ms10_087_rtf_pfragments_bof.rb

The Exploit-DB

Reference: CVE-2010-3333
Description: Microsoft Office 2003 Home/Pro - Code Execution (MS10-087) - The Exploit-DB Ref : 18334
Link: http://www.exploit-db.com/exploits/18334

Reference: CVE-2010-3333
Description: Microsoft Word - '.RTF' pFragments Stack Buffer Overflow (File Format) (MS10-087) (Metasploit) - The Exploit-DB Ref : 16686
Link: http://www.exploit-db.com/exploits/16686

Reference: CVE-2010-3333
Description: Microsoft Office 2010 - '.RTF' Header Stack Overflow - The Exploit-DB Ref : 17474
Link: http://www.exploit-db.com/exploits/17474

Reference: CVE-2010-3333
Description: Microsoft Office 2010 - Download Execute - The Exploit-DB Ref : 24526
Link: http://www.exploit-db.com/exploits/24526

ASSOCIATED MALWARE:

Trend Micro

Malware ID: TROJ_ARTIEF.SM
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.SM&language=us

Malware ID: TROJ_ARTIEF.DOC
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.DOC&language=us

Malware ID: TROJ_ARTIEF.EDX
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Aliases: RTF:CVE-2010-3333 [Expl] (Avast); Exp/20103333-A (Sophos)
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.EDX&language=us

Malware ID: TROJ_ARTIEF.XPL
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Aliases: Exploit:Win32/CVE-2010-3333 (Microsoft); Exp/20103333-C (Sophos)
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.XPL&language=us

Malware ID: TROJ_ARTIEF
Risk: Low
Type: Trojan

Platform: Windows 2000; Windows XP; Windows Server 2003
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF&language=us

Malware ID: TROJ_ARTIEF.SM1
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.SM1&language=us

Malware ID: TROJ_ARTIEF.SMB
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Aliases: Trojan.Mdropper (Symantec); Exploit.MSWord.CVE-2010-3333.b (Kaspersky)
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.SMB&language=us

Malware ID: TROJ_MDROP.EV
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Aliases: Trojan.Mdropper (Symantec); Exploit.MSWord.CVE-2010-3333.b (Kaspersky)
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_MDROP.EV&language=us

Malware ID: TROJ_ARTIEF.O
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows XP; Windows Server 2003
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.O&language=us

Malware ID: TROJ_ARTIEF.NTY
Risk: Low
Type: Trojan
Platform: Windows 2000; Windows Server 2003; Windows XP (32-bit; 64-bit); Windows Vista (32-bit; 64-bit); Windows 7 (32-bit; 64-bit)
Aliases: Exp/20120158-A (Sophos) ,MSWord/CVE_2012_0158.A!exploit (Fortinet) ,Exploit.Win32.CVE-2010 (Ikarus) ,Exploit:Win32/CVE-2010-3333 (Microsoft) ,Win32/Exploit.CVE-2010-3333.BA trojan (Eset) ,Trojan.Mdropper (Symantec) ,Exploit/CVE-2010-3333 (Panda)
Link: http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ARTIEF.NTY&language=us

RESULTS:

%ProgramFiles%\Common Files\Microsoft Shared\OFFICE14\MSO.dll version is 14.0.4760.1000 .
%ProgramFiles%\Common Files\Microsoft Shared\OFFICE14\MSO.dll version is 14.0.4760.1000 .
Office 2010

 4 Microsoft Office Unspecified Remote Code Execution Vulnerability - Zero Day

QID: 110126
Category: Office Application
CVE ID: -
Vendor Reference: -
Bugtraq ID: 41402
Service Modified: 07/08/2010
User Modified: -
Edited: No
PCI Vuln: Yes
Ticket State:

THREAT:

Microsoft Office is prone to an unspecified remote code execution vulnerability. The vulnerability allows an attacker to bypass Data Execution Prevention and Office File Validation features.

Microsoft Office 2010 is vulnerable; other versions may also be affected.

IMPACT:
Successful exploits will allow an attacker to run arbitrary code in the context of the user running the application. Failed attacks may cause denial of service.

SOLUTION:
There are no vendor supplied patches available at this time.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%ProgramFiles%\Microsoft Office\Office14\mspub.exe found
%ProgramFiles%\Microsoft Office\Office14\mspub.exe Version is 14.0.4750.1000

 4 Microsoft Excel Remote Code Execution Vulnerabilities (MS11-021)

QID:	110132
Category:	Office Application
CVE ID:	CVE-2011-0097, CVE-2011-0098, CVE-2011-0101, CVE-2011-0103, CVE-2011-0104, CVE-2011-0105, CVE-2011-0978, CVE-2011-0979, CVE-2011-0980
Vendor Reference:	MS11-021
Bugtraq ID:	46226, 46225, 47256, 47245, 47244, 47243, 47235, 47201, 46229
Service Modified:	04/13/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Excel is a proprietary spreadsheet application written and distributed by Microsoft.
Microsoft Excel is vulnerable to multiple remote code execution vulnerabilities.
Microsoft has released an update that addresses the vulnerability by correcting the way that Microsoft Excel manages data structures, validates record information, initializes variables used in memory operations, and allocates buffer space when parsing a specially crafted file.
This security update is rated Important for all supported editions of Microsoft Excel 2002, Microsoft Excel 2003, Microsoft Excel 2007, Microsoft Excel 2010, Microsoft Office 2004 for Mac, Microsoft Office 2008 for Mac, and Microsoft Office for Mac 2011; Open XML File Format Converter for Mac; and all supported versions of Microsoft Excel Viewer and Microsoft Office Compatibility Pack.

IMPACT:
An attacker who successfully exploits these vulnerabilities could take complete control of an affected system.

SOLUTION:
Workaround:
1) Avoid opening Office files received from un-trusted sources.
2) Use the Microsoft Office Isolated Conversion Environment (MOICE) when opening files from unknown or un-trusted sources because it protects Office 2003 installations by more securely opening Word, Excel, and PowerPoint binary format files. Information on MOICE can be found at KB935865 (http://support.microsoft.com/kb/935865).
Impact of workaround #2:
Office 2003 and earlier formatted documents that are converted to the 2007 Microsoft Office System Open XML format by MOICE lose their macro functionality. Documents protected with passwords and Digital Rights Management cannot be converted.
3) Microsoft Office File Block policy should be used to block the opening of Office 2003 and earlier documents from unknown or untrusted sources. The following registry scripts can be used to set the File Block policy.
Impact of workaround #3:
If File Block policy is configured without special "exempt directory" configuration (see KB922848 (http://support.microsoft.com/kb/922848)), Office 2003 files or earlier versions will not open in Office 2003 or 2007 Microsoft Office System.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-021: Microsoft Office XP Service Pack 3 (Microsoft Excel 2002 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=

db2c5cfe-588c-4646-b86a-3fb8248f7af4)
MS11-021: Microsoft Office 2003 Service Pack 3 (Microsoft Excel 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=916a076d-d754-4092-b23d-c8826db7e397)
MS11-021: Microsoft Office 2007 Service Pack 2 (Microsoft Excel 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5ae34fe0-03bd-48a9-a7ac-de8f7b1aff90)
MS11-021: Microsoft Office 2010 (32-bit editions) (Microsoft Excel 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=a427f0e2-b74d-4ef3-bec4-0a101d09bfa3)
MS11-021: Microsoft Office 2010 (64-bit editions) (Microsoft Excel 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=13dca35d-2209-4c5c-9150-d6db2bb3b496)
MS11-021: Microsoft Office 2004 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=f756d836-6ab2-4adb-9dee-6cb523d7c1f5)
MS11-021: Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=84dfe3f4-a2a1-47b9-8da1-29ae67230918)
MS11-021: Microsoft Office for Mac 2011 (http://www.microsoft.com/downloads/details.aspx?FamilyID=ef1e612f-d8e3-4628-9fe4-ad136f0debd3)
MS11-021: Open XML File Format Converter for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=0c323a12-6385-4666-ad39-a9516a8eda14)
MS11-021: Microsoft Excel Viewer Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=2d75786a-2368-4ef2-970b-fa2e57d63ca9)
MS11-021: Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=946cc611-4d75-4728-b9d3-1c8b557b02c2)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:

Core Security

Reference: CVE-2011-0105
Description: Microsoft Office Excel RTD Data Record Processing Stack Overwrite Exploit (MS11-021) - Core Security Category : Exploits/Client Side

Reference: CVE-2011-0105
Description: Microsoft Excel XLB File Processing Buffer Overflow Exploit (MS11-021) - Core Security Category : Exploits/Client Side

Metasploit

Reference: CVE-2011-0105
Description: MS11-021 Microsoft Office 2007 Excel .xlb Buffer Overflow - Metasploit Ref : /modules/exploit/windows/fileformat/ms11_021_xlb_bof
Link:
https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/windows/fileformat/ms11_021_xlb_bof.rb

The Exploit-DB

Reference: CVE-2011-0104
Description: Microsoft Excel - Buffer Overflow - The Exploit-DB Ref : 35573
Link: http://www.exploit-db.com/exploits/35573

Reference: CVE-2011-0978
Description: Microsoft Excel - Axis Properties Record Parsing Buffer Overflow (PoC) (MS11-02) - The Exploit-DB Ref : 17227
Link: http://www.exploit-db.com/exploits/17227

Reference: CVE-2011-0105
Description: Microsoft Excel 2007 - '.xlb' Buffer Overflow (MS11-021) (Metasploit) - The Exploit-DB Ref : 18087
Link: http://www.exploit-db.com/exploits/18087

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Excel 2010
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe found

4 Microsoft Word Remote Code Execution Vulnerability (MS10-079)

QID:	110135
Category:	Office Application
CVE ID:	CVE-2010-2747, CVE-2010-2748, CVE-2010-2750, CVE-2010-3214, CVE-2010-3215, CVE-2010-3216, CVE-2010-3217, CVE-2010-3218, CVE-2010-3219, CVE-2010-3220, CVE-2010-3221
Vendor Reference:	MS10-079
Bugtraq ID:	-
Service Modified:	10/12/2010

User Modified: -
Edited: No
PCI Vuln: Yes
Ticket State:

THREAT:

Microsoft Word is a proprietary word processing application written and distributed by Microsoft for Microsoft Windows and Mac OS X.
Word is prone to the following vulnerabilities:
A remote code execution vulnerability exists in the way that Microsoft Word handles an uninitialized pointer when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles an improper boundary check when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles index values inside a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles stack validation when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles return values when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles bookmarks when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles pointers when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles malformed records inside a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles indexes when parsing a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word parses a specially crafted Word file.
A remote code execution vulnerability exists in the way that Microsoft Word handles a malformed record when parsing a specially crafted Word file.
Microsoft has released a security update to addresses these vulnerabilities by modifying the way that Microsoft Office Word parses specially crafted Word files.
This security update is rated Important for all supported editions of Microsoft Word 2002, Microsoft Word 2003, Microsoft Word 2007, Microsoft Word 2010, Microsoft Office 2004 for Mac, and Microsoft Office 2008 for Mac; Open XML File Format Converter for Mac; and all supported versions of Microsoft Office Word Viewer and Microsoft Office Compatibility Pack.

IMPACT:

An attacker who successfully exploits this vulnerability could take complete control of an affected system. An attacker could then install programs; view, change, or delete data; or create new accounts with full user rights.

SOLUTION:

Workarounds:
1) Avoid opening Office (Word) files received from untrusted sources.
2) Use the Microsoft Office Isolated Conversion Environment (MOICE) when opening files from unknown or un-trusted sources because it protects Office 2003 installations by more securely opening Word, Excel, and PowerPoint binary format files. Information on MOICE can be found at KB935865 (http://support.microsoft.com/kb/935865).
Impact of the workaround:
Office 2003 and earlier formatted documents that are converted to the 2007 Microsoft Office System Open XML format by MOICE lose their macro functionality. Documents protected with passwords and Digital Rights Management cannot be converted.
3) Microsoft Office File Block policy should be used to block the opening of Office 2003 and earlier documents from unknown or untrusted sources.
Impact of the workaround:
If File Block policy is configured without special "exempt directory" configuration (see KB922848 (http://support.microsoft.com/kb/922848)), Office 2003 files or earlier versions will not open in Office 2003 or 2007 Microsoft Office System.
Refer to the advisory for obtaining additional details on applying the workarounds.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS10-079: Microsoft Office XP Service Pack 3 (Microsoft Word 2002 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=f22d10fd-cb12-43e8-88d5-2116cf4317c4)
MS10-079: Microsoft Office 2003 Service Pack 3 (Microsoft Word 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=172f3743-cdfa-42d7-aeb4-27ba0e4139f7)
MS10-079: Microsoft Office 2007 Service Pack 2 (Microsoft Word 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=ccad4871-32f2-4982-a23e-9b5824397615)
MS10-079: Microsoft Office 2010 (32-bit editions) (Microsoft Word 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=6c3b8690-e568-42ed-a858-0cbdd5ea3669)
MS10-079: Microsoft Office 2010 (64-bit editions) (Microsoft Word 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=f31a1f9b-02df-4a85-a7d1-7d1e31baa30f)
MS10-079: Microsoft Office 2004 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=464965fa-971a-49dd-bcee-c4d91fac86a9)
MS10-079: Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=abd05074-8ffc-41a4-a2f3-1d8047574552)
MS10-079: Open XML File Format Converter for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=5c759c46-ead3-44ea-b7c8-a308b3140d2e)
MS10-079: Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=553d28ae-c352-4985-97c3-e5038414be45)
MS10-079: Microsoft Word Viewer (http://www.microsoft.com/downloads/details.aspx?familyid=1cb5ab02-074d-4877-b378-7058959705ae)
MS10-079: Microsoft Office Web Apps (http://www.microsoft.com/downloads/details.aspx?familyid=8fb56eb9-9601-4c1e-905a-9fe4802b2c8d)
MS10-079: Microsoft Office Web Apps (Microsoft Word Web App) (http://www.microsoft.com/downloads/details.aspx?familyid=13b24264-ec3d-44e8-81e3-82ac767defd3)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\winword.exe version is 14.0.4762.1000 .
Office 2010

4 Microsoft Office Publisher Remote Code Execution Vulnerability (MS10-103)

QID:	110139
Category:	Office Application
CVE ID:	CVE-2010-2569, CVE-2010-2570, CVE-2010-2571, CVE-2010-3954, CVE-2010-3955
Vendor Reference:	MS10-103
Bugtraq ID:	45277, 45279, 45280, 45281, 45282
Service Modified:	12/15/2010
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Office Publisher is a desktop publishing application.
Multiple vulnerabilities exists in the file parsing code when Microsoft Office Publisher opens a malicious file.
Vulnerable versions include:

Microsoft Office Publisher 2002 (XP)
Microsoft Office Publisher 2003
Microsoft Office Publisher 2007
Microsoft Office Publisher 2010.
Microsoft has released a security update that addresses the vulnerability by correcting the way that Microsoft Office Publisher opens specially crafted Publisher files.

IMPACT:
An attacker can exploit this issue by persuading an unsuspecting user into opening a malicious file. This vulnerability allows attackers to execute arbitrary code on the user's system.

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS10-103: Microsoft Office XP Service Pack 3 (Microsoft Publisher 2002 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=f540692c-e404-4383-8937-4d6a36475da5)
MS10-103: Microsoft Office 2003 Service Pack 3 (Microsoft Publisher 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=e600de65-3e9d-4e37-8906-8b7091ff523e)
MS10-103: Microsoft Office 2007 Service Pack 2 (Microsoft Publisher 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=79275011-bdc1-446a-8ea6-56fc31bd9c35)
MS10-103: Microsoft Office 2010 (32-bit editions) (Microsoft Publisher 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=99e18990-75e9-497e-9b4f-5d7ef8656ab2)
MS10-103: Microsoft Office 2010 (64-bit editions) (Microsoft Publisher 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=9b27ee11-e563-4152-9691-25eec1ee9966)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\MSPUB.exe found

C:\Program Files\Microsoft Office\Office14\\MSPUB.exe Version is 14.0.4750.1000
Publisher 2010

4 Microsoft Office Graphics Filters Remote Code Execution (MS10-105)

QID:	110141
Category:	Office Application
CVE ID:	CVE-2010-3945, CVE-2010-3946, CVE-2010-3947, CVE-2010-3949, CVE-2010-3950, CVE-2010-3951, CVE-2010-3952
Vendor Reference:	MS10-105
Bugtraq ID:	-
Service Modified:	12/15/2010
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Office Graphics filters are vulnerable to the following issues:
GM Image Converter Buffer Overrun Vulnerability - CVE-2010-3945
PICT Image Converter Integer Overflow Vulnerability - CVE-2010-3946
TIFF Image Converter Heap Overflow Vulnerability - CVE-2010-3947
TIFF Image Converter Buffer Overflow Vulnerability - CVE-2010-3949
TIFF Image Converter Memory Corruption Vulnerability - CVE-2010-3950
FlashPix Image Converter Buffer Overflow Vulnerability - CVE-2010-3951
FlashPix Image Converter Heap Corruption Vulnerability - CVE-2010-3952
Vulnerable software includes:
Microsoft Office XP Service Pack 3
Microsoft Office 2003 Service Pack 3
Microsoft Office 2007 Service Pack 2
Microsoft Office 2010
Microsoft Office Converter Pack

IMPACT:
An attacker can exploit this issue by persuading an unsuspecting user to open a malicious file. This vulnerability allows attackers to execute arbitrary code on the user's system.

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS10-105: Microsoft Office XP Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=724d0ad6-ba5f-4dbf-b280-3fb36335d33b)
MS10-105: Microsoft Office 2003 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=976857e9-77fc-4667-88ca-7637e57536cd)
MS10-105: Microsoft Office 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=676eeed6-f2b7-4265-afc7-a82ffdbeb290)
MS10-105: Microsoft Office 2010 (32-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=6d644494-b530-4b37-bc37-8a8a7edefe53)
MS10-105: Microsoft Office 2010 (64-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=58e54779-aa8f-41b3-9993-8cec12c49082)
MS10-105: Microsoft Office Converter Pack (http://www.microsoft.com/downloads/details.aspx?familyid=dcded2ee-0673-4afe-abe6-04941a2ad306)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%programfiles%\Common Files\microsoft shared\TextConv\MSCONV97.DLL Version is 2010.1400.4730.1010
Office 2010

4 Microsoft Excel SHRFMLA Record Memory Corruption Vulnerability (MS11-072)

QID:	110143
Category:	Office Application
CVE ID:	-
Vendor Reference:	633729
Bugtraq ID:	-
Service Modified:	09/14/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

Microsoft Excel is a proprietary spreadsheet application written and distributed by Microsoft.
Excel is prone to a memory corruption vulnerability that occurs when Excel parses a specially crafted SHRFMLA record in an Excel file. An invalid value of the length field in the record header can trigger an error condition and result in using memory content which had already been freed and may allow arbitrary code execution.
Affected Versions:
Excel Version 2003 SP3 is affected. Previous versions may be affected. This vulnerability does not affect Excel 2007.
Note: Previously this was an iDefense Exclusive vulnerability with ID:633729

IMPACT:

Exploitation can result in execution of arbitrary code with the privileges of the current user.

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-072 (Microsoft Excel 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=DEE4F3D7-BC4B-47FD-8E3F-9D2B0E82D0F6)
MS11-072 (Microsoft Excel 2007 Service Pack2) (http://www.microsoft.com/downloads/details.aspx?familyid=498AC241-D728-4944-ABAC-EC8444CA6418)
MS11-072 (Microsoft Excel 2010) (http://www.microsoft.com/downloads/details.aspx?familyid=4612C6E4-AC29-4CC4-9DA5-88779EA3643E)
MS11-072 (Microsoft Excel 2010 SP1) (http://www.microsoft.com/downloads/details.aspx?familyid=4612C6E4-AC29-4CC4-9DA5-88779EA3643E)
MS11-072 (Microsoft Excel 2010 x64) (http://www.microsoft.com/downloads/details.aspx?familyid=D40DB27B-1318-4CA7-B44F-C90BB6342109)
MS11-072 (Microsoft Excel 2010 SP1 x64) (http://www.microsoft.com/downloads/details.aspx?familyid=D40DB27B-1318-4CA7-B44F-C90BB6342109)
MS11-072 (Microsoft Office 2004 for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=868f4d9f-3498-4d59-a017-59204553889c)
MS11-072 (Microsoft Office 2008 for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=afa79cfc-6e8a-4d0b-88aa-0d7e05031e44)
MS11-072 (Microsoft Office 2011 for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=535fcf4a-eeb2-44eb-b2a6-9c512509c49d)
MS11-072 (Open XML file format Converter for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=9796588d-238f-4694-9598-1aa8d2becb55)
MS11-072 (Microsoft Excel Viewer Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=F82CA5DA-A55A-487C-8170-46A40000C8E3)
MS11-072 (Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=01093F22-06B7-4C9B-BFF9-F54AC5D73BF8)
MS11-072 (Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=DD532201-485C-4270-88D3-63BD3F24327E)
MS11-072 (Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=1086A5B0-E441-4E26-A8D1-924A20121DDE)
MS11-072 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=0C150328-6A15-4852-A09C-4063142BD946)
MS11-072 (Microsoft Office Web Apps 2010 and Microsoft Office Web Apps 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=73D49094-A9CF-407E-8921-1B22FBC30427)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Excel 2010
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe found

C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .
Office 2010
C:\Program Files\Microsoft Office\Office14\\Oart.dll version is 14.0.4756.1000 .

4 Microsoft Excel Remote Code Execution Vulnerabilities (MS11-072)

QID:	110144
Category:	Office Application
CVE ID:	CVE-2011-1986, CVE-2011-1987, CVE-2011-1988, CVE-2011-1989, CVE-2011-1990
Vendor Reference:	MS11-072
Bugtraq ID:	-
Service Modified:	09/14/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Excel is a proprietary spreadsheet application written and distributed by Microsoft for Windows and Mac OS X.
Microsoft Excel is vulnerable to multiple remote code execution vulnerabilities.
This security update is rated Important for all supported editions of Microsoft Excel 2003, Microsoft Excel 2007, Microsoft Office 2007, Microsoft Excel 2010, Microsoft Office 2010, Microsoft Office 2004 for Mac, Microsoft Office 2008 for Mac, and Microsoft Office for Mac 2011; Open XML File Format Converter for Mac; and all supported versions of Microsoft Excel Viewer, Microsoft Office Compatibility Pack, Microsoft Excel Services installed on SharePoint Server 2007, Microsoft Excel Services installed on SharePoint Server 2010, and Microsoft Excel Web App 2010.
Note: Previously this was an iDefense Exclusive vulnerability with ID:635312

IMPACT:
Successfully exploiting these vulnerabilities might allow a remote attacker to execute arbitrary code.

SOLUTION:
Workaround:
The vulnerability occurs in the core parsing code of Excel, and this code can not be disabled; however, it is possible to disable the opening of the older binary format files and use MOICE to convert the file to the newer XML-based format.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
ms11-072 (Microsoft Office 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=DEE4F3D7-BC4B-47FD-8E3F-9D2B0E82D0F6)
ms11-072 (Microsoft Excel 2007 Service Pack2) (http://www.microsoft.com/downloads/details.aspx?familyid=498AC241-D728-4944-ABAC-EC8444CA6418)
ms11-072 (Microsoft Excel 2010) (http://www.microsoft.com/downloads/details.aspx?familyid=4612C6E4-AC29-4CC4-9DA5-88779EA3643E)
ms11-072 (Microsoft Excel 2010 SP1) (http://www.microsoft.com/downloads/details.aspx?familyid=4612C6E4-AC29-4CC4-9DA5-88779EA3643E)
ms11-072 (Microsoft Excel 2010 x64) (http://www.microsoft.com/downloads/details.aspx?familyid=D40DB27B-1318-4CA7-B44F-C90BB6342109)
ms11-072 (Microsoft Excel 2010 SP1 x64) (http://www.microsoft.com/downloads/details.aspx?familyid=D40DB27B-1318-4CA7-B44F-C90BB6342109)
ms11-072 (Microsoft Office 2004 for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=868f4d9f-3498-4d59-a017-59204553889c)
ms11-072 (Microsoft Office 2008 for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=afa79cfc-6e8a-4d0b-88aa-0d7e05031e44)
ms11-072 (Microsoft Office 2011 for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=535fcf4a-eeb2-44eb-b2a6-9c512509c49d)
ms11-072 (Open XML file format Converter for MAC) (http://www.microsoft.com/downloads/details.aspx?FamilyID=9796588d-238f-4694-9598-1aa8d2becb55)
ms11-072 (Microsoft Excel Viewer Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=F82CA5DA-A55A-487C-8170-46A40000C8E3)
ms11-072 (Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=01093F22-06B7-4C9B-BFF9-F54AC5D73BF8)
ms11-072 (Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=DD532201-485C-4270-88D3-63BD3F24327E)
ms11-072 (Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=1086A5B0-E441-4E26-A8D1-924A20121DDE)
ms11-072 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=0C150328-6A15-4852-A09C-4063142BD946)
ms11-072 (Microsoft Office Web Apps 2010 and Microsoft Office Web Apps 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=73D49094-A9CF-407E-8921-1B22FBC30427)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Excel 2010
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe found
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .
Office 2010
C:\Program Files\Microsoft Office\Office14\\Oart.dll version is 14.0.4756.1000 .

4 Microsoft PowerPoint Remote Code Execution Vulnerability (MS11-022)

QID:	110148
Category:	Office Application
CVE ID:	CVE-2011-0655, CVE-2011-0656, CVE-2011-0976
Vendor Reference:	MS11-022
Bugtraq ID:	47252, 47251, 46228
Service Modified:	04/13/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft PowerPoint is a proprietary presentation application written and distributed by Microsoft.
PowerPoint is prone to multiple vulnerabilities that could lead to remote code execution (CVE-2011-0655, CVE-2011-0656, CVE-2011-0976).
Microsoft has released a security update that addresses the vulnerabilities by modifying the way PowerPoint validates records when opening PowerPoint files
This security update is rated Important for all supported releases of Microsoft PowerPoint; Microsoft Office for Mac; Open XML File Format Converter for Mac; Microsoft Office Compatibility Pack for Word, Excel and PowerPoint 2007 File Formats; Microsoft PowerPoint Viewer, and Microsoft PowerPoint Web App

IMPACT:
An attacker who successfully exploits these vulnerabilities could take complete control of an affected system. An attacker could then install programs; view, change, or delete data; or create new accounts with full user rights.

SOLUTION:
Workaround:
1) Avoid opening Office files received from un-trusted sources.
2) Use the Microsoft Office Isolated Conversion Environment (MOICE) when opening files from unknown or un-trusted sources because it protects Office 2003 installations by more securely opening Word, Excel, and PowerPoint binary format files. Information on MOICE can be found at KB935865 (http://support.microsoft.com/kb/935865).
Impact of workaround #2: Office 2003 and earlier formatted documents that are converted to the 2007 Microsoft Office System Open XML format by MOICE lose their macro functionality. Documents protected with passwords and Digital Rights Management cannot be converted.
3) Microsoft Office File Block policy should be used to block the opening of Office 2003 and earlier documents from unknown or untrusted sources.
Impact of workaround #3: If File Block policy is configured without special "exempt directory" configuration (see KB922848 (http://support.microsoft.com/kb/922848)), Office 2003 files or earlier versions will not open in Office 2003 or 2007 Microsoft Office System.
4) Set Office File Validation to disable editing in protected view in PowerPoint 2010.
Impact of workaround #4: Office File Validation will no longer allow the editing of suspicious files in PowerPoint 2010.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-022: Microsoft Office XP Service Pack 3 (Microsoft PowerPoint 2002 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=0d215ab6-c9be-4f43-9501-658bb7ef008e)
MS11-022: Microsoft Office 2003 Service Pack 3 (Microsoft PowerPoint 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=2ce8349f-79b1-41ef-a1c0-cbe40ccf9f20)
MS11-022: Microsoft Office 2007 Service Pack 2 (Microsoft PowerPoint 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=6b2526fe-a061-4a17-992e-ac867bef130e)
MS11-022: Microsoft Office 2010 (32-bit editions) (Microsoft PowerPoint 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=549ca7f0-44bf-4965-a9d2-aa5e8dac2238)
MS11-022: Microsoft Office 2010 (64-bit editions) (Microsoft PowerPoint 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=ef62deae-2b07-41c9-a4bf-b746566e59ee)
MS11-022: Microsoft Office 2004 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=f756d836-6ab2-4adb-9dee-6cb523d7c1f5)
MS11-022: Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=84dfe3f4-a2a1-47b9-8da1-29ae67230918)
MS11-022: Microsoft Office for Mac 2011 (http://www.microsoft.com/downloads/details.aspx?FamilyID=ef1e612f-d8e3-4628-9fe4-ad136f0debd3)
MS11-022: Open XML File Format Converter for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=0c323a12-6385-4666-ad39-a9516a8eda14)
MS11-022: Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/

downloads/details.aspx?FamilyID=913efc28-7deb-47b8-8c22-8eb5fc2631e4)
MS11-022: Microsoft PowerPoint Viewer 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?FamilyID=6e23d3c3-2944-42ea-80b3-0663af60d0f1)
MS11-022: Microsoft PowerPoint Viewer (http://www.microsoft.com/downloads/details.aspx?FamilyID=44a703f5-b581-4900-bdbb-0f0e8d9bf0e6)
MS11-022: Microsoft Office Web Apps (Microsoft PowerPoint Web App) (http://www.microsoft.com/downloads/details.aspx?familyid=9847dc05-7d4a-4a64-9e6a-622d3fa171f9)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Core Security
Reference: CVE-2011-0655
Description: Microsoft PowerPoint Invalid TimeColorBehaviorContainer Record Code Execution Exploit (MS11-022) - Core Security Category : Exploits/Client Side

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
MS OFFICE POWERPOINT 2010
C:\Program Files\Microsoft Office\Office14\\POWERPNT.exe found
C:\Program Files\Microsoft Office\Office14\\Ppcore.dll version is 14.0.4754.1000 .
C:\Program Files\Microsoft Office\Office14\\Ppcore.dll Version is 14.0.4754.1000

4 Microsoft Office Remote Code Execution Vulnerability (MS11-073)

QID:	110157
Category:	Office Application
CVE ID:	CVE-2011-1980, CVE-2011-1982
Vendor Reference:	MS11-073
Bugtraq ID:	-
Service Modified:	09/14/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
This security update resolves two privately reported vulnerabilities in Microsoft Office.

The security update addresses the vulnerabilities
by correcting the way Microsoft Office loads external libraries and initializes objects.

This security update is rated Important for all
supported editions of Microsoft Office 2003, Microsoft Office 2007, and Microsoft Office 2010.

IMPACT:
The vulnerabilities could allow remote code execution if a user opens a specially crafted Office file or if a user opens a legitimate Office file that is located in the same network directory as a specially crafted library file. An attacker who successfully exploited either of the vulnerabilities could gain the same user rights as the logged on user.

SOLUTION:
Workaround:
1) Avoid opening Office files received from un-trusted sources.
2) Use Microsoft Office File Block policy to block the opening of Office 2003 and earlier documents from unknown or untrusted sources and locations. For more information on how to apply file block Policy, refer to cc179230 (http://technet.microsoft.com/en-us/library/cc179230.aspx).
Impact of workaround #2:
IFor Microsoft Office 2007, users who have configured the File Block policy and have not configured a special exempt directory or have not moved files to a trusted location will be unable to open Office 2003 files or earlier versions. (see KB922850 (http://support.microsoft.com/kb/922850))
3) Disable loading of libraries from WebDAV and remote network shares.
4) Disable the WebClient service.
Impact of workaround #5:
When the WebClient service is disabled, Web Distributed Authoring and Versioning (WebDAV) requests are not transmitted. In addition, any services that explicitly depend on the Web Client service will not start, and an error message will be logged in the System log.
5) Block TCP ports 139 and 445 at the firewall.
Impact of workaround #6:

Several Windows services use the affected ports. Blocking connectivity to the ports may cause various applications or services to not function.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-073: Microsoft Office 2003 Service Pack 3 (http://www.microsoft.com/download/en/confirmation.aspx?id=27390)
MS11-073: Microsoft Office 2007 Service Pack 2 (http://www.microsoft.com/download/en/confirmation.aspx?id=27383)
MS11-073: Microsoft Office 2010 (32-bit) (http://www.microsoft.com/download/en/confirmation.aspx?id=27325)
MS11-073: Microsoft Office 2010 (64 -bit) (http://www.microsoft.com/download/en/confirmation.aspx?id=27320)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Core Security

Reference:	CVE-2011-1980
Description:	Microsoft Word ehTrace COM Server-based Binary Planting Exploit(MS11-073) - Core Security Category : Exploits/Client Side

ASSOCIATED MALWARE:
Trend Micro

Malware ID:	TROJ_ACTIVEHIJ.B
Risk:	Low
Type:	Trojan
Platform:	Windows 2000; Windows XP; Windows Server 2003
Aliases:	Trojan.Activehijack [Symantec]; W97M/CVE-2011-1980.B [Norman]
Link:	http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ACTIVEHIJ.B&language=us

Malware ID:	TROJ_MDRPR.AA
Risk:	Low
Type:	Trojan
Platform:	Windows 2000; Windows XP; Windows Server 2003
Link:	http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_MDRPR.AA&language=us

Malware ID:	TROJ_ACTIVEHIJ.A
Risk:	Low
Type:	Trojan
Platform:	Windows 2000; Windows XP; Windows Server 2003
Link:	http://about-threats.trendmicro.com/Malware.aspx?name=TROJ_ACTIVEHIJ.A&language=us

RESULTS:
%ProgramFiles%\Common Files\Microsoft Shared\OFFICE14\MSO.dll version is 14.0.4760.1000 .
Office 2010 or Office 2010 SP1 Installed

4 Microsoft SharePoint Elevation of Privilege Vulnerability (MS11-074)

QID:	110159
Category:	Office Application
CVE ID:	CVE-2011-1252, CVE-2011-0653, CVE-2011-1890, CVE-2011-1891, CVE-2011-1892, CVE-2011-1893
Vendor Reference:	MS11-074
Bugtraq ID:	-
Service Modified:	09/14/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft SharePoint is prone to multiple vulnerabilities that could allow an attacker to conduct privilege escalation attacks.
Microsoft has released a security update that addresses the vulnerabilities by modifying the way Microsoft SharePoint validates and sanitizes user input, parses malicious XML and XSL files, and handles script contained inside specific request parameters.
This security update is rated Important for Microsoft Office Groove 2007, Microsoft SharePoint Workspace 2010, Microsoft Office Forms Server 2007, Microsoft Office SharePoint Server 2007, Microsoft Office SharePoint Server 2010, Microsoft Office Groove Data Bridge Server 2007, Microsoft Office Groove Management Server 2007, Microsoft Groove Server 2010, Microsoft SharePoint Services 2.0, Microsoft SharePoint Services 3.0, Microsoft SharePoint Foundation 2010, Microsoft Office Web Apps 2010, and Microsoft Word Web App 2010.

IMPACT:
Exploitation could result in elevation of privilege or information disclosure.

SOLUTION:
Workaround:
1) Enable Internet Explorer 8 and Internet Explorer 9 XSS filter in the Local intranet security zone
Impact of workaround #1: Internal sites not previously flagged as being XSS risks could be flagged.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-074: Microsoft Office Groove 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=5ea6192b-55e5-4ca4-8d91-cc768ede8277)
MS11-074: Microsoft SharePoint Workspace 2010 and Microsoft SharePoint Workspace 2010 Service Pack 1 (32-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=f6ee7e43-9da9-4b96-abd0-390cfcacb885)
MS11-074: Microsoft SharePoint Workspace 2010 and Microsoft SharePoint Workspace 2010 Service Pack 1 (64-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=234efac1-4f09-41f5-90a9-4a3c2e81c05e)
MS11-074: Microsoft Office Forms Server 2007 Service Pack 2 (32-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=c4c8ad7e-50bd-460e-9678-d8c72c6ee7ab)
MS11-074: Microsoft Office Forms Server 2007 Service Pack 2 (64-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=7390b526-f411-45a4-8587-8077b473ac17)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=ad52c341-13ce-4b53-87b4-269cb3f41275)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=fd6189c9-ab3b-441f-a901-6ac7f3b202aa)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=d9601fae-4a80-45cd-a49b-ef441856d7e4)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=55b60e2f-ec68-4ccb-803a-5d03add8a1f1)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=e5e60751-242a-4fdb-9852-6d94050d3d0e)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=b1466366-e2ae-498e-b964-135e034e7348)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=bb788c8d-8383-4e53-ac05-2a7dd9b83e70)
MS11-074: Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=e8e1a5bb-a552-45fe-8e81-e05fbfbb57ee)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=c17eb04d-cbbc-457e-a424-4ee26b7a9654)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=2a80a849-b712-47d4-9def-9395ee54a265)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=b84c2bcb-0327-4916-871e-7a5c19b8c41b)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=1597f295-02a9-4479-9d52-f18f0e83eaba)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=e6b666a4-a795-441c-9bda-23e2de2e7b05)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=57592ce4-5d99-45c2-830f-380d67af8899)
MS11-074: Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1 (Microsoft Office SharePoint Server 2010 and Microsoft Office SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=dd64a635-1e55-4b4d-9718-9b94c31c5625)
MS11-074: Microsoft Office Groove Data Bridge Server 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=5958247e-204e-409c-bdc1-7aff06e854b8)
MS11-074: Microsoft Office Groove Management Server 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=6b5b4caf-6a95-487d-ac17-c4435225af3a)
MS11-074: Microsoft Groove Server 2010 and Microsoft Groove Server 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?FamilyId=71c0f217-5112-4dca-b9aa-46c69f6099e4)
MS11-074: Microsoft Windows SharePoint Services 2.0 (http://www.microsoft.com/downloads/details.aspx?familyid=71e32745-cb05-4b87-a447-741ccdac7450)
MS11-074: Microsoft Windows SharePoint Services 3.0 Service Pack 2 (32-bit versions) (http://www.microsoft.com/downloads/details.aspx?familyid=0f306cbd-a652-4e77-b394-1a6dc38ba83c)
MS11-074: Microsoft Windows SharePoint Services 3.0 Service Pack 2 (64-bit versions) (http://www.microsoft.com/downloads/details.aspx?familyid=3137e4c6-783d-4461-88bd-90da064e3105)
MS11-074: Microsoft SharePoint Foundation 2010 and Microsoft SharePoint Foundation 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=0db799e2-896f-464b-8cd5-ecf2014f0588)
MS11-074: Microsoft Office Web Apps 2010 and Microsoft Office Web Apps 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=288a7394-b8d5-4445-bd4c-65bbf4b10eaf)
MS11-074: Microsoft Office Web Apps 2010 and Microsoft Office Web Apps 2010 Service Pack 1 (Microsoft Word Web App 2010 and Microsoft Word Web App 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=152ff9f4-d720-41af-8f89-793133ece037)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:

The Exploit-DB

Reference:	CVE-2011-1892
Description:	SharePoint 2007/2010 and DotNetNuke < 6 - File Disclosure via XEE - The Exploit-DB Ref : 17873
Link:	http://www.exploit-db.com/exploits/17873

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Microsoft Office SharePoint Workspace 2010
C:\Program Files\Microsoft Office\Office14\\Groove.exe found
C:\Program Files\Microsoft Office\Office14\\Groove.exe Version is 14.0.4761.1000

4 Microsoft Office Remote Code Execution Vulnerability (MS12-030)

QID:	110160
Category:	Office Application
CVE ID:	CVE-2012-0141, CVE-2012-0142, CVE-2012-0143, CVE-2012-0184, CVE-2012-0185, CVE-2012-1847
Vendor Reference:	MS12-030
Bugtraq ID:	53342, 53373, 53374, 53375
Service Modified:	05/09/2012
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

Microsoft Excel is a proprietary spreadsheet application written and distributed by Microsoft.
A remote code execution vulnerability exists in the way that Microsoft Excel handles specially crafted Excel files.

This security update is rated Important
Affected Versions:
Microsoft Excel 2003 Service Pack 3
Microsoft Excel 2007 Service Pack 2 and Service Pack 3
Microsoft Office 2007 Service Pack 2 and Service Pack 3
Microsoft Excel 2010 and Microsoft Office 2010 Service Pack 1
Microsoft Office 2010 and Microsoft Office 2010 Service Pack 1
Microsoft Office 2008 for Mac
Microsoft Office 2011 for Mac
Microsoft Excel Viewer and
Microsoft Office Compatibility Pack Service Pack 2 and Service Pack 3

IMPACT:

The vulnerabilities could allow remote code execution if a user opens a specially crafted Office file. An attacker who successfully exploited these vulnerabilities could gain the same user rights as the logged-on user.

SOLUTION:

Workaround:
Disable the opening of the older binary format files and use MOICE to convert the file to the newer XML-based format. Refer to MOICE and File Block Policy (http://www.microsoft.com/technet/security/advisory/937696.mspx) for further information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS12-030: Microsoft Office 2003 Service Pack 3 (Microsoft Excel 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=162901b1-4c1d-476f-99e9-218780897f92)
MS12-030: Microsoft Office 2007 Service Pack 2 (Microsoft Excel 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=22b9b3a6-ad09-4397-892c-2190a86baf3e)
MS12-030: Microsoft Office 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=6ff6650c-eaf4-4c7d-986c-c4d9e5324dac)
MS12-030: Microsoft Office 2007 Service Pack 3 (Microsoft Excel 2007 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=22b9b3a6-ad09-4397-892c-2190a86baf3e)
MS12-030: Microsoft Office 2007 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=6ff6650c-eaf4-4c7d-986c-c4d9e5324dac)
MS12-030: Microsoft Office 2010 (32-bit editions) (Microsoft Excel 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=f537f6d0-be63-42af-8b39-fa6f38715f84)

MS12-030: Microsoft Office 2010 (32-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=2e1060fa-c43d-42df-be5f-f536d9b39ba4)
MS12-030: Microsoft Office 2010 Service Pack 1 (32-bit editions) (Microsoft Excel 2010 Service Pack 1 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=f537f6d0-be63-42af-8b39-fa6f38715f84)
MS12-030: Microsoft Office 2010 Service Pack 1 (32-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=2e1060fa-c43d-42df-be5f-f536d9b39ba4)
MS12-030: Microsoft Office 2010 (64-bit editions) (Microsoft Excel 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=123b96d9-de3f-4aab-bcf8-bf9089fef400)
MS12-030: Microsoft Office 2010 (64-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=ec4371f6-644d-430d-880f-12425f1b36d4)
MS12-030: Microsoft Office 2010 Service Pack 1 (64-bit editions) (Microsoft Excel 2010 Service Pack 1 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=123b96d9-de3f-4aab-bcf8-bf9089fef400)
MS12-030: Microsoft Office 2010 Service Pack 1 (64-bit editions) (http://www.microsoft.com/downloads/details.aspx?familyid=ec4371f6-644d-430d-880f-12425f1b36d4)
MS12-030: Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=8f85fc23-480e-4835-9ce5-0aa56702ef59)
MS12-030: Microsoft Office for Mac 2011 (http://www.microsoft.com/downloads/details.aspx?FamilyID=5d88d3d4-89bd-44c3-9e5a-657998223e2f)
MS12-030: Microsoft Excel Viewer (http://www.microsoft.com/downloads/details.aspx?familyid=9dedfb18-a651-49f7-b1fc-78f7b6cb234a)
MS12-030: Microsoft Office Compatibility Pack Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=a8386ad9-635f-45a7-b33e-ac9a3ca55f82)
MS12-030: Microsoft Office Compatibility Pack Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=a8386ad9-635f-45a7-b33e-ac9a3ca55f82)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Office 2010 or 2010 SP1 Installed
C:\Program Files\Microsoft Office\Office14\\Graph.exe version is 14.0.4756.1000 .
Excel 2010
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe found
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .

4 Microsoft PowerPoint Remote Code Execution Vulnerability (MS11-094)

QID:	110169
Category:	Office Application
CVE ID:	CVE-2011-3413, CVE-2011-3396
Vendor Reference:	MS11-094
Bugtraq ID:	-
Service Modified:	12/14/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
A remote code execution vulnerability exists in the way that Microsoft PowerPoint handles the loading of DLL files and specially crafted PowerPoint files. The security update addresses the vulnerabilities by correcting the way that PowerPoint loads external libraries and modifying the way that it validates OfficeArt records when opening PowerPoint files.
Affected Software:
Microsoft PowerPoint 2007 Service Pack 2
Microsoft PowerPoint 2010
Microsoft Office 2008 for Mac
Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 and Microsoft PowerPoint Viewer 2007 Service Pack 2.
This security update is rated Important.

IMPACT:
An attacker who successfully exploits either of the vulnerabilities could take complete control of an affected system. Users whose accounts are configured to have fewer user rights on the system could be less impacted than users who operate with administrative user rights.

SOLUTION:

Following are links for downloading patches to fix the vulnerabilities:
Microsoft Office 2007 Service Pack 2 (Microsoft PowerPoint 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=d0c3156c-c87c-4d3e-aca2-3fab9ff78711)
Microsoft Office 2010 (32-bit editions) (Microsoft PowerPoint 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=fd32d083-46e7-4835-ba83-c33332b920bd)
Microsoft Office 2010 (64-bit editions) (Microsoft PowerPoint 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=f28b8cf6-8946-448a-ae4e-d11f8a76a679)
Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?familyid=2c4d0381-f7ab-49ed-a0c0-b381387d1e68)
Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=e799f654-7e2d-40c7-a3b8-32e44d1aa6ee)
Microsoft PowerPoint Viewer 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=4417592a-8db0-4e35-9895-d589bc341077)
Microsoft Office 2007 Service Pack 2 (Microsoft PowerPoint 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=d0c3156c-c87c-4d3e-aca2-3fab9ff78711)
Microsoft Office 2010 (32-bit editions) (Microsoft PowerPoint 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=fd32d083-46e7-4835-ba83-c33332b920bd)
Microsoft Office 2010 (64-bit editions) (Microsoft PowerPoint 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=f28b8cf6-8946-448a-ae4e-d11f8a76a679)
Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?familyid=2c4d0381-f7ab-49ed-a0c0-b381387d1e68)
Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=e799f654-7e2d-40c7-a3b8-32e44d1aa6ee)
Microsoft PowerPoint Viewer 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=4417592a-8db0-4e35-9895-d589bc341077)
Refer to Microsoft Security Bulletin MS11-094 (http://technet.microsoft.com/en-us/security/bulletin/MS11-094) for further details.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-094: Microsoft Office 2007 Service Pack 2 (Microsoft PowerPoint 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=d0c3156c-c87c-4d3e-aca2-3fab9ff78711)
MS11-094: Microsoft Office 2010 (32-bit editions) (Microsoft PowerPoint 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=fd32d083-46e7-4835-ba83-c33332b920bd)
MS11-094: Microsoft Office 2010 (64-bit editions) (Microsoft PowerPoint 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=f28b8cf6-8946-448a-ae4e-d11f8a76a679)
MS11-094: Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?familyid=2c4d0381-f7ab-49ed-a0c0-b381387d1e68)
MS11-094: Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=e799f654-7e2d-40c7-a3b8-32e44d1aa6ee)
MS11-094: Microsoft PowerPoint Viewer 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=4417592a-8db0-4e35-9895-d589bc341077)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
MS OFFICE POWERPOINT 2010
C:\Program Files\Microsoft Office\Office14\\POWERPNT.exe found
C:\Program Files\Microsoft Office\Office14\\Ppcore.dll version is 14.0.4754.1000 .

4 Microsoft Visual Basic for Applications Remote Code Execution Vulnerability (MS12-046)

QID:	110184
Category:	Office Application
CVE ID:	CVE-2012-1854
Vendor Reference:	MS12-046
Bugtraq ID:	-
Service Modified:	07/23/2012
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft VBA is a development technology for developing client desktop packaged applications and integrating them with existing data and systems. Microsoft VBA is based on the Microsoft Visual Basic development system. Microsoft Office products include VBA and make use of VBA to

perform certain functions. VBA can also be used to build customized applications around an existing host application.
The security update addresses the vulnerability by correcting how Microsoft Visual Basic for Applications loads external libraries.

This security update is rated Important for all supported versions of Microsoft Visual Basic for Applications SDK and third-party applications that use Microsoft Visual Basic for Applications.

IMPACT:
The vulnerability could allow remote code execution if a user opens a legitimate Microsoft Office file (such as a .docx file) that is located in the same directory as a specially crafted dynamic link library (DLL) file. An attacker could then install programs; view, change, or delete data; or create new accounts that have full user rights. If a user is logged on with administrative user rights, an attacker could take complete control of the affected system. Users whose accounts are configured to have fewer user rights on the system could be less impacted than users who operate with administrative user rights.

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS12-046: Microsoft Office 2003 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=0571a2c5-30e4-42b3-bd34-9da23be7b392)
MS12-046: Microsoft Office 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=181bbd45-9128-4c26-af1e-fadfd83ff756)
MS12-046: Microsoft Office 2007 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=181bbd45-9128-4c26-af1e-fadfd83ff756)
MS12-046: Microsoft Office 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=a7cc8fdc-1c64-434f-87a6-72ddcc356654)
MS12-046: Microsoft Office 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=3050c06c-3cfc-4ce7-83cd-017d0922d597)
MS12-046: Microsoft Office 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=a7cc8fdc-1c64-434f-87a6-72ddcc356654)
MS12-046: Microsoft Office 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=3050c06c-3cfc-4ce7-83cd-017d0922d597)
MS12-046: Microsoft Office 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=ab442918-8184-4c7c-84b0-5a3635fdb005)
MS12-046: Microsoft Office 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=0a8af868-abf7-4aeb-813a-418a04b31608)
MS12-046: Microsoft Office 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=ab442918-8184-4c7c-84b0-5a3635fdb005)
MS12-046: Microsoft Office 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=0a8af868-abf7-4aeb-813a-418a04b31608)
MS12-046: Microsoft Visual Basic for Applications (http://www.microsoft.com/downloads/details.aspx?familyid=ea7c5762-586f-4e38-ad63-43eb05e79f4d)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Qualys
Reference: CVE-2012-1854
Description: Limited, targeted attacks have been observed to exploit this vulnerability.
Link: https://technet.microsoft.com/en-us/library/security/ms12-046.aspx

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%ProgramFiles%\Common Files\Microsoft Shared\VBA\VBA7\vbe7.dll Version is 7.0.15.90
%ProgramFiles%\Common Files\Microsoft Shared\Office14\Vbajet32.Dll Version is 6.0.1.1590
Office 2010

4 Microsoft SharePoint Privilege Escalation Vulnerability (MS12-050)

QID:	110185
Category:	Office Application
CVE ID:	CVE-2012-1858, CVE-2012-1859, CVE-2012-1860, CVE-2012-1861, CVE-2012-1862, CVE-2012-1863
Vendor Reference:	MS12-050
Bugtraq ID:	-
Service Modified:	07/11/2012
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

Microsoft SharePoint is prone to multiple vulnerabilities that could allow an attacker to conduct privilege escalation attacks.
Microsoft has released a security update that addresses the vulnerabilities by modifying the way that HTML strings are sanitized and by correcting the way that Microsoft SharePoint validates and sanitizes user input.
This security update is rated Important for supported editions of Microsoft InfoPath 2007, Microsoft InfoPath 2010, Microsoft SharePoint Server 2007, Microsoft SharePoint Server 2010, and Microsoft Groove Server 2010; and for supported versions of Microsoft Windows SharePoint Services 3.0 and SharePoint Foundation 2010.

IMPACT:

Exploitation could result in elevation of privilege or information disclosure.

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS12-050: Microsoft InfoPath 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=da8fa3b6-5d01-49e1-a1ce-e3f47ace102b)
MS12-050: Microsoft InfoPath 2007 Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=a0c826bc-aef8-4833-8471-1824a405c59f)
MS12-050: Microsoft InfoPath 2007 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=da8fa3b6-5d01-49e1-a1ce-e3f47ace102b)
MS12-050: Microsoft InfoPath 2007 Service Pack 3 (http://www.microsoft.com/downloads/details.aspx?familyid=a0c826bc-aef8-4833-8471-1824a405c59f)
MS12-050: Microsoft InfoPath 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=698e6369-253b-4dbe-b6cd-7ea5ea09e043)
MS12-050: Microsoft InfoPath 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=036b2482-0fb4-46f0-9c38-8bae6d0d669b)
MS12-050: Microsoft InfoPath 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=698e6369-253b-4dbe-b6cd-7ea5ea09e043)
MS12-050: Microsoft InfoPath 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=036b2482-0fb4-46f0-9c38-8bae6d0d669b)
MS12-050: Microsoft InfoPath 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=3bf373aa-b4ad-4e1a-9578-800485ece148)
MS12-050: Microsoft InfoPath 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=e24337cb-83b4-424f-bc4d-0d43437228a2)
MS12-050: Microsoft InfoPath 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=3bf373aa-b4ad-4e1a-9578-800485ece148)
MS12-050: Microsoft InfoPath 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=e24337cb-83b4-424f-bc4d-0d43437228a2)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=4073d6e1-32f0-44a8-ae55-3c140ebc09d2)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 2 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=d9091923-67c7-4535-b44c-40a5292a94d9)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 3 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=4073d6e1-32f0-44a8-ae55-3c140ebc09d2)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 3 (32-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=d9091923-67c7-4535-b44c-40a5292a94d9)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=b1acb373-0041-4883-8834-90a72ac04c91)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 2 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=723a5553-8610-49bf-99c0-bd94926bdc0b)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 3 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=b1acb373-0041-4883-8834-90a72ac04c91)
MS12-050: Microsoft Office SharePoint Server 2007 Service Pack 3 (64-bit editions) (Microsoft Office SharePoint Server 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=723a5553-8610-49bf-99c0-bd94926bdc0b)
MS12-050: Microsoft SharePoint Server 2010 (Microsoft SharePoint Server 2010) (http://www.microsoft.com/downloads/details.aspx?familyid=59cbb3d0-4ba5-4f89-b54c-ae9aa2aa3b41)
MS12-050: Microsoft SharePoint Server 2010 (Microsoft SharePoint Server 2010) (http://www.microsoft.com/downloads/details.aspx?familyid=8a853489-a3ec-4be2-8093-6a992f9c8368)
MS12-050: Microsoft SharePoint Server 2010 Service Pack 1 (Microsoft SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=59cbb3d0-4ba5-4f89-b54c-ae9aa2aa3b41)
MS12-050: Microsoft SharePoint Server 2010 Service Pack 1 (Microsoft SharePoint Server 2010 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=8a853489-a3ec-4be2-8093-6a992f9c8368)
MS12-050: Microsoft Groove Server 2010 (http://www.microsoft.com/downloads/details.aspx?FamilyId=e2346078-fc93-4355-bc83-0d0dc1cd4b2f)
MS12-050: Microsoft Groove Server 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?FamilyId=e2346078-fc93-4355-bc83-0d0dc1cd4b2f)
MS12-050: Microsoft Windows SharePoint Services 3.0 Service Pack 2 (32-bit version) (http://www.microsoft.com/downloads/details.aspx?familyid=61b9f234-3d9c-41d4-854d-30ca5e6fd2a6)
MS12-050: Microsoft Windows SharePoint Services 3.0 Service Pack 2 (64-bit version) (http://www.microsoft.com/downloads/details.aspx?familyid=24265175-635f-4846-afcc-f692d4710707)
MS12-050: Microsoft SharePoint Foundation 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=4d610646-a0bd-492c-9077-fb2c92588c14)
MS12-050: Microsoft SharePoint Foundation 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=4d610646-a0bd-492c-9077-fb2c92588c14)
MS12-050: Microsoft Office Web Apps 2010 (http://www.microsoft.com/downloads/details.aspx?familyid=f2d1c371-d617-4792-966e-14ae9ed6b8a1)
MS12-050: Microsoft Office Web Apps 2010 Service Pack 1 (http://www.microsoft.com/downloads/details.aspx?familyid=f2d1c371-d617-4792-966e-14ae9ed6b8a1)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

The Exploit-DB

Reference:	CVE-2012-1858
Description:	Microsoft Internet Explorer 9 / SharePoint / Lync - toStaticHTML HTML Sanitizing Bypass (MS12-037/MS12-039/MS12-050) - The Exploit-DB Ref : 19777
Link:	http://www.exploit-db.com/exploits/19777

ASSOCIATED MALWARE:

Trend Micro

Malware ID:	HTML_OBFUSCA.BCS
Risk:	Low
Type:	Trojan
Platform:	Windows 2000; Windows XP; Windows Server 2003
Aliases:	JS/CVE_2012_1875.B!exploit (Fortinet); Exploit.JS.CVE-2012-1875.b (Kaspersky)
Link:	http://about-threats.trendmicro.com/Malware.aspx?name=HTML_OBFUSCA.BCS&language=us

RESULTS:

C:\Program Files\Microsoft Office\Office14\\Infopath.exe Version is 14.0.4763.1000
C:\Program Files\Microsoft Office\Office14\\Ipeditor.dll Version is 14.0.4763.1000

4 Multiple Microsoft Publisher Remote Code Execution Vulnerabilities (MS13-042)

QID:	110210
Category:	Office Application
CVE ID:	CVE-2013-1316, CVE-2013-1317, CVE-2013-1318, CVE-2013-1319, CVE-2013-1320, CVE-2013-1321, CVE-2013-1322, CVE-2013-1323, CVE-2013-1327, CVE-2013-1328, CVE-2013-1329
Vendor Reference:	MS13-042
Bugtraq ID:	-
Service Modified:	05/15/2013
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

Microsoft Office Publisher is a desktop publishing application.
Multiple remote code execution vulnerabilities exists in the way that Microsoft Publisher parses Publisher files. These vulnerabilities could allow remote code execution if a user opens a specially crafted Publisher file with an affected version of Microsoft Publisher.
This update resolves the following vulnerabilities:
Publisher Negative Value Allocation Vulnerability - CVE-2013-1316
Publisher Integer Overflow Vulnerability - CVE-2013-1317
Publisher Corrupt Interface Pointer Vulnerability - CVE-2013-1318
Publisher Return Value Handling Vulnerability - CVE-2013-1319
Publisher Buffer Overflow Vulnerability - CVE-2013-1320
Publisher Return Value Validation Vulnerability - CVE-2013-1321
Publisher Invalid Range Check Vulnerability - CVE-2013-1322
Publisher Incorrect NULL Value Handling Vulnerability - CVE-2013-1323
Publisher Signed Integer Vulnerability - CVE-2013-1327
Publisher Pointer Handling Vulnerability - CVE-2013-1328
Publisher Buffer Underflow Vulnerability - CVE-2013-1329
Affected software:
Microsoft Office 2003 Service Pack 3
Microsoft Office 2007 Service Pack 3
Microsoft Office 2010 Service Pack 1

IMPACT:

Successful exploit could allow the remote, unauthenticated attacker to execute arbitrary code under the security context of the targeted user.

SOLUTION:

Patch:
Following are links for downloading patches to fix the vulnerabilities:

MS13-042: Microsoft Office 2003 Service Pack 3 (Microsoft Publisher 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=9b186d45-ace4-44ff-9510-f478b918ec5d)
MS13-042: Microsoft Office 2007 Service Pack 3 (Microsoft Publisher 2007 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=8f8af5d3-76b2-4ff8-a35b-e04d3458159f)
MS13-042: Microsoft Office 2010 Service Pack 1 (32-bit editions) (Microsoft Publisher 2010 Service Pack 1 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=2524228d-5e6f-4520-b18b-668309e71a9d)
MS13-042: Microsoft Office 2010 Service Pack 1 (64-bit editions) (Microsoft Publisher 2010 Service Pack 1 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=bc3bedf6-9ee1-4de5-a6e4-cb92cbb16acc)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\MSPUB.exe found
C:\Program Files\Microsoft Office\Office14\\MSPUB.exe Version is 14.0.4750.1000
Publisher 2010 SP1


4 Microsoft Outlook S/MIME Certificate Metadata Information Disclosure Vulnerability (MS13-094)

QID:	110226
Category:	Office Application
CVE ID:	CVE-2013-3905
Vendor Reference:	MS13-094
Bugtraq ID:	-
Service Modified:	11/13/2013
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Outlook is a personal information manager from Microsoft, available as a part of the Microsoft Office suite.
An information disclosure vulnerability exists when Microsoft Outlook does not properly handle the expansion of Secure/Multipurpose Internet Mail Extensions (S/MIME) certificate metadata. An attacker who successfully exploited this vulnerability could gain system information, such as the IP address and open TCP ports, from the target system and other systems that share the network with the target system.
This security update is rated Important for all supported editions of Microsoft Outlook 2007, Microsoft Outlook 2010, Microsoft Outlook 2013 and Microsoft Outlook 2013 RT.

IMPACT:
Successful exploitation by a remote unauthenticated attacker could allow access to sensitive system information such as the IP address and open TCP ports from the target system and other systems that share the network with the target system.

SOLUTION:
Please refer to MS13-094 (http://technet.microsoft.com/en-us/security/bulletin/ms13-094).
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS13-094: Microsoft Office 2007 Service Pack 3 (Microsoft Outlook 2007 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=fd5dc4b5-b188-4420-9d09-faf03507d8d5)
MS13-094: Microsoft Office 2010 Service Pack 1 (32-bit editions) (Microsoft Outlook 2010 Service Pack 1 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=2a3960f0-5094-45b4-9f63-180b991727dc)
MS13-094: Microsoft Office 2010 Service Pack 2 (32-bit editions) (Microsoft Outlook 2010 Service Pack 2 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=2a3960f0-5094-45b4-9f63-180b991727dc)
MS13-094: Microsoft Office 2010 Service Pack 1 (64-bit editions) (Microsoft Outlook 2010 Service Pack 1 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=74e035bb-cdcc-4ea6-a933-b4acd227ce85)
MS13-094: Microsoft Office 2010 Service Pack 2 (64-bit editions) (Microsoft Outlook 2010 Service Pack 2 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=74e035bb-cdcc-4ea6-a933-b4acd227ce85)
MS13-094: Microsoft Office 2013 (32-bit editions) (Microsoft Outlook 2013 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=ee644350-f64b-471a-a26b-79701b39a1b3)
MS13-094: Microsoft Office 2013 (64-bit editions) (Microsoft Outlook 2013 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?

familyid=7c83b545-42ed-49d8-980a-8c2ad11e6e3c)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\Exsec32.dll Version is 14.0.4760.1000

4 Microsoft Office Remote Code Execution Vulnerabilities (MS16-029)

QID:	110266
Category:	Office Application
CVE ID:	CVE-2016-0057, CVE-2016-0021, CVE-2016-0134
Vendor Reference:	MS16-029
Bugtraq ID:	84026, 84024, 84030
Service Modified:	03/09/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Office is prone to the following vulnerabilities:
Multiple remote code execution vulnerabilities exist in Microsoft Office software when the Office software fails to properly handle objects in memory.
A security feature bypass vulnerability exists in Microsoft Office software due to an invalidly signed binary.
Microsoft has released a security update that addresses the vulnerabilities by:
- Correcting how Office handles objects in memory
- Providing a validly signed binary

This security update is rated as Important.

IMPACT:
The most severe of the vulnerabilities could allow remote code execution if a user opens a specially crafted Microsoft Office file. An attacker who successfully exploited the vulnerabilities could run arbitrary code in the context of the current user.

SOLUTION:
Refer to MS16-029 (https://technet.microsoft.com/en-us/library/security/ms16-029.aspx) to obtain more information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS16-029: Microsoft Office 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=a1c40583-2ae7-4b76-b36d-e01a3a7319dc)
MS16-029: Microsoft InfoPath 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=01abde93-a92d-4440-92a9-1a27c859a9ba)
MS16-029: Microsoft Word 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=b60813e2-df46-48f5-a109-1cf504c56fe8)
MS16-029: Microsoft Office 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=9897cf0b-69d9-495a-bd29-a8ce0ed9d63d)
MS16-029: Microsoft Office 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=beeff6f9-4d22-4f01-b49a-4cf57b4c2299)
MS16-029: Microsoft Office 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=e813b21d-80e1-40aa-ad41-c5c2843fe024)
MS16-029: Microsoft InfoPath 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=21f455bf-fdd1-47fb-b840-2fe027287829)
MS16-029: Microsoft InfoPath 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=3d142f10-e69f-44cc-ab36-a46f7be3d7ce)
MS16-029: Microsoft Word 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=0828a607-d1ef-4509-bc51-23021daf14e6)
MS16-029: Microsoft Word 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=c75d5b84-0171-4449-bc28-cd8432df035e)
MS16-029: Microsoft Office 2013 Service Pack 1 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=d92fffee-70bb-4a6f-8338-3863eccf11ec)

MS16-029: Microsoft InfoPath 2013 Service Pack 1 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=0d53242d-66a3-4457-b21e-71c831379f72)
MS16-029: Microsoft InfoPath 2013 Service Pack 1 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=c1171fee-f279-49f8-a30b-a42d94346fb7)
MS16-029: Microsoft Word 2013 Service Pack 1 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=de33f815-4168-4f29-9dda-277405a8c743)
MS16-029: Microsoft Word 2013 Service Pack 1 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=fc6cec6e-61dd-443b-82bb-ce7572f415e2)
MS16-029: Microsoft Office 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=2b6fadb1-75ad-44ec-95f1-4df39b04f5a2)
MS16-029: Microsoft Word 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=8d4a340b-2483-4b2e-98ef-0fdbbbe7ce21)
MS16-029: Microsoft Word 2016 (64-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=a3e12809-4276-48cf-a7f6-c67d8dc640c7)
MS16-029: Microsoft Word for Mac 2011 (https://www.microsoft.com/downloads/details.aspx?FamilyID=57a59467-328d-45a5-93e9-1f1749d4b156)
MS16-029: Microsoft Word 2016 for Mac (http://go.microsoft.com/fwlink/?LinkID=723383)
MS16-029: Microsoft Office Compatibility Pack Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=af9121c7-73ea-4d03-8592-4bac2aab0d4c)
MS16-029: Microsoft Word Viewer (https://www.microsoft.com/downloads/details.aspx?familyid=7b3a93ae-408b-454e-be0b-0221bd01c72c)
MS16-029: Word Automation Services on Microsoft SharePoint Server 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=47a9e90f-9785-430b-a4e4-42ed31475615)
MS16-029: Word Automation Services on Microsoft SharePoint Server 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=92dffb52-082d-45a8-a414-95b58a649469)
MS16-029: Microsoft Office Web Apps 2010 Service Pack 2 (https://www.microsoft.com/downloads/details.aspx?familyid=92cc5176-a22f-4715-8f9b-d69b2b8f9018)
MS16-029: Microsoft Web Apps Server 2013 Service Pack 1 (https://www.microsoft.com/downloads/details.aspx?familyid=4a9051a0-29f7-4276-8ac4-0d7891c06973)
MS16-029: Microsoft Outlook 2007 Service Pack 3 (https://www.microsoft.com/downloads/details.aspx?familyid=396dd6fe-9764-44c3-9d71-6e0ab2407286)
MS16-029: Microsoft Outlook 2010 Service Pack 2 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=dfdcb9d5-7708-400f-bd68-f39465a7bb05)
MS16-029: Microsoft Outlook 2010 Service Pack 2 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=a5b95638-2824-4100-b253-3534c6026e19)
MS16-029: Microsoft Outlook 2013 Service Pack 1 (32-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=485feef2-2c31-49dc-8890-031f2dc238dd)
MS16-029: Microsoft Outlook 2013 Service Pack 1 (64-bit editions) (https://www.microsoft.com/downloads/details.aspx?familyid=fa4f3cbd-a572-4d12-8566-9e4060733f77)
MS16-029: Microsoft Outlook 2016 (32-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=dc2c03db-c46f-4568-b81f-d71313f5ed58)
MS16-029: Microsoft Outlook 2016 (64-bit edition) (https://www.microsoft.com/downloads/details.aspx?familyid=7d911f17-6dff-4a2b-a95e-4c84a9daed3e)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Qualys
Reference: CVE-2016-0021
Description: Virustotal reported that the Word RTF vulnerability CVE-2016-0021 is under targeted attacks
Link:
https://www.virustotal.com/en/file/5d8fac409e538ef7c19b53d63b563d4a72d996ebb45547ecb0ccb856bfba0f64/analysis/

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\Outlook.exe Version is 14.0.4760.1000

4 Microsoft Excel Could Allow Remote Code Execution (MS11-045)

QID:	118896
Category:	Local
CVE ID:	CVE-2011-1272, CVE-2011-1273, CVE-2011-1274, CVE-2011-1275, CVE-2011-1276, CVE-2011-1277, CVE-2011-1278, CVE-2011-1279
Vendor Reference:	MS11-045
Bugtraq ID:	48163, 48164, 48157, 48162
Service Modified:	01/11/2011
User Modified:	-
Edited:	No
PCI Vuln:	Yes

Ticket State:

THREAT:

Microsoft Excel is a proprietary spreadsheet application written and distributed by Microsoft for Windows and Mac OS X.
Microsoft Excel is vulnerable to multiple remote code execution vulnerabilities.
Microsoft has released an update that addresses multiple vulnerabilities by correcting the way that Microsoft Excel manages data structures, validates record information, initializes variables used in memory operations, and allocates buffer space when parsing a specially crafted file.
This security update is rated Important for all supported editions of Microsoft Excel 2002, Microsoft Excel 2003, Microsoft Excel 2007, Microsoft Excel 2010, Microsoft Office 2004 for Mac, Microsoft Office 2008 for Mac, and Microsoft Office for Mac 2011; Open XML File Format Converter for Mac; and all supported versions of Microsoft Excel Viewer and Microsoft Office Compatibility Pack.
Previously this was an iDefense detection.

IMPACT:

By exploiting this vulnerability, attackers can execute arbitrary code with the privileges of the user opening the file. To exploit this vulnerability, an attacker needs to convince a user to open a malicious file.

SOLUTION:

Workaround:
1) Set Office File Validation to disable the opening of files that fail validation in Excel 2003 and Excel 2007.
Impact of workaround #1: Office File Validation will no longer allow the opening of suspicious files.
2) Use the Microsoft Office Isolated Conversion Environment (MOICE) when opening files from unknown or un-trusted sources because it protects Office 2003 installations by more securely opening Word, Excel, and PowerPoint binary format files. Information on MOICE can be found at KB935865 (http://support.microsoft.com/kb/935865).
3) Microsoft Office File Block policy should be used to block the opening of Office documents from unknown or untrusted sources.
Impact of the workaround #2 and #3:
Office 2003 and earlier formatted documents that are converted to the 2007 Microsoft Office System Open XML format by MOICE lose their macro functionality. Documents protected with passwords and Digital Rights Management cannot be converted.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS11-045: Microsoft Office XP Service Pack 3 (Microsoft Excel 2002 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=853c0663-94f7-4634-98ad-47ca4b1f7b1e)
MS11-045: Microsoft Office 2003 Service Pack 3 (Microsoft Excel 2003 Service Pack 3) (http://www.microsoft.com/downloads/details.aspx?familyid=f38f183a-9c64-406b-9bf6-807cb2d55e56)
MS11-045: Microsoft Office 2007 Service Pack 2 (Microsoft Excel 2007 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=5b271f87-a279-419f-9437-ded224fa19f1)
MS11-045: Microsoft Office 2010 (32-bit editions) (Microsoft Excel 2010 (32-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=baba7ec1-4a5e-4e13-9d0e-9085a39a0554)
MS11-045: Microsoft Office 2010 (64-bit editions) (Microsoft Excel 2010 (64-bit editions)) (http://www.microsoft.com/downloads/details.aspx?familyid=d6e9f422-43b0-4da5-8356-c38482e8eebb)
MS11-045: Microsoft Office 2004 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=d12d0868-4f28-4c0a-ab61-338878064b70)
MS11-045: Microsoft Office 2008 for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=9e2d348b-c753-4eab-838c-370cd5af5e14)
MS11-045: Microsoft Office for Mac 2011 (http://www.microsoft.com/downloads/details.aspx?FamilyID=3c58555c-1eba-42fe-a10f-b30af9031e44)
MS11-045: Open XML File Format Converter for Mac (http://www.microsoft.com/downloads/details.aspx?FamilyID=6118d5f5-b6fd-4584-be25-209534772379)
MS11-045: Microsoft Excel Viewer Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=77c1e7e2-207f-46fd-81f2-43a25eddc010)
MS11-045: Microsoft Office Compatibility Pack for Word, Excel, and PowerPoint 2007 File Formats Service Pack 2 (http://www.microsoft.com/downloads/details.aspx?familyid=3512a033-871d-49ec-a8d2-1b9c7dec4936)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Core Security
Reference: CVE-2011-1276
Description: Microsoft Excel SLK File Parsing Buffer Overflow Exploit (MS11-045) - Core Security Category : Exploits/Client Side

The Exploit-DB
Reference: CVE-2011-1276
Description: Excel - SLYK Format Parsing Buffer Overrun (PoC) - The Exploit-DB Ref : 17643
Link: http://www.exploit-db.com/exploits/17643

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Excel 2010
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe version is 14.0.4756.1000 .

C:\Program Files\Microsoft Office\Office14\\EXCEL.exe found

3 Administrator Account's Password Does Not Expire

QID:	90080
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/03/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The scanner probed the Security & Accounts Database (SAM) and found that the target Windows box's Administrator account has a password that does not expire.

IMPACT:
Depending on the site's policy, this may be considered a security vulnerability since it allows attackers an infinite duration to try bruteforcing (guessing over multiple login attempts) the password for the account.

SOLUTION:
Reconfigure the Administrator account's properties to expire the password after a specified duration per the site's policy. Ideally, domain-wide policies should be set on the Domain Controller so that all Windows hosts on the domain comply automatically, and each individual host does not need to be configured.
Note that the Administrator account on the Domain Controller(s) will always have a password that does not expire, since the option check box in the properties dialog box for this account is greyed out.
Additional details can be found under QID 45031 "Accounts Enumerated From SAM Database Whose Passwords Do Not Expire."

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
No results available

3 Microsoft XML Core Services XMLHttpRequest "SetCookie2" Header Information Disclosure Vulnerability - Zero Day

QID:	90482
Category:	Windows
CVE ID:	CVE-2009-0419
Vendor Reference:	-
Bugtraq ID:	33803
Service Modified:	07/16/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft XML Core Services (MSXML) is used to build high-performance XML-based applications that adhere to the XML 1.0 standard.
An information disclosure vulnerability exists in MSXML because it does not properly restrict access from Web pages to Set-Cookie2 HTTP response

headers with the "HTTPOnly" protection mechanism. This issue allows an attacker to steal cookie information via XMLHttpRequest calls when an unsuspecting user visits a malicious Web page. (CVE-2009-0419)
Microsoft XML Core Services Versions 3.0 through 6.0 are vulnerable.

IMPACT:
Successful exploitation of this vulnerability allows an attacker to steal cookie-based authentication credentials. Such unauthorized disclosure of information can aid in further attacks.

SOLUTION:
Microsoft has not released patches that remediate these vulnerabilities. Customers are advised to contact Microsoft regarding updates or workarounds.
For the latest information, visit the Microsoft XML Resource site (http://msdn.microsoft.com/en-us/xml/default.aspx).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%ProgramFiles(x86)%\Common Files\Microsoft Shared\OFFICE11\msxml5.dll version is 5.20.1072.0 .

3 Microsoft .Net Framework RC4 in TLS Not Disabled (KB2960358)

QID:	90955
Category:	Windows
CVE ID:	-
Vendor Reference:	KB2960358
Bugtraq ID:	-
Service Modified:	01/14/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
RC4 is a stream cipher that is used for encryption and decryption. Use of RC4 in TLS could allow an attacker to perform man-in-the-middle attacks and recover plaintext from encrypted sessions.

IMPACT:
Successfully exploiting this vulnerability might allow a remote attacker to perform man-in-the-middle attacks and recover plaintext from encrypted sessions.

SOLUTION:
Microsoft has released updates to disable RC4 in Transport Layer Security (TLS). Refer to the following link for further details:
KB2960358 (https://technet.microsoft.com/library/security/2960358)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
KB2960358 (https://technet.microsoft.com/en-us/library/security/2960358.aspx)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%\Microsoft.NET\Framework64\v2.0.50727\system.dll Version is 2.0.50727.7905

3 Microsoft .Net Framework Security Feature Bypass Vulnerability (MS14-046)

QID:	90971
Category:	Windows
CVE ID:	CVE-2014-4062
Vendor Reference:	MS14-046
Bugtraq ID:	69145
Service Modified:	10/07/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

A security feature bypass vulnerability exists in the Microsoft .NET Framework that could allow an attacker to bypass the Address Space Layout Randomization (ASLR) security feature, which helps protect users from a broad class of vulnerabilities. The security feature bypass by itself does not allow arbitrary code execution. However, an attacker could use this ASLR bypass vulnerability in conjunction with another vulnerability, such as a remote code execution vulnerability, that could take advantage of the ASLR bypass to run arbitrary code (CVE-2014-4062).
This security update is rated Important for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.0 Service Pack 2, Microsoft .NET Framework 3.5, and Microsoft .NET Framework 3.5.1 on affected releases of Microsoft Windows.

IMPACT:

Successfully exploiting this vulnerability could allow an attacker to bypass the ASLR security feature.

SOLUTION:

Refer to MS14-046 (https://technet.microsoft.com/en-us/security/bulletin/MS14-046).

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS14-046: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=82041b69-b8b4-49ab-b275-06265cfc0d4b)
MS14-046: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=516ba54d-7a9b-4c65-8c09-1cdaa23acc87)
MS14-046: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=82041b69-b8b4-49ab-b275-06265cfc0d4b)
MS14-046: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=516ba54d-7a9b-4c65-8c09-1cdaa23acc87)
MS14-046: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=82041b69-b8b4-49ab-b275-06265cfc0d4b)
MS14-046: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=516ba54d-7a9b-4c65-8c09-1cdaa23acc87)
MS14-046: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=82041b69-b8b4-49ab-b275-06265cfc0d4b)
MS14-046: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=516ba54d-7a9b-4c65-8c09-1cdaa23acc87)
MS14-046: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=82041b69-b8b4-49ab-b275-06265cfc0d4b)
MS14-046: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=516ba54d-7a9b-4c65-8c09-1cdaa23acc87)
MS14-046: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=92e19194-a3ce-4085-bd55-e1733acf6961)
MS14-046: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5598847a-7110-40c2-87be-2002ef2aa372)
MS14-046: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=92e19194-a3ce-4085-bd55-e1733acf6961)
MS14-046: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5598847a-7110-40c2-87be-2002ef2aa372)
MS14-046: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=92e19194-a3ce-4085-bd55-e1733acf6961)
MS14-046: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5598847a-7110-40c2-87be-2002ef2aa372)
MS14-046: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=92e19194-a3ce-4085-bd55-e1733acf6961)
MS14-046: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/

downloads/details.aspx?familyid=5598847a-7110-40c2-87be-2002ef2aa372)
MS14-046: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4ab0de44-9222-4208-ab94-636885f367b5)
MS14-046: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=e798ed83-ee63-40ff-b87a-a14fe557da27)
MS14-046: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4ab0de44-9222-4208-ab94-636885f367b5)
MS14-046: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=e798ed83-ee63-40ff-b87a-a14fe557da27)
MS14-046: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=a6cbbccc-9c90-4aeb-8169-29c7cea72cdb)
MS14-046: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=1d43a49a-4403-4fb4-a5be-f5496a456f17)
MS14-046: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=a6cbbccc-9c90-4aeb-8169-29c7cea72cdb)
MS14-046: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=1d43a49a-4403-4fb4-a5be-f5496a456f17)
MS14-046: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4ab0de44-9222-4208-ab94-636885f367b5)
MS14-046: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=e798ed83-ee63-40ff-b87a-a14fe557da27)
MS14-046: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=a6cbbccc-9c90-4aeb-8169-29c7cea72cdb)
MS14-046: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=1d43a49a-4403-4fb4-a5be-f5496a456f17)
MS14-046: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=92e19194-a3ce-4085-bd55-e1733acf6961)
MS14-046: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=5598847a-7110-40c2-87be-2002ef2aa372)
MS14-046: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=4ab0de44-9222-4208-ab94-636885f367b5)
MS14-046: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=e798ed83-ee63-40ff-b87a-a14fe557da27)
MS14-046: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=a6cbbccc-9c90-4aeb-8169-29c7cea72cdb)
MS14-046: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=1d43a49a-4403-4fb4-a5be-f5496a456f17)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\mscorlib.dll Version is 2.0.50727.8000
%windir%\Microsoft.NET\Framework\v3.0\Windows Communication Foundation\SMdiagnostics.dll Version is 3.0.4506.7903

3 Microsoft .Net Framework Denial of Service Vulnerability (MS14-053)

QID:	90977
Category:	Windows
CVE ID:	CVE-2014-4072
Vendor Reference:	MS14-053
Bugtraq ID:	69603
Service Modified:	09/24/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
A denial of service vulnerability exists in the way that Microsoft .NET Framework handles specially crafted requests, causing a hash collision. An attacker who successfully exploited this vulnerability could send a small number of specially crafted requests to a .NET server, causing the performance to degrade significantly enough to cause a denial of service condition.

This security update is rated Important for Microsoft .NET Framework 1.1 Service Pack 1, Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4, and Microsoft .NET Framework 4.5/4.5.1/4.5.2 on affected releases of Microsoft Windows.

IMPACT:
Successfully exploiting this vulnerability might allow an attacker to cause denial-of-service like conditions.

SOLUTION:

Refer to Microsoft Security Bulletin MS14-053 (https://technet.microsoft.com/en-us/security/bulletin/MS14-053) for further details.

Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS14-053: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 1.1 Service Pack 1) (http://www.microsoft.com/downloads/details.aspx?familyid=553cb155-4a23-442d-877e-521dadc80672)
MS14-053: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=a2328565-d0f6-4bc9-ae44-8fb171cb8e37)
MS14-053: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=21d0eb4c-6787-4e8f-b252-e10fb44dd2fb)
MS14-053: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=a2328565-d0f6-4bc9-ae44-8fb171cb8e37)
MS14-053: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=21d0eb4c-6787-4e8f-b252-e10fb44dd2fb)
MS14-053: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=a2328565-d0f6-4bc9-ae44-8fb171cb8e37)
MS14-053: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=7482a8ae-a8e3-4e19-ad2b-d58af3e25bc9)
MS14-053: Windows Vista Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=3f0f07b3-1ab4-4ce7-81c9-fcba9ba031cc)
MS14-053: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=7482a8ae-a8e3-4e19-ad2b-d58af3e25bc9)
MS14-053: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=3f0f07b3-1ab4-4ce7-81c9-fcba9ba031cc)
MS14-053: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=7482a8ae-a8e3-4e19-ad2b-d58af3e25bc9)
MS14-053: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=3f0f07b3-1ab4-4ce7-81c9-fcba9ba031cc)
MS14-053: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=7482a8ae-a8e3-4e19-ad2b-d58af3e25bc9)
MS14-053: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=3f0f07b3-1ab4-4ce7-81c9-fcba9ba031cc)
MS14-053: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=7482a8ae-a8e3-4e19-ad2b-d58af3e25bc9)
MS14-053: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 3.0 Service Pack 2) (http://www.microsoft.com/downloads/details.aspx?familyid=3f0f07b3-1ab4-4ce7-81c9-fcba9ba031cc)
MS14-053: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=ee1d9b6e-9638-4280-a31a-c56725f2faaf)
MS14-053: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c3a8e672-ebf0-4bb3-aec4-bab5e8ac4e83)
MS14-053: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)

MS14-053: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=ee1d9b6e-9638-4280-a31a-c56725f2faaf)
MS14-053: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c3a8e672-ebf0-4bb3-aec4-bab5e8ac4e83)
MS14-053: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=ee1d9b6e-9638-4280-a31a-c56725f2faaf)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c3a8e672-ebf0-4bb3-aec4-bab5e8ac4e83)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=ee1d9b6e-9638-4280-a31a-c56725f2faaf)
MS14-053: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c3a8e672-ebf0-4bb3-aec4-bab5e8ac4e83)
MS14-053: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=752de275-2411-47ae-be78-ae00df5d6780)
MS14-053: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=838407b4-383f-4e7a-93a7-395b22341765)
MS14-053: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d576e236-054d-4034-a022-33b3b786516e)
MS14-053: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=752de275-2411-47ae-be78-ae00df5d6780)
MS14-053: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=838407b4-383f-4e7a-93a7-395b22341765)
MS14-053: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d576e236-054d-4034-a022-33b3b786516e)
MS14-053: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d248d2ea-fc52-458b-95b9-dac5b9778833)
MS14-053: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=5d4ef1bb-f0e5-4cd4-bdf0-a4d37494f13f)
MS14-053: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=db05b1b0-c9c6-443e-8023-7ad89be6f74b)
MS14-053: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d248d2ea-fc52-458b-95b9-dac5b9778833)
MS14-053: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=5d4ef1bb-f0e5-4cd4-bdf0-a4d37494f13f)
MS14-053: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=db05b1b0-c9c6-443e-8023-7ad89be6f74b)
MS14-053: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=752de275-2411-47ae-be78-ae00df5d6780)
MS14-053: Windows Server 2012 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=838407b4-383f-4e7a-93a7-395b22341765)
MS14-053: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d576e236-054d-4034-a022-33b3b786516e)
MS14-053: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d248d2ea-fc52-458b-95b9-dac5b9778833)
MS14-053: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=5d4ef1bb-f0e5-4cd4-bdf0-a4d37494f13f)
MS14-053: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=db05b1b0-c9c6-443e-8023-7ad89be6f74b)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=ee1d9b6e-9638-4280-a31a-c56725f2faaf)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (http://www.microsoft.com/downloads/details.aspx?familyid=c3a8e672-ebf0-4bb3-aec4-bab5e8ac4e83)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (http://www.microsoft.com/downloads/details.aspx?familyid=7fa30ccf-7d3e-49de-b40e-a80d055d7dd8)
MS14-053: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=0973f401-26a3-48c0-a5d7-802b269ef18c)
MS14-053: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=752de275-2411-47ae-be78-ae00df5d6780)
MS14-053: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=838407b4-383f-4e7a-93a7-395b22341765)
MS14-053: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=d576e236-054d-4034-a022-33b3b786516e)
MS14-053: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=d248d2ea-fc52-458b-95b9-dac5b9778833)
MS14-053: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (http://www.microsoft.com/downloads/details.aspx?familyid=5d4ef1bb-f0e5-4cd4-bdf0-a4d37494f13f)
MS14-053: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (http://www.microsoft.com/downloads/details.aspx?familyid=db05b1b0-c9c6-443e-8023-7ad89be6f74b)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\mscorlib.dll Version is 2.0.50727.8000
%windir%\Microsoft.NET\Framework\v3.0\Windows Communication Foundation\SMdiagnostics.dll Version is 3.0.4506.7903

3 Microsoft .NET Framework Information Disclosure Vulnerability (MS15-041)

QID:	91040
Category:	Windows
CVE ID:	CVE-2015-1648
Vendor Reference:	MS15-041
Bugtraq ID:	-
Service Modified:	04/16/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
An information disclosure vulnerability exists in ASP.NET that is caused when ASP.NET improperly handles certain requests on systems that have custom error messages disabled. An attacker who successfully exploited the vulnerability would be able to view parts of a web configuration file, which could expose sensitive information (CVE-2015-1648).
This security update is rated Important for Microsoft .NET Framework 1.1 Service Pack 1, Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4, Microsoft .NET Framework 4.5, Microsoft .NET Framework 4.5.1, and Microsoft .NET Framework 4.5.2 on affected releases of Microsoft Windows.

IMPACT:
Successfully exploiting this vulnerability might allow a remote attacker to gain access to some sensitive information.

SOLUTION:
Refer to MS15-041 (http://technet.microsoft.com/en-us/security/Bulletin/MS15-041) for further information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-041: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 1.1 Service Pack 1) (https://www.microsoft.com/downloads/details.aspx?familyid=803cabd5-0d1b-4d58-bf5a-470a4fad912f)
MS15-041: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=a9953499-0b6a-43ce-a065-b4fae629d2fb)
MS15-041: Windows Server 2003 Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=a9953499-0b6a-43ce-a065-b4fae629d2fb)
MS15-041: Windows Server 2003 x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=a9953499-0b6a-43ce-a065-b4fae629d2fb)
MS15-041: Windows Server 2003 with SP2 for Itanium-based Systems (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=50c91972-568c-45ad-9c14-3ce4b33addcb)
MS15-041: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=50c91972-568c-45ad-9c14-3ce4b33addcb)
MS15-041: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)

MS15-041: Windows Vista x64 Edition Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=50c91972-568c-45ad-9c14-3ce4b33addcb)
MS15-041: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Server 2008 for 32-bit Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=50c91972-568c-45ad-9c14-3ce4b33addcb)
MS15-041: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Server 2008 for x64-based Systems Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=50c91972-568c-45ad-9c14-3ce4b33addcb)
MS15-041: Windows Server 2008 for Itanium-based Systems Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=8a835c48-3c04-4640-bd33-c037e0050f0e)
MS15-041: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows 7 for 32-bit Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=8a835c48-3c04-4640-bd33-c037e0050f0e)
MS15-041: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows 7 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=8a835c48-3c04-4640-bd33-c037e0050f0e)
MS15-041: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=8a835c48-3c04-4640-bd33-c037e0050f0e)
MS15-041: Windows Server 2008 R2 for Itanium-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows 8 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b8dc09ed-db60-4b4c-bb7a-c41d43cf8929)
MS15-041: Windows 8 for 32-bit Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=82d6ff75-3bd4-4354-8600-88f9c0a2f143)
MS15-041: Windows 8 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b8dc09ed-db60-4b4c-bb7a-c41d43cf8929)
MS15-041: Windows 8 for x64-based Systems (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=82d6ff75-3bd4-4354-8600-88f9c0a2f143)
MS15-041: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b7e3ab51-8647-4f99-bc37-82833059858f)
MS15-041: Windows 8.1 for 32-bit Systems (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=223e0571-9b9a-4a22-9511-42855096fadf)
MS15-041: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b7e3ab51-8647-4f99-bc37-82833059858f)
MS15-041: Windows 8.1 for x64-based Systems (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=223e0571-9b9a-4a22-9511-42855096fadf)
MS15-041: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b8dc09ed-db60-4b4c-bb7a-c41d43cf8929)
MS15-041: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=82d6ff75-3bd4-4354-8600-88f9c0a2f143)
MS15-041: Windows Server 2012 R2 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b7e3ab51-8647-4f99-bc37-82833059858f)
MS15-041: Windows Server 2012 R2 (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=223e0571-9b9a-4a22-9511-42855096fadf)
MS15-041: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=8a835c48-3c04-4640-bd33-c037e0050f0e)
MS15-041: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=c8df582b-1291-4f19-8d13-f6ad285eeef1)
MS15-041: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d1308d64-2ebc-49ac-913a-76ebe527a50a)
MS15-041: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b8dc09ed-db60-4b4c-bb7a-c41d43cf8929)
MS15-041: Windows Server 2012 (Server Core installation) (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=82d6ff75-3bd4-4354-8600-88f9c0a2f143)
MS15-041: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b7e3ab51-8647-4f99-bc37-82833059858f)
MS15-041: Windows Server 2012 R2 (Server Core installation) (Microsoft .NET Framework 4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=223e0571-9b9a-4a22-9511-42855096fadf)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\Microsoft.NET\Framework64\v2.0.50727\system.web.dll Version is 2.0.50727.8001

3 Microsoft .Net Framework Multiple Vulnerabilities (MS15-118)

QID:	91108
Category:	Windows
CVE ID:	CVE-2015-6099, CVE-2015-6096, CVE-2015-6115
Vendor Reference:	MS15-118
Bugtraq ID:	-
Service Modified:	10/19/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
A cross-site scripting (XSS) vulnerability exists in the way that .NET Framework validates the value of a HTTP request. An attacker who successfully exploited this vulnerability could inject a client-side script in the user's browser (CVE-2015-6099).
An information disclosure vulnerability exists in the .NET Framework DTD parsing of certain specially crafted XML files. An attacker who successfully exploited this vulnerability could gain read access to local files on the target system (CVE-2015-6096).

A security feature bypass exists in a .NET Framework component that does not properly implement the Address Space Layout Randomization (ASLR) security feature, which protects users from a broad class of vulnerabilities. The ASLR bypass could allow an attacker to bypass the security feature and then load additional malicious code in an attempt to exploit another vulnerability (CVE-2015-6115).
This security update is rated Important for Microsoft .NET Framework 2.0 Service Pack 2, Microsoft .NET Framework 3.5, Microsoft .NET Framework 3.5.1, Microsoft .NET Framework 4, Microsoft .NET Framework 4.5, Microsoft .NET Framework 4.5.1, Microsoft .NET Framework 4.5.2, and Microsoft .NET Framework 4.6 on affected releases of Microsoft Windows

IMPACT:
Successfully exploiting these vulnerabilities might allow a remote attacker to gain escalated privileges, perform cross-site scripting attacks, gather sensitive information and also cause ASLR bypass to execute arbitrary code in conjunction with another vulnerability.

SOLUTION:
Refer to MS15-118 (http://technet.microsoft.com/en-us/security/Bulletin/MS15-118) for further information.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=595bdb98-441a-441a-a7d7-317c841e0102)
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=8f2c4237-4a43-43ca-915a-1d271995a5d8)
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=6bf0ad5d-2664-4ddb-8ad6-887ac82ba618)
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=32624f0b-abcd-460c-82e0-aabb793f1c9e)
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=ccdc0b28-f4b9-4e17-a16d-30eb6f655879)
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=0deb32dd-bd54-48d7-a03b-063620a3c75e)
MS15-118: Windows Vista Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=bfea6703-59fc-4e41-bccd-6a695992ba77)
MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 2.0 Service Pack 2) (https://www.microsoft.com/downloads/details.aspx?familyid=595bdb98-441a-441a-a7d7-317c841e0102)
MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=8f2c4237-4a43-43ca-915a-1d271995a5d8)
MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=6bf0ad5d-2664-4ddb-8ad6-887ac82ba618)

MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=32624f0b-abcd-460c-82e0-aabb793f1c9e)
MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=ccdc0b28-f4b9-4e17-a16d-30eb6f655879)
MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=0deb32dd-bd54-48d7-a03b-063620a3c75e)
MS15-118: Windows Server 2008 Service Pack 2 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=bfea6703-59fc-4e41-bccd-6a695992ba77)
MS15-118: Windows 7 Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=bba29a25-c44f-4f46-8436-0e98a053b388)
MS15-118: Windows 7 Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=8f2c4237-4a43-43ca-915a-1d271995a5d8)
MS15-118: Windows 7 Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=6bf0ad5d-2664-4ddb-8ad6-887ac82ba618)
MS15-118: Windows 7 Service Pack 1 (icrosoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=32624f0b-abcd-460c-82e0-aabb793f1c9e)
MS15-118: Windows 7 Service Pack 1 (icrosoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=ccdc0b28-f4b9-4e17-a16d-30eb6f655879)
MS15-118: Windows 7 Service Pack 1 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=0deb32dd-bd54-48d7-a03b-063620a3c75e)
MS15-118: Windows 7 Service Pack 1 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=bfea6703-59fc-4e41-bccd-6a695992ba77)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 3.5.1) (https://www.microsoft.com/downloads/details.aspx?familyid=bba29a25-c44f-4f46-8436-0e98a053b388)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=8f2c4237-4a43-43ca-915a-1d271995a5d8)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4) (https://www.microsoft.com/downloads/details.aspx?familyid=6bf0ad5d-2664-4ddb-8ad6-887ac82ba618)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (icrosoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=32624f0b-abcd-460c-82e0-aabb793f1c9e)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (icrosoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=ccdc0b28-f4b9-4e17-a16d-30eb6f655879)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=bfea6703-59fc-4e41-bccd-6a695992ba77)
MS15-118: Windows Server 2008 R2 for x64-based Systems Service Pack 1 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=bfea6703-59fc-4e41-bccd-6a695992ba77)
MS15-118: Windows 8 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b94fb8b7-f3d2-4caa-becd-334f9577cccd)
MS15-118: Windows 8 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d56ff3e5-e0f8-432d-b0d9-d0a7c5086cae)
MS15-118: Windows 8 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=842722e8-557a-4d0b-8081-60986ae0590a)
MS15-118: Windows 8 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=5084e7d5-8852-4d22-9bb8-ddc1a30ac9c1)
MS15-118: Windows 8 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=60144df3-f72e-4418-8d3e-20309c9ca47b)
MS15-118: Windows Server 2012 (Microsoft .NET Framework 3.5) (https://www.microsoft.com/downloads/details.aspx?familyid=b94fb8b7-f3d2-4caa-becd-334f9577cccd)
MS15-118: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=d56ff3e5-e0f8-432d-b0d9-d0a7c5086cae)
MS15-118: Windows Server 2012 (Microsoft .NET Framework 4.5/4.5.1/4.5.2) (https://www.microsoft.com/downloads/details.aspx?familyid=842722e8-557a-4d0b-8081-60986ae0590a)
MS15-118: Windows Server 2012 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=5084e7d5-8852-4d22-9bb8-ddc1a30ac9c1)
MS15-118: Windows Server 2012 (Microsoft .NET Framework 4.6) (https://www.microsoft.com/downloads/details.aspx?familyid=60144df3-f72e-4418-8d3e-20309c9ca47b)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%\Microsoft.NET\Framework64\v2.0.50727\system.deployment.dll Version is 2.0.50727.7905

 3 Built-in Guest Account Not Renamed at Windows Target System

QID:	105228
Category:	Security Policy

CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2013
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The built-in Guest account is not renamed at the target Microsoft Windows system.

IMPACT:
Knowing a valid username allows for substantially easier bruteforcing attacks.

SOLUTION:
Rename the Guest account.

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Guest

3 Microsoft Office 2010 Service Pack 2 not installed

QID:	121394
Category:	Local
CVE ID:	-
Vendor Reference:	Office 2010 SP2
Bugtraq ID:	-
Service Modified:	09/20/2013
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Microsoft Office 2010 Service Pack 2 (SP2) provides the latest updates for Office 2010.
This service pack includes two kinds of
fixes:
Previously unreleased fixes are included in this service pack.
In addition to general product fixes, these fixes include
improvements in stability, performance, and security.

IMPACT:
Microsoft Office 2010 Service Pack 2 fixes several security and stability issues which may be exploited by malicious users.

SOLUTION:
The service pack update is available on the Microsoft Download Center. Links for downloading the updates are listed below:
Service Pack 2 for Microsoft Office 2010 32-Bit Edition (http://www.microsoft.com/downloads/details.aspx?FamilyId=daeeab90-74e1-4635-8cee-d3a3c6b1ca65)

Service Pack 2 for Microsoft Office 2010 64-Bit Edition (http://www.microsoft.com/downloads/details.aspx?FamilyId=d7714816-7935-447f-ae89-019f4f46b93b)
For more information, read Microsoft Knowledge Base Article 2687455 (http://support.microsoft.com/kb/2687455).
Patch:
Following are links for downloading patches to fix the vulnerabilities:
Office 2010 32-bit: Windows (http://www.microsoft.com/downloads/details.aspx?FamilyId=daeeab90-74e1-4635-8cee-d3a3c6b1ca65)
Office 2010 64-bit (http://www.microsoft.com/downloads/details.aspx?FamilyId=d7714816-7935-447f-ae89-019f4f46b93b)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\WINWORD.exe Version is 14.0.4762.1000
Word 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\Ppcore.dll Version is 14.0.4754.1000
PowerPoint 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\EXCEL.exe Version is 14.0.4756.1000
Excel 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\Outlook.exe Version is 14.0.4760.1000
Outlook 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\MSACCESS.exe Version is 14.0.4750.1000
Access 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\MSPUB.exe Version is 14.0.4750.1000
Publisher 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\InfoPath.exe Version is 14.0.4763.1000
InfoPath 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\Groove.exe Version is 14.0.4761.1000
SharePoint Workspace 2010 SP2 is missing
C:\Program Files\Microsoft Office\Office14\\OneNote.exe Version is 14.0.4763.1000
OneNote 2010 SP2 is missing

 3 WinRAR File Extension Spoofing Vulnerability

QID:	122910
Category:	Local
CVE ID:	-
Vendor Reference:	vuln_zip_spoofing_4.20
Bugtraq ID:	66383
Service Modified:	05/24/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
WinRAR is a shareware file archiver and compressor utility for Windows. It can create archives in RAR or ZIP file formats and unpack numerous archive file formats.
It is possible to create a specially crafted ZIP archive, so WinRAR releases prior to 4.20 will display one archived file name while browsing archive contents, but assign another name to unpacked file. This inconsistency allows to spoof file names when opening ZIP files with WinRAR, which can be abused to execute arbitrary code, as exploited in the wild in March 2014
Affected Version:
WinRAR 4.20 and prior versions are affected.

IMPACT:
Successful exploitation could allow an attacker to execute arbitrary code on the targeted system.

SOLUTION:

The vendor has published an official comment (http://www.rarlab.com/vuln_zip_spoofing_4.20.html).It is recommended to upgrade to WinRAR 5.00 release or later.
Please download latest version of WinRAR here (http://www.rarlab.com/download.htm)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
vuln_zip_spoofing_4.20: Windows (http://www.rarlab.com/download.htm)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

C:\Program Files (x86)\WinRAR\WinRAR.exe Version is 3.93.0.0

3 WinRAR SFX Module Remote Code Execution Vulnerability

QID:	124148
Category:	Local
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/22/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

WinRAR is a shareware file archiver and compressor utility for Windows. It can create archives in RAR or ZIP file formats and unpack numerous archive file formats.
The issue is in the "Text and Icon" function of the "Text to display in SFX window" module. This will allow attackers to generate their own compressed archives with malicious payloads to execute system specific codes.
Affected Version:
WinRAR 5.21 and prior versions are affected.

IMPACT:

Successful exploitation could allow an attacker to execute arbitrary code on the targeted system.

SOLUTION:

The vendor has published an official comment (http://rarlab.com/vuln_sfx_html.htm) on this issue. Version 5.40 of the software is available that addresses this issue.
Workaround:
Users are advised not to run exe files or SFX archives from suspicious or unrecognized sources.
Patch:
Following are links for downloading patches to fix the vulnerabilities:
WinRAR 5.40: WinRAR Version 5.40 (http://www.rarlab.com/rarnew.htm)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

Qualys

Reference:	CVE-0000-0000
Description:	WinRar 5.21 - SFX OLE Command Execution
Link:	https://www.exploit-db.com/exploits/38319/

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

C:\Program Files (x86)\WinRAR\\WinRAR.exe Version is 3.93.0.0

3 WinRAR Insecure Executable Loading Remote Code Execution Vulnerability

QID:	370233
Category:	Local
CVE ID:	CVE-2015-5663
Vendor Reference:	-
Bugtraq ID:	79666
Service Modified:	11/28/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

WinRAR is a shareware file archiver and compressor utility for Windows. It can create archives in RAR or ZIP file formats and unpack numerous archive file formats.
The file-execution functionality in WinRAR allows local users to escalate privileges via a Trojan horse file with a name similar to an extensionless filename.
Affected Versions:
WinRAR prior to 5.30 Beta 5

IMPACT:

An attacker could exploit this vulnerability by convincing a user to open a file without an extension through WinRAR, a file with the same name with a file extension in the same folder will be executed with the privileges of WinRAR.

SOLUTION:

Download and install the latest version from RARLab (http://www.rarlab.com/download.htm)
Patch:
Following are links for downloading patches to fix the vulnerabilities:
RAR Downloads (http://www.rarlab.com/download.htm)

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

C:\Program Files (x86)\WinRAR\\WinRAR.exe Version is 3.93.0.0

3 Microsoft SMB Client Denial of Service Vulnerability - Zero Day

QID:	370297
Category:	Local
CVE ID:	CVE-2017-0016
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/07/2017
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Server Message Block (SMB) Protocol is a Microsoft network file sharing protocol used in Microsoft Windows. Microsoft SMBv3 client improperly handles specially crafted packets leading to denial of service vulnerability.

Affected Versions:
Microsoft Windows
10
Microsoft Windows Server 2012
Microsoft Windows Server 2016

IMPACT:
A remote attacker could exploit this vulnerability by setting up a malicious SMB server in the network causing SMB clients to crash.

SOLUTION:
The vendor has not confirmed the vulnerability and no patch information is available at this time.
Workaround:
Block port 445 inbound and outbound on your firewall which limits the impact of this vulnerability.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Qualys
Reference: CVE-2017-0000
Description: SMBv3 Proof-of-Concept Exploit
Link: https://github.com/lgandx/PoC/tree/master/SMBv3%20Tree%20Connect

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\System32\drivers\mrxsmb20.sys Version is 6.3.9600.18454

3 SSL/TLS use of weak RC4 cipher — port 443/tcp over SSL

QID:	38601
Category:	General remote services
CVE ID:	CVE-2013-2566, CVE-2015-2808
Vendor Reference:	-
Bugtraq ID:	91787, 58796, 73684
Service Modified:	01/30/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS) protocols provide integrity, confidentiality and authenticity services to other protocols that lack these features.
SSL/TLS protocols use ciphers such as AES,DES, 3DES and RC4 to encrypt the content of the higher layer protocols and thus provide the confidentiality service. Normally the output of an encryption process is a sequence of random looking bytes. It was known that RC4 output has some bias in the output. Recently a group of researchers has discovered that the there is a stronger bias in RC4, which make statistical analysis of ciphertext more practical.
The described attack is to inject a malicious javascript into the victim's browser that would ensure that there are multiple connections being established with a target website and the same HTTP cookie is sent multiple times to the website in encrypted form. This provides the attacker a large set of ciphertext samples, that can be used for statistical analysis.
NOTE: On 3/12/15 NVD changed the CVSS v2 access complicity from high to medium. As a result Qualys revised the CVSS score to 4.3 immediately. On 5/4/15 Qualys is also revising the severity to level 3.

IMPACT:

If this attack is carried out and an HTTP cookie is recovered, then the attacker can use the cookie to impersonate the user whose cookie was recovered.
This attack is not very practical as it requires the attacker to have access to millions of samples of ciphertext, but there are certain assumptions that an attacker can make to improve the chances of recovering the cleartext from cihpertext. For examples HTTP cookies are either base64 encoded or hex digits. This information can help the attacker in their efforts to recover the cookie.

SOLUTION:
RC4 should not be used where possible. One reason that RC4 was still being used was BEAST and Lucky13 attacks against CBC mode ciphers in SSL and
TLS. However, TLSv 1.2 or later address these issues.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv3 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
TLSv1 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
TLSv1.1 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
TLSv1.2 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM



3 SSLv3 Padding Oracle Attack Information Disclosure Vulnerability (POODLE) port 443/tcp over SSL

QID:	38603
Category:	General remote services
CVE ID:	CVE-2014-3566
Vendor Reference:	POODLE
Bugtraq ID:	70574
Service Modified:	01/07/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The SSL protocol 3.0 design error, uses nondeterministic CBC padding, which makes it easier for man-in-the-middle attacks.
The target supports SSLv3, which makes it vulnerable to POODLE (Padding Oracle On Downgraded Legacy Encryption), even if it also supports more recent versions of TLS. It's subject to a downgrade attack, in which the attacker tricks the browser into connecting with SSLv3.

IMPACT:
An attacker who can take a man-in-the-middle (MitM) position can exploit this vulnerability and gain access to encrypted communication between a client and server.

SOLUTION:
Disable SSLv3 support to avoid this vulnerability.
Examples to disable SSLv3.

nginx: list specific allowed protocols in the "ssl_protocols" line. Make sure SSLv2 and SSLv3 is not listed. For example: ssl_protocols TLSv2 TLSv1.1 TLSv1.2;
Apache: Add -SSLv3 to the "SSLProtocol" line.
How to disable SSL 3.0 on Microsoft IIS (https://support.microsoft.com/kb/187498/en-us).
For PCI, please refer to the Qualys community article (https://community.qualys.com/thread/15280).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
Metasploit

Reference:	CVE-2014-3566
Description:	HTTP SSL/TLS Version Detection (POODLE scanner) - Metasploit Ref : /modules/auxiliary/scanner/http/ssl_version
Link:	https://github.com/rapid7/metasploit-framework/blob/master/modules/auxiliary/scanner/http/ssl_version.rb

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
No results available

 3 SSL Server Has SSLv3 Enabled Vulnerability port 443/tcp over SSL

QID:	38606
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/11/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
SSL 3.0 is an obsolete and insecure protocol.
Encryption in SSL 3.0 uses either the RC4 stream cipher, or a block cipher in CBC mode.
RC4 is known to have biases, and the block cipher in CBC mode is vulnerable to the POODLE attack.
The SSLv3 protocol is insecure due to the POODLE attack and the weakness of RC4 cipher.
Note: In April 2015, PCI released PCI DSS v3.1 (https://www.pcisecuritystandards.org/documents/PCI_DSS_v3-1.pdf)announcing that NIST no longer considers Secure Socket Layers (SSL) v3.0 protocol as acceptable for protecting data and that all versions of SSL versions do not meet the PCI definition of "strong cryptography."

IMPACT:
An attacker can exploit this vulnerability to read secure communications or maliciously modify messages.

SOLUTION:
Disable the SSL 3.0 protocol in the client and in the server, refer to
How to disable SSLv3 : Disable SSLv3 (http://disablessl3.com/)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
SSLv3 is supported

3 SSL/TLS Server supports TLSv1.0 port 443/tcp over SSL

QID:	38628
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/14/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

TLS is capable of using a multitude of ciphers (algorithms) to create the public and private key pairs.
For example if TLSv1.0 uses either the RC4 stream cipher, or a block cipher in CBC mode.
RC4 is known to have biases and the block cipher in CBC mode is vulnerable to the POODLE attack.
TLSv1.0, if configured to use the same cipher suites as SSLv3, includes a means by which a TLS implementation can downgrade the connection to SSL v3.0, thus weakening security.
A POODLE-type (https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls) attack could also be launched directly at TLS without negotiating a downgrade.
This QID will be marked as a Fail for PCI as of November 1st, 2016 in accordance with the new standards. For existing implementations, Merchants will be able to submit a PCI False Positive / Exception Request and provide proof of their Risk Mitigation and Migration Plan, which will result in a pass for PCI up until June 30th, 2018.
Further details can be found at: NEW PCI DSS v3.2 and Migrating from SSL and Early TLS v1.1 (https://community.qualys.com/message/34120)

IMPACT:

An attacker can exploit cryptographic flaws to conduct man-in-the-middle type attacks or to decryption communications.
For example: An attacker could force a downgrade from the TLS protocol to the older SSLv3.0 protocol and exploit the POODLE vulnerability, read secure communications or maliciously modify messages.
A POODLE-type (https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls) attack could also be launched directly at TLS without negotiating a downgrade.

SOLUTION:

Disable the use of TLSv1.0 protocol in favor of a cryptographically stronger protocol such as TLSv1.2.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

TLSv1.0 is supported

3 SSLv3.0/TLSv1.0 Protocol Weak CBC Mode Server Side Vulnerability (BEAST) port 443/tcp over SSL

QID:	42366
Category:	General remote services
CVE ID:	CVE-2011-3389
Vendor Reference:	-
Bugtraq ID:	49388, 49778
Service Modified:	07/23/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

SSLv 3.0 and TLS v1.0 protocols are used to provide integrity, authenticity and privacy to other protocols such as HTTP and LDAP. They provide these services by using encryption for privacy, x509 certificates for authenticity and one-way hash functions for integrity. To encrypt data SSL and TLS can use block ciphers, which are encryption algorithms that can encrypt only a fixed block of original data to an encrypted block of the same size. Note that these ciphers will always obtain the same resulting block for the same original block of data. To achieve difference in the output the output of encryption is XORed with yet another block of the same size referred to as initialization vectors (IV). A special mode of operation for block ciphers known as CBC (cipher block chaining) uses one IV for the initial block and the result of the previous block for each subsequent block to obtain difference in the output of block cipher encryption.
In SSLv3.0 and TLSv1.0 implementation the choice CBC mode usage was poor because the entire traffic shares one CBC session with single set of initial IVs. The rest of the IV are as mentioned above results of the encryption of the previous blocks. The subsequent IV are available to the eavesdroppers. This allows an attacker with the capability to inject arbitrary traffic into the plain-text stream (to be encrypted by the client) to verify their guess of the plain-text preceding the injected block. If the attackers guess is correct then the output of the encryption will be the same for two blocks.
For low entropy data it is possible to guess the plain-text block with relatively few number of attempts. For example for data that has 1000 possibilities the number of attempts can be 500.
For more information please see a paper by Gregory V. Bard. (http://eprint.iacr.org/2006/136.pdf)
NOTE:
The CVSS access complexity assigned by NIST to CVE-2011-3389 is 'Medium' which makes the base score 4.3. But Qualys has assigned access complexity to 'High' for server side, because Javascipt injection and MiTM capabilities and a vulnerable client are required to exploit this vulnerability. Therefore the Qualys CVSS score is 2.6.

IMPACT:

Recently attacks against the web authentication cookies have been described which used this vulnerability. If the authentication cookie is guessed by the attacker then the attacker can impersonate the legitimate user on the Web site which accepts the authentication cookie.

SOLUTION:

This attack was identified in 2004 and later revisions of TLS protocol which contain a fix for this. If possible, upgrade to TLSv1.1 or TLSv1.2. If upgrading to TLSv1.1 or TLSv1.2 is not possible, then disabling CBC mode ciphers will remove the vulnerability.
Setting your SSL server to prioritize RC4 ciphers mitigates this vulnerability. Microsoft has posted information including workarounds for IIS at KB2588513 (http://technet.microsoft.com/en-us/security/advisory/2588513).
Using the following SSL configuration in Apache mitigates this vulnerability:
SSLHonorCipherOrder On
SSLCipherSuite RC4-SHA:HIGH:!ADH
Qualys SSL/TLS Deployment Best Practices can be found here (https://www.ssllabs.com/projects/best-practices/).
Note: RC4 recommendation is only in situations where upgrade to TLSv1.2 is not possible. RC4 in TLS v1.0 has output bias problem as described in QID 38601. Therefore it is recommended to upgrade to TLS v1.2 or later.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Available non CBC cipher	Server's choice	SSL version
RC4-SHA	DES-CBC3-SHA	SSLv3
RC4-SHA	DES-CBC3-SHA	TLSv1

3 SSL/TLS use of weak RC4 cipher — port 3389/tcp over SSL

QID:	38601
Category:	General remote services
CVE ID:	CVE-2013-2566, CVE-2015-2808
Vendor Reference:	-
Bugtraq ID:	91787, 58796, 73684
Service Modified:	01/30/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

Secure Sockets Layer (SSL v2/v3) and Transport Layer Security (TLS) protocols provide integrity, confidentiality and authenticity services to other protocols that lack these features.
SSL/TLS protocols use ciphers such as AES,DES, 3DES and RC4 to encrypt the content of the higher layer protocols and thus provide the confidentiality service. Normally the output of an encryption process is a sequence of random looking bytes. It was known that RC4 output has some bias in the output. Recently a group of researchers has discovered that the there is a stronger bias in RC4, which make statistical analysis of ciphertext more practical.
The described attack is to inject a malicious javascript into the victim's browser that would ensure that there are multiple connections being established with a target website and the same HTTP cookie is sent multiple times to the website in encrypted form. This provides the attacker a large set of ciphertext samples, that can be used for statistical analysis.
NOTE: On 3/12/15 NVD changed the CVSS v2 access complicity from high to medium. As a result Qualys revised the CVSS score to 4.3 immediately. On 5/4/15 Qualys is also revising the severity to level 3.

IMPACT:

If this attack is carried out and an HTTP cookie is recovered, then the attacker can use the cookie to impersonate the user whose cookie was recovered.
This attack is not very practical as it requires the attacker to have access to millions of samples of ciphertext, but there are certain assumptions that an attacker can make to improve the chances of recovering the cleartext from cihpertext. For examples HTTP cookies are either base64 encoded or hex digits. This information can help the attacker in their efforts to recover the cookie.

SOLUTION:

RC4 should not be used where possible. One reason that RC4 was still being used was BEAST and Lucky13 attacks against CBC mode ciphers in SSL and
TLS. However, TLSv 1.2 or later address these issues.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
TLSv1 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
TLSv1.1 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
TLSv1.2 WITH RC4 CIPHERs IS SUPPORTED					
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM

 3 SSL/TLS Server supports TLSv1.0 port 3389/tcp over SSL

QID:	38628
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/14/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

TLS is capable of using a multitude of ciphers (algorithms) to create the public and private key pairs.
For example if TLSv1.0 uses either the RC4 stream cipher, or a block cipher in CBC mode.

RC4 is known to have biases and the block cipher in CBC mode is vulnerable to the POODLE attack.
TLSv1.0, if configured to use the same cipher suites as SSLv3, includes a means by which a TLS implementation can downgrade the connection to SSL v3.0, thus weakening security.
A POODLE-type (https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls) attack could also be launched directly at TLS without negotiating a downgrade.
This QID will be marked as a Fail for PCI as of November 1st, 2016 in accordance with the new standards. For existing implementations, Merchants will be able to submit a PCI False Positive / Exception Request and provide proof of their Risk Mitigation and Migration Plan, which will result in a pass for PCI up until June 30th, 2018.
Further details can be found at: NEW PCI DSS v3.2 and Migrating from SSL and Early TLS v1.1 (https://community.qualys.com/message/34120)

IMPACT:
An attacker can exploit cryptographic flaws to conduct man-in-the-middle type attacks or to decryption communications.
For example: An attacker could force a downgrade from the TLS protocol to the older SSLv3.0 protocol and exploit the POODLE vulnerability, read secure communications or maliciously modify messages.
A POODLE-type (https://blog.qualys.com/ssllabs/2014/12/08/poodle-bites-tls) attack could also be launched directly at TLS without negotiating a downgrade.

SOLUTION:
Disable the use of TLSv1.0 protocol in favor of a cryptographically stronger protocol such as TLSv1.2.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
TLSv1.0 is supported

3 Windows Remote Desktop Protocol Weak Encryption Method Allowed — port 3389/tcp over SSL

QID:	90882
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/29/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Remote Desktop Protocol is a protocol by which Terminal Service provides desktop level access to a remote user. It can be used to remotely log in and interact with a Windows machine.
Since RDP transfers sensitive information about the user and the system, it can be configured to use encryption to provide privacy and integrity for its sessions. It is possible to configure RDP to use encryption algorithms that are considered insecure, such as RC4 40bit and RC4 56 bit.

IMPACT:
If an attacker has access to the network traffic with RDP sessions using weak encryption methods it's possible to bruteforce the encryption parameters and compromise privacy of the RDP session.

SOLUTION:
RDP needs to be configured to use strong encryption methods or use SSL as the privacy and integrity provider.
To configure RDP encryption methods 'Terminal Services Configuration' or 'Remote Desktop Session Host Configuration' snap-in can be launched in mmc.exe.
In 'Terminal Services Configuration' or 'Remote Desktop Session Host Configuration' properties dialog box General tab for the Encryption Level 'High' should be selected.
On Windows XP the RDP configuration can be found under Computer Configuration\Administrative Templates\Windows Components\Terminal Services and User Configuration\Administrative Templates\Windows Components\Terminal Services. Under Encryption and Security item, double

click on 'Set client connection encryption level' and enable the policy and select high for the 'Encryption level'.
For more details on configuration on 2008 R2 systems see Configure Server Authentication and Encryption Levels (http://technet.microsoft.com/en-us/library/cc770833.aspx).
For more detail on disabling RC4 see Microsoft Update for Disabling RC4 (https://technet.microsoft.com/library/security/2868725).
For details on supporting TLS 1.1 and TLS1.2 for Remote Desktop Services see Update to add RDS support for TLS 1.1 and TLS 1.2 in Windows 7 or Windows Server 2008 R2 (https://support.microsoft.com/en-us/kb/3080079).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
RDP Supported Encryption methods: RC4(40 bit),RC4(56 bit)

 2 Enabled Cached Logon Credential

QID:	90007
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/20/2009
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
Windows NT may use a cache to store the last interactive logon (i.e. console logon), to provide a safe logon for the host in the event that the Domain Controller goes down. This feature is currently activated on this host.

IMPACT:
Unauthorized users can gain access to this cached information, thereby obtaining sensitive logon information.

SOLUTION:
We recommend that you locate the following Registry key, and then set or create a REG_SZ 'CachedLogonsCount' entry with a '0' value:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows Nt\CurrentVersion\Winlogon

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon cachedlogonscount = 10

2 Allowed Null Session

QID:	90044
Category:	Windows
CVE ID:	CVE-2002-1117, CVE-2000-1200
Vendor Reference:	-
Bugtraq ID:	494, 959
Service Modified:	10/27/2016
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:

It is possible to log into the target host using a NULL session.
Windows NT has a feature allowing anonymous users to obtain domain user
names and the share list. Windows NT ACL editor requires the Domain Controllers to return a list of account names.

IMPACT:

Unauthorized users can establish a null session and obtain sensitive information, such as usernames and/or the share list, which could be used in further attacks against the host.

SOLUTION:

To disable or restrict null session, please refer to Microsoft Knowledge Base Article 246261 (https://support.microsoft.com/en-us/kb/246261) or Microsoft TechNet : RestrictNullSessAccess (https://technet.microsoft.com/en-us/library/cc957461.aspx) for further details.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HKLM\SYSTEM\CurrentControlSet\Control\LSA RestrictAnonymous = 0

2 Default Windows Administrator Account Name Present

QID:	90081
Category:	Windows
CVE ID:	CVE-1999-0585
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/05/2009
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The scanner probed the LSA, Local Security Authority, for the administrator account's name. The target has the default/out-of-the-box name "Administrator" set.

IMPACT:

Most attackers and malicious scripts assume an administrator account name of "Administrator" on Windows systems. If the target has not changed this name, it will simplify the task of the attacker, for example in bruteforcing the password for the account.

SOLUTION:

Change the administrator account's name to a non-default value.
Please note that if the scanner has been configured to use Windows Authentication and uses the local administrator account (as against a domain-admin account) to scan this target, the scanner will need to be reconfigured to use the new administrator account name instead.

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrator

 2 Microsoft SQL Server Compact 3.5 Service Pack 2 Not Installed

QID:	105487
Category:	Security Policy
CVE ID:	-
Vendor Reference:	Description of SQL Server Compact 3.5 Service Pack 2
Bugtraq ID:	-
Service Modified:	11/04/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
SQL Server Compact is a small-footprint, in-process database engine that allows developers to build robust applications for Windows Desktops and Mobile Devices.
Qualys has detected that SQL Server Compact 3.5 SP2 is not installed on the targeted system. SQL Server Compact 3.5 SP2 provides the latest updates, general product fixes that include improvements in stability, performance and security for SQL Server Compact 3.5.

IMPACT:
SQL Server Compact 3.5 Service Pack 2 fixes several stability issues that could lead to a loss of data.

SOLUTION:
For more information describing SQL Server Compact 3.5 SP2 and obtaining the service pack, please read Microsoft Knowledge Base Article 2590009 (http://support.microsoft.com/kb/2590009).
Patch:
Following are links for downloading patches to fix the vulnerabilities:
SQL Server Compact 3.5 SP2: Windows (http://www.microsoft.com/en-us/download/details.aspx?id=5783)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft SQL Server Compact Edition\v3.5\\sqlceqp35.dll Version is 3.5.5692.0

2 SSL Certificate - Subject Common Name Does Not Match Server FQDN port 443/tcp over SSL

QID:	38170
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/12/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection.
A certificate whose Subject commonName or subjectAltName does not match the server FQDN offers only encryption without authentication.
Please note that a false positive reporting of this vulnerability is possible in the following case:
If the common name of the certificate uses a wildcard such as *.somedomainname.com and the reverse DNS resolution of the target IP is not configured. In this case there is no way for Qualys to associate the wildcard common name to the IP. Adding a reverse DNS lookup entry to the target IP will solve this problem.

IMPACT:
A man-in-the-middle attacker can exploit this vulnerability in tandem with a DNS cache poisoning attack to lure the client to another server, and then steal all the encryption communication.

SOLUTION:
Please install a server certificate whose Subject commonName or subjectAltName matches the server FQDN.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Certificate #0 CN=remit.jsbl.com,O=JS_Bank_Limited,L=Karachi,ST=Sindh,C=PK,postalCode=74200,street=First_Floor\,_Shaheen_Commercial_Complex\,_Dr._Ziauddin_Ahmed_Road,serialNumber=0054329,jurisdictionC=PK,businessCategory=Private_Organization (remit.jsbl.com) and IP (10.111.200.118) don't match
(remit.jsbl.com) and IP (10.111.200.118) don't match

2 SSL Certificate - Signature Verification Failed Vulnerability port 3389/tcp over SSL

QID:	38173
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/23/2009
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
An SSL Certificate associates an entity (person, organization, host, etc.) with a Public Key. In an SSL connection, the client authenticates the remote server using the server's Certificate and extracts the Public Key in the Certificate to establish the secure connection. The authentication is done by

verifying that the public key in the certificate is signed by a trusted third-party Certificate Authority.
If a client is unable to verify the certificate, it can abort communication or prompt the user to continue the communication without authentication.

IMPACT:
By exploiting this vulnerability, man-in-the-middle attacks in tandem with DNS cache poisoning can occur.
Exception:
If the server communicates only with a restricted set of clients who have the server certificate or the trusted CA certificate, then the server or CA certificate may not be available publicly, and the scan will be unable to verify the signature.

SOLUTION:
Please install a server certificate signed by a trusted third-party Certificate Authority.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Certificate #0 CN=S-HRT-P786-RM1.jsbl.com unable to get local issuer certificate

Potential Vulnerabilities (5)

3 Enabled DCOM

QID:	90042
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/13/2015
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
The Distributed Component Object Model (DCOM) is a protocol that enables software components to communicate directly over a network. The Distributed Component Object Model (DCOM) is enabled on this system.

IMPACT:
Buffer overflow vulnerabilities have been discovered previously in the DCOM implementation in most versions of Windows. Microsoft has issued several advisories and patches (MS03-026 (http://www.microsoft.com/technet/security/bulletin/MS03-026.mspx), MS03-039 (http://www.microsoft.com/technet/security/bulletin/MS03-039.mspx), MS08-067 (http://www.microsoft.com/technet/security/Bulletin/MS08-067.mspx) to address several DCOM and RPC vulnerabilities.
Gimmiv.A malware has also been reported to exploit a vulnerability in RPC DCOM.
DCOM enabled attracts Internet worms and permits your system to be remotely compromised by malicious hackers.

SOLUTION:
Refer to Microsoft article Best Practices for Mitigating RPC and DCOM Vulnerabilities (http://technet.microsoft.com/en-us/library/dd632946.aspx) to obtain information on vulnerabilities in DCOM and ways to mitigate those vulnerabilities.
Information on disabling DCOM can be found at the Microsoft Technet article called How to Disable DCOM Support in Windows (http://support.microsoft.com/default.aspx?kbid=825750).
For disabling DCOM on Windows 7, Windows 8, Windows Server 2008, Windows Server 2008 R2, and Windows Server 2012 refer to Microsoft's article Enable or Disable DCOM (http://technet.microsoft.com/en-us/library/cc771387.aspx).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\Ole EnableDCOM = Y

3 SMB Signing Disabled or SMB Signing Not Required

QID:	90043
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/12/2014
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
This host does not seem to be using SMB (Server Message Block) signing. SMB signing is a security mechanism in the SMB protocol and is also known as security signatures. SMB signing is designed to help improve the security of the SMB protocol.
SMB signing adds security to a network using NetBIOS, avoiding man-in-the-middle attacks.
When SMB signing is enabled on both the client and server SMB sessions are authenticated between the machines on a packet by packet basis.

IMPACT:
Unauthorized users sniffing the network could catch many challenge/response exchanges and replay the whole thing to grab particular session keys, and then authenticate on the Domain Controller.

SOLUTION:
Without SMB signing, a device could intercept SMB network packets from an originating computer, alter their contents, and broadcast them to the destination computer. Since, digitally signing the packets enables the recipient of the packets to confirm their point of origination and their authenticity, it is recommended that SMB signing is enabled and required.
Please refer to Microsoft's article 887429 (http://support.microsoft.com/kb/887429) for information on enabling SMB signing.
For Windows Server 2008 R2, Windows Server 2012, please refer to Microsoft's article Require SMB Security Signatures (http://technet.microsoft.com/en-us/library/cc731957.aspx) for information on enabling SMB signing. For group policies please refer to Microsoft's article Modify Security Policies in Default Domain Controllers Policy (http://technet.microsoft.com/en-us/library/cc731654)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
No results available

2 Global User List

QID:	45002
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/11/2017
User Modified:	-
Edited:	No
PCI Vuln:	Yes
Ticket State:	

THREAT:
This is the global system user list, which was retrieved during the scan by exploiting one or more vulnerabilities or via authentication provided by user. The Qualys IDs for the vulnerabilities leading to the disclosure of these users are also given in the Result section. Each user will be displayed only once, even though it may be obtained by using different methods.
Note: We did not exploit any vulnerabilities to gather this information in QID 90266, 45027 or 45032.

IMPACT:
These common account(s) can be used by a malicious user to break-in the system via password bruteforcing.

SOLUTION:
To prevent your host from being attacked, do one or more of the following:

Remove (or rename) unnecessary accounts
Shutdown unnecessary network services
Ensure the passwords to these accounts are kept secret
Use a firewall to restrict access to your hosts from unauthorized domains

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

User Name	Source Vulnerability (QualysID)
Administrator	45032, 45031
Guest	90266, 45027, 45031
adc.admin	45031
Rainbow	45031

 2 Windows User Accounts With Unchanged Passwords

QID:	105236
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/12/2009
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The target Microsoft Windows system has some user accounts with passwords which have never changed. This may include any disabled accounts that
you may have.

IMPACT:
N/A

SOLUTION:

Please check if this adheres with your security policy and remove unwanted accounts.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Guest

1 Windows Registry Setting To Globally Prevent Socket Hijacking Missing

QID:	90213
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/17/2009
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Windows since Windows NT is vulnerable to socket hijacking. This is because the operating system does not implement the concept of privileged listener ports. So any unprivileged user process can listen on sub-1024 port numbers. If a privileged server process is listening on such a port already, there's a possibility for the unprivileged process to hijack the socket by collecting all data meant for the privileged process.
This issue arises when the first server socket binds to a port (privileged or otherwise) but specifies "INADDR_ANY" or "0.0.0.0" as the IP address to bind on. This allows the server to receive packets arriving on that port on any interface configured with a public IP address. This configuration is typical on a multihomed/multi-NIC machine set up as a server (or when the IP address might change in the future). However, if another rogue socket binds to the same port (using "SO_REUSEADDR") on a more specific IP address (instead of INADDR_ANY) of one of the interfaces, the network stack hands packets arriving on that port to the more specifically bound socket.
As a solution, Microsoft provided the SO_EXCLUSIVEADDRUSE Option (http://msdn.microsoft.com/en-us/library/cc150667(VS.85).aspx), a socket option to be used by sockets before binding, to prevent this issue. However, using the SO_EXCLUSIVEADDRUSE option may not be possible for administrators with server applications coded prior to this solution, or which are closed source binaries that can't be fixed to implement this. This socket option has been provided for all Windows versions starting from Windows NT 4.0 Service Pack 4 and onwards.

IMPACT:
If this registry setting is missing, in the absence of a SO_EXCLUSIVEADDRUSE check on a listening privileged socket, local unprivileged users can easily hijack the socket and intercept all data meant for the privileged process.

SOLUTION:
As a workaround, Microsoft provides a registry setting that will globally (system-wide) prevent all sockets from reusing any port that is already in use. This is done by setting to 1 the "DisableAddressSharing" value of the "HKLM\System\CurrentControlSet\Services\Afd\Parameters" key. (Reboot required for the setting to take effect).
The administrator should first confirm that disallowing socket reuse globally does not break the functionality/correctness of existing legitimate servers on the system. If it's safe, the setting described above should be used to apply this security measure.
Please refer to Microsoft article on SO_EXCLUSIVEADDRUSE (http://msdn.microsoft.com/en-us/library/cc150667(VS.85).aspx) before implementing this feature.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\SYSTEM\CurrentControlSet\Services\Afd\Parameters DisableAddressSharing is missing.

Information Gathered (152)

3 Remote Access or Management Service Detected

QID:	42017
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/03/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

A remote access or remote management service was detected. If such a service is accessible to malicious users it can be used to carry different type of attacks. Malicious users could try to brute force credentials or collect additional information on the service which could enable them in crafting further attacks.
The Results section includes information on the remote access service that was found on the target.
Services like Telnet, Rlogin, SSH, windows remote desktop, pcAnywhere, Citrix Management Console, Remote Admin (RAdmin), VNC, OPENVPN and ISAKMP are checked.

IMPACT:

Consequences vary by the type of attack.

SOLUTION:

Expose the remote access or remote management services only to the system administrators or intended users of the system.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Service name: Remote Desktop on TCP port 3389.

3 DEFLATE Data Compression Algorithm Used for HTTPS

QID:	42416
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/10/2013
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

HTTP data is compressed before it is sent from the server. DEFLATE data compression algorithm uses the LZ77 algorithm which takes advantage of repeated strings to more efficiently compress output.
DEFLATE data compression algorithm is prone to be unsafe as described in the BREACH attack. If an attacker can inject a string into a HTTPS response intended to match another unknown string (the target secret), they can iteratively guess the secret value by monitoring the compressed

size of the responses for different guesses. Note: The attacker needs the capability of reading responses received by the user's browser and the capability of cause the victim to send requests from their browser to perform BREACH attack.
This QID detects that the remote HTTP server is using a gzip or DEFLATE (zlib) compression format which is using DEFLATE data compression algorithm.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HTTP/1.1 200 OK
Content-Type: text/html
Content-Encoding: gzip
Last-Modified: Mon, 20 Feb 2017 12:31:29 GMT
Accept-Ranges: bytes
ETag: "4bdc642758bd21:0"
Vary: Accept-Encoding
Server: Microsoft-IIS/8.5
X-Powered-By: ASP.NET
Date: Tue, 14 Mar 2017 08:09:53 GMT
Content-Length: 608

_1F_8B_08_00_00_00_00_00_04_00_ED_BD_07`_1CI_96%&/m_CA{_7FJ_F5J_D7_E0t_A1_08_80`_13
$_D8_90@_10_EC_C1_88_CD_E6_92_EC_1DiG#)_AB*_81_CAeVe]f_16@_CC_ED_9D_BC_F7_DE{_EF_BD_F7_DE{_EF_BD_F7_BA;
_9DN'_F7_DF_FF?\fd_01I_F6_CEJ_DA_C9_9E!_80_AA_C8_1F?~|_1F?"_1E_FF_AEO_BF<y_F3_FB_BC<M_E7_ED_A2L_~
_F5_E4_F9_D9I_FA_D1_F6_DD_BB_DF_BDwr_F7_EE_D37O_D3_DF_FB_DBo_BEx_9E_EE_8Ew_D2_D7m]L_DB_BBwO_|
_94~4o_DB_D5_A3_BBw_AF_AE_AE_C6W_F7_C6U}q_F7_CD_AB_BB_EF_00e_17_AF_E9_AF_DB_BF3_9E_B5_B3_8F_8E~_E3_E41>L_DF-
_CAe_F3Y_04_C2_EE_C3_87_0F_E5Ei_9Cg3_FC_E4mF_F8_B5_AB_ED_FC_17_AD_8B_CB_CF>:_A9_96m_BEl_B7_DF\
_AF_F2_8F_D2_A9_FC_F5_D9Gm_FE_AE_BD_8B_B7_0F_D3_E9<_AB_9B_BC_FD_ACh_AA_ED_83_83_FB_0F_B7w?J_EF_02V[_B4e~tv_F6:
_FDn_B1_9CUWM_FA:_AF/_F3_FA_F1]_F9_86_9A4_EDu_99_A7-_C1V_90_D3_A6a|~
_D7_ED_ED_DF8_99T_B3_EB_F4_17_FF_C6_C9_8FM_AB_B2_AA_1F_FD_F8_0E?_87_F4_C1$_9B_BE_BD_A8_AB_F5r_B6m_BF{_B0w_F2)
_BE[d_F5E_B1|_84v_BF_E47N~_E3_E4_C7_81tV,_F3_9Aa_C9_D7_DBe~_DE>_CA_D6mE_CD_CCguq1w_1F_02_9F_ED_AC,.
_96_8F_A64_E6_BC_C6_87_0C1K_8B_C5_05_03_9BT_F5,_AF_1F-_ABeN_DF_F2_97_DB_DB_C0_FF._8F_8C_7F3_A4_C5h_F0sV\
_A6_C5_EC_B3_8F,Z<`_A2z_9D_9F_DB_99_BA_A8_C6_8BbZWMu_DE_8E_A7_D5_E2_EE_F9UY,_DF_DE_FD=_F0/
_BD_FD_E9_A7_BB_F7_0E~a_B6X_1DN_CB)_FD_BD_F3n_7F_E7_E1GG_8F_81XSO?_FB_A8(_9A_ED_83_FB_E3_D5_F2_E2_A34+
i_C6h_1E>J_AF_8AY;_FF_EC_A3_87_9F_EE|_94_CEs_0C_F7_B3_8F>_DD_A1?_EE_1E=_BE_9B_01_8F_BB_84_1E_FF4_E8_F2,_1F_FD?
1_F1Z_01_BD_02

HTTP/1.1 200 OK
Content-Type: text/html
Content-Encoding: gzip
Last-Modified: Mon, 20 Feb 2017 12:31:29 GMT
Accept-Ranges: bytes
ETag: "4bdc642758bd21:0"
Vary: Accept-Encoding
Server: Microsoft-IIS/8.5
X-Powered-By: ASP.NET
Date: Tue, 14 Mar 2017 08:10:17 GMT
Content-Length: 608

_1F_8B_08_00_00_00_00_00_04_00_ED_BD_07`_1CI_96%&/m_CA{_7FJ_F5J_D7_E0t_A1_08_80`_13
$_D8_90@_10_EC_C1_88_CD_E6_92_EC_1DiG#)_AB*_81_CAeVe]f_16@_CC_ED_9D_BC_F7_DE{_EF_BD_F7_DE{_EF_BD_F7_BA;
_9DN'_F7_DF_FF?\fd_01I_F6_CEJ_DA_C9_9E!_80_AA_C8_1F?~|_1F?"_1E_FF_AEO_BF<y_F3_FB_BC<M_E7_ED_A2L_~
_F5_E4_F9_D9I_FA_D1_F6_DD_BB_DF_BDwr_F7_EE_D37O_D3_DF_FB_DBo_BEx_9E_EE_8Ew_D2_D7m]L_DB_BBwO_|
_94~4o_DB_D5_A3_BBw_AF_AE_AE_C6W_F7_C6U}q_F7_CD_AB_BB_EF_00e_17_AF_E9_AF_DB_BF3_9E_B5_B3_8F_8E~_E3_E41>L_DF-
_CAe_F3Y_04_C2_EE_C3_87_0F_E5Ei_9Cg3_FC_E4mF_F8_B5_AB_ED_FC_17_AD_8B_CB_CF>:_A9_96m_BEl_B7_DF\
_AF_F2_8F_D2_A9_FC_F5_D9Gm_FE_AE_BD_8B_B7_0F_D3_E9<_AB_9B_BC_FD_ACh_AA_ED_83_83_FB_0F_B7w?J_EF_02V[_B4e~tv_F6:
_FDn_B1_9CUWM_FA:_AF/_F3_FA_F1]_F9_86_9A4_EDu_99_A7-_C1V_90_D3_A6a|~
_D7_ED_ED_DF8_99T_B3_EB_F4_17_FF_C6_C9_8FM_AB_B2_AA_1F_FD_F8_0E?_87_F4_C1$_9B_BE_BD_A8_AB_F5r_B6m_BF{_B0w_F2)
_BE[d_F5E_B1|_84v_BF_E47N~_E3_E4_C7_81tV,_F3_9Aa_C9_D7_DBe~_DE>_CA_D6mE_CD_CCguq1w_1F_02_9F_ED_AC,.
_96_8F_A64_E6_BC_C6_87_0C1K_8B_C5_05_03_9BT_F5,_AF_1F-_ABeN_DF_F2_97_DB_DB_C0_FF._8F_8C_7F3_A4_C5h_F0sV\
_A6_C5_EC_B3_8F,Z<`_A2z_9D_9F_DB_99_BA_A8_C6_8BbZWMu_DE_8E_A7_D5_E2_EE_F9UY,_DF_DE_FD=_F0/
_BD_FD_E9_A7_BB_F7_0E~a_B6X_1DN_CB)_FD_BD_F3n_7F_E7_E1GG_8F_81XSO?_FB_A8(_9A_ED_83_FB_E3_D5_F2_E2_A34+

i_C6h_1E>J_AF_8AY;_FF_EC_A3_87_9F_EE|_94_CEs_0C_F7_B3_8F>_DD_A1?_EE_1E=_BE_9B_01_8F_BB_84_1E_FF4_E8_F2,_1F_FD?1_F1Z_01_BD_02

3 Accounts Enumerated From SAM Database Whose Passwords Do Not Expire

QID:	45031
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/31/2004
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Security Accounts Manager holds user and machine account information. The scanner found at least one user or machine account in the SAM database for the target Windows machine whose password does not expire. The accounts are listed in the Result section.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
User/Machine Accounts With Passwords That Do Not Expire:
adc.admin
Administrator
Guest
Rainbow

3 Microsoft Windows Server Software SSL 3.0 Not Disabled (MSSA 3009008)

QID:	45230
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/21/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SSL 3.0 protocol is not disabled.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\System\CurrentControlSet\Control\SecurityProviders\SCHANNEL\Protocols\SSL 3.0\Server Enabled is missing.

3 NetBIOS Shared Folders

QID:	70030
Category:	SMB / NETBIOS
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/30/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The following NetBIOS shared folders have been detected.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Device Name	Comment	Type	Label	Size	Description
ADMIN$	Remote Admin	-2147483648	Server2012	59 GB	Disk (mounted)
C$	Default share	-2147483648			
E$	Default share	-2147483648			
IPC$	Remote IPC	-2147483645			
print$	Printer Drivers	0			

3 Microsoft Windows Socket Parameters, TCP/IP Hardening Guidelines

QID:	90127
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/13/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Windows Socket (Winsock) parameters at the target are enumerated and compared against the protection levels recommended in TCP/IP hardening guidelines from Microsoft.

IMPACT:

Depending on the services hosted by the target, it may be subject to denial of service attacks.

SOLUTION:
You can secure the TCP/IP stack for Windows Sockets (Winsock) applications such as FTP servers and Web servers. The driver Afd.sys is responsible for
connection attempts to Winsock applications. Afd.sys has been modified in
Windows 2000, Windows 2003, and Windows XP to support large numbers of connections in the half-open state without denying access to legitimate clients. Afd.sys can use dynamic backlog, which is configurable, rather than a static backlog.
You can configure four parameters for the dynamic backlog:
EnableDynamicBacklog: Switches between using a static backlog and a dynamic backlog. By default, this parameter is set to 0, which enables the static backlog. You should enable the dynamic backlog for better security on Winsock.
MinimumDynamicBacklog: Controls the minimum number of free connections
allowed on a listening Winsock endpoint. If the number of free connections
drops below this value, a thread is queued to create additional free
connections. Making this value too large (setting it to a number greater than 100) will degrade the performance of the computer.
MaximumDynamicBacklog: Controls the maximum number of half-open and free connections to Winsock endpoints. If this value is reached, no additional free connections will be made.
DynamicBacklogGrowthDelta: Controls the number of Winsock endpoints in each allocation pool requested by the computer. Setting this value too high can cause system resources to be unnecessarily occupied.
Each of these values must be added to this registry key:
HKLM\System\CurrentControlSet\Services\AFD\Parameters
The recommended levels of protection for these parameters are indicated below.
DynamicBacklogGrowthDelta: 10
EnableDynamicBacklog: 1
MinimumDynamicBacklog: 20
MaximumDynamicBacklog: 20000
Refer to the Microsoft Security Topics document called How To: Harden the TCP/IP Stack (http://msdn.microsoft.com/en-us/library/ff648853.aspx) for a detailed description of these parameters and other impacts these might have before deploying these settings.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

EnableDynamicBacklog	Recommended:	1	Actual:	Missing
MinimumDynamicBacklog	Recommended:	20	Actual:	Missing
MaximumDynamicBacklog	Recommended:	20, 000	Actual:	Missing
DynamicBacklogGrowthDelta	Recommended:	10	Actual:	Missing

 3 Microsoft Windows TCP Parameters, TCP/IP Hardening Guidelines

QID:	90128
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/11/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The target Windows system TCP/IP parameters are enumerated and compared against TCP/IP hardening guidelines from Microsoft.
To help prevent denial of service attacks, you can harden the TCP/IP protocol stack on Windows 2000/2003 and Windows XP computers. You should harden the TCP/IP stack against denial of service attacks, even on internal networks, to prevent denial of service attacks that originate from inside the network as well as on computers attached to public networks.
You can harden the TCP/IP stack on a Windows 2000/2003 or Windows XP computer by customizing these registry values, which are stored in the registry key:
HKLM\System\CurrentControlSet\Services\Tcpip\Parameters\

IMPACT:

Depending on the role played by the target, it may be subject to denial of service and other TCP level attacks.

SOLUTION:
EnablePMTUDiscovery: Determines whether path MTU discovery is enabled (1), in which case TCP attempts to discover the largest packet size over the path to a remote host. When path MTU discovery is disabled (0), the path MTU for all TCP connections will be fixed at 576 bytes.
DisableIPSourceRouting: Determines whether a computer allows clients to predetermine the route that packets take to their destination. When this value is set to 2, the computer will disable source routing for IP packets.
NoNameReleaseOnDemand: Determines whether the computer will release its NetBIOS name if requested by another computer or a malicious packet attempting to hijack the computer's NetBIOS name. This is configured under HKLM\System\CurrentControlSet\Services\Netbt\Parameters
PerformRouterDiscovery: Determines whether the computer performs router discovery on this interface. Router discovery solicits router information from the network and adds the information retrieved to the route table. Setting this value to 0 will prevent the interface from performing router discovery.
EnableDeadGWDetect: Determines whether the computer will attempt to detect dead gateways. When dead gateway detection is enabled (by setting this value to 1), TCP might ask IP to change to a backup gateway if a number of connections are experiencing difficulty. Backup gateways are defined in the TCP/IP configuration dialog box in the Network Control Panel for each adapter. When you leave this setting enabled, it's possible for an attacker to redirect the server to a gateway of his choosing.
EnableICMPRedirect: When ICMP redirects are disabled (by setting the value to 0), attackers cannot carry out attacks that require a host to redirect the ICMP-based attack to a third party.
SynAttackProtect: Enables SYN flood protection in Windows 2000 and Windows XP. You can set this value to 0, 1, or 2. The default setting 0 provides no protection. Setting the value to 1 will activate SYN/ACK protection contained in the TCPMaxPortsExhausted, TCPMaxHalfOpen, and TCPMaxHalfOpenRetried values. Setting the value to 2 will protect against SYN/ACK attacks by more aggressively timing out open and half-open connections. For Windows 2003, the recommended value is 1.
TCPMaxConnectResponseRetransmissions: Determines how many times TCP
retransmits an unanswered SYN/ACK message. TCP retransmits acknowledgments
until the number of retransmissions specified by this value is reached.
TCPMaxHalfOpen: Determines how many connections the server can maintain in the half-open state before TCP/IP initiates SYN flooding attack protection. This entry is used only when SYN flooding attack protection is enabled on this server, that is when the value of the SynAttackProtect entry is 1 or 2 and the value of the TCPMaxConnectResponseRetransmissions entry is at least 2.
TCPMaxHalfOpenRetired: Determines how many connections the server can
maintain in the half open state even after a connection request has been
retransmitted. If the number of connections exceeds the value of this entry, TCP/IP initiates SYN flooding attack protection. This entry is used only when SYN flooding attack protection is enabled on this server, that is when the value of the SynAttackProtect entry is 1 and the value of the TCPMaxConnectResponseRetransmissions entry is at least 2.
Refer to the Microsoft Security Topics document called How To: Harden the TCP/IP Stack (http://msdn.microsoft.com/en-us/library/ff648853.aspx) for a detailed description of these parameters and other impacts these might have before deploying these settings.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

EnableICMPRedirect	Recommended:	0	Actual:	1
SynAttackProtect	Recommended:	2	Actual:	Missing
TCPMaxConnectResponseRetransmissions	Recommended:	2	Actual:	Missing
TCPMaxHalfOpen	Recommended:	500	Actual:	Missing
TCPMaxHalfOpenRetried	Recommended:	400	Actual:	Missing
TCPMaxPortsExhausted	Recommended:	5	Actual:	Missing
TCPMaxDataRetransmissions	Recommended:	2	Actual:	Missing
EnableDeadGWDetect	Recommended:	0	Actual:	Missing
EnablePMTUDiscovery	Recommended:	0	Actual:	Missing
DisableIPSourceRouting	Recommended:	1	Actual:	Missing
NoNameReleaseOnDemand	Recommended:	1	Actual:	Missing
PerformRouterDiscovery	Recommended:	0	Actual:	Missing

3 BHOs Detected

QID:	90139
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/20/2016

User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
A Browser Helper Object (BHO) is a special type of add-in for Microsoft Internet Explorer (IE). A BHO tightly integrates with IE to customize and control the browser application. When IE starts, it scans the registry to create BHOs. Created BHOs have access to all the events and properties of the current browsing session. BHOs can be manually searched using "regedit.exe". For example, Adobe Acrobat installs a BHO and adds it to the registry as described below.
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Explorer\Browser Helper Objects\{06849E9F-C8D7-4D59-B87D-784B7D6BE0B3}
where {06849E9F-C8D7-4D59-B87D-784B7D6BE0B3} is the UUID of BHO, and InprocServer32 in HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06849E9F-C8D7-4D59-B87D-784B7D6BE0B3}\InprocServer32 specifies the file path of the BHO. In this example, it is
"C:\Program Files\Adobe\Acrobat 5.0\Reader\ActiveX\AcroIEHelper.ocx". Your system might have different path.
The following Browser Helper Objects have been found on your system.

IMPACT:
A maliciously designed BHO, probably installed by Trojans, could potentially snatch data from your online session, including your user name and passwords entered into forms on Web pages, and send anywhere.

SOLUTION:
You can manually delete registry entries to disable unwanted BHOs, but this might create problems. It is highly recommended to use your antivirus software and tools such as BHOcop.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Browser Helper Objects	
{72853161-30C5-4D22-B7F9-0BBC1D38A37E}	C:\PROGRA~1\MICROS~1\Office14\GROOVEEX.DLL
{B4F3A835-0E21-4959-BA22-42B3008E02FF}	C:\PROGRA~1\MICROS~1\Office14\URLREDIR.DLL
Browser Helper Objects	
{72853161-30C5-4D22-B7F9-0BBC1D38A37E}	C:\PROGRA~1\MICROS~1\Office14\GROOVEEX.DLL
{B4F3A835-0E21-4959-BA22-42B3008E02FF}	C:\PROGRA~1\MICROS~1\Office14\URLREDIR.DLL

3 SAMR Pipe Permissions Enumerated

QID: 105237
Category: Security Policy
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/23/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The account permissions for the SAMR pipe are enumerated from the target Microsoft Windows system.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
\SAMR Everyone 0 access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
\SAMR AnonymousLogon 7 access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
\SAMR Administrators 544 access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete

 3 Antivirus Product Detected on Windows Host

QID:	105327
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/20/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
One or more of the following Windows Antivirus products were detected on the host:
AVG Antivirus

CA eTrust Antivirus

F-Secure Antivirus

Kaspersky Antivirus

McAfee Antivirus

Network Associates Antivirus

Sophos Antivirus Scanner

Symantec Norton Antivirus Corporate Edition

Symantec Norton Antivirus Personal Edition

Symantec Endpoint Protection

TrendMicro Antivirus

ESET Antivirus Scanner

Microsoft Windows Defender

Clam Antivirus

Lumension EMSS

Microsoft System Center Endpoint Protection

IMPACT:

n/a

SOLUTION:
n/a

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\Software\KasperskyLab exists
Kaspersky Anti-Virus Installed

3 Sticky Key's Enabled on System

QID:	124403
Category:	Local
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/16/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Sticky Keys is a Windows Ease of Access feature that allows users to use keyboard shortcuts or type capital letters without need of pressing multiple keys.
A privilege elevation exploit has been reported with Sticky Keys, which can be exploited by a local privileged user or an attacker with physical access to gain System access of the machine, by replacing the sethc.exe (Sticky Key executable) with cmd.exe, which can be accessed later on at the login screen by pressing shift key multiple times.

IMPACT:
Successful exploitation of this vulnerability will allow an attacker to obtain elevated access to the system.

SOLUTION:
Microsoft has not confirmed this as a vulnerability and will not be providing any patch.

Workaround:
Administrators is advised to disable
Sticky Keys for all user

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKU\.DEFAULT\Control Panel\Accessibility\StickyKeys Flags = 510

2 Operating System Detected

QID:	45017

Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/23/2017
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Several different techniques can be used to identify the operating system (OS) running on a host. A short description of these techniques is provided below. The specific technique used to identify the OS on this host is included in the RESULTS section of your report.
1) TCP/IP Fingerprint: The operating system of a host can be identified from a remote system using TCP/IP fingerprinting. All underlying operating system TCP/IP stacks have subtle differences that can be seen in their responses to specially-crafted TCP packets. According to the results of this "fingerprinting" technique, the OS version is among those listed below.
Note that if one or more of these subtle differences are modified by a firewall or a packet filtering device between the scanner and the host, the fingerprinting technique may fail. Consequently, the version of the OS may not be detected correctly. If the host is behind a proxy-type firewall, the version of the operating system detected may be that of the firewall instead of the host being scanned.
2) NetBIOS: Short for Network Basic Input Output System, an application programming interface (API) that augments the DOS BIOS by adding special functions for local-area networks (LANs). Almost all LANs for PCs are based on the NetBIOS. Some LAN manufacturers have even extended it, adding additional network capabilities. NetBIOS relies on a message format called Server Message Block (SMB).
3) PHP Info: PHP is a hypertext pre-processor, an open-source, server-side, HTML-embedded scripting language used to create dynamic Web pages. Under some configurations it is possible to call PHP functions like phpinfo() and obtain operating system information.
4) SNMP: The Simple Network Monitoring Protocol is used to monitor hosts, routers, and the networks to which they attach. The SNMP service maintains Management Information Base (MIB), a set of variables (database) that can be fetched by Managers. These include "MIB_II.system. sysDescr" for the operating system.

IMPACT:
Not applicable.

SOLUTION:
Not applicable.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Operating System	Technique	ID
Windows Server 2012 R2 Standard 64 bit Edition	Windows Registry	
Windows 2012 R2/8.1	NTLMSSP	
Windows 2012	TCP/IP Fingerprint	U3414:135
Windows Server 2012 R2 Standard 9600/Windows Server 2012 R2 Standard 6.3	CIFS via TCP Port 445	
cpe:/o:microsoft:windows server 2012:r2::x64:	CPE	


2 Windows Effective Password Policy Information Gathering Via SAM Database

QID:	45026
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/30/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

This check probes the SAM database on the target host for password policy information. Information gathered is:
Minimum Password Age in Days
Maximum Password Age in Days
Minimum Password Length in Characters
Password History (Number of old passwords remembered)
The policy is the effective policy, which is a combination of the local policy settings (if any) and the domain-wide policy settings made on the Domain Controller(s) for the domain.
This probe requires authentication to be successful.

IMPACT:

This password policy information may be used for auditing a Windows-based network for password policy compliance of its nodes. An attacker with a working account can use it to query the network and obtain information.

SOLUTION:

N/A

COMPLIANCE:

Type: CobIT
Section: DS5.4
Description: DS5.4 User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

Type: GLBA
Section: N/A
Description: Ensure the confidentiality and protection of passwords through secure password creation and distribution mechanisms.

Type: HIPAA
Section: 164.308(a)(5)(ii)(D)
Description: Password management
Procedures for creating, changing, and safeguarding passwords.

Type: SOX
Section: N/A
Description: User Access Management
Granting resource access, user ID and password requirements, individual accountability, limited utilization of native administrative IDs, non-employee user ID expiration, reporting employee and contractor status changes.
Operating System Access Control
Password enforcement, logon information, password display and printing, required password changes, vendor default passwords, security changes after system compromise, systems software utility usage, automatic log off.
Password Management
Procedures exist that ensure the confidentiality and protection of passwords through secure password creation and distribution mechanisms, the enforcement and adherence to acceptable password standards, and the regular changing of passwords.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Effective Password Policy:

Mininum Password Length - 8 Characters.
Password History Length - 5 Passwords.
Minimum Password Age - 0 (Not defined/Infinite).
Maximum Password Age - 30 Days.
Password Complexity - Set.
Store Password Using Reversible Encryption - Not Set.

 2 Windows Domain Effective Account Lockout Policy Information Gathered Via SAM Database

QID:	45028
Category:	Information gathering

CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/31/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The Security and Accounts Manager (SAM) Database of any Windows host participating in a Windows Domain has information about the account lockout policy set on that system. Such information was gathered from the target and is shown in the Results section below.
It should be noted that if the Domain Controller/Active Directory on this domain enforces a policy as well, the Domain Controller policy will override the local policies (if any) of each host. Further, it takes up to a couple of minutes for changes on the Domain Controller policy to be propogated to all the individual hosts on that domain.

COMPLIANCE:

Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

Type: GLBA
Section: N/A
Description: Ensure that accounts are locked after unsuccessful login attempts.

Type: HIPAA
Section: 164.312(a)(1)
Description: Standard: Access Control
Implement technical policies and procedures for electronic information systems that maintain electronic protected health information to allow access only to those persons or software programs that have been granted access rights as specified in 164.308(a)(4).

Type: SOX
Section: N/A
Description: Ensure that accounts are locked after unsuccessful login attempts and that failed login attempts are logged.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

Effective Account Lockout Policy:

Maximum Failed Logon Attempts Before Lockout - 3 Attempts.
Lockout Logon-Attempts-Counter Duration - 30 Minutes.
Lockout Duration - 30 Minutes.



2 Microsoft .Net Framework Installed on Target Host

QID:	45178
Category:	Information gathering
CVE ID:	-
Vendor Reference:	Microsoft .NET Framework
Bugtraq ID:	-
Service Modified:	10/26/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft .NET Framework is a software framework for computers running Microsoft Windows operating systems.
Microsoft .NET Framework is installed on target host.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

.Net Framework	Version	Release	Service Pack	Key
.Net Framework 2.0 x64	2.0.50727.4927	-	2	HKLM\SOFTWARE\Microsoft\NET Framework Setup\NDP\v2.0.50727
.Net Framework 3.0 x64	3.0.30729.4926	-	2	HKLM\SOFTWARE\Microsoft\NET Framework Setup\NDP\v3.0
.Net Framework 3.5 x64	3.5.30729.4926	-	1	HKLM\SOFTWARE\Microsoft\NET Framework Setup\NDP\v3.5
.Net Framework 4.x Client Installation x64	4.6.01055	394271 (4.6.1)	-	HKLM\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\Client
.Net Framework 4.x Full Installation x64	4.6.01055	394271 (4.6.1)	-	HKLM\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\Full
.Net Framework 2.0 x86	2.0.50727.4927	-	2	HKLM\SOFTWARE\Wow6432Node\Microsoft\NET Framework Setup\NDP\v2.0.50727
.Net Framework 3.0 x86	3.0.30729.4926	-	2	HKLM\SOFTWARE\Wow6432Node\Microsoft\NET Framework Setup\NDP\v3.0
.Net Framework 3.5 x86	3.5.30729.4926	-	1	HKLM\SOFTWARE\Wow6432Node\Microsoft\NET Framework Setup\NDP\v3.5
.Net Framework 4.x Client Installation x86	4.6.01055	394271 (4.6.1)	-	HKLM\SOFTWARE\Wow6432Node\Microsoft\NET Framework Setup\NDP\v4\Client
.Net Framework 4.x Full Installation x86	4.6.01055	394271 (4.6.1)	-	HKLM\SOFTWARE\Wow6432Node\Microsoft\NET Framework Setup\NDP\v4\Full



2 System and BaseBoard Serial Numbers

QID:	45208
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/02/2013
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The system serial number and baseboard serial number of the target device are reported in the Result section.
Requirements for Windows Operating Systems: This QID requires the Windows Management Instrumentation (WMI) service to be running. For the system serial number, the result is obtained through a WQL query on the "SerialNumber" Property of the "Win32_BIOS" WMI Class. For the baseboard serial number, the result is obtained through a WQL query on the "SerialNumber" Property of the "Win32_BaseBoard" WMI Class.
Requirements for Solaris Operating Systems: This QID requires the "smbios" or "sneep" command to be present on the system. The output of the result is the System Serial Number and Base Board Serial Number of the remote Solaris machine. If a remote Solaris machine only has the "sneep" command, then just System Serial Number will be posted.
Requirements for Linux Operating Systems: This QID requires "lshal" or "dmidecode" to be installed on the target. The result section lists the System

Serial Number and Base Board Serial Number provided by "lshal" or "dmidecode".

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
System Serial Number : 9396-9452-3933-6895-4375-1227-83
BaseBoard Serial Number : 9396-9452-3933-6895-4375-1227-83

2 Open DCE-RPC / MS-RPC Services List

QID:	70022
Category:	SMB / NETBIOS
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/07/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The following DCE-RPC / MS-RPC services are active on the remote host.

IMPACT:
N/A

SOLUTION:
Shut down any unknown or unused service on the list. In Windows, this is done in the "Services" Control Panel. In other environments, this usually requires editing a configuration file or start-up script.

If you have provided Windows Authentication credentials, the Microsoft
Registry service supporting the named pipe "\PIPE\winreg" must be present to allow CIFS to access the Registry.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Description	Version	TCP Ports	UDP Ports	HTTP Ports	NetBIOS/CIFS Pipes
DCE Endpoint Mapper	3.0	135			\PIPE\epmapper
DCE Remote Management	1.0				\PIPE\epmapper
DCOM OXID Resolver	0.0	135			\PIPE\epmapper
DCOM Remote Activation	0.0	135			\PIPE\epmapper
DCOM System Activator	0.0	135			\PIPE\epmapper

Message Queuing - QM2QM V1	1.0	2107, 2105, 2103, 51494	
Message Queuing - QMRT V1	1.0	2107, 2105, 2103, 51494	
Message Queuing - QMRT V2	1.0	2107, 2105, 2103, 51494	
Message Queuing - RemoteRead V1	1.0	2107, 2105, 2103, 51494	
Microsoft Event Log Service	0.0		\PIPE\eventlog
Microsoft Local Security Architecture	0.0		\PIPE\lsarpc
Microsoft Network Logon	1.0		\PIPE\NETLOGON
Microsoft Registry	1.0		\PIPE\winreg
Microsoft Scheduler Control Service	1.0		\PIPE\atsvc
Microsoft Security Account Manager	1.0	49164, 49155	\PIPE\samr, \pipe\lsass
Microsoft Server Service	3.0		\PIPE\srvsvc
Microsoft Service Control Service	2.0	51509	\PIPE\svcctl
Microsoft Spool Subsystem	1.0	49162	\PIPE\spoolss
Microsoft Task Scheduler	1.0		\PIPE\atsvc
Microsoft Workstation Service	1.0		\PIPE\wkssvc
WinHttp Auto-Proxy Service	5.1		\PIPE\W32TIME_ALT
(Unknown Service)	1.0	135	
(Unknown Service)	0.0	2107, 2105, 2103	
(Unknown Service)	1.0	2107, 2105, 2103	
(Unknown Service)	0.0	135	
(Unknown Service)	2.0	135	
Microsoft Spool Subsystem	1.0		\PIPE\SPOOLSS
(Unknown Service)	1.0	49152	\PIPE\InitShutdown
(Unknown Service)	1.0		\PIPE\InitShutdown
(Unknown Service)	1.0		\pipe\LSM_API_service
DHCP Client LRPC Endpoint	1.0	49153	\pipe\eventlog
DHCPv6 Client LRPC Endpoint	1.0	49153	\pipe\eventlog
Wcm Service	1.0	49153	\pipe\eventlog
NRP server endpoint	1.0	49153	\pipe\eventlog
Event log TCPIP	1.0	49153	\pipe\eventlog
AppInfo	1.0	49154	\pipe\SessEnvPublicRpc, \PIPE\srvsvc, \PIPE\atsvc
(Unknown Service)	1.0	49154	\pipe\SessEnvPublicRpc, \PIPE\srvsvc, \PIPE\atsvc
Impl friendly name	1.0	49154	\PIPE\srvsvc, \PIPE\atsvc
IdSegSrv service	1.0	49154	\PIPE\atsvc
XactSrv service	1.0	49154	\PIPE\atsvc
Adh APIs	1.0	49154	\PIPE\atsvc
Proxy Manager client server endpoint	1.0	49154	\PIPE\atsvc
Proxy Manager provider server endpoint	1.0	49154	\PIPE\atsvc
IP Transition Configuration endpoint	1.0	49154	\PIPE\atsvc
IKE/Authip API	1.0	49154	\PIPE\atsvc
(Unknown Service)	1.0	49154	\PIPE\atsvc
DfsDs service	1.0		\PIPE\wkssvc
RemoteAccessCheck	0.0	49155	\pipe\lsass
(Unknown Service)	1.0	49162	
Remote Fw APIs	1.0	51510	

2 Host Uptime Based on TCP TimeStamp Option

QID: 82063

Category:	TCP/IP
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/29/2007
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The TCP/IP stack on the host supports the TCP TimeStamp (kind 8) option. Typically the timestamp used is the host's uptime (since last reboot) in various units (e.g., one hundredth of second, one tenth of a second, etc.). Based on this, we can obtain the host's uptime. The result is given in the Result section below.
Some operating systems (e.g., MacOS, OpenBSD) use a non-zero, probably random, initial value for the timestamp. For these operating systems, the uptime obtained does not reflect the actual uptime of the host; the former is always larger than the latter.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Based on TCP timestamps obtained via port 135, the host's uptime is 0 days, 17 hours, and 45 minutes.
The TCP timestamps from the host are in units of 10 milliseconds.

 2 Installed Applications Enumerated From Windows Installer

QID:	90235
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/07/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The installed applications at the Windows host are listed. This test obtains this list by querying the registry keys corresponding to the Installer Database.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Display Name	Display Version	Install Date	Publisher	Language
Microsoft Office Professional Plus 2010	14.0.4763.1000	Not Found	Microsoft Corporation	Not Found
Microsoft Visual C++ 2005 Redistributable (x64)	8.0.56336	20170221	Microsoft Corporation	No Mapping
Kaspersky Anti-Virus 8.0 for Windows Servers Enterprise Edition	8.0.1.923	20150327	Kaspersky Lab ZAO	English - United States
SAP Crystal Reports runtime engine for .NET Framework (64-bit)	13.0.12.1494	20170303	SAP	English - United States
Microsoft Office Professional Plus 2010	14.0.4763.1000	20170228	Microsoft Corporation	No Mapping
Microsoft Office Access MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Excel MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office PowerPoint MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Publisher MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Outlook MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Word MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Proof (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Proof (French) 2010	14.0.4763.1000	20170228	Microsoft Corporation	French - France
Microsoft Office Proof (Spanish) 2010	14.0.4763.1000	20170228	Microsoft Corporation	Spanish - Spain (Modern Sort)
Microsoft Office Proofing (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Office 32-bit Components 2010	14.0.4763.1000	20170228	Microsoft Corporation	No Mapping
Microsoft Office Shared 32-bit MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office InfoPath MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Shared MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office OneNote MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Groove MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Shared Setup Metadata MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Microsoft Office Access Setup Metadata MUI (English) 2010	14.0.4763.1000	20170228	Microsoft Corporation	English - United States
Kaspersky Anti-Virus 8.0 for WSEE Administration Tools	8.0.1.923	20150327	Kaspersky Lab ZAO	English - United States
Kaspersky Security Center 10 Network Agent	10.3.407	Not Found	AO Kaspersky Lab	Not Found
WinRAR archiver	Not Found	Not Found	Not Found	Not Found
Oracle Data Provider for .NET Help	10.2.000	20170310	Oracle Corporation	English - United States
Crystal Reports for .NET Framework 2.0 (x86)	10.2.0	20170221	Business Objects	English - United States
Microsoft Office Access database engine 2007 (English)	12.0.4518.1031	20170228	Microsoft Corporation	English - United States
Kaspersky Security Center 10 Network Agent	10.3.407	20170217	AO Kaspersky Lab	English - United States
Crystal Report 2008 Runtime SP4	12.4.0.966	20170306	SAP AG	English - United States

2 Real Name of Built-in Guest Account Enumerated

QID:	90266
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/30/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

Microsoft best practices documents recommend renaming the built-in Guest account. This test enumerates the actual name of the built-in Guest account.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Guest

2 Microsoft XML parser (MSXML) Versions Detected

QID:	91228
Category:	Windows
CVE ID:	-
Vendor Reference:	KB269238
Bugtraq ID:	-
Service Modified:	05/31/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft XML Core Services (MSXML) is a set of services that allow applications written in JScript, VBScript, and Microsoft development tools to build Windows-native XML-based applications.
Different versions of MSXML are included with various Microsoft products, such as Microsoft Windows, Microsoft Internet Explorer, Microsoft Office, and Microsoft SQL Server. MSXML is also updated when you install software updates for various Microsoft products. The MSXML parser is included in the Msxml.dll file, the Msxml2.dll file, the Msxml3.dll file, the Msxml4.dll file, the Msxml5.dll file, the Msxml6.dll file, and one or more resource files.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
File version of Microsoft XML parser (MSXML) v3 : 8.110.9600.18258
File version of Microsoft XML parser (MSXML) v6 : 6.30.9600.18046
File version of Microsoft XML parser (MSXML) v3 : 8.110.9600.18258
File version of Microsoft XML parser (MSXML) v6 : 6.30.9600.18046

2 Microsoft Windows Users With Privilege - Assign Primary Token Privilege

QID:	105099
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/25/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeAssignPrimaryTokenPrivilege setting at the host is enumerated. By default Local Service and Network Service have this privilege. Local System has the privilege inherently.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
.NET v2.0 Classic
.NET v4.5 Classic
.NET v2.0
CR
S-1-5-82-3231596961-361741290-4191656218-3094185632-512996942
DefaultAppPool
.NET v4.5
JSBHMREMITSSL
Classic .NET AppPool
Network_Service
Local_Service

2 Microsoft Windows Users With Privilege - Audit Privilege

QID:	105100
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

Ticket State:

THREAT:
The SeAuditPrivilege setting at the host is enumerated. By default Local Service and Network Service accounts have this privilege. Local System has the privilege inherently.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

.NET v2.0 Classic
.NET v4.5 Classic
.NET v2.0
CR
S-1-5-82-3231596961-361741290-4191656218-3094185632-512996942
DefaultAppPool
.NET v4.5
JSBHMREMITSSL
Classic .NET AppPool
Network_Service
Local_Service

 2 Microsoft Windows Users With Privilege - Backup Files and Directories

QID:	105101
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

Ticket State:

THREAT:
The SeBackupPrivilege setting allows the user to circumvent file and directory permissions to back up the system. The privilege is selected only when an application attempts access by using the NTFS backup application programming interface API. Otherwise, normal file and directory permissions apply. By default administrators and backup operators have access.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:

Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Backup_Operators
Administrators

 2 Microsoft Windows Users With Privilege - Change Notify

QID:	105102
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Allows a user to passthrough folders to which the user otherwise has no access while navigating an object path in the NTFS file system or in the registry. This privilege does not allow the user to list the contents of a folder; it allows the user only to traverse its directories. By default administrators, backup operators, power users, users who have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Window Manager Group
Backup_Operators
Users
Administrators

Network_Service
Local_Service
All

2 Microsoft Windows Users With Privilege - Create Global Objects

QID:	105103
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeCreateGlobalPrivilege setting at the host is enumerated. This privilege is required to create named file mapping objects in the global namespace during Terminal Services sessions. This privilege is enabled by default for administrators, services and the Local System account.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.9
Description: Malicious Software Prevention, Detection and Correction
Ensure that preventive, detective and corrective measures are in place (especially up-to-date security patches and virus control) across the organisation to protect information systems and technology from malware (viruses, worms, spyware, spam, internally developed fraudulent software, etc.).

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service_Logon
Administrators
Network_Service
Local_Service

2 Microsoft Windows Users With Privilege - Create Page File

QID:	105104
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeCreatePagefile privilege setting at the host is enumerated. This allows users to create and change the size of a page file. This is done by specifying a page file size for a particular drive in the "performance options" box on the Advanced tab of System Properties. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Debug Applications

QID:	105107
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeDebugPrivilege setting at the host is enumerated. This allows a user to attach a debugger to any process. This privilege provides access to sensitive system components and allows for the creation of operating system components.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Impersonate

QID:	105109
Category:	Security Policy

CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/22/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The SeImpersonatePrivilege setting at the host is enumerated. This allows a user to impersonate a client after authentication.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Service_Logon
IIS_IUSRS
Administrators
Network_Service
Local_Service

2 Microsoft Windows Users With Privilege - Increase Base Priority

QID: 105110
Category: Security Policy
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/22/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The SeIncreaseBasePriorityPrivilege setting at the host is enumerated. This allows a user to increase the base priority class of a process. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT

Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

 2 Microsoft Windows Users With Privilege - Increase Quota

QID:	105111
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeIncreaseQuotaPrivilege setting at the host is enumerated. This allows a process that has access to a second process to increase the processor quota assigned to the second process. By default administrators, Local Service and Network Service have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
.NET v2.0 Classic
.NET v4.5 Classic
.NET v2.0
CR
S-1-5-82-3231596961-361741290-4191656218-3094185632-512996942
DefaultAppPool
.NET v4.5
JSBHMREMITSSL
Classic .NET AppPool
Administrators
Network_Service
Local_Service

2 Microsoft Windows Users With Privilege - Load Drivers

QID:	105112
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeLoadDriverPrivilege setting at the host is enumerated. This allows a user to load or unload a driver. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Use Machine Account

QID:	105113
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeMachineAccountPrivilege setting at the host is enumerated. This allows the user to add a computer to a specific domain.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
DomainJoin

2 Microsoft Windows Users With Privilege - Profile Single Process

QID:	105114
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Allows a user to sample the performance of an application process. By default administrators and power users are vulnerable.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Remote Shutdown

QID:	105115
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeRemoteShutdownPrevilage setting at the host is enumerated. This allows users to shutdown a system from a remote system.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Restore

QID:	105116
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeRestorePrivilege setting at the host is enumerated. This allows a user to circumvent file and directory permissions when restoring backed-up files and directories, and to set any valid security principal as the owner of an object. By default administrators and backup operators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Backup_Operators

Administrators

2 Microsoft Windows Users With Privilege - Change Security Attributes

QID:	105117
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/22/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeSecurityPrivilege setting at the host is enumerated. This allows users to specify object access auditing options for individual resources such as files, active directory objects, and registry keys. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Shutdown

QID:	105118
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeShutdownPrivilege setting at the host is enumerated. This allows a user to shutdown a local computer. By default administrators, backup operators, power users and users have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Backup_Operators

Administrators

2 Microsoft Windows Users With Privilege - Manage Volumes

QID:	105119
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeManageVolumePrivilege setting at the host is enumerated. This allows a non-administrative or remote user to manage volumes or disks. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privileges - Profile System

QID:	105122
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeSystemProfilePrivilege setting at the host is enumerated. This allows a user to sample the performance of system processes. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

WdiServiceHost
Administrators

 2 Microsoft Windows Users With Privileges - Modify System Time

QID:	105123
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/23/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeSystemTimePrivilege setting at the host is enumerated. This allows a user to adjust the time on the computer's internal clock. By default administrators and power users have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

Local_Service

2 Microsoft Windows Users With Privileges - Take Object Ownership

QID:	105124
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The SeTakeOwnershipPrivilege setting at the host is enumerated. This allows a user to take ownership of any securable object in the system including Active Directory objects, NTFS files and folders, printers, registry keys, services, processes and threads. By default administrators have this privilege.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Privilege - Undock Privilege

QID:	105126
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/22/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The SeUndockPrivilege setting at the host is enumerated. This allows the user of a portable computer to undock the computer by checking Eject PC at the start menu.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrators

2 Microsoft Windows Users With Rights - Logon as a Batch

QID:	105156
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/06/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The accounts with batch logon rights are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
IIS_IUSRS
Performance_Log_Users
Backup_Operators
Administrators

2 Microsoft Windows Users With Rights - Interactive Logon

QID: 105157

Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/06/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The accounts with interactive logon rights are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Backup_Operators
Users
Administrators

 2 Microsoft Windows Users With Rights - Network Logon

QID:	105158
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/06/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The accounts with network logon rights are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Backup_Operators
Users
Administrators
All

2 Microsoft Windows Users With Rights - Logon as a Service

QID:	105159
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/06/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The accounts with service logon rights are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

.NET v2.0 Classic
.NET v4.5 Classic
.NET v2.0
CR
S-1-5-82-3231596961-361741290-4191656218-3094185632-512996942
DefaultAppPool
.NET v4.5
JSBHMREMITSSL
Classic .NET AppPool
ALL SERVICES
Taimoor.A

2 Windows Auto Reboot After Blue Screen Not Disabled

QID:	105172
Category:	Security Policy
CVE ID:	-

Vendor Reference: -
Bugtraq ID: -
Service Modified: 04/12/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Auto Reboot after blue screen is enabled on the host. It can be used for activating planted applications that require reboot by causing a system error.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\Control\CrashControl AutoReboot = 1

 2 Microsoft Windows Win32 Services Security Analysis

QID: 105183
Category: Security Policy
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/06/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
This test enumerates the security permissions of non-disabled services on the target Windows system.

IMPACT:
Unauthorized users might be able to control critical system components and modify their configuration.

SOLUTION:
Make sure only administrative users have access to the control of system services.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Name	Access	ACL1	ACL2	ACL3
AppHostSvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
AppHostSvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
AppHostSvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
AppHostSvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
AppHostSvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
AppHostSvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
AppHostSvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
AppHostSvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
AppHostSvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
AppHostSvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
AppHostSvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Appinfo	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Appinfo	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Appinfo	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Appinfo	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Appinfo	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Appinfo	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Appinfo	Access Allowed for Administrators	stop-service	pause-continue-service	-
Appinfo	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Appinfo	Access Allowed for Interactive Logon	enumerate-service-de pendents	start-service	nterrogate-service
Appinfo	Access Allowed for Interactive Logon	service-user-defined-control	-	-
Appinfo	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Appinfo	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Appinfo	Access Allowed for Authenticated Users	service-user-defined-control	-	-
BFE	Access Allowed for Local System	standard-read	query-service-config	query-service-status
BFE	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
BFE	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
BFE	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
BFE	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
BFE	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
BFE	Access Allowed for Administrators	stop-service	pause-continue-service	-
BFE	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
BFE	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
BFE	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
BFE	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
BrokerInfrastructure	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
BrokerInfrastructure	Access Allowed for Authenticated Users	nterrogate-service	-	-
BrokerInfrastructure	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
BrokerInfrastructure	Access Allowed for Local System	query-service-config	change-service-config	query-service-status
BrokerInfrastructure	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service

BrokerInfrastructure	Access Allowed for Local System	pause-continue-service	nterrogate-service	-
BrokerInfrastructure	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
BrokerInfrastructure	Access Allowed for Administrators	query-service-config	query-service-status	enumerate-service-de pendents
BrokerInfrastructure	Access Allowed for Administrators	start-service	stop-service	pause-continue-service
BrokerInfrastructure	Access Allowed for Administrators	nterrogate-service	-	-
BrokerInfrastructure	Access Allowed for Users	query-service-config	query-service-status	start-service
BrokerInfrastructure	Access Allowed for Users	nterrogate-service	-	-
CertPropSvc	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
CertPropSvc	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
CertPropSvc	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
CertPropSvc	Access Allowed for Local System	stop-service	pause-continue-service	-
CertPropSvc	Access Allowed for Administrators	standard-read	query-service-config	change-service-config
CertPropSvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
CertPropSvc	Access Allowed for Administrators	stop-service	pause-continue-service	nterrogate-service
CertPropSvc	Access Allowed for Administrators	service-user-defined-control	-	-
CertPropSvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
CertPropSvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CertPropSvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
CertPropSvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CertPropSvc	Access Allowed for S-1-5-80-446051430-155934 1753-4161941529-195092853 3-810483104	start-service	stop-service	-
CryptSvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
CryptSvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
CryptSvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
CryptSvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
CryptSvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
CryptSvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
CryptSvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
CryptSvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
CryptSvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CryptSvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
CryptSvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CryptSvc	Access Allowed for System Operators	standard-read	standard-write-owner	standard-write-dac
CryptSvc	Access Allowed for System Operators	standard-delete	query-service-config	change-service-config
CryptSvc	Access Allowed for System Operators	query-service-status	enumerate-service-de pendents	start-service
CryptSvc	Access Allowed for System Operators	stop-service	pause-continue-service	-
CryptSvc	Access Allowed for S-1-15-2-1	standard-read	query-service-config	query-service-status
CryptSvc	Access Allowed for S-1-15-2-1	enumerate-service-de pendents	nterrogate-service	-
DcomLaunch	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
DcomLaunch	Access Allowed for Authenticated Users	nterrogate-service	-	-
DcomLaunch	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
DcomLaunch	Access Allowed for Local System	query-service-config	change-service-config	query-service-status
DcomLaunch	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service

DcomLaunch	Access Allowed for Local System	pause-continue-service	nterrogate-service	-
DcomLaunch	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
DcomLaunch	Access Allowed for Administrators	query-service-config	query-service-status	enumerate-service-de pendents
DcomLaunch	Access Allowed for Administrators	start-service	stop-service	pause-continue-service
DcomLaunch	Access Allowed for Administrators	nterrogate-service	-	-
DcomLaunch	Access Allowed for Users	query-service-config	query-service-status	nterrogate-service
Dhcp	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
Dhcp	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Dhcp	Access Allowed for Network Configuration Operators	standard-read	query-service-config	query-service-status
Dhcp	Access Allowed for Network Configuration Operators	enumerate-service-de pendents	start-service	stop-service
Dhcp	Access Allowed for Network Configuration Operators	pause-continue-service	nterrogate-service	service-user-defined-control
Dhcp	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Dhcp	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Dhcp	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Dhcp	Access Allowed for Administrators	stop-service	pause-continue-service	-
Dhcp	Access Allowed for Local	standard-read	query-service-config	query-service-status
Dhcp	Access Allowed for Local	enumerate-service-de pendents	start-service	nterrogate-service
Dhcp	Access Allowed for Local	service-user-defined-control	-	-
Dhcp	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Dhcp	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Dhcp	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
DiagTrack	Access Allowed for Local System	standard-read	query-service-config	query-service-status
DiagTrack	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
DiagTrack	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
DiagTrack	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
DiagTrack	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
DiagTrack	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
DiagTrack	Access Allowed for Administrators	stop-service	pause-continue-service	-
DiagTrack	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
DiagTrack	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
DiagTrack	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
DiagTrack	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Dnscache	Access Allowed for Users	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for Users	enumerate-service-de pendents	start-service	nterrogate-service
Dnscache	Access Allowed for Users	service-user-defined-control	-	-
Dnscache	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Dnscache	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Dnscache	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Dnscache	Access Allowed for Administrators	stop-service	pause-continue-service	-
Dnscache	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Dnscache	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control

Dnscache	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Dnscache	Access Allowed for Network Service	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for Network Service	enumerate-service-de pendents	nterrogate-service	-
Dnscache	Access Allowed for Local Service	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for Local Service	enumerate-service-de pendents	nterrogate-service	-
Dnscache	Access Allowed for Network Configuration Operators	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for Network Configuration Operators	enumerate-service-de pendents	pause-continue-service	nterrogate-service
Dnscache	Access Allowed for S-1-5-80-2940520708-38558 66260-481812779-327648279 -1710889582	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for S-1-5-80-2940520708-38558 66260-481812779-327648279 -1710889582	enumerate-service-de pendents	pause-continue-service	nterrogate-service
Dnscache	Access Allowed for S-1-5-80-2940520708-38558 66260-481812779-327648279 -1710889582	service-user-defined-control	-	-
Dnscache	Access Allowed for S-1-15-2-1	standard-read	query-service-config	query-service-status
Dnscache	Access Allowed for S-1-15-2-1	enumerate-service-de pendents	start-service	nterrogate-service
Dnscache	Access Allowed for S-1-15-2-1	service-user-defined-control	-	-
DPS	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
DPS	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
DPS	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
DPS	Access Allowed for Local System	stop-service	pause-continue-service	-
DPS	Access Allowed for Administrators	standard-read	query-service-config	change-service-config
DPS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
DPS	Access Allowed for Administrators	stop-service	pause-continue-service	nterrogate-service
DPS	Access Allowed for Administrators	service-user-defined-control	-	-
DPS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
DPS	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
DPS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
DPS	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
EventLog	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
EventLog	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
EventLog	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
EventLog	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
EventLog	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
EventLog	Access Allowed for Administrators	stop-service	pause-continue-service	-
EventLog	Access Allowed for Local System	standard-read	query-service-config	query-service-status
EventLog	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
EventLog	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
EventLog	Access Allowed for S-1-15-2-1	query-service-status	nterrogate-service	-
EventSystem	Access Allowed for Local System	standard-read	query-service-config	query-service-status

EventSystem	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
EventSystem	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
EventSystem	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
EventSystem	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
EventSystem	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
EventSystem	Access Allowed for Administrators	stop-service	pause-continue-service	-
EventSystem	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
EventSystem	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
EventSystem	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
EventSystem	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
FontCache	Access Allowed for Local System	standard-read	query-service-config	query-service-status
FontCache	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
FontCache	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
FontCache	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
FontCache	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
FontCache	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
FontCache	Access Allowed for Administrators	stop-service	pause-continue-service	-
FontCache	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
FontCache	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
FontCache	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
FontCache	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
FontCache	Access Allowed for Interactive Logon	start-service	-	-
FontCache	Access Allowed for Service Logon	start-service	-	-
FontCache	Access Allowed for S-1-15-2-1	standard-read	query-service-config	query-service-status
FontCache	Access Allowed for S-1-15-2-1	enumerate-service-de pendents	start-service	nterrogate-service
FontCache	Access Allowed for S-1-15-2-1	service-user-defined-control	-	-
ftpsvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
ftpsvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
ftpsvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
ftpsvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
ftpsvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
ftpsvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
ftpsvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
ftpsvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
ftpsvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ftpsvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
ftpsvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
gpsvc	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
gpsvc	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
gpsvc	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
gpsvc	Access Allowed for Local System	stop-service	pause-continue-service	-
gpsvc	Access Allowed for Administrators	standard-read	query-service-config	query-service-status
gpsvc	Access Allowed for Administrators	enumerate-service-de pendents	nterrogate-service	service-user-defined-control

gpsvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
gpsvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
gpsvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
gpsvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
IISADMIN	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	standard-read	query-service-config	query-service-status
IISADMIN	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	enumerate-service-de pendents	start-service	stop-service
IISADMIN	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	pause-continue-service	nterrogate-service	service-user-defined-control
IISADMIN	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
IISADMIN	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
IISADMIN	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
IISADMIN	Access Allowed for Administrators	stop-service	pause-continue-service	-
IISADMIN	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	standard-read	query-service-config	query-service-status
IISADMIN	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	enumerate-service-de pendents	start-service	stop-service
IISADMIN	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	pause-continue-service	nterrogate-service	service-user-defined-control
IISADMIN	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
IISADMIN	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
IISADMIN	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
IISADMIN	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
IISADMIN	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
IISADMIN	Access Allowed for Local System	stop-service	pause-continue-service	-
IKEEXT	Access Allowed for Local System	standard-read	query-service-config	query-service-status
IKEEXT	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
IKEEXT	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
IKEEXT	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
IKEEXT	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
IKEEXT	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
IKEEXT	Access Allowed for Administrators	stop-service	pause-continue-service	-
IKEEXT	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
IKEEXT	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
IKEEXT	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
IKEEXT	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
iphlpsvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
iphlpsvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
iphlpsvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
iphlpsvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
iphlpsvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
iphlpsvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
iphlpsvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
iphlpsvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status

iphlpsvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
iphlpsvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
iphlpsvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KAVFS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
KAVFS	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
KAVFS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
KAVFS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
KAVFS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
KAVFS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
KAVFS	Access Allowed for Administrators	stop-service	pause-continue-service	-
KAVFS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
KAVFS	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KAVFS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
KAVFS	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
klnagent	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
klnagent	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
klnagent	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
klnagent	Access Allowed for Local System	stop-service	pause-continue-service	-
klnagent	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
klnagent	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
klnagent	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
klnagent	Access Allowed for Administrators	stop-service	pause-continue-service	-
klnagent	Access Allowed for Users	standard-read	query-service-config	query-service-status
klnagent	Access Allowed for Users	enumerate-service-de pendents	nterrogate-service	-
klnagent	Access Allowed for S-1-5-21-2725909-3346007391-1628438842-1002	standard-read	standard-write-owner	standard-write-dac
klnagent	Access Allowed for S-1-5-21-2725909-3346007391-1628438842-1002	standard-delete	query-service-config	change-service-config
klnagent	Access Allowed for S-1-5-21-2725909-3346007391-1628438842-1002	query-service-status	enumerate-service-de pendents	start-service
klnagent	Access Allowed for S-1-5-21-2725909-3346007391-1628438842-1002	stop-service	pause-continue-service	-
klnagent	Access Allowed for S-1-5-21-923125726-1053979357-4163456429-79388	standard-read	standard-write-owner	standard-write-dac
klnagent	Access Allowed for S-1-5-21-923125726-1053979357-4163456429-79388	standard-delete	query-service-config	change-service-config
klnagent	Access Allowed for S-1-5-21-923125726-1053979357-4163456429-79388	query-service-status	enumerate-service-de pendents	start-service
klnagent	Access Allowed for S-1-5-21-923125726-1053979357-4163456429-79388	stop-service	pause-continue-service	-
LanmanServer	Access Allowed for Local System	standard-read	query-service-config	query-service-status
LanmanServer	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
LanmanServer	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
LanmanServer	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
LanmanServer	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
LanmanServer	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service

LanmanServer	Access Allowed for Administrators	stop-service	pause-continue-service	-
LanmanServer	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
LanmanServer	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
LanmanServer	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
LanmanServer	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
LanmanWorkstation	Access Allowed for Local System	standard-read	query-service-config	query-service-status
LanmanWorkstation	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
LanmanWorkstation	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
LanmanWorkstation	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
LanmanWorkstation	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
LanmanWorkstation	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
LanmanWorkstation	Access Allowed for Administrators	stop-service	pause-continue-service	-
LanmanWorkstation	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
LanmanWorkstation	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
LanmanWorkstation	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
LanmanWorkstation	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
lmhosts	Access Allowed for Local System	standard-read	query-service-config	query-service-status
lmhosts	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
lmhosts	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
lmhosts	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
lmhosts	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
lmhosts	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
lmhosts	Access Allowed for Administrators	stop-service	pause-continue-service	-
lmhosts	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
lmhosts	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
lmhosts	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
lmhosts	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
LSM	Access Allowed for Authenticated Users	query-service-config	query-service-status	enumerate-service-de pendents
LSM	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
LSM	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
LSM	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
LSM	Access Allowed for Local System	stop-service	pause-continue-service	-
LSM	Access Allowed for Administrators	standard-read	query-service-config	query-service-status
LSM	Access Allowed for Administrators	enumerate-service-de pendents	nterrogate-service	-
MobizPullEngine	Access Allowed for Local System	standard-read	query-service-config	query-service-status
MobizPullEngine	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
MobizPullEngine	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
MobizPullEngine	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
MobizPullEngine	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
MobizPullEngine	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
MobizPullEngine	Access Allowed for Administrators	stop-service	pause-continue-service	-
MobizPullEngine	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
MobizPullEngine	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control

MobizPullEngine	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
MobizPullEngine	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
MpsSvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
MpsSvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
MpsSvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
MpsSvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
MpsSvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
MpsSvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
MpsSvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
MpsSvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
MpsSvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
MpsSvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
MpsSvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
MpsSvc	Access Allowed for S-1-5-80-2006800713-14410 93265-249754844-340443434 3-1444102779	query-service-config	query-service-status	start-service
MSDTC	Access Allowed for Local	standard-read	query-service-config	query-service-status
MSDTC	Access Allowed for Local	enumerate-service-de pendents	start-service	nterrogate-service
MSDTC	Access Allowed for Local System	standard-read	query-service-config	change-service-config
MSDTC	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
MSDTC	Access Allowed for Local System	stop-service	pause-continue-service	nterrogate-service
MSDTC	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
MSDTC	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
MSDTC	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
MSDTC	Access Allowed for Administrators	stop-service	pause-continue-service	-
MSDTC	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
MSDTC	Access Allowed for Interactive Logon	enumerate-service-de pendents	start-service	nterrogate-service
MSDTC	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
MSDTC	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	-
MSDTC	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
MSDTC	Access Allowed for Service Logon	enumerate-service-de pendents	start-service	nterrogate-service
MSDTC	Access Allowed for S-1-5-80-3960419045-24601 39048-4046793004-18095970 27-2250574426	standard-read	query-service-config	query-service-status
MSDTC	Access Allowed for S-1-5-80-3960419045-24601 39048-4046793004-18095970 27-2250574426	enumerate-service-de pendents	nterrogate-service	-
MSMQ	Access Allowed for Local System	standard-read	query-service-config	query-service-status
MSMQ	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
MSMQ	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
MSMQ	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
MSMQ	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
MSMQ	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
MSMQ	Access Allowed for Administrators	stop-service	pause-continue-service	-
MSMQ	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status

MSMQ	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
MSMQ	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
MSMQ	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Netlogon	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Netlogon	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Netlogon	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Netlogon	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Netlogon	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Netlogon	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Netlogon	Access Allowed for Administrators	stop-service	pause-continue-service	-
Netlogon	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Netlogon	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Netlogon	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Netlogon	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetMsmqActivator	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NetMsmqActivator	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NetMsmqActivator	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NetMsmqActivator	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NetMsmqActivator	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NetMsmqActivator	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NetMsmqActivator	Access Allowed for Administrators	stop-service	pause-continue-service	-
NetMsmqActivator	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
NetMsmqActivator	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetMsmqActivator	Access Allowed for Interactive Logon	query-service-status	start-service	-
NetMsmqActivator	Access Allowed for Service Logon	query-service-status	start-service	-
NetPipeActivator	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NetPipeActivator	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NetPipeActivator	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NetPipeActivator	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NetPipeActivator	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NetPipeActivator	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NetPipeActivator	Access Allowed for Administrators	stop-service	pause-continue-service	-
NetPipeActivator	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
NetPipeActivator	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetPipeActivator	Access Allowed for Interactive Logon	query-service-status	start-service	-
NetPipeActivator	Access Allowed for Service Logon	query-service-status	start-service	-
netprofm	Access Allowed for Local System	standard-read	query-service-config	query-service-status
netprofm	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
netprofm	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
netprofm	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
netprofm	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
netprofm	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
netprofm	Access Allowed for Administrators	stop-service	pause-continue-service	-

netprofm	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
netprofm	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
netprofm	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
netprofm	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetTcpActivator	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NetTcpActivator	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NetTcpActivator	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NetTcpActivator	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NetTcpActivator	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NetTcpActivator	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NetTcpActivator	Access Allowed for Administrators	stop-service	pause-continue-service	-
NetTcpActivator	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
NetTcpActivator	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetTcpActivator	Access Allowed for Interactive Logon	query-service-status	start-service	-
NetTcpActivator	Access Allowed for Service Logon	query-service-status	start-service	-
NetTcpPortSharing	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NetTcpPortSharing	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NetTcpPortSharing	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NetTcpPortSharing	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NetTcpPortSharing	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NetTcpPortSharing	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NetTcpPortSharing	Access Allowed for Administrators	stop-service	pause-continue-service	-
NetTcpPortSharing	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
NetTcpPortSharing	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetTcpPortSharing	Access Allowed for Interactive Logon	query-service-status	start-service	-
NetTcpPortSharing	Access Allowed for Service Logon	query-service-status	start-service	-
NlaSvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NlaSvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NlaSvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NlaSvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
NlaSvc	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
NlaSvc	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
NlaSvc	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
NlaSvc	Access Allowed for Local System	stop-service	pause-continue-service	-
NlaSvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NlaSvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	start-service	nterrogate-service
NlaSvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NlaSvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NlaSvc	Access Allowed for S-1-5-80-3141615172-2057878085-1754447212-2405740020-3916490453	standard-read	query-service-config	query-service-status
NlaSvc	Access Allowed for S-1-5-80-3141615172-2057878085-1754447212-2405740020-3916490453	enumerate-service-de pendents	start-service	-

nsi	Access Allowed for Local System	standard-read	query-service-config	query-service-status
nsi	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
nsi	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
nsi	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
nsi	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
nsi	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
nsi	Access Allowed for Administrators	stop-service	pause-continue-service	-
nsi	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
nsi	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
nsi	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
nsi	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PlugPlay	Access Allowed for Local System	standard-read	query-service-config	query-service-status
PlugPlay	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
PlugPlay	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
PlugPlay	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
PlugPlay	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
PlugPlay	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
PlugPlay	Access Allowed for Administrators	stop-service	pause-continue-service	-
PlugPlay	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
PlugPlay	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PlugPlay	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
PlugPlay	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PolicyAgent	Access Allowed for Local System	standard-read	query-service-config	query-service-status
PolicyAgent	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
PolicyAgent	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
PolicyAgent	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
PolicyAgent	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
PolicyAgent	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
PolicyAgent	Access Allowed for Administrators	stop-service	pause-continue-service	-
PolicyAgent	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
PolicyAgent	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PolicyAgent	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
PolicyAgent	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Power	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Power	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Power	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Power	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Power	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Power	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Power	Access Allowed for Administrators	stop-service	pause-continue-service	-
Power	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Power	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Power	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status

Power	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ProfSvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
ProfSvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
ProfSvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
ProfSvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
ProfSvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
ProfSvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
ProfSvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
ProfSvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
ProfSvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ProfSvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
ProfSvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RemoteRegistry	Access Allowed for Local System	standard-read	query-service-config	query-service-status
RemoteRegistry	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RemoteRegistry	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
RemoteRegistry	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RemoteRegistry	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
RemoteRegistry	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
RemoteRegistry	Access Allowed for Administrators	stop-service	pause-continue-service	-
RemoteRegistry	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
RemoteRegistry	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RemoteRegistry	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
RemoteRegistry	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RpcEptMapper	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
RpcEptMapper	Access Allowed for Authenticated Users	nterrogate-service	-	-
RpcEptMapper	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
RpcEptMapper	Access Allowed for Local System	query-service-config	change-service-config	query-service-status
RpcEptMapper	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RpcEptMapper	Access Allowed for Local System	pause-continue-service	nterrogate-service	-
RpcEptMapper	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RpcEptMapper	Access Allowed for Administrators	query-service-config	query-service-status	enumerate-service-de pendents
RpcEptMapper	Access Allowed for Administrators	start-service	stop-service	pause-continue-service
RpcEptMapper	Access Allowed for Administrators	nterrogate-service	-	-
RpcEptMapper	Access Allowed for Users	query-service-config	query-service-status	start-service
RpcEptMapper	Access Allowed for Users	nterrogate-service	-	-
RpcSs	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
RpcSs	Access Allowed for Authenticated Users	nterrogate-service	-	-
RpcSs	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
RpcSs	Access Allowed for Local System	query-service-config	change-service-config	query-service-status
RpcSs	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RpcSs	Access Allowed for Local System	pause-continue-service	nterrogate-service	-
RpcSs	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RpcSs	Access Allowed for Administrators	query-service-config	query-service-status	enumerate-service-de pendents

RpcSs	Access Allowed for Administrators	start-service	stop-service	pause-continue-service
RpcSs	Access Allowed for Administrators	nterrogate-service	-	-
RpcSs	Access Allowed for Users	query-service-config	query-service-status	nterrogate-service
SamSs	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
SamSs	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	-
SamSs	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
SamSs	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
SamSs	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
SamSs	Access Allowed for Administrators	stop-service	pause-continue-service	-
SamSs	Access Allowed for Interactive Logon	query-service-config	query-service-status	enumerate-service-de pendents
SamSs	Access Allowed for Interactive Logon	nterrogate-service	-	-
SamSs	Access Allowed for Users	query-service-config	query-service-status	enumerate-service-de pendents
SamSs	Access Allowed for Users	nterrogate-service	-	-
ScDeviceEnum	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
ScDeviceEnum	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
ScDeviceEnum	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
ScDeviceEnum	Access Allowed for Local System	stop-service	pause-continue-service	-
ScDeviceEnum	Access Allowed for Administrators	standard-read	query-service-config	change-service-config
ScDeviceEnum	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
ScDeviceEnum	Access Allowed for Administrators	stop-service	pause-continue-service	nterrogate-service
ScDeviceEnum	Access Allowed for Administrators	service-user-defined-control	-	-
ScDeviceEnum	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
ScDeviceEnum	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ScDeviceEnum	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
ScDeviceEnum	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ScDeviceEnum	Access Allowed for S-1-5-80-3993802144-25551 07232-3516638766-27354994 50-3275915967	start-service	stop-service	-
Schedule	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
Schedule	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	-
Schedule	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Schedule	Access Allowed for Administrators	query-service-config	query-service-status	enumerate-service-de pendents
Schedule	Access Allowed for Administrators	start-service	pause-continue-service	nterrogate-service
Schedule	Access Allowed for Administrators	service-user-defined-control	-	-
Schedule	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
Schedule	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
Schedule	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
Schedule	Access Allowed for Local System	stop-service	pause-continue-service	-
Schedule	Access Allowed for Users	standard-read	query-service-config	query-service-status
Schedule	Access Allowed for Users	enumerate-service-de pendents	nterrogate-service	-
SENS	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
SENS	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
SENS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
SENS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config

SENS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
SENS	Access Allowed for Administrators	stop-service	pause-continue-service	-
SENS	Access Allowed for System Operators	standard-read	standard-write-owner	standard-write-dac
SENS	Access Allowed for System Operators	standard-delete	query-service-config	change-service-config
SENS	Access Allowed for System Operators	query-service-status	enumerate-service-de pendents	start-service
SENS	Access Allowed for System Operators	stop-service	pause-continue-service	-
SENS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
SENS	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
SENS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
SENS	Access Allowed for S-1-15-2-1	standard-read	query-service-status	nterrogate-service
SessionEnv	Access Allowed for Local System	standard-read	query-service-config	query-service-status
SessionEnv	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
SessionEnv	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
SessionEnv	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
SessionEnv	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
SessionEnv	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
SessionEnv	Access Allowed for Administrators	stop-service	pause-continue-service	-
SessionEnv	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
SessionEnv	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
SessionEnv	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
SessionEnv	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
SessionEnv	Access Allowed for S-1-5-80-446051430-155934 1753-4161941529-195092853 3-810483104	start-service	stop-service	-
SessionEnv	Access Allowed for S-1-5-80-4130899010-33378 17248-2959896732-36401180 89-1866760602	start-service	stop-service	-
ShellHWDetection	Access Allowed for Local System	standard-read	query-service-config	query-service-status
ShellHWDetection	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
ShellHWDetection	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
ShellHWDetection	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
ShellHWDetection	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
ShellHWDetection	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
ShellHWDetection	Access Allowed for Administrators	stop-service	pause-continue-service	-
ShellHWDetection	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
ShellHWDetection	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ShellHWDetection	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
ShellHWDetection	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Spooler	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
Spooler	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Spooler	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Spooler	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Spooler	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service

Spooler	Access Allowed for Administrators	stop-service	pause-continue-service	-
Spooler	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Spooler	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Spooler	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
SystemEventsBroker	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
SystemEventsBroker	Access Allowed for Authenticated Users	nterrogate-service	-	-
SystemEventsBroker	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
SystemEventsBroker	Access Allowed for Local System	query-service-config	change-service-config	query-service-status
SystemEventsBroker	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
SystemEventsBroker	Access Allowed for Local System	pause-continue-service	nterrogate-service	-
SystemEventsBroker	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
SystemEventsBroker	Access Allowed for Administrators	query-service-config	query-service-status	enumerate-service-de pendents
SystemEventsBroker	Access Allowed for Administrators	start-service	stop-service	pause-continue-service
SystemEventsBroker	Access Allowed for Administrators	nterrogate-service	-	-
SystemEventsBroker	Access Allowed for Users	query-service-config	query-service-status	start-service
SystemEventsBroker	Access Allowed for Users	nterrogate-service	-	-
TermService	Access Allowed for Local System	standard-read	query-service-config	query-service-status
TermService	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
TermService	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
TermService	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
TermService	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
TermService	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
TermService	Access Allowed for Administrators	stop-service	pause-continue-service	-
TermService	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
TermService	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
TermService	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
TermService	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Themes	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Themes	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Themes	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Themes	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Themes	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Themes	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Themes	Access Allowed for Administrators	stop-service	pause-continue-service	-
Themes	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Themes	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Themes	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Themes	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
TrkWks	Access Allowed for Local System	standard-read	query-service-config	query-service-status
TrkWks	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
TrkWks	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
TrkWks	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
TrkWks	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
TrkWks	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service

TrkWks	Access Allowed for Administrators	stop-service	pause-continue-service	-
TrkWks	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
TrkWks	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
TrkWks	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
TrkWks	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
UALSVC	Access Allowed for Local System	standard-read	query-service-config	query-service-status
UALSVC	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
UALSVC	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
UALSVC	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
UALSVC	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
UALSVC	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
UALSVC	Access Allowed for Administrators	stop-service	pause-continue-service	-
UALSVC	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
UALSVC	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
UALSVC	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
UALSVC	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
UmRdpService	Access Allowed for Local System	standard-read	query-service-config	query-service-status
UmRdpService	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
UmRdpService	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
UmRdpService	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
UmRdpService	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
UmRdpService	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
UmRdpService	Access Allowed for Administrators	stop-service	pause-continue-service	-
UmRdpService	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
UmRdpService	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
UmRdpService	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
UmRdpService	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
UmRdpService	Access Allowed for S-1-5-80-446051430-155934 1753-4161941529-195092853 3-810483104	start-service	stop-service	-
vmicheartbeat	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vmicheartbeat	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vmicheartbeat	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmicheartbeat	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmicheartbeat	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmicheartbeat	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmicheartbeat	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmicheartbeat	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmicheartbeat	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicheartbeat	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmicheartbeat	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmickvpexchange	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vmickvpexchange	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service

vmickvpexchange	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmickvpexchange	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmickvpexchange	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmickvpexchange	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmickvpexchange	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmickvpexchange	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmickvpexchange	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmickvpexchange	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmickvpexchange	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicrdv	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vmicrdv	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vmicrdv	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmicrdv	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmicrdv	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmicrdv	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmicrdv	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmicrdv	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmicrdv	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicrdv	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmicrdv	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicshutdown	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vmicshutdown	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vmicshutdown	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmicshutdown	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmicshutdown	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmicshutdown	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmicshutdown	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmicshutdown	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmicshutdown	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicshutdown	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmicshutdown	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmictimesync	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vmictimesync	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vmictimesync	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmictimesync	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmictimesync	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmictimesync	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmictimesync	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmictimesync	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmictimesync	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmictimesync	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmictimesync	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicvss	Access Allowed for Local System	standard-read	query-service-config	query-service-status

vmicvss	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vmicvss	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmicvss	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmicvss	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmicvss	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmicvss	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmicvss	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmicvss	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmicvss	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmicvss	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
VSS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
VSS	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
VSS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
VSS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
VSS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
VSS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
VSS	Access Allowed for Administrators	stop-service	pause-continue-service	-
VSS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
VSS	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
VSS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
VSS	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
W32Time	Access Allowed for Local System	standard-read	query-service-config	query-service-status
W32Time	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
W32Time	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
W32Time	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
W32Time	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
W32Time	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
W32Time	Access Allowed for Administrators	stop-service	pause-continue-service	-
W32Time	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
W32Time	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
W32Time	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
W32Time	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
W32Time	Access Allowed for Local Service	standard-read	query-service-config	query-service-status
W32Time	Access Allowed for Local Service	enumerate-service-de pendents	start-service	nterrogate-service
W32Time	Access Allowed for Local Service	service-user-defined-control	-	-
W32Time	Access Allowed for Local Service	standard-read	query-service-config	enumerate-service-de pendents
W32Time	Access Allowed for Local Service	stop-service	nterrogate-service	-
W3SVC	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	standard-read	query-service-config	query-service-status
W3SVC	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	enumerate-service-de pendents	start-service	stop-service
W3SVC	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	pause-continue-service	nterrogate-service	service-user-defined-control
W3SVC	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac

W3SVC	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
W3SVC	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
W3SVC	Access Allowed for Administrators	stop-service	pause-continue-service	-
W3SVC	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	standard-read	query-service-config	query-service-status
W3SVC	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	enumerate-service-de pendents	start-service	stop-service
W3SVC	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	pause-continue-service	nterrogate-service	service-user-defined-control
W3SVC	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
W3SVC	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
W3SVC	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
W3SVC	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
W3SVC	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
W3SVC	Access Allowed for Local System	stop-service	pause-continue-service	-
WAS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
WAS	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
WAS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
WAS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
WAS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
WAS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
WAS	Access Allowed for Administrators	stop-service	pause-continue-service	-
WAS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
WAS	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
WAS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
WAS	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Wcmsvc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Wcmsvc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Wcmsvc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Wcmsvc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Wcmsvc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Wcmsvc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Wcmsvc	Access Allowed for Administrators	stop-service	pause-continue-service	-
Wcmsvc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Wcmsvc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Wcmsvc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Wcmsvc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Winmgmt	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Winmgmt	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Winmgmt	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Winmgmt	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Winmgmt	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Winmgmt	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Winmgmt	Access Allowed for Administrators	stop-service	pause-continue-service	-

Winmgmt	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Winmgmt	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Winmgmt	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Winmgmt	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
WinRM	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	standard-read	query-service-config	query-service-status
WinRM	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	enumerate-service-de pendents	start-service	stop-service
WinRM	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-86831	pause-continue-service	nterrogate-service	service-user-defined-control
WinRM	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
WinRM	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
WinRM	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
WinRM	Access Allowed for Administrators	stop-service	pause-continue-service	-
WinRM	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	standard-read	query-service-config	query-service-status
WinRM	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	enumerate-service-de pendents	start-service	stop-service
WinRM	Access Allowed for S-1-5-21-923125726-105397 9357-4163456429-25902	pause-continue-service	nterrogate-service	service-user-defined-control
WinRM	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
WinRM	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
WinRM	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
WinRM	Access Allowed for Local System	standard-delete	query-service-config	change-service-config
WinRM	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
WinRM	Access Allowed for Local System	stop-service	pause-continue-service	-



2 Microsoft Windows Driver Security Analysis

QID: 105184
Category: Security Policy
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/06/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
This test enumerates the security permissions for driver objects on the target Windows system.

IMPACT:
Improper driver object security can let an unauthorized user control critical operating system components.

SOLUTION:
N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Name	Access	ACL1	ACL2	ACL3
ACPI	Access Allowed for Local System	standard-read	query-service-config	query-service-status
ACPI	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
ACPI	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
ACPI	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
ACPI	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
ACPI	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
ACPI	Access Allowed for Administrators	stop-service	pause-continue-service	-
ACPI	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
ACPI	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ACPI	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
ACPI	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
acpiex	Access Allowed for Local System	standard-read	query-service-config	query-service-status
acpiex	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
acpiex	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
acpiex	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
acpiex	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
acpiex	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
acpiex	Access Allowed for Administrators	stop-service	pause-continue-service	-
acpiex	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
acpiex	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
acpiex	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
acpiex	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
AFD	Access Allowed for Local System	standard-read	query-service-config	query-service-status
AFD	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
AFD	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
AFD	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
AFD	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
AFD	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
AFD	Access Allowed for Administrators	stop-service	pause-continue-service	-
AFD	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
AFD	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
AFD	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
AFD	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ahcache	Access Allowed for Local System	standard-read	query-service-config	query-service-status
ahcache	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
ahcache	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
ahcache	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
ahcache	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config

ahcache	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
ahcache	Access Allowed for Administrators	stop-service	pause-continue-service	-
ahcache	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
ahcache	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
ahcache	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
ahcache	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
AmdPPM	Access Allowed for Local System	standard-read	query-service-config	query-service-status
AmdPPM	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
AmdPPM	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
AmdPPM	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
AmdPPM	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
AmdPPM	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
AmdPPM	Access Allowed for Administrators	stop-service	pause-continue-service	-
AmdPPM	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
AmdPPM	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
AmdPPM	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
AmdPPM	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
BasicDisplay	Access Allowed for Local System	standard-read	query-service-config	query-service-status
BasicDisplay	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
BasicDisplay	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
BasicDisplay	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
BasicDisplay	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
BasicDisplay	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
BasicDisplay	Access Allowed for Administrators	stop-service	pause-continue-service	-
BasicDisplay	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
BasicDisplay	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
BasicDisplay	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
BasicDisplay	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
BasicRender	Access Allowed for Local System	standard-read	query-service-config	query-service-status
BasicRender	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
BasicRender	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
BasicRender	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
BasicRender	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
BasicRender	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
BasicRender	Access Allowed for Administrators	stop-service	pause-continue-service	-
BasicRender	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
BasicRender	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
BasicRender	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
BasicRender	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
bowser	Access Allowed for Local System	standard-read	query-service-config	query-service-status
bowser	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
bowser	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
bowser	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
bowser	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
bowser	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service

bowser	Access Allowed for Administrators	stop-service	pause-continue-service	-
bowser	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
bowser	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
bowser	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
bowser	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CLFS	Access Allowed for S-1-5-80-956008885-34185226 49-1831038044-1853292631-22 71478464	standard-read	standard-write-owner	standard-write-dac
CLFS	Access Allowed for S-1-5-80-956008885-34185226 49-1831038044-1853292631-22 71478464	standard-delete	query-service-config	change-service-config
CLFS	Access Allowed for S-1-5-80-956008885-34185226 49-1831038044-1853292631-22 71478464	query-service-status	enumerate-service-de pendents	start-service
CLFS	Access Allowed for S-1-5-80-956008885-34185226 49-1831038044-1853292631-22 71478464	stop-service	pause-continue-service	-
CLFS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
CLFS	Access Allowed for Local System	enumerate-service-de pendents	nterrogate-service	-
CLFS	Access Allowed for Administrators	standard-read	query-service-config	query-service-status
CLFS	Access Allowed for Administrators	enumerate-service-de pendents	nterrogate-service	-
CLFS	Access Allowed for Users	standard-read	query-service-config	query-service-status
CLFS	Access Allowed for Users	enumerate-service-de pendents	nterrogate-service	-
CLFS	Access Allowed for S-1-15-2-1	standard-read	query-service-config	query-service-status
CLFS	Access Allowed for S-1-15-2-1	enumerate-service-de pendents	nterrogate-service	-
CNG	Access Allowed for Local System	standard-read	query-service-config	query-service-status
CNG	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
CNG	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
CNG	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
CNG	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
CNG	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
CNG	Access Allowed for Administrators	stop-service	pause-continue-service	-
CNG	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
CNG	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CNG	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
CNG	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CompositeBus	Access Allowed for Local System	standard-read	query-service-config	query-service-status
CompositeBus	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
CompositeBus	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
CompositeBus	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
CompositeBus	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
CompositeBus	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
CompositeBus	Access Allowed for Administrators	stop-service	pause-continue-service	-
CompositeBus	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
CompositeBus	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
CompositeBus	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
CompositeBus	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control

condrv	Access Allowed for Local System	standard-read	query-service-config	query-service-status
condrv	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
condrv	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
condrv	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
condrv	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
condrv	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
condrv	Access Allowed for Administrators	stop-service	pause-continue-service	-
condrv	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
condrv	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
condrv	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
condrv	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Dfsc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Dfsc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Dfsc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Dfsc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Dfsc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Dfsc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Dfsc	Access Allowed for Administrators	stop-service	pause-continue-service	-
Dfsc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Dfsc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Dfsc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Dfsc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
disk	Access Allowed for Local System	standard-read	query-service-config	query-service-status
disk	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
disk	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
disk	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
disk	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
disk	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
disk	Access Allowed for Administrators	stop-service	pause-continue-service	-
disk	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
disk	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
disk	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
disk	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
dmvsc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
dmvsc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
dmvsc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
dmvsc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
dmvsc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
dmvsc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
dmvsc	Access Allowed for Administrators	stop-service	pause-continue-service	-
dmvsc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
dmvsc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
dmvsc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
dmvsc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
DXGKrnl	Access Allowed for Local System	standard-read	query-service-config	query-service-status

DXGKrnl	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
DXGKrnl	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
DXGKrnl	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
DXGKrnl	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
DXGKrnl	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
DXGKrnl	Access Allowed for Administrators	stop-service	pause-continue-service	-
DXGKrnl	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
DXGKrnl	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
DXGKrnl	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
DXGKrnl	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
fastfat	Access Allowed for Local System	standard-read	query-service-config	query-service-status
fastfat	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
fastfat	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
fastfat	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
fastfat	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
fastfat	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
fastfat	Access Allowed for Administrators	stop-service	pause-continue-service	-
fastfat	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
fastfat	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
fastfat	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
fastfat	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
FltMgr	Access Allowed for Local System	standard-read	query-service-config	query-service-status
FltMgr	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
FltMgr	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
FltMgr	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
FltMgr	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
FltMgr	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
FltMgr	Access Allowed for Administrators	stop-service	pause-continue-service	-
FltMgr	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
FltMgr	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
FltMgr	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
FltMgr	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
gencounter	Access Allowed for Local System	standard-read	query-service-config	query-service-status
gencounter	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
gencounter	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
gencounter	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
gencounter	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
gencounter	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
gencounter	Access Allowed for Administrators	stop-service	pause-continue-service	-
gencounter	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
gencounter	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
gencounter	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
gencounter	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
HTTP	Access Allowed for Local System	standard-read	standard-write-owner	standard-write-dac
HTTP	Access Allowed for Local System	standard-delete	query-service-config	change-service-config

HTTP	Access Allowed for Local System	query-service-status	enumerate-service-de pendents	start-service
HTTP	Access Allowed for Local System	stop-service	pause-continue-service	-
HTTP	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
HTTP	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
HTTP	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
HTTP	Access Allowed for Administrators	stop-service	pause-continue-service	-
HTTP	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
HTTP	Access Allowed for Interactive Logon	enumerate-service-de pendents	start-service	nterrogate-service
HTTP	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
HTTP	Access Allowed for Service Logon	enumerate-service-de pendents	start-service	nterrogate-service
HTTP	Access Allowed for Batch Logon	standard-read	query-service-config	query-service-status
HTTP	Access Allowed for Batch Logon	enumerate-service-de pendents	start-service	nterrogate-service
hyperkbd	Access Allowed for Local System	standard-read	query-service-config	query-service-status
hyperkbd	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
hyperkbd	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
hyperkbd	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
hyperkbd	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
hyperkbd	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
hyperkbd	Access Allowed for Administrators	stop-service	pause-continue-service	-
hyperkbd	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
hyperkbd	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
hyperkbd	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
hyperkbd	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
HyperVideo	Access Allowed for Local System	standard-read	query-service-config	query-service-status
HyperVideo	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
HyperVideo	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
HyperVideo	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
HyperVideo	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
HyperVideo	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
HyperVideo	Access Allowed for Administrators	stop-service	pause-continue-service	-
HyperVideo	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
HyperVideo	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
HyperVideo	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
HyperVideo	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
kbdclass	Access Allowed for Local System	standard-read	query-service-config	query-service-status
kbdclass	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
kbdclass	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
kbdclass	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
kbdclass	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
kbdclass	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
kbdclass	Access Allowed for Administrators	stop-service	pause-continue-service	-
kbdclass	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
kbdclass	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
kbdclass	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
kbdclass	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control

kdnic	Access Allowed for Local System	standard-read	query-service-config	query-service-status
kdnic	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
kdnic	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
kdnic	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
kdnic	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
kdnic	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
kdnic	Access Allowed for Administrators	stop-service	pause-continue-service	-
kdnic	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
kdnic	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
kdnic	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
kdnic	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KLIF	Access Allowed for Local System	standard-read	query-service-config	query-service-status
KLIF	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
KLIF	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
KLIF	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
KLIF	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
KLIF	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
KLIF	Access Allowed for Administrators	stop-service	pause-continue-service	-
KLIF	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
KLIF	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KLIF	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
KLIF	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KSecDD	Access Allowed for Local System	standard-read	query-service-config	query-service-status
KSecDD	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
KSecDD	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
KSecDD	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
KSecDD	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
KSecDD	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
KSecDD	Access Allowed for Administrators	stop-service	pause-continue-service	-
KSecDD	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
KSecDD	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KSecDD	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
KSecDD	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KSecPkg	Access Allowed for Local System	standard-read	query-service-config	query-service-status
KSecPkg	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
KSecPkg	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
KSecPkg	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
KSecPkg	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
KSecPkg	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
KSecPkg	Access Allowed for Administrators	stop-service	pause-continue-service	-
KSecPkg	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
KSecPkg	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
KSecPkg	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
KSecPkg	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
lltdio	Access Allowed for Local System	standard-read	query-service-config	query-service-status

lltdio	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
lltdio	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
lltdio	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
lltdio	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
lltdio	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
lltdio	Access Allowed for Administrators	stop-service	pause-continue-service	-
lltdio	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
lltdio	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
lltdio	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
lltdio	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
luafv	Access Allowed for Local System	standard-read	query-service-config	query-service-status
luafv	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
luafv	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
luafv	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
luafv	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
luafv	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
luafv	Access Allowed for Administrators	stop-service	pause-continue-service	-
luafv	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
luafv	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
luafv	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
luafv	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
monitor	Access Allowed for Local System	standard-read	query-service-config	query-service-status
monitor	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
monitor	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
monitor	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
monitor	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
monitor	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
monitor	Access Allowed for Administrators	stop-service	pause-continue-service	-
monitor	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
monitor	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
monitor	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
monitor	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mouclass	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mouclass	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mouclass	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mouclass	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mouclass	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mouclass	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mouclass	Access Allowed for Administrators	stop-service	pause-continue-service	-
mouclass	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mouclass	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mouclass	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mouclass	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mouhid	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mouhid	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service

mouhid	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mouhid	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mouhid	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mouhid	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mouhid	Access Allowed for Administrators	stop-service	pause-continue-service	-
mouhid	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mouhid	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mouhid	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mouhid	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mountmgr	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mountmgr	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mountmgr	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mountmgr	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mountmgr	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mountmgr	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mountmgr	Access Allowed for Administrators	stop-service	pause-continue-service	-
mountmgr	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mountmgr	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mountmgr	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mountmgr	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mpsdrv	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mpsdrv	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mpsdrv	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mpsdrv	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mpsdrv	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mpsdrv	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mpsdrv	Access Allowed for Administrators	stop-service	pause-continue-service	-
mpsdrv	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mpsdrv	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mpsdrv	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mpsdrv	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
MQAC	Access Allowed for Local System	standard-read	query-service-config	query-service-status
MQAC	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
MQAC	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
MQAC	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
MQAC	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
MQAC	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
MQAC	Access Allowed for Administrators	stop-service	pause-continue-service	-
MQAC	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
MQAC	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
MQAC	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
MQAC	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mrxsmb	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mrxsmb	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mrxsmb	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control

mrxsmb	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mrxsmb	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mrxsmb	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mrxsmb	Access Allowed for Administrators	stop-service	pause-continue-service	-
mrxsmb	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mrxsmb	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mrxsmb	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mrxsmb	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mrxsmb10	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mrxsmb10	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mrxsmb10	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mrxsmb10	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mrxsmb10	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mrxsmb10	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mrxsmb10	Access Allowed for Administrators	stop-service	pause-continue-service	-
mrxsmb10	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mrxsmb10	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mrxsmb10	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mrxsmb10	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mrxsmb20	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mrxsmb20	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mrxsmb20	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mrxsmb20	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
mrxsmb20	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mrxsmb20	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mrxsmb20	Access Allowed for Administrators	stop-service	pause-continue-service	-
mrxsmb20	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mrxsmb20	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mrxsmb20	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mrxsmb20	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Msfs	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Msfs	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Msfs	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Msfs	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Msfs	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Msfs	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Msfs	Access Allowed for Administrators	stop-service	pause-continue-service	-
Msfs	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Msfs	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Msfs	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Msfs	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mssmbios	Access Allowed for Local System	standard-read	query-service-config	query-service-status
mssmbios	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
mssmbios	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
mssmbios	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac

mssmbios	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
mssmbios	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
mssmbios	Access Allowed for Administrators	stop-service	pause-continue-service	-
mssmbios	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
mssmbios	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
mssmbios	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
mssmbios	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Mup	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Mup	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Mup	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Mup	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Mup	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Mup	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Mup	Access Allowed for Administrators	stop-service	pause-continue-service	-
Mup	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Mup	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Mup	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Mup	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NDIS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NDIS	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NDIS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NDIS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NDIS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NDIS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NDIS	Access Allowed for Administrators	stop-service	pause-continue-service	-
NDIS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NDIS	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NDIS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NDIS	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NdisTapi	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NdisTapi	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NdisTapi	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NdisTapi	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NdisTapi	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NdisTapi	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NdisTapi	Access Allowed for Administrators	stop-service	pause-continue-service	-
NdisTapi	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NdisTapi	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NdisTapi	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NdisTapi	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NdisVirtualBus	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NdisVirtualBus	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NdisVirtualBus	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NdisVirtualBus	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NdisVirtualBus	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config

NdisVirtualBus	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NdisVirtualBus	Access Allowed for Administrators	stop-service	pause-continue-service	-
NdisVirtualBus	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NdisVirtualBus	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NdisVirtualBus	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NdisVirtualBus	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NdisWan	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NdisWan	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NdisWan	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NdisWan	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NdisWan	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NdisWan	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NdisWan	Access Allowed for Administrators	stop-service	pause-continue-service	-
NdisWan	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NdisWan	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NdisWan	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NdisWan	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NDProxy	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NDProxy	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NDProxy	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NDProxy	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NDProxy	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NDProxy	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NDProxy	Access Allowed for Administrators	stop-service	pause-continue-service	-
NDProxy	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NDProxy	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NDProxy	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NDProxy	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetBIOS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NetBIOS	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NetBIOS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NetBIOS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NetBIOS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NetBIOS	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
NetBIOS	Access Allowed for Administrators	stop-service	pause-continue-service	-
NetBIOS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
NetBIOS	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetBIOS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
NetBIOS	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetBT	Access Allowed for Authenticated Users	standard-read	query-service-config	query-service-status
NetBT	Access Allowed for Authenticated Users	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
NetBT	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
NetBT	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
NetBT	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service

NetBT	Access Allowed for Administrators	stop-service	pause-continue-service	-
NetBT	Access Allowed for System Operators	standard-read	standard-write-owner	standard-write-dac
NetBT	Access Allowed for System Operators	standard-delete	query-service-config	change-service-config
NetBT	Access Allowed for System Operators	query-service-status	enumerate-service-de pendents	start-service
NetBT	Access Allowed for System Operators	stop-service	pause-continue-service	-
NetBT	Access Allowed for Local System	standard-read	query-service-config	query-service-status
NetBT	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
NetBT	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
NetBT	Access Allowed for Local Service	pause-continue-service	-	-
NetBT	Access Allowed for Network Service	pause-continue-service	-	-
NetBT	Access Allowed for Network Configuration Operators	standard-read	query-service-config	query-service-status
NetBT	Access Allowed for Network Configuration Operators	enumerate-service-de pendents	start-service	nterrogate-service
NetBT	Access Allowed for Network Configuration Operators	service-user-defined-control	-	-
netvsc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
netvsc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
netvsc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
netvsc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
netvsc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
netvsc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
netvsc	Access Allowed for Administrators	stop-service	pause-continue-service	-
netvsc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
netvsc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
netvsc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
netvsc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Npfs	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Npfs	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Npfs	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Npfs	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Npfs	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Npfs	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Npfs	Access Allowed for Administrators	stop-service	pause-continue-service	-
Npfs	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Npfs	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Npfs	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Npfs	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
npsvctrig	Access Allowed for Local System	standard-read	query-service-config	query-service-status
npsvctrig	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
npsvctrig	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
npsvctrig	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
npsvctrig	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
npsvctrig	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
npsvctrig	Access Allowed for Administrators	stop-service	pause-continue-service	-
npsvctrig	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
npsvctrig	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
npsvctrig	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status

npsvctrig	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
nsiproxy	Access Allowed for Local System	standard-read	query-service-config	query-service-status
nsiproxy	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
nsiproxy	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
nsiproxy	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
nsiproxy	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
nsiproxy	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
nsiproxy	Access Allowed for Administrators	stop-service	pause-continue-service	-
nsiproxy	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
nsiproxy	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
nsiproxy	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
nsiproxy	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Ntfs	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Ntfs	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Ntfs	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Ntfs	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Ntfs	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Ntfs	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Ntfs	Access Allowed for Administrators	stop-service	pause-continue-service	-
Ntfs	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Ntfs	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Ntfs	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Ntfs	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Null	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Null	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Null	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Null	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Null	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Null	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Null	Access Allowed for Administrators	stop-service	pause-continue-service	-
Null	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Null	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Null	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Null	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
partmgr	Access Allowed for Local System	standard-read	query-service-config	query-service-status
partmgr	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
partmgr	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
partmgr	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
partmgr	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
partmgr	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
partmgr	Access Allowed for Administrators	stop-service	pause-continue-service	-
partmgr	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
partmgr	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
partmgr	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
partmgr	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control

pcw	Access Allowed for Local System	standard-read	query-service-config	query-service-status
pcw	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
pcw	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
pcw	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
pcw	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
pcw	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
pcw	Access Allowed for Administrators	stop-service	pause-continue-service	-
pcw	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
pcw	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
pcw	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
pcw	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
pdc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
pdc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
pdc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
pdc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
pdc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
pdc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
pdc	Access Allowed for Administrators	stop-service	pause-continue-service	-
pdc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
pdc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
pdc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
pdc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PEAUTH	Access Allowed for Local System	standard-read	query-service-config	query-service-status
PEAUTH	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
PEAUTH	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
PEAUTH	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
PEAUTH	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
PEAUTH	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
PEAUTH	Access Allowed for Administrators	stop-service	pause-continue-service	-
PEAUTH	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
PEAUTH	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PEAUTH	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
PEAUTH	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PptpMiniport	Access Allowed for Local System	standard-read	query-service-config	query-service-status
PptpMiniport	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
PptpMiniport	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
PptpMiniport	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
PptpMiniport	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
PptpMiniport	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
PptpMiniport	Access Allowed for Administrators	stop-service	pause-continue-service	-
PptpMiniport	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
PptpMiniport	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
PptpMiniport	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
PptpMiniport	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Psched	Access Allowed for Local System	standard-read	query-service-config	query-service-status

Psched	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Psched	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Psched	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Psched	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Psched	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Psched	Access Allowed for Administrators	stop-service	pause-continue-service	-
Psched	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Psched	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Psched	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Psched	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RasAgileVpn	Access Allowed for Local System	standard-read	query-service-config	query-service-status
RasAgileVpn	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RasAgileVpn	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
RasAgileVpn	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RasAgileVpn	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
RasAgileVpn	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
RasAgileVpn	Access Allowed for Administrators	stop-service	pause-continue-service	-
RasAgileVpn	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
RasAgileVpn	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RasAgileVpn	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
RasAgileVpn	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Rasl2tp	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Rasl2tp	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Rasl2tp	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Rasl2tp	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Rasl2tp	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Rasl2tp	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Rasl2tp	Access Allowed for Administrators	stop-service	pause-continue-service	-
Rasl2tp	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Rasl2tp	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Rasl2tp	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Rasl2tp	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RasPppoe	Access Allowed for Local System	standard-read	query-service-config	query-service-status
RasPppoe	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RasPppoe	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
RasPppoe	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RasPppoe	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
RasPppoe	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
RasPppoe	Access Allowed for Administrators	stop-service	pause-continue-service	-
RasPppoe	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
RasPppoe	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RasPppoe	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
RasPppoe	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RasSstp	Access Allowed for Local System	standard-read	query-service-config	query-service-status
RasSstp	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service

RasSstp	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
RasSstp	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RasSstp	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
RasSstp	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
RasSstp	Access Allowed for Administrators	stop-service	pause-continue-service	-
RasSstp	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
RasSstp	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RasSstp	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
RasSstp	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
rdbss	Access Allowed for Local System	standard-read	query-service-config	query-service-status
rdbss	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
rdbss	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
rdbss	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
rdbss	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
rdbss	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
rdbss	Access Allowed for Administrators	stop-service	pause-continue-service	-
rdbss	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
rdbss	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
rdbss	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
rdbss	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
rdpbus	Access Allowed for Local System	standard-read	query-service-config	query-service-status
rdpbus	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
rdpbus	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
rdpbus	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
rdpbus	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
rdpbus	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
rdpbus	Access Allowed for Administrators	stop-service	pause-continue-service	-
rdpbus	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
rdpbus	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
rdpbus	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
rdpbus	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RDPDR	Access Allowed for Local System	standard-read	query-service-config	query-service-status
RDPDR	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RDPDR	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
RDPDR	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RDPDR	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
RDPDR	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
RDPDR	Access Allowed for Administrators	stop-service	pause-continue-service	-
RDPDR	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
RDPDR	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RDPDR	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
RDPDR	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RdpVideoMiniport	Access Allowed for Local System	standard-read	query-service-config	query-service-status
RdpVideoMiniport	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
RdpVideoMiniport	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control

RdpVideoMiniport	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
RdpVideoMiniport	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
RdpVideoMiniport	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
RdpVideoMiniport	Access Allowed for Administrators	stop-service	pause-continue-service	-
RdpVideoMiniport	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
RdpVideoMiniport	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RdpVideoMiniport	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
RdpVideoMiniport	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
RdpVideoMiniport	Access Allowed for S-1-5-80-446051430-1559341753-4161941529-1950928533-810483104	start-service	stop-service	-
rspndr	Access Allowed for Local System	standard-read	query-service-config	query-service-status
rspndr	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
rspndr	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
rspndr	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
rspndr	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
rspndr	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
rspndr	Access Allowed for Administrators	stop-service	pause-continue-service	-
rspndr	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
rspndr	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
rspndr	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
rspndr	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
spaceport	Access Allowed for Local System	standard-read	query-service-config	query-service-status
spaceport	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
spaceport	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
spaceport	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
spaceport	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
spaceport	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
spaceport	Access Allowed for Administrators	stop-service	pause-continue-service	-
spaceport	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
spaceport	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
spaceport	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
spaceport	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
srv	Access Allowed for Local System	standard-read	query-service-config	query-service-status
srv	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
srv	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
srv	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
srv	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
srv	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
srv	Access Allowed for Administrators	stop-service	pause-continue-service	-
srv	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
srv	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
srv	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
srv	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
srv2	Access Allowed for Local System	standard-read	query-service-config	query-service-status
srv2	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service

srv2	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
srv2	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
srv2	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
srv2	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
srv2	Access Allowed for Administrators	stop-service	pause-continue-service	-
srv2	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
srv2	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
srv2	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
srv2	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
srvnet	Access Allowed for Local System	standard-read	query-service-config	query-service-status
srvnet	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
srvnet	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
srvnet	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
srvnet	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
srvnet	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
srvnet	Access Allowed for Administrators	stop-service	pause-continue-service	-
srvnet	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
srvnet	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
srvnet	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
srvnet	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
storvsc	Access Allowed for Local System	standard-read	query-service-config	query-service-status
storvsc	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
storvsc	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
storvsc	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
storvsc	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
storvsc	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
storvsc	Access Allowed for Administrators	stop-service	pause-continue-service	-
storvsc	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
storvsc	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
storvsc	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
storvsc	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
swenum	Access Allowed for Local System	standard-read	query-service-config	query-service-status
swenum	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
swenum	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
swenum	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
swenum	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
swenum	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
swenum	Access Allowed for Administrators	stop-service	pause-continue-service	-
swenum	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
swenum	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
swenum	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
swenum	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Tcpip	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Tcpip	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Tcpip	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control

Tcpip	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Tcpip	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Tcpip	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
Tcpip	Access Allowed for Administrators	stop-service	pause-continue-service	-
Tcpip	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Tcpip	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Tcpip	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Tcpip	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
tcpipreg	Access Allowed for Local System	standard-read	query-service-config	query-service-status
tcpipreg	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
tcpipreg	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
tcpipreg	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
tcpipreg	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
tcpipreg	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
tcpipreg	Access Allowed for Administrators	stop-service	pause-continue-service	-
tcpipreg	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
tcpipreg	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
tcpipreg	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
tcpipreg	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
tdx	Access Allowed for Local System	standard-read	query-service-config	query-service-status
tdx	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
tdx	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
tdx	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
tdx	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
tdx	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
tdx	Access Allowed for Administrators	stop-service	pause-continue-service	-
tdx	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
tdx	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
tdx	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
tdx	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
terminpt	Access Allowed for Local System	standard-read	query-service-config	query-service-status
terminpt	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
terminpt	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
terminpt	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
terminpt	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
terminpt	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
terminpt	Access Allowed for Administrators	stop-service	pause-continue-service	-
terminpt	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
terminpt	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
terminpt	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
terminpt	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
tunnel	Access Allowed for Local System	standard-read	query-service-config	query-service-status
tunnel	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
tunnel	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
tunnel	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac

tunnel	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
tunnel	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
tunnel	Access Allowed for Administrators	stop-service	pause-continue-service	-
tunnel	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
tunnel	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
tunnel	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
tunnel	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
umbus	Access Allowed for Local System	standard-read	query-service-config	query-service-status
umbus	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
umbus	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
umbus	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
umbus	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
umbus	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
umbus	Access Allowed for Administrators	stop-service	pause-continue-service	-
umbus	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
umbus	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
umbus	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
umbus	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vdrvroot	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vdrvroot	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vdrvroot	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vdrvroot	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vdrvroot	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vdrvroot	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vdrvroot	Access Allowed for Administrators	stop-service	pause-continue-service	-
vdrvroot	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vdrvroot	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vdrvroot	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vdrvroot	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmbus	Access Allowed for Local System	standard-read	query-service-config	query-service-status
vmbus	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
vmbus	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
vmbus	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
vmbus	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
vmbus	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
vmbus	Access Allowed for Administrators	stop-service	pause-continue-service	-
vmbus	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
vmbus	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
vmbus	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
vmbus	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
VMBusHID	Access Allowed for Local System	standard-read	query-service-config	query-service-status
VMBusHID	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
VMBusHID	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
VMBusHID	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
VMBusHID	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config

VMBusHID	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
VMBusHID	Access Allowed for Administrators	stop-service	pause-continue-service	-
VMBusHID	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
VMBusHID	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
VMBusHID	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
VMBusHID	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
volmgr	Access Allowed for Local System	standard-read	query-service-config	query-service-status
volmgr	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
volmgr	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
volmgr	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
volmgr	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
volmgr	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
volmgr	Access Allowed for Administrators	stop-service	pause-continue-service	-
volmgr	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
volmgr	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
volmgr	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
volmgr	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
volmgrx	Access Allowed for Local System	standard-read	query-service-config	query-service-status
volmgrx	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
volmgrx	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
volmgrx	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
volmgrx	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
volmgrx	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
volmgrx	Access Allowed for Administrators	stop-service	pause-continue-service	-
volmgrx	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
volmgrx	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
volmgrx	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
volmgrx	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
volsnap	Access Allowed for Local System	standard-read	query-service-config	query-service-status
volsnap	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
volsnap	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
volsnap	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
volsnap	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
volsnap	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service
volsnap	Access Allowed for Administrators	stop-service	pause-continue-service	-
volsnap	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
volsnap	Access Allowed for Interactive Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
volsnap	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
volsnap	Access Allowed for Service Logon	enumerate-service-de pendents	nterrogate-service	service-user-defined-control
Wanarpv6	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Wanarpv6	Access Allowed for Local System	enumerate-service-de pendents	start-service	stop-service
Wanarpv6	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Wanarpv6	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Wanarpv6	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Wanarpv6	Access Allowed for Administrators	query-service-status	enumerate-service-de pendents	start-service

Wanarpv6	Access Allowed for Administrators	stop-service	pause-continue-service	-
Wanarpv6	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Wanarpv6	Access Allowed for Interactive Logon	enumerate-service-dependents	nterrogate-service	service-user-defined-control
Wanarpv6	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Wanarpv6	Access Allowed for Service Logon	enumerate-service-dependents	nterrogate-service	service-user-defined-control
Wdf01000	Access Allowed for Local System	standard-read	query-service-config	query-service-status
Wdf01000	Access Allowed for Local System	enumerate-service-dependents	start-service	stop-service
Wdf01000	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
Wdf01000	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
Wdf01000	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
Wdf01000	Access Allowed for Administrators	query-service-status	enumerate-service-dependents	start-service
Wdf01000	Access Allowed for Administrators	stop-service	pause-continue-service	-
Wdf01000	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
Wdf01000	Access Allowed for Interactive Logon	enumerate-service-dependents	nterrogate-service	service-user-defined-control
Wdf01000	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
Wdf01000	Access Allowed for Service Logon	enumerate-service-dependents	nterrogate-service	service-user-defined-control
WFPLWFS	Access Allowed for Local System	standard-read	query-service-config	query-service-status
WFPLWFS	Access Allowed for Local System	enumerate-service-dependents	start-service	stop-service
WFPLWFS	Access Allowed for Local System	pause-continue-service	nterrogate-service	service-user-defined-control
WFPLWFS	Access Allowed for Administrators	standard-read	standard-write-owner	standard-write-dac
WFPLWFS	Access Allowed for Administrators	standard-delete	query-service-config	change-service-config
WFPLWFS	Access Allowed for Administrators	query-service-status	enumerate-service-dependents	start-service
WFPLWFS	Access Allowed for Administrators	stop-service	pause-continue-service	-
WFPLWFS	Access Allowed for Interactive Logon	standard-read	query-service-config	query-service-status
WFPLWFS	Access Allowed for Interactive Logon	enumerate-service-dependents	nterrogate-service	service-user-defined-control
WFPLWFS	Access Allowed for Service Logon	standard-read	query-service-config	query-service-status
WFPLWFS	Access Allowed for Service Logon	enumerate-service-dependents	nterrogate-service	service-user-defined-control



2 Microsoft Windows Effective Permission on Shares Enumerated

QID:	105185
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/23/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Detected effective security permissions for shares on the target host are enumerated, the complete set of effective permissions might differ.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

share	SHARE TYPE	ACE TYPE	NAME	PRIMARY GROUP	ACE1	ACE2	ACE3	ADDITIONAL INFO
ADMIN$	Hidden Directory	Access Allowed for Group	NT SERVICE\TrustedInstaller	NT SERVICE\TrustedInstaller	generic-all	standard-read	standard-write-owner	-
ADMIN$	Hidden Directory	Access Allowed for Group	NT SERVICE\TrustedInstaller	NT SERVICE\TrustedInstaller	standard-write-dac	standard-delete	-	-
ADMIN$	Hidden Directory	Access Allowed for Group	Local System	NT SERVICE\TrustedInstaller	generic-all	standard-read	standard-delete	-
ADMIN$	Hidden Directory	Access Allowed for Group	Administrators	NT SERVICE\TrustedInstaller	generic-all	standard-read	standard-delete	-
ADMIN$	Hidden Directory	Access Allowed for Group	Users	NT SERVICE\TrustedInstaller	generic-read	generic-execute	standard-read	-
ADMIN$	Hidden Directory	Access Allowed for Group	Creator Owner	NT SERVICE\TrustedInstaller	generic-all	-	-	-
ADMIN$	Hidden Directory	Access Allowed for Group	APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	NT SERVICE\TrustedInstaller	generic-read	generic-execute	standard-read	-
C$	Hidden Directory	Access Allowed for Group	Local System	NT SERVICE\TrustedInstaller	standard-read	standard-write-owner	standard-write-dac	-
C$	Hidden Directory	Access Allowed for Group	Local System	NT SERVICE\TrustedInstaller	standard-delete	-	-	-
C$	Hidden Directory	Access Allowed for Group	Administrators	NT SERVICE\TrustedInstaller	standard-read	standard-write-owner	standard-write-dac	-
C$	Hidden Directory	Access Allowed for Group	Administrators	NT SERVICE\TrustedInstaller	standard-delete	-	-	-
C$	Hidden Directory	Access Allowed for Group	Users	NT SERVICE\TrustedInstaller	standard-read	-	-	-
C$	Hidden Directory	Access Allowed for Group	Creator Owner	NT SERVICE\TrustedInstaller	generic-all	-	-	-
E$	Hidden Directory	Access Allowed for Group	Administrators	Local System	standard-read	-	-	-
E$	Hidden Directory	Access Allowed for Group	Local System	Local System	standard-read	-	-	-
E$	Hidden Directory	Access Allowed for Group	Users	Local System	standard-read	-	-	-

E$	Hidden Directory	Access Allowed for Group	All	Local System	standard-read	-	-	-
print$	Directory	Access Allowed for Group	Local System	Local System	standard-read	-	-	-
print$	Directory	Access Allowed for Group	Administrators	Local System	standard-read	-	-	-
print$	Directory	Access Allowed for Group	All	Local System	generic-read	generic-execute	standard-read	-
print$	Directory	Access Allowed for Group	APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	Local System	generic-read	generic-execute	standard-read	-



2 Microsoft Windows Hardening - Service Configuration

QID:	105187
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/06/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The service configuration for each win32 service, including the service startup type and service account name, is enumerated. Turning off non-essential services is an important step in hardening a Windows system.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Name	Starttype	AccountName
Application Experience	Manual	localSystem
Application Layer Gateway Service	Manual	NT AUTHORITY\LocalService
Application Host Helper Service	Automatic	localSystem
Application Identity	Manual	NT Authority\LocalService
Application Information	Manual	LocalSystem
Application Management	Manual	LocalSystem
App Readiness	Manual	LocalSystem
AppX Deployment Service (AppXSVC)	Manual	LocalSystem
ASP.NET State Service	Manual	NT AUTHORITY\NetworkService
Windows Audio Endpoint Builder	Manual	LocalSystem
Windows Audio	Manual	NT AUTHORITY\LocalService

Base Filtering Engine	Automatic	NT AUTHORITY\LocalService
Background Intelligent Transfer Service	Manual	LocalSystem
Background Tasks Infrastructure Service	Automatic	LocalSystem
Computer Browser	Disabled	LocalSystem
Certificate Propagation	Manual	LocalSystem
COM+ System Application	Manual	LocalSystem
Cryptographic Services	Automatic	NT Authority\NetworkService
DCOM Server Process Launcher	Automatic	LocalSystem
Optimize drives	Manual	localSystem
Device Association Service	Manual	LocalSystem
Device Install Service	Manual	LocalSystem
DHCP Client	Automatic	NT Authority\LocalService
Diagnostics Tracking Service	Automatic	LocalSystem
DNS Client	Automatic	NT AUTHORITY\NetworkService
Wired AutoConfig	Manual	localSystem
Diagnostic Policy Service	Automatic	NT AUTHORITY\LocalService
Device Setup Manager	Manual	LocalSystem
Extensible Authentication Protocol	Manual	localSystem
Encrypting File System (EFS)	Manual	LocalSystem
Windows Event Log	Automatic	NT AUTHORITY\LocalService
COM+ Event System	Automatic	NT AUTHORITY\LocalService
Function Discovery Provider Host	Manual	NT AUTHORITY\LocalService
Function Discovery Resource Publication	Manual	NT AUTHORITY\LocalService
Windows Font Cache Service	Automatic	NT AUTHORITY\LocalService
Windows Presentation Foundation Font Cache 3.0.0.0	Manual	NT Authority\LocalService
Microsoft FTP Service	Automatic	LocalSystem
Group Policy Client	Automatic	LocalSystem
Human Interface Device Service	Manual	LocalSystem
Health Key and Certificate Management	Manual	localSystem
Internet Explorer ETW Collector Service	Manual	LocalSystem
IIS Admin Service	Automatic	LocalSystem
IKE and AuthIP IPsec Keying Modules	Automatic	LocalSystem
IP Helper	Automatic	LocalSystem
Kaspersky Anti-Virus	Automatic	LocalSystem
Kaspersky Anti-Virus Management	Manual	LocalSystem
CNG Key Isolation	Manual	LocalSystem
Kaspersky Security Center 10 Network Agent	Automatic	LocalSystem
KDC Proxy Server service (KPS)	Manual	NT AUTHORITY\NetworkService
KtmRm for Distributed Transaction Coordinator	Manual	NT AUTHORITY\NetworkService
Server	Automatic	LocalSystem
Workstation	Automatic	NT AUTHORITY\NetworkService
Link-Layer Topology Discovery Mapper	Manual	NT AUTHORITY\LocalService
TCP/IP NetBIOS Helper	Automatic	NT AUTHORITY\LocalService
Local Session Manager	Automatic	LocalSystem
Microsoft SharePoint Workspace Audit Service	Manual	NT AUTHORITY\LocalService
Multimedia Class Scheduler	Manual	LocalSystem
MobizEngine	Manual	taimoor.a@jsbl.com
MobizPullEngine	Automatic	taimoor.a@jsbl.com
Windows Firewall	Automatic	NT Authority\LocalService
Distributed Transaction Coordinator	Automatic	NT AUTHORITY\NetworkService
Microsoft iSCSI Initiator Service	Manual	LocalSystem
Windows Installer	Manual	LocalSystem
Message Queuing	Automatic	NT Authority\NetworkService
Network Access Protection Agent	Manual	NT AUTHORITY\NetworkService
Network Connectivity Assistant	Manual	LocalSystem

Netlogon	Automatic	LocalSystem
Network Connections	Manual	LocalSystem
Net.Msmq Listener Adapter	Automatic	NT AUTHORITY\NetworkService
Net.Pipe Listener Adapter	Automatic	NT AUTHORITY\LocalService
Network List Service	Manual	NT AUTHORITY\LocalService
Net.Tcp Listener Adapter	Automatic	NT AUTHORITY\LocalService
Net.Tcp Port Sharing Service	Manual	NT AUTHORITY\LocalService
Network Location Awareness	Automatic	NT AUTHORITY\NetworkService
Network Store Interface Service	Automatic	NT Authority\LocalService
Office Source Engine	Manual	LocalSystem
Office 64 Source Engine	Manual	LocalSystem
Office Software Protection Platform	Manual	NT AUTHORITY\NetworkService
Performance Counter DLL Host	Manual	NT AUTHORITY\LocalService
Performance Logs & Alerts	Manual	NT AUTHORITY\LocalService
Plug and Play	Manual	LocalSystem
IPsec Policy Agent	Manual	NT Authority\NetworkService
Power	Automatic	LocalSystem
Printer Extensions and Notifications	Manual	LocalSystem
User Profile Service	Automatic	LocalSystem
ServicePull	Manual	NT AUTHORITY\LocalService
Remote Access Auto Connection Manager	Manual	localSystem
Remote Access Connection Manager	Manual	localSystem
Routing and Remote Access	Disabled	localSystem
Remote Registry	Automatic	NT AUTHORITY\LocalService
RPC Endpoint Mapper	Automatic	NT AUTHORITY\NetworkService
Remote Procedure Call (RPC) Locator	Manual	NT AUTHORITY\NetworkService
Remote Procedure Call (RPC)	Automatic	NT AUTHORITY\NetworkService
Resultant Set of Policy Provider	Manual	LocalSystem
Special Administration Console Helper	Manual	LocalSystem
Security Accounts Manager	Automatic	LocalSystem
Smart Card	Disabled	NT AUTHORITY\LocalService
Smart Card Device Enumeration Service	Manual	LocalSystem
Task Scheduler	Automatic	LocalSystem
Smart Card Removal Policy	Manual	LocalSystem
Secondary Logon	Manual	LocalSystem
System Event Notification Service	Automatic	LocalSystem
Remote Desktop Configuration	Manual	localSystem
Internet Connection Sharing (ICS)	Disabled	LocalSystem
Shell Hardware Detection	Automatic	LocalSystem
Microsoft Storage Spaces SMP	Manual	NT AUTHORITY\NetworkService
SNMP Trap	Manual	NT AUTHORITY\LocalService
Print Spooler	Automatic	LocalSystem
Software Protection	Automatic	NT AUTHORITY\NetworkService
SSDP Discovery	Disabled	NT AUTHORITY\LocalService
Secure Socket Tunneling Protocol Service	Manual	NT Authority\LocalService
Spot Verifier	Manual	LocalSystem
Microsoft Software Shadow Copy Provider	Manual	LocalSystem
Superfetch	Manual	LocalSystem
System Events Broker	Automatic	LocalSystem
Telephony	Manual	NT AUTHORITY\NetworkService
Remote Desktop Services	Manual	NT Authority\NetworkService
Themes	Automatic	LocalSystem
Thread Ordering Server	Manual	NT AUTHORITY\LocalService
Storage Tiers Management	Manual	localSystem
Distributed Link Tracking Client	Automatic	LocalSystem

Windows Modules Installer	Manual	localSystem
User Access Logging Service	Automatic	LocalSystem
Interactive Services Detection	Manual	LocalSystem
Remote Desktop Services UserMode Port Redirector	Manual	localSystem
UPnP Device Host	Disabled	NT AUTHORITY\LocalService
Credential Manager	Manual	LocalSystem
Virtual Disk	Manual	LocalSystem
Hyper-V Guest Service Interface	Manual	LocalSystem
Hyper-V Heartbeat Service	Manual	LocalSystem
Hyper-V Data Exchange Service	Manual	LocalSystem
Hyper-V Remote Desktop Virtualization Service	Manual	LocalSystem
Hyper-V Guest Shutdown Service	Manual	LocalSystem
Hyper-V Time Synchronization Service	Manual	NT AUTHORITY\LocalService
Hyper-V Volume Shadow Copy Requestor	Manual	LocalSystem
Volume Shadow Copy	Manual	LocalSystem
Windows Time	Manual	NT AUTHORITY\LocalService
W3C Logging Service	Manual	localSystem
World Wide Web Publishing Service	Automatic	localSystem
Windows Process Activation Service	Manual	localSystem
Windows Connection Manager	Automatic	NT Authority\LocalService
Windows Color System	Manual	NT AUTHORITY\LocalService
Diagnostic Service Host	Manual	NT AUTHORITY\LocalService
Diagnostic System Host	Manual	LocalSystem
Windows Event Collector	Manual	NT AUTHORITY\NetworkService
Windows Encryption Provider Host Service	Manual	NT AUTHORITY\LocalService
Problem Reports and Solutions Control Panel Support	Manual	localSystem
Windows Error Reporting Service	Manual	localSystem
WinHTTP Web Proxy Auto-Discovery Service	Manual	NT AUTHORITY\LocalService
Windows Management Instrumentation	Automatic	localSystem
Windows Remote Management (WS-Management)	Automatic	NT AUTHORITY\NetworkService
WMI Performance Adapter	Manual	localSystem
Web Management Service	Manual	NT AUTHORITY\LocalService
Portable Device Enumerator Service	Manual	LocalSystem
Windows Store Service (WSService)	Manual	LocalSystem
Windows Update	Manual	LocalSystem
Windows Driver Foundation - User-mode Driver Framework	Manual	LocalSystem

 2 Microsoft Windows Folder Permission Check - Folders Under SystemRoot

QID:	105188
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/11/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Permissions for critical system files and folders are enumerated. Keeping these files and folders secure is critical for keeping the system secure.

IMPACT:

N/A

SOLUTION:
N/A

COMPLIANCE:
Type: SOX
Section: N/A
Description: All critical network segments and those network segments containing servers/equipment performing production process/support of Sarbanes applications/data are protected by proven and tested firewalls at all network entry points.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
%windir%\AppPatch			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute

			write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
--- --- ---			
%windir%\debug			
--- --- ---			
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed	object_inherit container_inherit	generic_execute generic_read
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
--- --- ---			
%windir%\Help			
--- --- ---			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data

			generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%windir%\inf			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%windir%\installer			
---------- ---------- ------			
SYSTEM	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Everyone	access_allowed	object_inherit container_inherit	read_extended_attributes read_data synchronize read_attributes standard_read execute

Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
---------- ---------- ------			
%windir%\media			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%windir%\Registration			
---------- ---------- ------			
Administrators	access_allowed	object_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Everyone	access_allowed	object_inherit	read_extended_attributes read_data synchronize read_attributes standard_read execute
SYSTEM	access_allowed	object_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
---------- ---------- ------			
%windir%\security			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data

			synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%windir%\Temp			
---------- ---------- ------			
SYSTEM	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Users	access_allowed	container_inherit	synchronize append_data write_data execute
Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
JSBL\Taimoor.A	access_allowed	container_inherit object_inherit no_propagate_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data standard_read write_attributes
NETWORK_SERVICE	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
JSBL\IIS_WPG	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
---------- ---------- ------			

%ProgramFiles%\Common Files

NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read



2 Microsoft Windows Folder Permission Check - Folders Under System32

QID:	105189
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/11/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The permissions of critical folders under the System32 directory are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%\System32			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%windir%\System32\appmgmt			
---------- ---------- ------			
SYSTEM	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Everyone	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute
---------- ---------- ------			
%windir%\System32\ias			
---------- ---------- ------			
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
NETWORK_SERVICE	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data

			standard_read execute generic_execute write_attributes generic_write generic_read
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
---------- ---------- ------			
%windir%\System32\Config			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed	container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
---------- ---------- ------			
%windir%\System32\spool\printers			
---------- ---------- ------			
Users	access_allowed	container_inherit	read_extended_attributes synchronize append_data read_attributes write_data
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read standard_write_dac write_attributes standard_write_owner standard_delete
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data

			synchronize append_data read_attributes write_data delete_child standard_read standard_write_dac write_attributes standard_write_owner standard_delete
---------- ---------- ------			
%windir%\System32\LogFiles			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%windir%\System32\inetsrv			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read

Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read

2 Microsoft Windows File Security Check - C: System Files

QID:	105190
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/14/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The security permissions for system files which are located on C: (primary partition drive) are enumerated. It is important that these files are properly secured.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: HIPAA
Section: 164.308(a)(ii)(D)
Description: Password management (Addressable). Procedures for creating, changing, and safeguarding passwords.

Type: SOX
Section: N/A
Description: Every user has a confidential password for access into a Company's system resources. These passwords are:
1) Changed frequently, as all individual users are automatically required to change their passwords
2) The display and printing of passwords is masked, suppressed, or otherwise obscured so that unauthorized parties will not be able to observe or subsequently recover them.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

---------- ---------- ------
c:\
---------- ---------- ------

SYSTEM	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute

			standard_write_dac write_attributes standard_write_owner standard_delete
Users	access_allowed	object_inherit container_inherit	read_extended_attributes read_data synchronize append_data read_attributes write_data standard_read execute
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
---------- ---------- ------			
%ProgramFiles%			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read
---------- ---------- ------			
%CommonProgramFiles%			
---------- ---------- ------			
NT SERVICE\TrustedInstaller	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
SYSTEM	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Administrators	access_allowed		write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data generic_all standard_read execute write_attributes standard_delete
Users	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read

Creator_Owner	access_allowed	inherit_only object_inherit container_inherit	generic_all
APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES	access_allowed		read_extended_attributes read_data synchronize read_attributes standard_read execute generic_execute generic_read

2 Microsoft Windows Folder Security - Folders Under Document and Settings

QID:	105191
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/11/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The permissions of common folders under the Document and Settings folder are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%userprofile%\Administrator			
SYSTEM	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrators	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
Administrator	access_allowed	object_inherit container_inherit	write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete

2 Administrator Group Members Enumerated

QID:	105231
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/10/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Members of the built-in Administrator Group are enumerated from the target Microsoft Windows system.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

S-1-5-32-544 Administrators {siduse="User", name="S-HRT-P786-RM1\\Administrator", sid="S-1-5-21-2725909-3346007391-1628438842-500"}
S-1-5-32-544 Administrators {siduse="User", name="S-HRT-P786-RM1\\Rainbow", sid="S-1-5-21-2725909-3346007391-1628438842-1001"}
S-1-5-32-544 Administrators {siduse="Group", name="JSBL\\Domain Admins", sid="S-1-5-21-923125726-1053979357-4163456429-512"}
S-1-5-32-544 Administrators {siduse="User", name="JSBL\\Taimoor.A", sid="S-1-5-21-923125726-1053979357-4163456429-85087"}
S-1-5-32-544 Administrators {siduse="User", name="JSBL\\saad.mirza", sid="S-1-5-21-923125726-1053979357-4163456429-81118"}
S-1-5-32-544 Administrators {siduse="User", name="S-HRT-P786-RM1\\adc.admin", sid="S-1-5-21-2725909-3346007391-1628438842-1007"}

2 Security Permissions for Important CIFS Pipes

QID:	105244
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/29/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The security permissions for important operating system created named pipes are enumerated from the target Microsoft Windows system.

IMPACT:
Critical system interfaces are exposed through several CIFS pipes. Insecure permission settings can aid unauthorized access.

SOLUTION:
N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

\SAMR

Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
Administrators access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
---
\eventlog

Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
NT SERVICE\EventLog access_allowed read_attributes standard_read read_data read_extended_attributes write_data append_data
Owner_Rights access_allowed read_data

\winreg

Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
NT SERVICE\EventSystem access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\fdPHost access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\FontCache access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\lltdsvc access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\netprofm access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\nsi access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\RemoteRegistry access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\SstpSvc access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\THREADORDER access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\W32Time access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\WdiServiceHost access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NT SERVICE\WinHttpAutoProxySvc access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
Owner_Rights access_allowed standard_read

\srvsvc

AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
SYSTEM access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
---
\lsass

Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
Administrators access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
---
\spoolss

Users access_allowed write_data read_data
Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes execute write_data read_extended_attributes

AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes execute write_data read_extended_attributes
Creator_Owner access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
SYSTEM access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
Administrators access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
---
\svcctl

Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
Administrators access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
---
\wkssvc

AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
SYSTEM access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
NETWORK_SERVICE access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete
---
\NETLOGON

Everyone access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
AnonymousLogon access_allowed read_attributes write_extended_attributes standard_read read_data write_attributes write_data read_extended_attributes
Administrators access_allowed standard_write_owner standard_read read_data execute standard_write_dac read_attributes write_attributes delete_child write_extended_attributes read_extended_attributes append_data write_data standard_delete

2 Windows Shares With Everyone Group Having Any Access

QID:	105317
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/18/2007
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
This vulnerability check gathers information about Windows shares in which the Everyone Group has any access permission. The Result section lists
the group name.

IMPACT:
Please make sure the information provided adheres to your company policy.

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

share	ACE TYPE
print$	Some access allowed for Everyone group

2 Microsoft Windows Permission on Shares Enumerated

QID: 105335
Category: Security Policy
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/04/2009
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Security permissions for shares on the target host are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

share	SHARE TYPE	ACE TYPE	NAME	OWNER	ACE1	ACE2	ACE3
ADMIN$	Hidden_Directory	No_Explicit_DACLS	-	-	-	-	-
C$	Hidden_Directory	No_Explicit_DACLS	-	-	-	-	-
E$	Hidden_Directory	No_Explicit_DACLS	-	-	-	-	-
IPC$	Hidden_IPC	No_Explicit_DACLS	-	-	-	-	-
print$	Directory	Access Allowed for Group	All	Local System	standard-read	-	-
print$	Directory	Access Allowed for Group	Administrators	Local System	standard-read	standard-write-owner	standard-write-dac
print$	Directory	Access Allowed for Group	Administrators	Local System	standard-delete	-	-

2 Microsoft ASP.NET HTTP Handlers Enumerated homeremituat.jsbl.com:443/tcp

QID: 12033
Category: CGI
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/26/2004
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Microsoft ASP.NET HTTP handlers are used for processing Web requests for specific file extensions. For example, .aspx is used for ASP.NET pages, .rem and .soap are used for remoting, .asmx is used for Web services. These extensions are located in the "machine.config" file under the "httpHandlers" element.
The scanner enummerated the common HTTP handlers present on the target ASP.NET system, and these handlers are displayed in the Results section below.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
.Aspx,.Asmx,.Rem,.Soap,

2 Microsoft IIS ISAPI Application Filters Mapped To Home Directory homeremituat.jsbl.com:443/tcp

QID:	12049
Category:	CGI
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/05/2007
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The scanner enumerated the ISAPI filters mapped to the target Microsoft Internet Information Services (IIS) Web server's home directory "/". These are listed in the Result section below.

IMPACT:
Most of the ISAPI filters come by default with IIS, and typically most of them are never used in Web applications. Further, there have been quite a few buffer overflow based remote code execution or denial of service attacks reported for many of these ISAPI filters.

SOLUTION:
Disable the ISAPI filters not being used on the target. This can be done using the "Internet Information Services" MMC snap-in's "Home Directory" section (under "Configuration").
Microsoft provides a free tool named LockDown to secure IIS. LockDown is available at : http://www.microsoft.com/technet/security/tools/locktool.mspx (http://www.microsoft.com/technet/security/tools/locktool.mspx).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
.Aspx,.Asmx,.Rem,.Soap,

2 Web Server Probed For Various URL-Encoding Schemes Supported homeremituat.jsbl.com:443/tcp

QID:	12059
Category:	CGI
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/12/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The target Web server was probed for various URL-encoding schemes that it supports.
Per this paper (http://www.defcon.org/images/defcon-11/dc-11-presentations/dc-11-Roelker/dc-11-roelker-paper.pdf) by Daniel Roelker that was presented at Defcon 11, popular Web servers like Microsoft IIS support a variety of encoding schemes for the URLs. These include Percent-escaped Hex Encoding, Double-percent Escaped Hex Encoding, Microsoft's %U Encoding, Percent-escaped 2-Byte UTF-8 Encoding, and Raw 2-Byte UTF-8 Encoding.
For a sample HTTP GET request, GET /. HTTP/1.0, the following illustrates the encoded URI under these schemes:

Percent-escaped Hex Encoding: GET /%2e HTTP/1.0
Double-percent Escaped Hex Encoding: GET /%252e HTTP/1.0
Percent-escaped 2-Byte UTF-8 Encoding: GET /%C0%AE HTTP/1.0
Raw 2-Byte UTF-8 Encoding: GET /\xC0\xAE HTTP/1.0 (Actual raw 0xC0 and 0xAE bytes)
Microsoft's %U Encoding: GET /%u002e HTTP/1.0

The supported encoding schemes are listed in the Results section.
URI encoding is relevant to Web server security since, as mentioned in the paper above, attackers could launch HTTP attacks while at the same time obfuscating the URIs to evade detection by Intrusion Detection Systems that are not capable of decoding the URIs.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Single-%-Escaped Hex-Encoding Supported

1 DNS Host Name

QID:	6
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/01/1999
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The fully qualified domain name of this host, if it was obtained from a DNS server, is displayed in the RESULT section.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

IP address	Host name
10.111.200.118	homeremituat.jsbl.com

1 Processor Information for Windows Target System

QID:	43113
Category:	Hardware
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/20/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Processor information for the Windows target host is shown in the Result section.

IMPACT:
n/a

SOLUTION:
n/a

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\System\CurrentControlSet\Control\Session Manager\Environment		
PROCESSOR_IDENTIFIER	=	AMD64 Family 21 Model 2 Stepping 0, AuthenticAMD

1 Traceroute

QID:	45006
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/09/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Traceroute describes the path in realtime from the scanner to the remote host being contacted. It reports the IP addresses of all the routers in between.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Hops	IP	Round Trip Time	Probe
1	172.16.72.1	1.99ms	ICMP
2	10.111.200.118	0.63ms	ICMP

1 Disabled Accounts Enumerated From SAM Database

QID:	45027
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	10/30/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Security Accounts Manager holds user and machine account information. The scanner found at least one disabled user or machine account in the
SAM database for the target Windows machine. The accounts found are listed in the Results section.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Disabled User/Machine Accounts:
Guest

1 Administrator Account's Real Name Found From LSA Enumeration

QID:	45032
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/17/2004
User Modified:	-
Edited:	No
PCI Vuln:	No

Ticket State:

THREAT:
LSA (Local Security Authority Database) is a protected subsystem that authenticates and logs users onto the local system.
Windows systems by default have the administrator account's name configured as "Administrator". This can very easily be changed to a non-default value (like root, for example) to harden security against password bruteforcing.
LSA, internally, refers to user accounts by what are called RIDs (Relative IDs) instead of the friendlier names (like "Administrator") used only for GUI and display purposes. The administrator account on any Windows system always has a RID of 500, even if the name has been changed.
The scanner probed the LSA for the name that maps to the RID of 500, which is the administrator account name, changed or unchanged. The name is listed in the Result section below.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Administrator

 1 Host Scan Time

QID:	45038
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/19/2016
User Modified:	-
Edited:	No
PCI Vuln:	No

Ticket State:

THREAT:
The Host Scan Time is the period of time it takes the scanning engine to perform the vulnerability assessment of a single target host. The Host Scan Time for this host is reported in the Result section below.
The Host Scan Time does not have a direct correlation to the Duration time as displayed in the Report Summary section of a scan results report. The Duration is the period of time it takes the service to perform a scan task. The Duration includes the time it takes the service to scan all hosts, which may involve parallel scanning. It also includes the time it takes for a scanner appliance to pick up the scan task and transfer the results back to the service's Secure Operating Center. Further, when a scan task is distributed across multiple scanners, the Duration includes the time it takes to perform parallel host scanning on all scanners.
For host running the Qualys Windows agent this QID reports the time taken by the agent to collect the host metadata used for the most recent assessment scan.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Scan duration: 278 seconds

Start time: Tue, Mar 14 2017, 08:05:08 GMT

End time: Tue, Mar 14 2017, 08:09:46 GMT

1 Host Names Found

QID:	45039
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/15/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The following host names were discovered for this computer using various methods such as DNS look up, NetBIOS query, and SQL server name query.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Host Name	Source
S-HRT-P786-RM1.jsbl.com	NTLM DNS
homeremituat.jsbl.com	FQDN
S-HRT-P786-RM1	NTLM NetBIOS
S-HRT-P786-RM1	Computer name
S-1-5-21-923125726-1053979357-4163456429-86178	Windows SID

1 NTFS Settings Enumerated

QID:	45063
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/27/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The NTFS settings on the target have been enumerated.

IMPACT:
n/a

SOLUTION:
For information on the significance of some of these settings, see this Microsoft TechNet article (http://www.microsoft.com/technet/scriptcenter/guide/sas_fsd_xdvz.mspx?mfr=true) and this article (http://www.tweakxp.com/article37043.aspx) published by a third party.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\Control\Filesystem
NtfsDisable8dot3NameCreation = 2
HKLM\SYSTEM\CurrentControlSet\Control\Filesystem
NtfsDisableLastAccessUpdate = 1
HKLM\SYSTEM\CurrentControlSet\Control\Filesystem
Win31FileSystem = 0

 1 Microsoft Office Product Detected

QID:	45103
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/16/2009
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
A Microsoft office product (Word, Excel, PowerPoint) is installed.

IMPACT:
N/a

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft Office\Office14\\Powerpnt.exe Version is 14.0.4754.1000
Microsoft Office PowerPoint 2010 SP0 installed
C:\Program Files\Microsoft Office\Office14\\winword.exe Version is 14.0.4762.1000
Microsoft Office Word 2010 SP0 installed
C:\Program Files\Microsoft Office\Office14\\Excel.exe Version is 14.0.4756.1000
Microsoft Office Excel 2010 SP0 installed

C:\Program Files\Microsoft Office\Office14\\MSACCESS.exe Version is 14.0.4750.1000
Microsoft Access 2010 SP0 installed
C:\Program Files\Microsoft Office\Office14\\Outlook.exe Version is 14.0.4760.1000
Microsoft Outlook 2010 SP0 installed
C:\Program Files\Microsoft Office\Office14\\Mspub.exe Version is 14.0.4750.1000
Microsoft Publisher 2010 SP0 installed
C:\Program Files\Microsoft Office\Office14\\InfoPath.exe Version is 14.0.4763.1000
Microsoft InfoPath 2010 SP0 installed
C:\Program Files\Microsoft Office\Office14\\OneNote.exe Version is 14.0.4763.1000
Microsoft OneNote 2010 SP0 installed

 1 Microsoft SQL Sever Compact Edition Installed

QID:	45157
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/01/2012
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft SQL Server Compact Edition is a compact relational database produced by Microsoft for applications that run on mobile devices and desktops.
Microsoft SQL Server Compact Edition is installed on the target

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
C:\Program Files\Microsoft SQL Server Compact Edition\v3.5\\sqlcecompact35.dll found
Microsoft SQL Server Compact Edition 3.5 Installed

 1 Microsoft Windows Management Instrumentation Service (WMI) Is Running

QID:	45183
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/05/2012
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

Windows Management Instrumentation (WMI) is the infrastructure for management data and operations on Windows-based operating systems. The target has WMI service installed and running.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
winmgmt = RUNNING

1 Internet Protocol version 6 (IPv6) Enabled on Target Host

QID:	45193
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/24/2013
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Internet Protocol version 6 (IPv6) is the latest revision of the Internet Protocol (IP), the communications protocol that routes traffic across the Internet. It is intended to replace IPv4, which still carries the vast majority of Internet traffic as of 2013.
This QID uses the registry key mentioned in Microsoft KB929852 (http://support.microsoft.com/kb/929852) to determine if IPv6 is enabled.
The detection works in the following way:
1) For Windows 2000,XP,2003
-- Check for existence of key "HKLM\SYSTEM\CurrentControlSet\Services\Tcpip6\Parameters"
2) For Windows Vista or 2008 or Windows 7 or Windows 8 or Windows Server 2012 and Windows RT:
-- It checks the value of "DisabledComponents" for key "HKLM\SYSTEM\CurrentControlSet\Services\Tcpip6\Parameters"
Note: This checks make use of Windows Management Instrumentation(WMI) to list IPv6 Addresses on target.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\services\TCPIP6\Parameters DisabledComponents is missing.

fe80::3103:6573:24a7:b168

1 Microsoft Windows An Automatic Updater Of Revoked Certificates Is Installed (KB 2677070 or KB 2813430)

QID:	45225
Category:	Information gathering
CVE ID:	-
Vendor Reference:	KB2813430, KB2677070
Bugtraq ID:	-
Service Modified:	08/12/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

An automatic updater of revoked certificates (that is, either KB 2677070 or KB 2813430) is installed. An automatic updater of revoked certificates is available for Windows Vista, Windows Server 2008, Windows 7, and Windows Server 2008 R2. This updater expands on the existing automatic root update mechanism technology that is found in Windows Vista and in Windows 7 to let certificates that are compromised, or are untrusted in some way, be specifically flagged as untrusted.
Note: An automatic updater of revoked certificates is included in supported editions of Windows 8, Windows 8.1, Windows RT, Windows RT 8.1, Windows Server 2012, and Windows Server 2012 R2 Operating systems.

IMPACT:

Customers who have this update installed will benefit from quick automatic updates of untrusted certificates.

SOLUTION:

For more information please refer to Microsoft knowledge base KB2813430 (http://support.microsoft.com/kb/2813430) and KB2677070 (http://support.microsoft.com/kb/2677070).

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HKLM\SOFTWARE\Microsoft\SystemCertificates\AuthRoot\AutoUpdate DisallowedCertLastSyncTime exists.

1 Trusted Digitial Certificates Enumerated From Windows Registry

QID:	45231
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/06/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The results section of this QID contains the Digitial Certificates trusted by the system.
Note: The list is enumerated from the registry.

IMPACT:

N/A

SOLUTION:

N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Certificate Thumbprint	Issuer	Valid From (MM/DD/YY)	Expires (MM/DD/YY)
HKLM\SOFTWARE\Microsoft\SystemCertificates\AuthRoot\Certificates			
02FAF3E2914354686078576 94DF5E45B68851868	AddTrust External CA Root	05/30/00	05/30/20
0563B8630D62D75ABBC8AB1E4BDFB5A899B24D43	DigiCert Assured ID Root CA	11/10/06	11/10/31
2796BAE63F1801E277261BA0D77770028F20EEE4	Go Daddy Class 2 Certification Authority	06/29/04	06/29/34
3679CA35668772304D30A5FB873B0FA77BB70D54	VeriSign Universal Root Certification Authority	04/02/08	12/01/37
4EB6D578499B1CCF5F581EAD56BE3D9B6744A5E5	VeriSign Class 3 Public Primary Certification Authority - G5	11/08/06	07/16/36
5FB7EE0633E259DBAD0C4C9AE6D38F1A61C7DC25	DigiCert High Assurance EV Root CA	11/10/06	11/10/31
627F8D7827656399D27D7F9044C9FEB3F33EFA9A	Thawte Premium Server CA1(0&*Hpremium-server@thawte.com	08/01/96	12/31/20
742C3192E607E424EB4549542BE1BBC53E6174E2	Class 3 Public Primary Certification Authority	01/29/96	08/01/28
8782C6C304353BCFD29692D2593E7D44D934FF11	SecureTrust CA	11/07/06	12/31/29
97817950D81C9670CC34D809CF794431367EF474	GTE CyberTrust Global Root	08/13/98	08/13/18
A8985D3A65E5E5C4B2D7D66D40C6DD2FB19C5436	DigiCert Global Root CA	11/10/06	11/10/31
D23209AD23D314232174E40D7F9D62139786633A	Equifax Secure Certificate Authority	08/22/98	08/22/18
D4DE20D05E66FC53FE1A50882C78DB2852CAE474	Baltimore CyberTrust Root	05/12/00	05/12/25
DAC9024F54D8F6DF94935FB1732638CA6AD77C13	DST Root CA X3	09/30/00	09/30/21
DE28F4A4FFE5B92FA3C503D1A349A7F9962A8212	GeoTrust Global CA	05/21/02	05/21/22
E12DFB4B41D7D9C32B30514BAC1D81D8385E2D46	UTN-USERFirst-Object	07/09/99	07/09/19
HKLM\SOFTWARE\Microsoft\SystemCertificates\CA\Certificates			
109F1CAED645BB78B3EA2B94C0697C740733031C	Microsoft Root Authority	10/01/97	12/31/02
7E2F3A4F8FE8FA8A5730AECA029696637E986F3F	DigiCert High Assurance EV Root CA	10/22/13	10/22/28
D559A586669B08F46A30A133F8A9ED3D038E2EA8	Class 3 Public Primary Certification Authority	04/17/97	10/24/16
FEE449EE0E3965A5246F000E87FDE2A065FD89D4	Root Agency	05/28/96	12/31/39
HKLM\SOFTWARE\Microsoft\SystemCertificates\MY\Certificates			
4AD9B290B9059404894245328E64C8421BB9465C	DigiCert SHA2 Extended Validation Server CA	03/08/17	03/13/19
E021887A39B01987E2E44E611B4F216EABCE1B2E	WMSvc-S-HRT-P786-RM1	02/21/17	02/19/27
HKLM\SOFTWARE\Microsoft\SystemCertificates\Remote Desktop\Certificates			
755B65354DA5A638713834A9AC84FAB0DAF9C317	S-HRT-P786-RM1.jsbl.com	02/16/17	08/18/17
HKLM\SOFTWARE\Microsoft\SystemCertificates\ROOT\Certificates			

	NO LIABILITY ACCEPTED, (c)97 VeriSign, Inc.	05/12/97	01/07/04
245C97DF7514E7CF2DF8BE72AE957B9E04741E85	Copyright (c) 1997 Microsoft Corp.	05/13/97	12/30/99
3B1EFD3A66EA28B16697394703A72CA340A05BD5	Microsoft Root Certificate Authority 2010	06/23/10	06/23/35
7F88CD7223F3C813818C994614A89C99FA3B5247	Microsoft Authenticode(tm) Root Authority	01/01/95	12/31/99
8F43288AD272F3103B6FB1428485EA3014C0BCFE	Microsoft Root Certificate Authority 2011	03/22/11	03/22/36
A43489159A520F0D93D032CCAF37E7FE20A8B419	Microsoft Root Authority	01/10/97	12/31/20
BE36A4562FB2EE05DBB3D32323ADF445084ED656	Thawte Timestamping CA	01/01/97	12/31/20
CDD4EEAE6000AC7F40C3802C171E30148030C072	Microsoft Root Certificate Authority	05/09/01	05/09/21
E021887A39B01987E2E44E611B4F216EABCE1B2E	WMSvc-S-HRT-P786-RM1	02/21/17	02/19/27
HKLM\SOFTWARE\Microsoft\EnterpriseCertificates\CA\Certificates			
21D28F58133708822BD3FEAE416BCF45DCE6624A	Microsoft Forefront TMG HTTPS Inspection Certification Authority	04/18/13	01/01/49
50344E257F177295711E288E9AFA298999F3BA9A	Microsoft Forefront TMG HTTPS Inspection Certification Authority	06/21/11	01/01/49
8BFB44A1583FF3E123B8D430FB477E94DB7CEB24	jsbl-D-BFS-9095-5-CA	11/18/15	11/18/20
BBC0FF60816024E3BAE9B7746EE9B7AF1451DB51	JS Bank Limited HTTPS Inspection Certification Authority	04/18/13	01/01/49
D8646F13D58EE381FCD3705199FB855EA489CFA1	JS Bank Limited HTTPS Inspection Certification Authority	04/19/13	01/01/49
DE447969E566DB16F566E5123C808C41D5D0E9FC	Microsoft Forefront TMG HTTPS Inspection Certification Authority	03/04/11	01/01/49
HKLM\SOFTWARE\Microsoft\EnterpriseCertificates\ROOT\Certificates			
21D28F58133708822BD3FEAE416BCF45DCE6624A	Microsoft Forefront TMG HTTPS Inspection Certification Authority	04/18/13	01/01/49
50344E257F177295711E288E9AFA298999F3BA9A	Microsoft Forefront TMG HTTPS Inspection Certification Authority	06/21/11	01/01/49
8BFB44A1583FF3E123B8D430FB477E94DB7CEB24	jsbl-D-BFS-9095-5-CA	11/18/15	11/18/20
BBC0FF60816024E3BAE9B7746EE9B7AF1451DB51	JS Bank Limited HTTPS Inspection Certification Authority	04/18/13	01/01/49
D8646F13D58EE381FCD3705199FB855EA489CFA1	JS Bank Limited HTTPS Inspection Certification Authority	04/19/13	01/01/49
DE447969E566DB16F566E5123C808C41D5D0E9FC	Microsoft Forefront TMG HTTPS Inspection Certification Authority	03/04/11	01/01/49
HKLM\SOFTWARE\Microsoft\EnterpriseCertificates\NtAuth\Certificates			
8BFB44A1583FF3E123B8D430FB477E94DB7CEB24	jsbl-D-BFS-9095-5-CA	11/18/15	11/18/20



1 Network Interface Information Extracted Through WMI

QID:	45232
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/20/2015
User Modified:	-
Edited:	No

PCI Vuln: No
Ticket State:

THREAT:
Interface name, IP address and MAC address information is extracted on the remote system using wmi wql queries.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

DESCRIPTION	IP ADDRESS	MAC ADDRESS
Microsoft Hyper-V Network Adapter	10.111.200.118 fe80::3103:6573:24a7:b168	00:15:5D:48:8D:EE

1 Hyper-V Host Information Gathered From A Windows Virtual Machine

QID: 45234
Category: Information gathering
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/25/2015
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
It is possible to gather information of a Hyper-V host machine from a Windows Virtual Machine. To obtain the host information, the virtual machine should have Integration Services installed.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\Virtual Machine\Guest\Parameters
HostName = B-HVM-P786-B03.jsbl.com

HostingSystemEditionId = 8
HostingSystemOsMajor = 6
HostingSystemOsMinor = 3
HostingSystemProcessorArchitecture = 9
HostingSystemSpMajor = 0
HostingSystemSpMinor = 0
PhysicalHostName = B-HVM-P786-B03
PhysicalHostNameFullyQualified = B-HVM-P786-B03.jsbl.com
VirtualMachineId = 1BFF3482-B49B-4341-B0E5-47D97B10BBBF
VirtualMachineName = Core Home Remit

 1 Microsoft System Center Endpoint Protection (SCEP) Detected

QID:	45239
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/14/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft System Center Endpoint Protection provides an antimalware and security solution.
This Qid will detect antivirus, antispyware signature version, real time protection on/off and signature last updated date.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\RemovalTools\MRT
EULA2 = 1
GUID = C195DFFC-32DF-04C5-BFF3-661C62391BAB
Version = A5E600F5-A3CE-4C8E-8A14-D4133623CDC5

 1 PowerShell Detected On Host

QID:	45254
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/07/2017
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

PowerShell (including Windows PowerShell and PowerShell Core) is a task automation and configuration management framework from Microsoft, consisting of a command-line shell and associated scripting language built on the .NET Framework. PowerShell was made open-source and cross-platform (Windows, Linux, and macOS) on 18 August 2016.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\SOFTWARE\Microsoft\PowerShell\1\PowerShellEngine PowerShellVersion = 2.0
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe found
HKLM\SOFTWARE\Microsoft\PowerShell\3\PowerShellEngine PowerShellVersion = 4.0
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe found
HKLM\SOFTWARE\Wow6432Node\Microsoft\PowerShell\1\PowerShellEngine PowerShellVersion = 2.0
C:\Windows\SysWOW64\WindowsPowerShell\v1.0\powershell.exe found
HKLM\SOFTWARE\Wow6432Node\Microsoft\PowerShell\3\PowerShellEngine PowerShellVersion = 4.0
C:\Windows\SysWOW64\WindowsPowerShell\v1.0\powershell.exe found

1 Windows Authentication Method

QID:	70028
Category:	SMB / NETBIOS
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/10/2008
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Windows authentication was performed. The Results section in your detailed results includes a list of authentication credentials used.
The service also attempts to authenticate using common credentials. You should verify that the credentials used for successful authentication were those that were provided in the Windows authentication record. User-provided credentials failed if the discovery method shows "Unable to log in using credentials provided by user, fallback to NULL session". If this is the case, verify that the credentials specified in the Windows authentication record are valid for this host.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

User Name	administrator
Domain	(none)
Authentication Scheme	NTLMSSP v2
Security	User-based
SMBv1 Signing	Disabled
Discovery Method	Login credentials provided by user
CIFS Signing	default
Authentication Record	Test Home Remit
CIFS Version	SMB v3.0.2

1 Windows Authentication Method for User-Provided Credentials

QID: 70053
Category: SMB / NETBIOS
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/06/2009
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Windows authentication was performed and successful with user-provided credentials. The Results section in your detailed results includes a list of authentication credentials used.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

User Name	administrator
Domain	(none)
Authentication Scheme	NTLMSSP v2
Security	User-based
SMBv1 Signing	Disabled
Authentication Record	Test Home Remit

1 Open UDP Services List

QID: 82004
Category: TCP/IP
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 07/12/2005

User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
A port scanner was used to draw a map of all the UDP services on this host that can be accessed from the Internet.
Note that if the host is behind a firewall, there is a small chance that the list includes a few ports that are filtered or blocked by the firewall but are not actually open on the target host. This (false positive on UDP open ports) may happen when the firewall is configured to reject UDP packets for most (but not all) ports with an ICMP Port Unreachable packet. This may also happen when the firewall is configured to allow UDP packets for most (but not all) ports through and filter/block/drop UDP packets for only a few ports. Both cases are uncommon.

IMPACT:
Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:
Shut down any unknown or unused service on the list. If you have difficulty working out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting port scanners of this kind, visit the CERT Web site (http://www.cert.org).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected
123	ntp	Network Time Protocol	unknown
137	netbios-ns	NETBIOS Name Service	unknown
138	netbios-dgm	NETBIOS Datagram Service	unknown
500	isakmp	isakmp	unknown

1 Open TCP Services List

QID: 82023
Category: TCP/IP
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 06/15/2009
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The port scanner enables unauthorized users with the appropriate tools to draw a map of all services on this host that can be accessed from the Internet. The test was carried out with a "stealth" port scanner so that the server does not log real connections.
The Results section displays the port number (Port), the default service listening on the port (IANA Assigned Ports/Services), the description of the service (Description) and the service that the scanner detected using service discovery (Service Detected).

IMPACT:
Unauthorized users can exploit this information to test vulnerabilities in each of the open services.

SOLUTION:
Shut down any unknown or unused service on the list. If you have difficulty figuring out which service is provided by which process or program, contact your provider's support team. For more information about commercial and open-source Intrusion Detection Systems available for detecting

port scanners of this kind, visit the CERT Web site (http://www.cert.org).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Port	IANA Assigned Ports/Services	Description	Service Detected	OS On Redirected Port
135	msrpc-epmap	epmap DCE endpoint resolution	DCERPC Endpoint Mapper	
443	https	http protocol over TLS/SSL	http over ssl	
445	microsoft-ds	Microsoft-DS	microsoft-ds	
1801	msmq	Microsoft Message Que	Microsoft Message Queue Server	
2103	zephyr-clt	Zephyr serv-hm connection	msrpc	
2105	minipay	MiniPay	msrpc	
2107	unknown	unknown	msrpc	
3389	ms-wbt-server	MS WBT Server	win remote desktop over ssl	

1 ICMP Replies Received

QID:	82040
Category:	TCP/IP
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/17/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
ICMP (Internet Control and Error Message Protocol) is a protocol encapsulated in IP packets. ICMP's principal purpose is to provide a protocol layer that informs gateways of the inter-connectivity and accessibility of other gateways or hosts.
We have sent the following types of packets to trigger the host to send us ICMP replies:
Echo Request (to trigger Echo Reply)
Timestamp Request (to trigger Timestamp Reply)
Address Mask Request (to trigger Address Mask Reply)
UDP Packet (to trigger Port Unreachable Reply)
IP Packet with Protocol >= 250 (to trigger Protocol Unreachable Reply)
Listed in the "Result" section are the ICMP replies that we have received.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

ICMP Reply Type	Triggered By	Additional Information
Echo (type=0 code=0)	Echo Request	Echo Reply
Unreachable (type=3 code=3)	UDP Port 1049	Port Unreachable
Time Stamp (type=14 code=0)	Time Stamp Request	08:06:02 GMT
Unreachable (type=3 code=3)	UDP Port 1	Port Unreachable

Unreachable (type=3 code=3)	UDP Port 33333	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 1038	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 31666	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 26409	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 7301	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 3527	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 40421	Port Unreachable
Unreachable (type=3 code=3)	UDP Port 12361	Port Unreachable

 1 NetBIOS Host Name

QID: 82044
Category: TCP/IP
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/21/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The NetBIOS host name of this computer has been detected.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
S-HRT-P786-RM1

 1 Degree of Randomness of TCP Initial Sequence Numbers

QID: 82045
Category: TCP/IP
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/20/2004
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
TCP Initial Sequence Numbers (ISNs) obtained in the SYNACK replies from the host are analyzed to determine how random they are. The average

change between subsequent ISNs and the standard deviation from the average are displayed in the RESULT section. Also included is the degree of difficulty for exploitation of the TCP ISN generation scheme used by the host.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Average change between subsequent TCP initial sequence numbers is 1074597776 with a standard deviation of 706836052. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(10663 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.

1 IP ID Values Randomness

QID:	82046
Category:	TCP/IP
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/28/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The values for the identification (ID) field in IP headers in IP packets from the host are analyzed to determine how random they are. The changes between subsequent ID values for either the network byte ordering or the host byte ordering, whichever is smaller, are displayed in the RESULT section along with the duration taken to send the probes. When incremental values are used, as is the case for TCP/IP implementation in many operating systems, these changes reflect the network load of the host at the time this test was conducted.
Please note that for reliability reasons only the network traffic from open TCP ports is analyzed.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
IP ID changes observed (network order) for port 135: 1 1 1

QID:	90008
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/14/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
By default, Windows NT logon displays the name of the last user logged on to the host. This feature is activated on this host.

IMPACT:
Unauthorized users with physical access to the host can use this information in an attempt to guess the login password.

SOLUTION:
We recommend disabling this automatic feature. To do so, locate the following registry key, and then create or set a REG_SZ 'DontDisplayLastUserName' entry to '1':
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows NT\CurrentVersion\Winlogon
The same can be achieved by creating a similar value-data tuple as above for the group-policy HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Policies\System registry key.
The latter (group policy setting) overrides the former (local setting).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System DontDisplayLastUserName = 0
HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon DontDisplayLastUserName is missing.

 1 Windows CDROM Autorun Enabled

QID:	90012
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/04/2011
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Autorun is activated on this host. Windows Autorun enables programs located on CDs to be automatically launched when a CD is inserted in the CD-ROM drive.
If Autorun is enabled, it puts the machine into potential malaware risk or even virus infection. Mostly, viruses and worms are spread using the windows AutoRun feature.
In the past, Sony rootkit issue exploited machines that had Autorun enabled to secretly infect them by digital rights management software after playing certain CDs. The Downadup/Conficker worm is known to have infected a lot of machines and the use of the Autoplay functionality has been one of the major attack vector and propagation method for the worm to spread.

IMPACT:
If the machine can be accessed physically, then viruses or trojan attack programs can be installed with little difficulty.

SOLUTION:
We recommend that you remove the Autorun functionality. To do this, locate the following registry key, and then set the 'Autorun' entry to '0':
HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\CDRom
To selectively disable specific Autorun features, change the "NoDriveTypeAutoRun" entry in one of the following registry key subkeys:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Policies\Explorer\
HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\policies\Explorer\
The value of the NoDriveTypeAutoRun registry entry determines which drive or drives the Autorun functionality will be disabled for. Settings for the NoDriveTypeAutoRun registry entry are listed below:
0x1 = Disables AutoPlay on drives of unknown type
0x4 = Disables AutoPlay on removable drives
0x8 = Disables AutoPlay on fixed drives
0x10 = Disables AutoPlay on network drives
0x20 = Disables AutoPlay on CD-ROM drives
0x40 = Disables AutoPlay on RAM disks
0x80 = Disables AutoPlay on drives of unknown type
0xFF = Disables AutoPlay on all kinds of drives
You may also disable the service by setting the group policy object (GPO).
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Policies\Explorer\NoDriveTypeAutoRun
Detailed steps on disabling the Autorun functionality for different Windows platforms through various methods are available at Microsoft Knowledge Base Articles KB967715 (http://support.microsoft.com/kb/967715) and KB953252 (http://support.microsoft.com/kb/953252).

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\System\CurrentControlSet\Services\CDRom AutoRun = 1


1 Disabled Clear Page File

QID:	90013
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/29/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Windows does not clear or recreate the page file on this system.

IMPACT:
This vulnerability could pose a threat to security and cause a drop in performance. Sensitive information, such as passwords or usernames, can be retrieved.

SOLUTION:
We recommend forcing Windows to clear the page file when the system shuts down. To do this, locate the following registry key, and then set the REG_SZ key 'ClearPageFileAtShutdown' to '1':
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session Manager\Memory Management

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\System\CurrentControlSet\Control\Session Manager\Memory Management ClearPageFileAtShutdown = 0

1 Possible Log Recording Issues

QID:	90014
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/29/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The Security Log might stop recording events when it is full.

IMPACT:

When the system's maximum log size is reached, security-related events will no longer be logged. No authorized or unauthorized activity will be recorded.

SOLUTION:

Administrators requiring total visibility of all access attempts may wish to enable the system crash on audit-fail. This will shutdown the system until the administrator logs in and purges the event log. To activate this feature, locate the following registry key, and then set the 'CrashOnAuditFail' entry to '1':
HKEY_LOCAL_MACHINE\System\CurrentControlSet\Control\Lsa

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HKLM\System\CurrentControlSet\Control\Lsa CrashOnAuditFail = 0

1 Enabled Caching of Dial-up Password Feature

QID:	90015
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/29/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

Windows has a feature that enables the dial-up password to be saved and then be automatically provided during connection attempts. This feature has been activated on this system.

IMPACT:

Windows saves these passwords using very weak encryption. Therefore, unauthorized local users may be able to retreive passwords without much difficulty.
Since Windows automatically provides the saved dial-up password, unauthorized users with local access to this host can connect and dial the remote host without the password.

SOLUTION:
We recommend that you disable caching of the dial-up password. To do this, locate the following registry key, and then set the REG_DWORD 'DisableSavePassword' entry to '1':
HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\Rasman\Parameters

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\System\CurrentControlSet\Services\Rasman\Parameters DisableSavePassword is missing.

1 Windows Services List

QID:	90065
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/01/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The following Windows services were detected.

SOLUTION:
Stop unnused services, and set them to "Disabled" in the Windows "Services" Control Panel.

COMPLIANCE:
Type: GLBA
Section: N/A
Description: Identify users who use network services and who require access to necessary service configurations and authentication parameters.

Type: SOX
Section: N/A
Description: Limiting System Services
Identify the following services and server function/usage:- Identify critical services open on the server (i.e., FTP, Telnet, SSH, SMTP, DNS, Finger, HTTP, POP3, Portmapper, NNTP, Samba, IMAP2, SNMP, HTTPS, NNTPS, IMAPS, POP3S, and MySQL)- Identify additional uses of the server that may cause vulnerabilities such as remote access methods for administration (i.e., PC Anywhere, radmin, VNC), NETBIOS, SQL Server databases, Terminal Services- Identify users who use network services and who have access to the necessary service configuration and authentication parameters

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Name	Status	Description
AeLookupSvc		Application Experience
ALG		Application Layer Gateway Service

AppHostSvc	started	Application Host Helper Service
AppIDSvc		Application Identity
Appinfo	started	Application Information
AppMgmt		Application Management
AppReadiness		App Readiness
AppXSvc		AppX Deployment Service (AppXSVC)
aspnet_state		ASP.NET State Service
AudioEndpointBuilder		Windows Audio Endpoint Builder
Audiosrv		Windows Audio
BFE	started	Base Filtering Engine
BITS		Background Intelligent Transfer Service
BrokerInfrastructure	started	Background Tasks Infrastructure Service
Browser		Computer Browser
CertPropSvc	started	Certificate Propagation
COMSysApp		COM+ System Application
CryptSvc	started	Cryptographic Services
DcomLaunch	started	DCOM Server Process Launcher
defragsvc		Optimize drives
DeviceAssociationService		Device Association Service
DeviceInstall		Device Install Service
Dhcp	started	DHCP Client
DiagTrack	started	Diagnostics Tracking Service
Dnscache	started	DNS Client
dot3svc		Wired AutoConfig
DPS	started	Diagnostic Policy Service
DsmSvc		Device Setup Manager
Eaphost		Extensible Authentication Protocol
EFS		Encrypting File System (EFS)
EventLog	started	Windows Event Log
EventSystem	started	COM+ Event System
fdPHost		Function Discovery Provider Host
FDResPub		Function Discovery Resource Publication
FontCache	started	Windows Font Cache Service
FontCache3.0.0.0		Windows Presentation Foundation Font Cache 3.0.0.0
ftpsvc	started	Microsoft FTP Service
gpsvc	started	Group Policy Client
hidserv		Human Interface Device Service
hkmsvc		Health Key and Certificate Management
IEEtwCollectorService		Internet Explorer ETW Collector Service
IISADMIN	started	IIS Admin Service
IKEEXT	started	IKE and AuthIP IPsec Keying Modules
iphlpsvc	started	IP Helper
KAVFS	started	Kaspersky Anti-Virus
KAVFSGT		Kaspersky Anti-Virus Management
KeyIso		CNG Key Isolation
klnagent	started	Kaspersky Security Center 10 Network Agent
KPSSVC		KDC Proxy Server service (KPS)
KtmRm		KtmRm for Distributed Transaction Coordinator
LanmanServer	started	Server
LanmanWorkstation	started	Workstation
lltdsvc		Link-Layer Topology Discovery Mapper
lmhosts	started	TCP/IP NetBIOS Helper
LSM	started	Local Session Manager
Microsoft SharePoint Workspace Audit Service		Microsoft SharePoint Workspace Audit Service
MMCSS		Multimedia Class Scheduler

MobizEngine		MobizEngine
MobizPullEngine	started	MobizPullEngine
MpsSvc	started	Windows Firewall
MSDTC	started	Distributed Transaction Coordinator
MSiSCSI		Microsoft iSCSI Initiator Service
msiserver		Windows Installer
MSMQ	started	Message Queuing
napagent		Network Access Protection Agent
NcaSvc		Network Connectivity Assistant
Netlogon	started	Netlogon
Netman		Network Connections
NetMsmqActivator	started	Net.Msmq Listener Adapter
NetPipeActivator	started	Net.Pipe Listener Adapter
netprofm	started	Network List Service
NetTcpActivator	started	Net.Tcp Listener Adapter
NetTcpPortSharing	started	Net.Tcp Port Sharing Service
NlaSvc	started	Network Location Awareness
nsi	started	Network Store Interface Service
ose		Office Source Engine
ose64		Office 64 Source Engine
osppsvc		Office Software Protection Platform
PerfHost		Performance Counter DLL Host
pla		Performance Logs & Alerts
PlugPlay	started	Plug and Play
PolicyAgent	started	IPsec Policy Agent
Power	started	Power
PrintNotify		Printer Extensions and Notifications
ProfSvc	started	User Profile Service
PullService		ServicePull
RasAuto		Remote Access Auto Connection Manager
RasMan		Remote Access Connection Manager
RemoteAccess		Routing and Remote Access
RemoteRegistry	started	Remote Registry
RpcEptMapper	started	RPC Endpoint Mapper
RpcLocator		Remote Procedure Call (RPC) Locator
RpcSs	started	Remote Procedure Call (RPC)
RSoPProv		Resultant Set of Policy Provider
sacsvr		Special Administration Console Helper
SamSs	started	Security Accounts Manager
SCardSvr		Smart Card
ScDeviceEnum	started	Smart Card Device Enumeration Service
Schedule	started	Task Scheduler
SCPolicySvc		Smart Card Removal Policy
seclogon		Secondary Logon
SENS	started	System Event Notification Service
SessionEnv	started	Remote Desktop Configuration
SharedAccess		Internet Connection Sharing (ICS)
ShellHWDetection	started	Shell Hardware Detection
smphost		Microsoft Storage Spaces SMP
SNMPTRAP		SNMP Trap
Spooler	started	Print Spooler
sppsvc		Software Protection
SSDPSRV		SSDP Discovery
SstpSvc		Secure Socket Tunneling Protocol Service
svsvc		Spot Verifier

swprv		Microsoft Software Shadow Copy Provider
SysMain		Superfetch
SystemEventsBroker	started	System Events Broker
TapiSrv		Telephony
TermService	started	Remote Desktop Services
Themes	started	Themes
THREADORDER		Thread Ordering Server
TieringEngineService		Storage Tiers Management
TrkWks	started	Distributed Link Tracking Client
TrustedInstaller		Windows Modules Installer
UALSVC	started	User Access Logging Service
UI0Detect		Interactive Services Detection
UmRdpService	started	Remote Desktop Services UserMode Port Redirector
upnphost		UPnP Device Host
VaultSvc		Credential Manager
vds		Virtual Disk
vmicguestinterface		Hyper-V Guest Service Interface
vmicheartbeat	started	Hyper-V Heartbeat Service
vmickvpexchange	started	Hyper-V Data Exchange Service
vmicrdv	started	Hyper-V Remote Desktop Virtualization Service
vmicshutdown	started	Hyper-V Guest Shutdown Service
vmictimesync	started	Hyper-V Time Synchronization Service
vmicvss	started	Hyper-V Volume Shadow Copy Requestor
VSS	started	Volume Shadow Copy
W32Time	started	Windows Time
w3logsvc		W3C Logging Service
W3SVC	started	World Wide Web Publishing Service
WAS	started	Windows Process Activation Service
Wcmsvc	started	Windows Connection Manager
WcsPlugInService		Windows Color System
WdiServiceHost		Diagnostic Service Host
WdiSystemHost		Diagnostic System Host
Wecsvc		Windows Event Collector
WEPHOSTSVC		Windows Encryption Provider Host Service
wercplsupport		Problem Reports and Solutions Control Panel Support
WerSvc		Windows Error Reporting Service
WinHttpAutoProxySvc		WinHTTP Web Proxy Auto-Discovery Service
Winmgmt	started	Windows Management Instrumentation
WinRM	started	Windows Remote Management (WS-Management)
wmiApSrv		WMI Performance Adapter
WMSVC		Web Management Service
WPDBusEnum		Portable Device Enumerator Service
WSService		Windows Store Service (WSService)
wuauserv		Windows Update
wudfsvc		Windows Driver Foundation - User-mode Driver Framework



1 Windows Drivers List

QID:	90066
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/01/2003
User Modified:	-

Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The following Windows drivers were detected.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Name	Status	Description
1394ohci		1394 OHCI Compliant Host Controller
3ware		3ware
ACPI	started	Microsoft ACPI Driver
acpiex	started	Microsoft ACPIEx Driver
acpipagr		ACPI Processor Aggregator Driver
AcpiPmi		ACPI Power Meter Driver
acpitime		ACPI Wake Alarm Driver
ADP80XX		ADP80XX
AFD	started	Ancillary Function Driver for Winsock
agp440		Intel AGP Bus Filter
ahcache	started	Application Compatibility Cache
AmdK8		AMD K8 Processor Driver
AmdPPM	started	AMD Processor Driver
amdsata		amdsata
amdsbs		amdsbs
amdxata		amdxata
AppID		AppID Driver
arcsas		Adaptec SAS/SATA-II RAID Storport's Miniport Driver
AsyncMac		RAS Asynchronous Media Driver
atapi		IDE Channel
b06bdrv		Broadcom NetXtreme II VBD
BasicDisplay	started	BasicDisplay
BasicRender	started	BasicRender
Beep		Beep
bfadfcoei		bfadfcoei
bfadi		bfadi
bowser	started	Browser Support Driver
bxfcoe		Broadcom NetXtreme II Offload FCoE Driver
bxois		Broadcom NetXtreme II Offload iSCSI Driver
cdfs		CD/DVD File System Reader
cdrom		CD-ROM Driver
cht4vbd		Chelsio T4 Virtual Bus Driver
CLFS	started	Common Log (CLFS)
CmBatt		Microsoft ACPI Control Method Battery Driver
CNG	started	CNG
CompositeBus	started	Composite Bus Enumerator Driver
condrv	started	Console Driver
Dfsc	started	DFS Namespace Client Driver

disk	started	Disk Driver
dmvsc	started	dmvsc
DXGKrnl	started	LDDM Graphics Subsystem
ebdrv		Broadcom NetXtreme II 10 GigE VBD
elxfcoe		elxfcoe
elxstor		elxstor
ErrDev		Microsoft Hardware Error Device Driver
exfat		exFAT File System Driver
fastfat	started	FAT12/16/32 File System Driver
fcvsc		fcvsc
fdc		Floppy Disk Controller Driver
FileInfo		File Information FS MiniFilter
Filetrace		Filetrace
flpydisk		Floppy Disk Driver
FltMgr	started	FltMgr
FsDepends		File System Dependency Minifilter
FxPPM		Power Framework Processor Driver
gagp30kx		Microsoft Generic AGPv3.0 Filter for K8 Processor Platforms
gencounter	started	Microsoft Hyper-V Generation Counter
GPIOClx0101		Microsoft GPIO Class Extension Driver
HDAudBus		Microsoft UAA Bus Driver for High Definition Audio
HidBatt		HID UPS Battery Driver
HidUsb		Microsoft HID Class Driver
HpSAMD		HpSAMD
HTTP	started	HTTP Service
hwpolicy		Hardware Policy Driver
hyperkbd	started	hyperkbd
HyperVideo	started	HyperVideo
i8042prt		PS/2 Keyboard and Mouse Port Driver
iaStorAV		Intel(R) SATA RAID Controller Windows
iaStorV		Intel RAID Controller Windows 7
ibbus		Mellanox InfiniBand Bus/AL (Filter Driver)
intelide		intelide
intelppm		Intel Processor Driver
IpFilterDriver		IP Traffic Filter Driver
IPMIDRV		IPMIDRV
IPNAT		IP Network Address Translator
isapnp		isapnp
iScsiPrt		iScsiPort Driver
kbdclass	started	Keyboard Class Driver
kbdhid		Keyboard HID Driver
kdnic	started	Microsoft Kernel Debug Network Miniport (NDIS 6.20)
KLIF	started	Kaspersky Lab Driver
KSecDD	started	KSecDD
KSecPkg	started	KSecPkg
ksthunk		Kernel Streaming Thunks
lltdio	started	Link-Layer Topology Discovery Mapper I/O Driver
LSI_SAS		LSI_SAS
LSI_SAS2		LSI_SAS2
LSI_SAS3		LSI_SAS3
LSI_SSS		LSI_SSS
luafv	started	UAC File Virtualization
megasas		megasas
megasr		megasr
mlx4_bus		Mellanox ConnectX Bus Enumerator

Modem		Modem
monitor	started	Microsoft Monitor Class Function Driver Service
mouclass	started	Mouse Class Driver
mouhid	started	Mouse HID Driver
mountmgr	started	Mount Point Manager
mpsdrv	started	Windows Firewall Authorization Driver
MQAC	started	Message Queuing Access Control
mrxsmb	started	SMB MiniRedirector Wrapper and Engine
mrxsmb10	started	SMB 1.x MiniRedirector
mrxsmb20	started	SMB 2.0 MiniRedirector
MsBridge		Microsoft MAC Bridge
Msfs	started	Msfs
mshidkmdf		Pass-through HID to KMDF Filter Driver
mshidumdf		Pass-through HID to UMDF Driver
msisadrv		msisadrv
MsLbfoProvider		Microsoft Load Balancing/Failover Provider
MsRPC		MsRPC
mssmbios	started	Microsoft System Management BIOS Driver
MTConfig		Microsoft Input Configuration Driver
Mup	started	Mup
mvumis		mvumis
ndfltr		NetworkDirect Service
NDIS	started	NDIS System Driver
NdisCap		Microsoft NDIS Capture
NdisImPlatform		Microsoft Network Adapter Multiplexor Protocol
NdisTapi	started	Remote Access NDIS TAPI Driver
Ndisuio		NDIS Usermode I/O Protocol
NdisVirtualBus	started	Microsoft Virtual Network Adapter Enumerator
NdisWan	started	Remote Access NDIS WAN Driver
NDISWANLEGACY		Remote Access LEGACY NDIS WAN Driver
NDProxy	started	NDIS Proxy
NetBIOS	started	NetBIOS Interface
NetBT	started	NetBT
netvsc	started	netvsc
NETVSCVFPP		NETVSCVFPP
Npfs	started	Npfs
npsvctrig	started	Named pipe service trigger provider
nsiproxy	started	NSI Proxy Service Driver
Ntfs	started	Ntfs
Null	started	Null
nvraid		nvraid
nvstor		nvstor
nv_agp		NVIDIA nForce AGP Bus Filter
Parport		Parallel port driver
partmgr	started	Partition Manager
pci		PCI Bus Driver
pciide		pciide
pcmcia		pcmcia
pcw	started	Performance Counters for Windows Driver
pdc	started	pdc
PEAUTH	started	PEAUTH
PptpMiniport	started	WAN Miniport (PPTP)
Processor		Processor Driver
Psched	started	QoS Packet Scheduler
ql2300i		QLogic Fibre Channel STOR Miniport Inbox Driver (wx64)

ql40xx2i		QLogic iSCSI Miniport Inbox Driver
qlfcoei		QLogic [FCoE] STOR Miniport Inbox Driver (wx64)
RasAcd		Remote Access Auto Connection Driver
RasAgileVpn	started	WAN Miniport (IKEv2)
Rasl2tp	started	WAN Miniport (L2TP)
RasPppoe	started	Remote Access PPPOE Driver
RasSstp	started	WAN Miniport (SSTP)
rdbss	started	Redirected Buffering Sub System
rdpbus	started	Remote Desktop Device Redirector Bus Driver
RDPDR	started	Remote Desktop Device Redirector Driver
RdpVideoMiniport	started	Remote Desktop Video Miniport Driver
ReFS		ReFS
rspndr	started	Link-Layer Topology Discovery Responder
s3cap		s3cap
sacdrv		sacdrv
sbp2port		SBP-2 Transport/Protocol Bus Driver
scfilter		Smart card PnP Class Filter Driver
sdbus		sdbus
sdstor		SD Storage Port Driver
secdrv		Security Driver
SerCx		Serial UART Support Library
SerCx2		Serial UART Support Library
Serenum		Serenum Filter Driver
Serial		Serial port driver
sermouse		Serial Mouse Driver
sfloppy		High-Capacity Floppy Disk Drive
SiSRaid2		SiSRaid2
SiSRaid4		SiSRaid4
smbdirect		smbdirect
spaceport	started	Storage Spaces Driver
SpbCx		Simple Peripheral Bus Support Library
srv	started	Server SMB 1.xxx Driver
srv2	started	Server SMB 2.xxx Driver
srvnet	started	srvnet
stexstor		stexstor
storahci		Microsoft Standard SATA AHCI Driver
storflt		Hyper-V Storage Accelerator
stornvme		Microsoft Standard NVM Express Driver
storvsc	started	storvsc
storvsp		storvsp
swenum	started	Software Bus Driver
Tcpip	started	TCP/IP Protocol Driver
TCPIP6		Microsoft IPv6 Protocol Driver
tcpipreg	started	TCP/IP Registry Compatibility
tdx	started	NetIO Legacy TDI Support Driver
terminpt	started	Microsoft Remote Desktop Input Driver
TPM		TPM
TsUsbFlt		TsUsbFlt
TsUsbGD		Remote Desktop Generic USB Device
tsusbhub		Remote Desktop USB Hub
tunnel	started	Microsoft Tunnel Miniport Adapter Driver
uagp35		Microsoft AGPv3.5 Filter
UASPStor		USB Attached SCSI (UAS) Driver
UCX01000		USB Controller Extension
udfs		udfs

UEFI		Microsoft UEFI Driver
uliagpkx		Uli AGP Bus Filter
umbus	started	UMBus Enumerator Driver
UmPass		Microsoft UMPass Driver
usbccgp		Microsoft USB Generic Parent Driver
usbehci		Microsoft USB 2.0 Enhanced Host Controller Miniport Driver
usbhub		Microsoft USB Standard Hub Driver
USBHUB3		SuperSpeed Hub
usbohci		Microsoft USB Open Host Controller Miniport Driver
usbprint		Microsoft USB PRINTER Class
USBSTOR		USB Mass Storage Driver
usbuhci		Microsoft USB Universal Host Controller Miniport Driver
USBXHCI		USB xHCI Compliant Host Controller
vdrvroot	started	Microsoft Virtual Drive Enumerator
VerifierExt		VerifierExt
vhdmp		vhdmp
viaide		viaide
Vid		Vid
vmbus	started	Virtual Machine Bus
VMBusHID	started	VMBusHID
vmbusr		Virtual Machine Bus Provider
volmgr	started	Volume Manager Driver
volmgrx	started	Dynamic Volume Manager
volsnap	started	Storage volumes
vpci		Microsoft Hyper-V Virtual PCI Bus
vpcivsp		Microsoft Hyper-V PCI Server
vsmraid		vsmraid
VSTXRAID		VIA StorX Storage RAID Controller Windows Driver
WacomPen		Wacom Serial Pen HID Driver
Wanarp		Remote Access IP ARP Driver
Wanarpv6	started	Remote Access IPv6 ARP Driver
Wdf01000	started	Kernel Mode Driver Frameworks service
WFPLWFS	started	Microsoft Windows Filtering Platform
WIMMount		WIMMount
WinMad		WinMad Service
WinNat		Windows NAT Driver
WinVerbs		WinVerbs Service
WmiAcpi		Microsoft Windows Management Interface for ACPI
ws2ifsl		Winsock IFS Driver
wtlmdrv		Microsoft iSCSI Target LocalMount Adapter
WudfPf		User Mode Driver Frameworks Platform Driver

 1 Programs Launched At Startup Through The Registry

QID:	90074
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/26/2004
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Windows launches a number of programs automatically at system startup. These programs are frequently used by legitimately installed software. It's possible for malware to be opened automatically as well.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
BCSSync = "C:\Program Files\Microsoft Office\Office14\BCSSync.exe" /DelayServices
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Run
kavtray = "C:\Program Files (x86)\Kaspersky Lab\Kaspersky Anti-Virus 8.0 For Windows Servers Enterprise Edition\kavtray.exe"

 1 Windows Product Type

QID:	90107
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/13/2007
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The results below identify which type of Windows product is installed:
- If ProductType is "Winnt", the host is running Windows
Workstation.
- If ProductType is "Servernt", the host is running Windows Server.
- If ProductType is "Lanmannt", the
host is running Windows Advanced Server.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\Software\Microsoft\Windows NT\CurrentVersion		
CurrentVersion	=	6.3
ProductName	=	Windows Server 2012 R2 Standard
CurrentBuildNumber	=	9600
BuildLabEx	=	9600.18505.amd64fre.winblue_ltsb.160930-0600
HKLM\SYSTEM\currentControlSet\Control\ProductOptions		
ProductType	=	ServerNT

ProductSuite	=	{"Terminal Server"}

1 Windows Registry Key Access Denied

QID:	90195
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/02/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Remote access to the following registry keys has been denied. Access to the Registry named pipe was successful, but remote access to the Registry keys in the Result section has been denied.

IMPACT:
Vulnerabilities that require registry key access may not have been detected during the scan. This QID can be used to debug authentication and permission issues with other QIDs. This QID is not a direct indication of problems or missing patches on the target system.

SOLUTION:
Review the permissions assigned to the user account provided for authentication. Refer to the Windows Authenticated Scanning document for more information. Go to Help > Resources in the Qualys UI to download it.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002bE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E968-E325-11CE-BFC1-08002BE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E96C-E325-11CE-BFC1-08002BE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E978-E325-11CE-BFC1-08002BE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E96A-E325-11CE-BFC1-08002BE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E96D-E325-11CE-BFC1-08002BE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E96F-E325-11CE-BFC1-08002BE10318}\Properties\
HKLM\System\CurrentControlSet\Control\Class\{4D36E96B-E325-11CE-BFC1-08002BE10318}\Properties\

1 Windows Internet Explorer Version

QID:	90295
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/28/2013
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Windows Internet Explorer version is shown.

IMPACT:
n/a

SOLUTION:
n/a

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Windows Internet Explorer 11.0.9600.18123

1 Access to File Share is Enabled

QID:	90331
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/18/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The purpose of this QID is to indicate that access to the file share on the target host has been enabled. While the overwhelming majority of checks for Microsoft Windows and other Microsoft products rely simply on registry access via the winreg named pipe, checks for several third party products rely on file version checks which require file share access. This QID is posted if ntoskrnl.exe, which is found on all Windows systems, is detected on the target host.

IMPACT:
n/a

SOLUTION:
n/a

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

Type: SOX
Section: N/A
Description: User Access Management Granting resource access, user ID and password requirements, individual accountability, limited utilization of native administrative IDs, non-employee user ID expiration, reporting employee and contractor status changes. Operating System Access Control Password enforcement, logon information, password display and printing, required password changes, vendor default passwords, security changes after system compromise, systems software utility usage, automatic log off. Password Management Procedures exist that ensure the confidentiality and protection of passwords through secure password creation and distribution mechanisms, the enforcement and adherence to acceptable password standards, and the regular changing of passwords.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%SystemRoot%\system32\ntoskrnl.exe found

1 Windows File Access Denied

QID:	90399
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/02/2007
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Remote access to the following files has been denied. Access to the share was successful, but remote access to the files in the Result section has been denied.

IMPACT:
Vulnerabilities that require file access may not have been detected during the scan.

SOLUTION:
See the permissions assigned to the provided user authentication credentials, and ensure that the credentials provide read access to the boot share. On Windows XP Professional use Classic for local network logins (default is Guest only, which prohibits file access). Using the Group Policy editor, this may be set at Computer Configuration\Windows Settings\Security Settings\Local Policies\Security Options.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

File path	Error code
C:\Documents And Settings	C0000022
C:\Users\Default User	C0000022
C:\Users\All Users	8000002D

1 Enumerate Windows shares that are readable by Everyone and count files

QID:	90635
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/12/2011
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Refer to the RESULTS section for a list of Windows shares that are readable by Everyone and the number of files counted in each share.
Columns in RESULTS section: The Share column shows the share name. The Path column shows the path to the share. The Files column shows the number of files found in each share. The Writable column indicates whether all the files in each share are writable by Everyone (Yes/No). In the Comments column "OK" indicates that the scanning engine finished counting the files in the share. "Limited" indicates that the scanning engine either a) reached its time limit before finishing the file count, or b) reached its maximum number of files to count. If Comments is "Limited", this implies the number of files in Files may be less than the actual value.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Share	Path	Files	Writable	Comments
print$	C:\Windows\system32\spool\drivers	0	No	Count skipped

1 Microsoft Windows Network Level Authentication Disabled

QID:	90788
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/01/2013
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Windows Network Level Authentication (NLA) is an authentication method that enhances the security of a Remote Desktop Session Host server by requiring the user to be authenticated before a session is created.
The registry key for the Network Level Authentication (NLA) is disabled.
Network Level Authentication is supported on Windows Vista, Windows 7, Windows Server 2008, and Windows Server 2008 R2

IMPACT:
Enabling NLA can help protect the remote computer from malicious users and malicious software attacks.

SOLUTION:
See Microsoft Knowledge Base Article 2671387 (http://support.microsoft.com/kb/2671387) to use the automated Microsoft Fix it solution to enable this feature.
As a precaution, always test in a QA or rehearsal environment before rolling out to production.
Note: Client computers that do not support Credential Security Support Provider (CredSSP) protocol will not be able to access servers protected with Network Level Authentication. Windows XP does not support the CredSSP protocol by default.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
QID: 90788 detected on port 3389 over TCP.

1 Enumerate Windows shares and shared directories readable by Everyone

QID:	90797
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/01/2012
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Refer to the RESULTS section for a list of Windows shares and shared directories that are readable by Everyone.
Columns in RESULTS section:
The Share column shows the share name.
The Path column shows the path to the share.
The Share Account column shows localized human-readable name of the security principal that corresponds to the share SID value.
The Share SID column shows security identifier value that can access the network share (Everyone SID is S-1-1-0).
The Path Account column shows localized human-readable name of the security principal that corresponds to the path SID value.
The Path SID column shows security identifier value that can access the shared directory (Everyone SID is S-1-1-0).

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Share	Path	Share Account	Share SID	Path Account	Path SID	Comments
print$	C:\Windows\system32\spool\drivers	Everyone	S-1-1-0	Everyone	S-1-1-0	

1 Enumerate Windows shares and shared directories readable by Everyone, Authenticated Users or Domain Users

QID:	90831
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/11/2012
User Modified:	-

Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Refer to the RESULTS section for a list of Windows shares and shared directories that are readable by Everyone, Authenticated Users, or Domain Users.
Columns in RESULTS section:
The Share column shows the share name.
The Path column shows the path to the share.
The Share Account column shows localized human-readable name of the security principal that corresponds to the share SID value.
The Share SID column shows security identifier value that can access the network share (Everyone SID is S-1-1-0, Authenticated Users SID is S-1-5-11, Domain Users is S-1-5-domain-513).
The Path Account column shows localized human-readable name of the security principal that corresponds to the path SID value.
The Path SID column shows security identifier value that can access the shared directory (Everyone SID is S-1-1-0, Authenticated Users SID is S-1-5-11, Domain Users is S-1-5-domain-513).

All combinations of access to the share and the shared directory by Everyone, Authenticated Users, or Domain Users principals are reported in the separate rows. This includes Domain Users from multiple domains.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Share	Path	Share Account	Share SID	Path Account	Path SID	Comments
print$	C:\Windows\system32\spool\drivers	Everyone	S-1-1-0	Everyone	S-1-1-0	

 1 Microsoft Windows Last Reboot Date and Time

QID: 90924
Category: Windows
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 02/05/2014
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
System last reboot date and time.Note: WMI services is required for the execution of this query.

IMPACT:
N/A

SOLUTION:
N/A

Workaround:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Last Reboot Date and Time(yyyy/mm/dd hh:mm:ss): 2017/03/13 19:21:10

 1 Microsoft Windows User Last Logon Time

QID:	90925
Category:	Windows
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	08/30/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Windows User Last Logon Time.Note: WMI services is required for the execution of this query.

IMPACT:
N/A

SOLUTION:
N/A

Workaround:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

'S-HRT-P786-RM1\\Rainbow'	2017/02/17 21:43:21
'S-HRT-P786-RM1\\Administrator'	2017/03/14 13:06:42
'C:\\Users\\.NET v2.0 Classic'	2017/03/14 08:07:03
'C:\\Users\\.NET v4.5 Classic'	2017/03/14 08:07:03
'C:\\Users\\.NET v2.0'	2017/03/14 08:07:03
'C:\\Users\\.NET v4.5'	2017/03/14 08:07:03
'C:\\Users\\Classic .NET AppPool'	2017/03/14 08:07:02
'C:\\Users\\Taimoor.A'	2017/03/14 08:07:03
'C:\\Users\\nusrullah.ghumman'	2017/03/14 08:07:02
'C:\\Users\\syed.haider'	2017/03/14 08:07:02

'C:\\Users\\Administrator'	2017/03/14 08:07:01
'C:\\Users\\Rainbow'	2017/03/14 08:07:01
'C:\\Windows\\ServiceProfiles\\NetworkService'	2017/03/14 08:07:03
'C:\\Windows\\ServiceProfiles\\LocalService'	2017/03/14 08:07:03
'C:\\Windows\\system32\\config\\systemprofile'	2017/03/14 08:07:03

1 Enumerate Windows shares and shared directories readable by built-in groups

QID: 90978
Category: Windows
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 11/04/2014
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Refer to the RESULTS section for a list of Windows shares and shared directories that are readable by built-in groups.
Columns in RESULTS section:
The Share column shows the share name.
The Path column shows the path to the share.
The Share Account column shows localized human-readable name of the security principal that corresponds to the share SID value.
The Share SID column shows security identifier value that can access the network share.
The Path Account column shows localized human-readable name of the security principal that corresponds to the path SID value.
The Path SID column shows security identifier value that can access the shared directory.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Share	Path	Share Account	Share SID	Path Account	Path SID	Comments
print$	C:\Windows\system32\spool\drivers	Administrators	S-1-5-*-544	Administrators	S-1-5-*-544	
print$	C:\Windows\system32\spool\drivers	Everyone	S-1-1-0	Everyone	S-1-1-0	

1 Microsoft Windows Install Date and Time

QID: 91074
Category: Windows
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 08/04/2015
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
This QID detects the "Install Date" of the targeted Microsoft Windows installation.
It does so by utilizing either of the following methods:
1. Querying the Windows Management Instrumentation (WMI) specification for the InstallDate function.
2. Queries a certain Windows Registry location to fetch this value.
NOTE: For the WMI query to work, the WMI service (winmgmt) should be enabled.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Microsoft Windows install date retrieved from the registry: Friday, March 27, 2015 13:34:06 GMT

 1 Microsoft Internet Explorer 11 Detected

QID:	100274
Category:	Internet Explorer
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/21/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

Microsoft Internet Explorer 11 is installed on the machine.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\Software\Microsoft\Internet Explorer Version = 9.11.9600.18538

1 Windows Automatic Update Information

QID:	105008
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/02/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The Windows Automatic Updates feature is installed. The configuration is enumerated.
If "AUOptions" = 2, the option used is: "Notify me before downloading any updates and notify me again before installing them on the computer".
If "AUOptions" = 3, the option used is: "Download the updates automatically and notify me when they are ready to be installed".
If "AUOptions" = 4, the option used is: "Automatically Download the updates, and install them on the schedule that I specify".
"ScheduledInstallTime" is the hour (in hexadecimal) to install the updates. If "ScheduledInstallDay" is not present, Windows will try the automatic install process every day. If "ScheduledInstallDay" is defined, Windows will try the automatic install process on the day of the week specified. For example, "ScheduledInstallDay" = 1 means that the update occurs every Sunday.
It also enumerates the update server information if configured.

IMPACT:

N/A

SOLUTION:

You may configure the system to enable Windows Automatic Updates.
This feature is configurable through either Control Panel or through Group Policy Administrative Template available under Computer Configuration -> Administrative Templates -> Windows Components -> Windows Update.
On Windows 2000, click Settings on the Start menu, select Control Panel, and then open Automatic Updates.
On Windows XP, click Settings on the Start menu, select Control Panel, select System, and then open Automatic Updates.

COMPLIANCE:

Not Applicable

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

HKLM\Software\Microsoft\Windows\CurrentVersion\WindowsUpdate\Auto Update AUOptions = 4
HKLM\Software\Microsoft\Windows\CurrentVersion\WindowsUpdate\Auto Update
IsOOBEInProgress = 0
AUOptions = 4
IncludeRecommendedUpdates = 1
ElevateNonAdmins = 1
NextDetectionTime = 2017-03-14 09:56:01
NonFirmwareUpdatesAvailableForInstall = 0
ForcedReboot = 2
BehindAuthProxy = 1
UnableToDetectTime = 2017-03-13 18:55:19
CachedAUOptions = 3
InstallInProgress = 0
UpdatesAvailableForDownloadLogon = 0
UpdatesAvailableForInstallLogon = 0
UpdatesAvailableWithUiOrEulaLogon = 0
UpdatesAvailableWithUiLogon = 0
FirmwareUpdatesNotDownloaded = 0
FirmwareUpdatesNotInstalled = 0

1 Windows Registry Access Level

QID:	105025
Category:	Security Policy
CVE ID:	-

Vendor Reference: -
Bugtraq ID: -
Service Modified: 05/10/2005
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The scanner can access these registry keys, which are important for performing patch verification.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\Control\SecurePipeServers\winreg\AllowedPaths
Machine = System\CurrentControlSet\Control\Print\Printers,System\CurrentControlSet\Services\Eventlog,Software\Microsoft\OLAP Server,Software\Microsoft\Windows NT\CurrentVersion\Print,Software\Microsoft\Windows NT\CurrentVersion\Windows,System\CurrentControlSet\Control\ContentIndex,System\CurrentControlSet\Control\Terminal Server,System\CurrentControlSet\Control\Terminal Server\UserConfig,System\CurrentControlSet\Control\Terminal Server\DefaultUserConfiguration,Software\Microsoft\Windows NT\CurrentVersion\Perflib,System\CurrentControlSet\Services\SysmonLog
HKCR\Installer\Products 000021091D0090400000000000F01FEC
HKCR\Installer\Products 00004109110000000100000000F01FEC
HKCR\Installer\Products 000041091A0090400100000000F01FEC
HKCR\Installer\Products 00004109340000000100000000F01FEC
HKCR\Installer\Products 00004109340090400100000000F01FEC
HKCR\Installer\Products 00004109440090400100000000F01FEC
HKCR\Installer\Products 00004109510090400100000000F01FEC
HKCR\Installer\Products 00004109511090400100000000F01FEC
HKCR\Installer\Products 00004109610090400100000000F01FEC
HKCR\Installer\Products 00004109711090400100000000F01FEC
HKCR\Installer\Products 00004109810090400100000000F01FEC
HKCR\Installer\Products 00004109910090400100000000F01FEC
HKCR\Installer\Products 00004109A1009090400100000000F01FEC
HKCR\Installer\Products 00004109AB0090400100000000F01FEC
HKCR\Installer\Products 00004109B1009090400100000000F01FEC
HKCR\Installer\Products 00004109C2009090400100000000F01FEC
HKCR\Installer\Products 00004109E6009090400100000000F01FEC
HKCR\Installer\Products 00004109F1009090400100000000F01FEC
HKCR\Installer\Products 00004109F100A0C001000000000F01FEC
HKCR\Installer\Products 00004109F100C0400100000000F01FEC
HKCR\Installer\Products 212EE054768958547A5E20FBEA9D4D26
HKCR\Installer\Products 42FC4FCBBA881E546A6E048C72A8075C
HKCR\Installer\Products 6182FC0EFA68741498D28C663349D081
HKCR\Installer\Products 84b9c17023c712640acaf308593282f8
HKCR\Installer\Products 9CAEBC52789B0DF4BA5BDB0B8A839E73
HKCR\Installer\Products D8CC484CFC302204984CBDF4208E1AB5
HKCR\Installer\Products DDEE50C7565EB2E4DA4EC087C47113C1
HKCR\Installer\Products FB300AA65E371194DA7B17DD6547DD4D

 1 Microsoft Windows System Hardware Enumeration, CPU

QID: 105054
Category: Security Policy
CVE ID: -

Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/27/2004
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
The Windows system CPU information for this host is enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\HARDWARE\DESCRIPTION\System\CentralProcessor\0

Identifier	=	AMD64 Family 21 Model 2 Stepping 0
ProcessorNameString	=	AMD Opteron(tm) Processor 6380
VendorIdentifier	=	AuthenticAMD
~MHz	=	2500


1 Microsoft Windows System Hardware Enumeration, Display Devices

QID: 105056
Category: Security Policy
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 10/22/2004
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Information about the display devices on this system is provided in the Result section. With this information, you can determine the manufacturer of the device and then contact the manufacturer for device updates. You can also verify the display resolution, which helps troubleshoot display problems.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\SYSTEM\CurrentControlSet\Enum\vmbus\{da0a7802-e377-4aac-8e77-0558eb1073f8}\{5620e0c7-8062-4dce-aeb7-520c7ef76171}\Control	{4d36e968-e325-11ce-bfc1-08002be10318}\0000
Dev:	@wvmbusvideo.inf, %synthvid.devicedesc%;Microsoft Hyper-V Video
Manufacturer:	@wvmbusvideo.inf, %stdmfg%;Microsoft
Service:	HyperVideo
Driver Instance:	{4d36e968-e325-11ce-bfc1-08002be10318}\0000
Driver Description:	Microsoft Hyper-V Video
Driver_Date:	6-21-2006
Driver_Version:	6.3.9600.16384

1 Microsoft Windows Audit Settings Enumerated From LSA

QID:	105063
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/08/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The account audit configuration is enumerated. The audit settings are:

Audit System Events
Audit Logon Events
Audit Object Access
Audit Privilege Use
Audit Process Tracking
Audit Policy Change
Audit Account Management
Audit Directory Service Access
Audit Account Logon
You should specify an administrator privileged user in the "Windows Authentication Record" preferences of Qualys for this detection to be successful.

IMPACT:
N/A

SOLUTION:
It is advised to log at least the logon events as a best practice.
Use the MMC snapin "Administrative Tools" - "Local Security Policy" to change the settings. These options are listed under "Local Policy" - "Audit Policy".

COMPLIANCE:
Type: CobIT
Section: N/A
Description: The IT Management Official (or Technology Architecture Manager) ensures audit trail/system upgrade histories are stored in a secure location with update/delete access granted on a strict business need only basis to technology support personnel.

Type: HIPAA
Section: 164.308(a)(5)(ii)(C)
Description: Log-In Monitoring
Procedures for monitoring log-in attempts and reporting discrepancies.

Type: SOX
Section: N/A
Description: Event capture/violation logging is enabled at the operating system to record the following:
- All significant security relevant events including, but not limited to, invalid password guessing attempts, failed attempts to use privileges or resources that are not authorized
- All user ID creation, deletion, and privilege change activity performed by system administrators and others with privileged user IDs

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Audit system events	Success, Failure
Audit logon events	Success, Failure
Audit object access	Success, Failure
Audit privilege use	Success, Failure
Audit process tracking	No Auditing
Audit policy change	Success, Failure
Audit account management	Success, Failure
Audit directory service access	Success, Failure
Audit account logon events	Success, Failure

 1 File Access Permissions for Regedt32.exe

QID:	105141
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/29/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Registry Editors allow administrators and applications to tweak the system. Malicious users with unauthorized access could compromise the system or gather sensitive information about it from the registry. Access to registry editors should be limited to only the authorized administrative users. The permissions for the target's regedit32.exe registry editor binaries are listed in the Result section below.

IMPACT:
N/A

SOLUTION:
Verify that only legitimate administrative, authorized users have access to the registry editors.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

%windir%\system32\regedt32.exe NT SERVICE\TrustedInstaller 2271478464 access_allowed write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete

%windir%\system32\regedt32.exe Administrators 544 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute
%windir%\system32\regedt32.exe SYSTEM 18 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute
%windir%\system32\regedt32.exe Users 545 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute
%windir%\system32\regedt32.exe APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES 1 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute

1 File Access Permissions for Regedit.exe

QID:	105154
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/26/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Registry Editors allow administrators and applications to tweak the system. Malicious users with unauthorized access could compromise the system or gather sensitive information about it from the registry. Access to registry editors should be limited to only the authorized administrative users. The permissions for the host's registry editor binary "regedit.exe" are listed in the Result section below.

IMPACT:
N/A

SOLUTION:
Verify that only legitimate administrative, authorized users have access to the registry editors.

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
%windir%\regedit.exe NT SERVICE\TrustedInstaller 2271478464 access_allowed write_extended_attributes read_extended_attributes read_data synchronize append_data read_attributes write_data delete_child standard_read execute standard_write_dac write_attributes standard_write_owner standard_delete
%windir%\regedit.exe Administrators 544 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute
%windir%\regedit.exe SYSTEM 18 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute
%windir%\regedit.exe Users 545 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute
%windir%\regedit.exe APPLICATION PACKAGE AUTHORITY\ALL APPLICATION PACKAGES 1 access_allowed read_extended_attributes read_data synchronize read_attributes standard_read execute

1 Microsoft Windows System EventLog Policy Parameters

QID:	105165
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-

Service Modified:	04/19/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
This reports the EventLog parameters for the System database that are of interest to compliance audits. These configurations exist under this registry subkey:
HKLM\SYSTEM\CurrentControlSet\Services\Eventlog\System
RestrictGuestAccess - Setting this to 1 prevents guests and anonymous user accounts from having read access to the System EventLog.
MaxSize - This value specifies tha maximum size limit for the System EventLog database.
Retention - This value specifies the overwrite behavior for the System EventLog. 0 means overwrite as needed. 0xffffffff means do not overwrite events, and other values specify number of days that eventlog entries are preserved before overwriting.

IMPACT:
N/A

SOLUTION:
Configure the System EventLog by changing the registry values to appropriate values, or use the EventViewer GUI to change the parameters.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\Services\EventLog\System

MaxSize	=	16777216
Retention	=	0
RestrictGuestAccess	=	1

 1 Microsoft Windows Application EventLog Policy Parameters

QID:	105166
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/19/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
This reports the EventLog parameters for the System database that are of interest to compliance audits. These configurations exist under this registry subkey:
HKLM\SYSTEM\CurrentControlSet\Services\Eventlog\Application
RestrictGuestAccess - Setting this to 1 prevents guests and anonymous user accounts from having read access to the Application EventLog database.
MaxSize - This value specifies tha maximum size limit for the Application EventLog database.
Retention - This value specifies the overwrite behavior for the Application EventLog. 0 means overwrite as needed. 0xffffffff means do not overwrite events, and other values specify the number of days of eventlog entries that are preserved before overwriting.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\Services\EventLog\Application

MaxSize	=	16777216
Retention	=	0
RestrictGuestAccess	=	1

1 Microsoft Windows Security EventLog Policy Parameters

QID:	105167
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/07/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
This reports the EventLog parameters for the Security database that are of interest to compliance audits. These configurations exist under this registry subkey:

HKLM\SYSTEM\CurrentControlSet\Services\Eventlog\Security
RestrictGuestAccess - Setting this to 1 prevents guests and anonymous user accounts from having read access to the Security EventLog.
MaxSize - This value specifies tha maximum size limit for the Security EventLog database.
Retention - This value specifies the overwrite behavior for the Security EventLog. 0 means overwrite as needed. 0xffffffff means do not overwrite events, and other values specify the number of days of eventlog entries that are preserved before overwriting.

IMPACT:
N/A

SOLUTION:
Configure the Security Eventlog by changing the registry values to appropriate values or use the EventViewer GUI to change the parameters.

COMPLIANCE:
Type: CobIT
Section: DS5.4
Description: User Account Management
Ensure that requesting, establishing, issuing, suspending, modifying and closing user accounts and related user privileges are addressed by user account management. An approval procedure outlining the data or system owner granting the access privileges should be included. These procedures should apply for all users, including administrators (privileged users), internal and external users, for normal and emergency cases. Rights and obligations relative to access to enterprise systems and information are contractually arranged for all types of users. Perform regular management review of all accounts and related privileges.

EXPLOITABILITY:

There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\SYSTEM\CurrentControlSet\Services\EventLog\Security		
MaxSize	=	262144000
Retention	=	0
RestrictGuestAccess	=	1

1 Message For Users Attempting To Logon To Windows System

QID:	105179
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/20/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Windows has a log-on notice setting that allows administrators to display a legal notice prior to users logging in. This check tests to see if the legal log-on notice is set at the target and enumerates the current value.

IMPACT:
This notice is used to ensure that sensitive systems are only accessed by authorized personnel.

SOLUTION:
The legal text can be added through the local security policy GUI or through the following registry values under the key HKEY_LOCAL_MACHINE\Software\Microsoft\Windows NT\CurrentVersion\Winlogon
LegalNoticeCaption (REG_SZ) and LegalNoticeText (REG_SZ)

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

HKLM\Software\Microsoft\Windows NT\CurrentVersion\WinLogon
LegalNoticeText =
LegalNoticeCaption =
HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\System
legalnoticecaption = IT IS AN OFFENSE TO CONTINUE WITHOUT PROPER AUTHORIZATION.
legalnoticetext = This system is restricted to authorized users for business purposes only (unless indicated otherwise). Unauthorized individuals attempting access will be liable to prosecution. Inappropriate use of the system, which can include personal communications, may result in disciplinary action.
The Company reserves the right to access, intercept and monitor all information contained within or transmitted via the Company networks for compliance and quality control purposes.

1 Group Policy Objects Processed By SecCli are Enumerated from History Log

QID:	105238
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-

Bugtraq ID:	-
Service Modified:	09/26/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The group policy objects that are processed by the policy SecCli extension agent are enumerated. SecCli processes the security policy options set using the group policy editor MMC console.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
GPO Installed by Policy Agent - HKLM\Software\Microsoft\Windows\CurrentVersion\Group Policy\History\{35378EAC-683F-11D2-A89A-00C04FBBCFA2}
Entry: 0
DisplayName: Windows Firewall OFF
DSPath: LDAP://CN=Machine,cn={B8661A4B-CD8D-4182-B278-96738766BBF1},cn=policies,cn=system,DC=jsbl,DC=com
GPOName: {B8661A4B-CD8D-4182-B278-96738766BBF1}
Link: LDAP://DC=jsbl,DC=com
Entry: 1
DisplayName: Windows Firewall OFF
DSPath: LDAP://CN=Machine,cn={B8661A4B-CD8D-4182-B278-96738766BBF1},cn=policies,cn=system,DC=jsbl,DC=com
GPOName: {B8661A4B-CD8D-4182-B278-96738766BBF1}
Link: LDAP://OU=Faisal House Primary,OU=Head Quarter,OU=JSBL Computers,DC=jsbl,DC=com
Entry: 2
DisplayName: WSUS-Servers
DSPath: LDAP://CN=Machine,cn={7804DC6C-CE75-42A8-B583-C12DF5777826},cn=policies,cn=system,DC=jsbl,DC=com
GPOName: {7804DC6C-CE75-42A8-B583-C12DF5777826}
Link: LDAP://OU=Faisal House Primary,OU=Head Quarter,OU=JSBL Computers,DC=jsbl,DC=com
Entry: 3
DisplayName: Default Domain Policy
DSPath: LDAP://CN=Machine,CN={31B2F340-016D-11D2-945F-00C04FB984F9},CN=Policies,CN=System,DC=jsbl,DC=com
GPOName: {31B2F340-016D-11D2-945F-00C04FB984F9}
Link: LDAP://DC=jsbl,DC=com
Entry: 4
DisplayName: Enterprise Client - Domain Policy
DSPath: LDAP://CN=Machine,CN={42D12759-6761-49A6-BB5C-E6255F8E8748},CN=Policies,CN=System,DC=jsbl,DC=com
GPOName: {42D12759-6761-49A6-BB5C-E6255F8E8748}
Link: LDAP://DC=jsbl,DC=com



1 Windows Builtin User Group Membership Audit - Backup Operators

QID:	105239
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/11/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

Ticket State:

THREAT:
The members of the Backup Operators Group are enumerated. It is essential to make sure unauthorized users are not part of this builtin group.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Backup Operators No members in this group

1 Windows Builtin User Group Membership Audit - Replicator

QID:	105240
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/11/2005
User Modified:	-
Edited:	No
PCI Vuln:	No

Ticket State:

THREAT:
User accounts that are members of the Replicator Group are enumerated from the target host.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Replicator No members in this group

1 Windows Builtin User Group Membership Audit - Network Configuration Operators

QID: 105241

Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/11/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The user accounts that are members of the Network Configuration Operators group are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Network Configuration Operators No members in this group

 1 IPSEC Policy Agent Service Status Detected

QID:	105256
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/29/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The status of IPSEC Policy Agent Service at the target Windows machine is enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:
PolicyAgent = RUNNING

1 ActiveX Controls Enumerated

QID:	105276
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/15/2005
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The ActiveX controls from the target Microsoft Windows system are enumerated.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Control:	{00024522-0000-0000-C000-000000000046}	DisplayName:	RefEdit.Ctrl	Version:	1.2
Control:	{0006F023-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Recipient Control	Version:	9.4
Control:	{0006F024-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Body Control	Version:	9.4
Control:	{0006F04A-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Command Button Control	Version:	9.4
Control:	{0006F04B-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Option Button Control	Version:	9.4
Control:	{0006F04C-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Check Box Control	Version:	9.4
Control:	{0006F04D-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Combo Box Control	Version:	9.4
Control:	{0006F04E-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook List Box Control	Version:	9.4
Control:	{0006F04F-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Contact Photo Control	Version:	9.4
Control:	{0006F050-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Business Card Control	Version:	9.4
Control:	{0006F051-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Time Control	Version:	9.4
Control:	{0006F053-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Category Control	Version:	9.4
Control:	{0006F054-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook InfoBar Control	Version:	9.4
Control:	{0006F055-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Page Control	Version:	9.4
Control:	{0006F056-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Date Control	Version:	9.4
Control:	{0006F057-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Frame Header Control	Version:	9.4
Control:	{0006F058-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Sender Photo Control	Version:	9.4
Control:	{0006F059-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Time Zone Control	Version:	9.4
Control:	{0006F067-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Label Control	Version:	9.4
Control:	{0006F068-0000-0000-C000-000000000046}	DisplayName:	Microsoft Outlook Text Box Control	Version:	9.4

1 Internet Explorer Search Companion Setting

QID:	105291
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	02/14/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Search Companion settings for users are enumerated from the target Microsoft Windows machine. Search Companion is a feature integrated into Internet Explorer that allows Internet searches for files using a web service hosted by Microsoft.

IMPACT:
N/A

SOLUTION:
Search Companion can be disabled using the Internet Explorer GUI.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

KEY:	Software\Microsoft\Internet Explorer\Main	Use Search Asst
Local_System	Last Change:	value_missing_Q
Local_Service	Last Change:	value_missing_Q
Network_Service	Last Change:	value_missing_Q
S-HRT-P786-RM1\Rainbow	Last Change:	value_missing_Q
Domain_Administrator	Last Change:	value_missing_Q
JSBL\syed.haider	Last Change:	value_missing_Q
JSBL\nusrullah.ghumman	Last Change:	value_missing_Q
JSBL\Taimoor.A	Last Change:	value_missing_Q

1 Microsoft System Center Configuration Manager Client (SCCM) Not Installed

QID:	105504
Category:	Security Policy
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	04/01/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The remote host does not have the Microsoft System Center Configuration Manger Client installed.
System Center Configuration Manager is a solution to assess, deploy, and update servers, clients, and devices-across physical, virtual, distributed,

and mobile environments.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SYSTEM\CurrentControlSet\Services\smstsmgr is missing

1 Microsoft Office 2010 Installed

QID:	110165
Category:	Office Application
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	11/01/2011
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Office 2010 installed on the target machine.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Microsoft Office 2010 Installed

1 Microsoft Office Component Detected

QID:	110187
Category:	Office Application
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/24/2013

User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Microsoft office component is detected.
Microsoft Office is a proprietary commercial office suite of desktop applications, servers and services for the Microsoft Windows and Mac OS X operating systems.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Application	Installed Version	Location
Microsoft Outlook 2010	14.0.4760.1000	C:\Program Files\Microsoft Office\Office14\\outlook.exe
Microsoft InfoPath 2010	14.0.4763.1000	C:\Program Files\Microsoft Office\Office14\\infopath.exe
Microsoft Word 2010	14.0.4762.1000	C:\Program Files\Microsoft Office\Office14\\winword.exe
Microsoft PowerPoint 2010	14.0.4754.1000	C:\Program Files\Microsoft Office\Office14\\powerpnt.exe
Microsoft Excel 2010	14.0.4756.1000	C:\Program Files\Microsoft Office\Office14\\excel.exe
Microsoft Publisher 2010	14.0.4750.1000	C:\Program Files\Microsoft Office\Office14\\mspub.exe
Microsoft OneNote 2010	14.0.4763.1000	C:\Program Files\Microsoft Office\Office14\\onenote.exe
Microsoft Access 2010	14.0.4750.1000	C:\Program Files\Microsoft Office\Office14\\msaccess.exe


1 Microsoft Windows Malicious Software Removal Tool Detected

QID: 121213
Category: Local
CVE ID: -
Vendor Reference: Malware Removal Tool
Bugtraq ID: -
Service Modified: 06/04/2013
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Microsoft Windows Malicious Software Removal Tool is a malware removal tool.
The program is automatically distributed to Microsoft Windows computers via Windows Update service but can also be separately downloaded. (http://www.microsoft.com/security/pc-security/malware-removal.aspx)
Malware Removal Tool was detected on the host.

IMPACT:
N/A

SOLUTION:

N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
HKLM\SOFTWARE\Microsoft\RemovalTools\MRT Version = A5E600F5-A3CE-4C8E-8A14-D4133623CDC5

1 Microsoft Outlook Version Detected on Target

QID:	124418
Category:	Local
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	12/31/2015
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Outlook is an email application by Microsoft. Microsoft Outlook version is detected on the system.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Microsoft Office Outlook 2010 detected on the target
C:\Program Files\Microsoft Office\Office14\\OUTLOOK.exe found

1 Windows Forensics MRU Enumeration - Regedit.exe

QID:	125017
Category:	Forensics
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/16/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
This test enumerates the last edited key by the regedit.exe utility.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Key:	Software\Microsoft\Windows\CurrentVersion\Applets\Regedit	Value:	Lastkey
User:	JSBL\Taimoor.A	VAL:	Computer\HKEY_LOCAL_MACHINE\SOFTWARE\ODBC

1 Default Web Page port 443/tcp over SSL

QID:	12230
Category:	CGI
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/17/2014
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The Result section displays the default Web page for the Web server.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

```
HTTP/1.1 200 OK
Content-Type: text/html
Last-Modified: Mon, 20 Feb 2017 12:31:29 GMT
Accept-Ranges: bytes
ETag: "4bdc642758bd21:0"
Server: Microsoft-IIS/8.5
X-Powered-By: ASP.NET
```

Date: Tue, 14 Mar 2017 08:08:22 GMT
Content-Length: 701

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>IIS Windows Server</title>
<style type="text/css">
<!--
body {
 color:#000000;
 background-color:#0072C6;
 margin:0;
}

#container {
 margin-left:auto;
 margin-right:auto;
 text-align:center;
 }

a img {
 border:none;
}

-->
</style>
</head>
<body>
<div id="container">
<a href="http://go.microsoft.com/fwlink/?linkid=66138&clcid=0x409"><img src="iis-85.png" alt="IIS" width="960" height="600" /></a>
</div>
</body>
</html>
```

1 SSL Server Information Retrieval port 443/tcp over SSL

QID:	38116
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/25/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:

The following is a list of supported SSL ciphers.
Note: If a cipher is included in this list it means that it was possible to establish a SSL connection using that cipher. There are some web servers setups that allow connections to be established using a LOW grade cipher, only to provide a web page stating that the URL is accessible only through a non-LOW grade cipher. In this case even though LOW grade cipher will be listed here QID 38140 will not be reported.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv2 PROTOCOL IS DISABLED					
SSLv3 PROTOCOL IS ENABLED					
SSLv3	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
TLSv1 PROTOCOL IS ENABLED					
TLSv1	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
TLSv1.1 PROTOCOL IS ENABLED					
TLSv1.1	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
TLSv1.2 PROTOCOL IS ENABLED					
TLSv1.2	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
AES256-SHA256	RSA	RSA	SHA256	AES(256)	HIGH
AES128-SHA256	RSA	RSA	SHA256	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-GCM-SHA256	DH	RSA	AEAD	AESGCM(128)	MEDIUM
AES256-GCM-SHA384	RSA	RSA	AEAD	AESGCM(256)	HIGH
AES128-GCM-SHA256	RSA	RSA	AEAD	AESGCM(128)	MEDIUM
DHE-RSA-AES256-GCM-SHA384	DH	RSA	AEAD	AESGCM(256)	HIGH
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA384	ECDH	RSA	SHA384	AES(256)	HIGH
ECDHE-RSA-AES128-SHA256	ECDH	RSA	SHA256	AES(128)	MEDIUM

 1 SSL Session Caching Information port 443/tcp over SSL

QID:	38291
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/16/2004
User Modified:	-

Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
SSL session is a collection of security parameters that are negotiated by the SSL client and server for each SSL connection. SSL session caching is targeted to reduce the overhead of negotiations in recurring SSL connections. SSL sessions can be reused to resume an earlier connection or to establish multiple simultaneous connections. The client suggests an SSL session to be reused by identifying the session with a Session-ID during SSL handshake. If the server finds it appropriate to reuse the session, then they both proceed to secure communication with already known security parameters.
This test determines if SSL session caching is enabled on the host.

IMPACT:
SSL session caching is part of the SSL and TLS protocols and is not a security threat. The result of this test is for informational purposes only.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
SSLv3 session caching is enabled on the target.TLSv1 session caching is enabled on the target.TLSv1.1 session caching is enabled on the target.
TLSv1.2 session caching is enabled on the target.

1 SSL/TLS invalid protocol version tolerance — port 443/tcp over SSL

QID:	38597
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/30/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
SSL/TLS protocols have different version that can be supported by both the client and the server. This test attempts to send invalid protocol versions to the target in order to find out what is the target's behavior. The results section contains a table that indicates what was the target's response to each of our tests.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

my version	target version
0304	rejected
0399	rejected
0400	rejected
0499	rejected

1 TLS Secure Renegotiation Extension Support Information port 443/tcp over SSL

QID: 42350
Category: General remote services
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 03/21/2016
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
Secure Socket Layer (SSL) and Transport Layer Security (TLS) renegotiation are vulnerable to an attack in which the attacker forms a TLS connection with the target server, injects content of his choice, and then splices in a new TLS connection from a client. The server treats the client's initial TLS handshake as a renegotiation and thus believes that the initial data transmitted by the attacker is from the same entity as the subsequent client data. TLS protocol was extended to cryptographically tierenegotiations to the TLS connections they are being performed over. This is referred to as TLS secure renegotiation extension. This detection determines whether the TLS secure renegotiation extension is supported by the server or not.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
TLS Secure Renegotiation Extension Status: supported.

1 SSL Certificate - Information port 443/tcp over SSL

QID: 86002
Category: Web server
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/24/2003
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

NAME	VALUE
(0)CERTIFICATE 0	
(0)Version	3 (0x2)
(0)Serial Number	09:ea:66:a9:d1:af:09:28:b8:cf:7a:f9:72:cb:47:14
(0)Signature Algorithm	sha256WithRSAEncryption
(0)ISSUER NAME	
countryName	US
organizationName	DigiCert Inc
organizationalUnitName	www.digicert.com
commonName	DigiCert SHA2 Extended Validation Server CA
(0)SUBJECT NAME	
businessCategory	Private Organization
jurisdictionCountryName	PK
serialNumber	0054329
streetAddress	"First Floor, Shaheen Commercial Complex, Dr. Ziauddin Ahmed Road"
postalCode	74200
countryName	PK
stateOrProvinceName	Sindh
localityName	Karachi
organizationName	JS Bank Limited
commonName	remit.jsbl.com
(0)Valid From	Mar 8 00:00:00 2017 GMT
(0)Valid Till	Mar 13 12:00:00 2019 GMT
(0)Public Key Algorithm	rsaEncryption
(0)RSA Public Key	(2048 bit)
(0)	Public-Key: (2048 bit)
(0)	Modulus:
(0)	00:c1:c7:73:91:70:63:b3:15:9a:3a:46:1c:20:33:
(0)	60:af:dc:43:a8:1f:c1:9d:48:aa:88:0f:32:16:ca:
(0)	35:16:29:05:d9:54:b1:05:fd:d1:cf:56:f6:6d:dd:
(0)	17:ea:fe:70:e2:8c:e6:79:60:92:e8:47:e2:0d:fb:
(0)	4f:2a:0a:3d:d2:09:f2:90:30:d2:64:61:e3:da:51:
(0)	48:d7:95:ac:e6:37:98:c4:b0:05:37:f3:b7:d9:7a:
(0)	01:cf:66:3f:8a:b7:63:ef:c4:57:c5:65:10:d2:b0:
(0)	78:79:a2:a7:5d:af:ff:d1:3f:e1:45:c3:1f:32:f3:
(0)	a7:3c:a8:85:aa:53:bb:64:ff:a3:ca:ae:33:7e:6c:
(0)	98:33:db:2d:8b:8a:52:cb:46:c9:d6:20:02:21:a8:
(0)	0b:ef:68:c5:01:53:fb:03:08:f8:66:fc:98:11:5a:
(0)	81:3a:ec:5b:f2:41:1e:f0:55:69:60:94:6c:ce:76:
(0)	cd:66:d9:e6:9f:6f:ae:7b:61:3c:1f:63:5c:e8:8d:
(0)	35:9c:f7:50:6e:d2:66:43:a3:2a:bb:05:c2:1b:32:
(0)	8f:21:be:95:d6:33:68:ed:1d:0e:58:5d:2a:e9:70:
(0)	a1:97:d5:d6:0c:0a:8a:d1:53:0e:3e:e4:14:9c:d8:
(0)	7a:88:e7:7d:d2:1e:8f:02:b7:00:26:ad:76:f1:e4:
(0)	92:f7

(0)	Exponent: 65537 (0x10001)
(0)X509v3 EXTENSIONS	
(0)X509v3 Authority Key Identifier	keyid:3D:D3:50:A5:D6:A0:AD:EE:F3:4A:60:0A:65:D3:21:D4:F8:F8:D6:0F
(0)X509v3 Subject Key Identifier	77:B1:63:8A:68:8F:16:9F:11:D6:79:01:17:6A:A1:00:00:FA:17:29
(0)X509v3 Subject Alternative Name	DNS:remit.jsbl.com
(0)X509v3 Key Usage	critical
(0)	Digital Signature, Key Encipherment
(0)X509v3 Extended Key Usage	TLS Web Server Authentication, TLS Web Client Authentication
(0)X509v3 CRL Distribution Points	
(0)	Full Name:
(0)	URI:http://crl3.digicert.com/sha2-ev-server-g1.crl
(0)	
(0)	Full Name:
(0)	URI:http://crl4.digicert.com/sha2-ev-server-g1.crl
(0)X509v3 Certificate Policies	Policy: 2.16.840.1.114412.2.1
(0)	CPS: https://www.digicert.com/CPS
(0)	Policy: 2.23.140.1.1
(0)Authority Information Access	OCSP - URI:http://ocsp.digicert.com
(0)	CA Issuers - URI:http://cacerts.digicert.com/DigiCertSHA2ExtendedValidationServerCA.crt
(0)X509v3 Basic Constraints	critical
(0)	CA:FALSE
(0)CT Precertificate SCTs	Signed Certificate Timestamp:
(0)	Version : v1(0)
(0)	Log ID : A4:B9:09:90:B4:18:58:14:87:BB:13:A2:CC:67:70:0A:
(0)	3C:35:98:04:F9:1B:DF:B8:E3:77:CD:0E:C8:0D:DC:10
(0)	Timestamp : Mar 8 15:16:01.014 2017 GMT
(0)	Extensions: none
(0)	Signature : ecdsa-with-SHA256
(0)	30:46:02:21:00:EA:D6:02:AB:4B:51:D6:08:87:2F:F4:
(0)	F9:6C:E7:86:A8:A8:84:81:0F:8A:A3:79:4A:BC:11:E6:
(0)	62:70:A9:D5:7C:02:21:00:83:08:50:FB:54:1D:39:10:
(0)	9D:5A:07:96:6C:D1:34:13:1D:EF:90:85:D7:41:67:64:
(0)	19:12:6D:B2:5F:0F:EE:D7
(0)	Signed Certificate Timestamp:
(0)	Version : v1(0)
(0)	Log ID : 56:14:06:9A:2F:D7:C2:EC:D3:F5:E1:BD:44:B2:3E:C7:
(0)	46:76:B9:BC:99:11:5C:C0:EF:94:98:55:D6:89:D0:DD
(0)	Timestamp : Mar 8 15:16:01.339 2017 GMT
(0)	Extensions: none
(0)	Signature : ecdsa-with-SHA256
(0)	30:45:02:21:00:D2:C4:C4:7C:C4:6C:C6:FC:44:5C:C4:
(0)	8D:77:14:0B:7C:9B:58:CF:DE:35:84:24:E9:BC:A6:AF:
(0)	A0:9D:D8:1B:CD:02:20:37:53:1F:D1:EB:E0:76:CF:6F:
(0)	08:DA:FC:BC:38:91:C1:84:AB:A9:DA:7D:6B:84:86:A6:
(0)	01:31:E6:3E:FB:E7:E7
(0)	Signed Certificate Timestamp:
(0)	Version : v1(0)
(0)	Log ID : EE:4B:BD:B7:75:CE:60:BA:E1:42:69:1F:AB:E1:9E:66:
(0)	A3:0F:7E:5F:B0:72:D8:83:00:C4:7B:89:7A:A8:FD:CB
(0)	Timestamp : Mar 8 15:16:01.221 2017 GMT
(0)	Extensions: none
(0)	Signature : ecdsa-with-SHA256
(0)	30:45:02:21:00:EC:51:D2:41:DF:AC:C9:46:D3:18:3E:
(0)	6C:36:71:42:EB:AB:E9:BE:16:B7:98:E5:36:83:72:0F:
(0)	79:46:A1:6A:A5:02:20:44:7D:2A:2B:0E:A5:2B:2B:CF:

(0)	4E:6B:8D:9F:43:C8:88:B5:C8:4D:2F:4E:8B:DC:81:19:
(0)	26:F2:64:7D:F1:C6:86
(0)	Signed Certificate Timestamp:
(0)	Version : v1(0)
(0)	Log ID : BB:D9:DF:BC:1F:8A:71:B5:93:94:23:97:AA:92:7B:47:
(0)	38:57:95:0A:AB:52:E8:1A:90:96:64:36:8E:1E:D1:85
(0)	Timestamp : Mar 8 15:16:01.202 2017 GMT
(0)	Extensions: none
(0)	Signature : ecdsa-with-SHA256
(0)	30:45:02:20:6B:EE:0C:94:2C:FA:9D:2C:13:8F:BA:ED:
(0)	8E:CF:A7:7A:65:EC:F4:7C:51:89:9D:45:DC:DA:9C:84:
(0)	69:69:35:B2:02:21:00:A4:2F:DB:93:57:31:B4:6C:2C:
(0)	B6:9C:EE:A5:1A:4E:8E:0C:C4:FC:3E:BE:1E:A0:B3:5F:
(0)	7A:9C:B0:BC:CB:0D:07
(0)Signature	(256 octets)
(0)	58:27:f7:3f:b8:4e:f4:5d:f6:92:94:96:24:61:e9:cb
(0)	79:85:3b:09:e2:d3:af:6e:4c:db:36:13:f1:3a:32:75
(0)	e1:0c:bf:ca:be:4a:1b:84:d3:b6:fa:84:c9:48:9b:3f
(0)	cd:74:16:94:aa:c9:c1:7d:99:e0:83:e8:af:77:37:1b
(0)	42:59:96:8c:1d:55:55:89:bd:e6:3c:6d:c2:35:33:f5
(0)	34:3a:be:80:fd:73:10:b7:28:8e:0f:36:5a:59:68:c9
(0)	a9:34:7e:d5:17:41:de:aa:bf:02:9a:35:10:25:25:5b
(0)	39:50:05:0f:e4:7c:6f:1f:eb:ee:64:95:50:03:2b:bf
(0)	7a:66:40:4c:fe:10:e9:34:e8:a0:25:ca:6b:95:43:93
(0)	8d:f5:1b:11:c3:5f:9d:b7:7c:b4:0c:15:8d:7e:f6:56
(0)	41:a6:f4:df:af:4e:af:a8:b1:c5:fd:ab:c2:e6:e0:ad
(0)	ca:06:07:0d:2e:f7:0b:76:08:64:1c:73:ac:3d:37:34
(0)	fc:72:5a:30:90:e9:cd:34:59:b6:48:33:15:58:a5:cb
(0)	0f:24:06:d0:d7:12:ca:7d:7c:bc:83:61:b0:cd:f6:45
(0)	92:09:a7:1b:fd:83:0a:5f:71:de:8f:8e:57:66:b5:e7
(0)	35:81:60:02:22:5f:cc:d3:5e:e8:06:e7:18:b0:47:6f
(1)CERTIFICATE 1	
(1)Version	3 (0x2)
(1)Serial Number	0c:79:a9:44:b0:8c:11:95:20:92:61:5f:e2:6b:1d:83
(1)Signature Algorithm	sha256WithRSAEncryption
(1)ISSUER NAME	
countryName	US
organizationName	DigiCert Inc
organizationalUnitName	www.digicert.com
commonName	DigiCert High Assurance EV Root CA
(1)SUBJECT NAME	
countryName	US
organizationName	DigiCert Inc
organizationalUnitName	www.digicert.com
commonName	DigiCert SHA2 Extended Validation Server CA
(1)Valid From	Oct 22 12:00:00 2013 GMT
(1)Valid Till	Oct 22 12:00:00 2028 GMT
(1)Public Key Algorithm	rsaEncryption
(1)RSA Public Key	(2048 bit)
(1)	Public-Key: (2048 bit)
(1)	Modulus:
(1)	00:d7:53:a4:04:51:f8:99:a6:16:48:4b:67:27:aa:
(1)	93:49:d0:39:ed:0c:b0:b0:00:87:f1:67:28:86:85:
(1)	8c:8e:63:da:bc:b1:40:38:e2:d3:f5:ec:a5:05:18:
(1)	b8:3d:3e:c5:99:17:32:ec:18:8c:fa:f1:0c:a6:64:

(1)	21:85:cb:07:10:34:b0:52:88:2b:1f:68:9b:d2:b1:
(1)	8f:12:b0:b3:d2:e7:88:1f:1f:ef:38:77:54:53:5f:
(1)	80:79:3f:2e:1a:aa:a8:1e:4b:2b:0d:ab:b7:63:b9:
(1)	35:b7:7d:14:bc:59:4b:df:51:4a:d2:a1:e2:0c:e2:
(1)	90:82:87:6a:ae:ea:d7:64:d6:98:55:e8:fd:af:1a:
(1)	50:6c:54:bc:11:f2:fd:4a:f2:9d:bb:7f:0e:f4:d5:
(1)	be:8e:16:89:12:55:d8:c0:71:34:ee:f6:dc:2d:ec:
(1)	c4:87:25:86:8d:d8:21:e4:b0:4d:0c:89:dc:39:26:
(1)	17:dd:f6:d7:94:85:d8:04:21:70:9d:6f:6f:ff:5c:
(1)	ba:19:e1:45:cb:56:57:28:7e:1c:0d:41:57:aa:b7:
(1)	b8:27:bb:b1:e4:fa:2a:ef:21:23:75:1a:ad:2d:9b:
(1)	86:35:8c:9c:77:b5:73:ad:d8:94:2d:e4:f3:0c:9d:
(1)	ee:c1:4e:62:7e:17:c0:71:9e:2c:de:f1:f9:10:28:
(1)	19:33
(1)	Exponent: 65537 (0x10001)
(1)X509v3 EXTENSIONS	
(1)X509v3 Basic Constraints	critical
(1)	CA:TRUE, pathlen:0
(1)X509v3 Key Usage	critical
(1)	Digital Signature, Certificate Sign, CRL Sign
(1)X509v3 Extended Key Usage	TLS Web Server Authentication, TLS Web Client Authentication
(1)Authority Information Access	OCSP - URI:http://ocsp.digicert.com
(1)X509v3 CRL Distribution Points	
(1)	Full Name:
(1)	URI:http://crl4.digicert.com/DigiCertHighAssuranceEVRootCA.crl
(1)X509v3 Certificate Policies	Policy: X509v3 Any Policy
(1)	CPS: https://www.digicert.com/CPS
(1)X509v3 Subject Key Identifier	3D:D3:50:A5:D6:A0:AD:EE:F3:4A:60:0A:65:D3:21:D4:F8:F8:D6:0F
(1)X509v3 Authority Key Identifier	keyid:B1:3E:C3:69:03:F8:BF:47:01:D4:98:26:1A:08:02:EF:63:64:2B:C3
(1)Signature	(256 octets)
(1)	9d:b6:d0:90:86:e1:86:02:ed:c5:a0:f0:34:1c:74:c1
(1)	8d:76:cc:86:0a:a8:f0:4a:8a:42:d6:3f:c8:a9:4d:ad
(1)	7c:08:ad:e6:b6:50:b8:a2:1a:4d:88:07:b1:29:21:dc
(1)	e7:da:c6:3c:21:e0:e3:11:49:70:ac:7a:1d:01:a4:ca
(1)	11:3a:57:ab:7d:57:2a:40:74:fd:d3:1d:85:18:50:df
(1)	57:47:75:a1:7d:55:20:2e:47:37:50:72:8c:7f:82:1b
(1)	d2:62:8f:2d:03:5a:da:c3:c8:a1:ce:2c:52:a2:00:63
(1)	eb:73:ba:71:c8:49:27:23:97:64:85:9e:38:0e:ad:63
(1)	68:3c:ba:52:81:58:79:a3:2c:0c:df:de:6d:eb:31:f2
(1)	ba:a0:7c:6c:f1:2c:d4:e1:bd:77:84:37:03:ce:32:b5
(1)	c8:9a:81:1a:4a:92:4e:3b:46:9a:85:fe:83:a2:f9:9e
(1)	8c:a3:cc:0d:5e:b3:3d:cf:04:78:8f:14:14:7b:32:9c
(1)	c7:00:a6:5c:c4:b5:a1:55:8d:5a:56:68:a4:22:70:aa
(1)	3c:81:71:d9:9d:a8:45:3b:f4:e5:f6:a2:51:dd:c7:7b
(1)	62:e8:6f:0c:74:eb:b8:da:f8:bf:87:0d:79:50:91:90
(1)	9b:18:3b:91:59:27:f1:35:28:13:ab:26:7e:d5:f7:7a

1 SSL Server Information Retrieval port 3389/tcp over SSL

QID:	38116
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	05/25/2016

User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:

The following is a list of supported SSL ciphers.
Note: If a cipher is included in this list it means that it was possible to establish a SSL connection using that cipher. There are some web servers setups that allow connections to be established using a LOW grade cipher, only to provide a web page stating that the URL is accessible only through a non-LOW grade cipher. In this case even though LOW grade cipher will be listed here QID 38140 will not be reported.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

CIPHER	KEY-EXCHANGE	AUTHENTICATION	MAC	ENCRYPTION(KEY-STRENGTH)	GRADE
SSLv2 PROTOCOL IS DISABLED					
SSLv3 PROTOCOL IS DISABLED					
TLSv1 PROTOCOL IS ENABLED					
TLSv1	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
TLSv1.1 PROTOCOL IS ENABLED					
TLSv1.1	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH
AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
TLSv1.2 PROTOCOL IS ENABLED					
TLSv1.2	COMPRESSION METHOD	None			
DES-CBC3-SHA	RSA	RSA	SHA1	3DES(168)	MEDIUM
RC4-SHA	RSA	RSA	SHA1	RC4(128)	MEDIUM
RC4-MD5	RSA	RSA	MD5	RC4(128)	MEDIUM
AES256-SHA256	RSA	RSA	SHA256	AES(256)	HIGH
AES128-SHA256	RSA	RSA	SHA256	AES(128)	MEDIUM
AES256-SHA	RSA	RSA	SHA1	AES(256)	HIGH

AES128-SHA	RSA	RSA	SHA1	AES(128)	MEDIUM
DHE-RSA-AES128-GCM-SHA256	DH	RSA	AEAD	AESGCM(128)	MEDIUM
AES256-GCM-SHA384	RSA	RSA	AEAD	AESGCM(256)	HIGH
AES128-GCM-SHA256	RSA	RSA	AEAD	AESGCM(128)	MEDIUM
DHE-RSA-AES256-GCM-SHA384	DH	RSA	AEAD	AESGCM(256)	HIGH
ECDHE-RSA-AES256-SHA	ECDH	RSA	SHA1	AES(256)	HIGH
ECDHE-RSA-AES128-SHA	ECDH	RSA	SHA1	AES(128)	MEDIUM
ECDHE-RSA-AES256-SHA384	ECDH	RSA	SHA384	AES(256)	HIGH
ECDHE-RSA-AES128-SHA256	ECDH	RSA	SHA256	AES(128)	MEDIUM

 1 SSL Session Caching Information port 3389/tcp over SSL

QID: 38291
Category: General remote services
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 09/16/2004
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
SSL session is a collection of security parameters that are negotiated by the SSL client and server for each SSL connection. SSL session caching is targeted to reduce the overhead of negotiations in recurring SSL connections. SSL sessions can be reused to resume an earlier connection or to establish multiple simultaneous connections. The client suggests an SSL session to be reused by identifying the session with a Session-ID during SSL handshake. If the server finds it appropriate to reuse the session, then they both proceed to secure communication with already known security parameters.
This test determines if SSL session caching is enabled on the host.

IMPACT:
SSL session caching is part of the SSL and TLS protocols and is not a security threat. The result of this test is for informational purposes only.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
TLSv1 session caching is enabled on the target.TLSv1.1 session caching is enabled on the target.TLSv1.2 session caching is enabled on the target.

 1 SSL/TLS invalid protocol version tolerance port 3389/tcp over SSL

QID: 38597
Category: General remote services
CVE ID: -
Vendor Reference: -
Bugtraq ID: -
Service Modified: 01/30/2016
User Modified: -
Edited: No
PCI Vuln: No
Ticket State:

THREAT:
SSL/TLS protocols have different version that can be supported by both the client and the server. This test attempts to send invalid protocol versions to the target in order to find out what is the target's behavior. The results section contains a table that indicates what was the target's response to each of our tests.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

my version	target version
0304	0303
0399	0303
0400	0303
0499	0303

1 SSL Certificate will expire within next six months port 3389/tcp over SSL

QID:	38600
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/30/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Certificates are used for authentication purposes in different protocols such as SSL/TLS. Each certificate has a validity period outside of which it is supposed to be considered invalid. This QID is reported to inform that a certificate will expire within next six months. The advance notice can be helpful since obtaining a certificate can take some time.

IMPACT:
Expired certificates can cause connection disruptions or compromise the integrity and privacy of the connections being protected by the certificates.

SOLUTION:
Contact the certificate authority that signed your certificate to arrange for a renewal.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Certificate #0 CN=S-HRT-P786-RM1.jsbl.com The certificate will expire within six months: Aug 18 16:47:29 2017 GMT

1 TLS Secure Renegotiation Extension Support Information port 3389/tcp over SSL

QID:	42350
Category:	General remote services
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	03/21/2016
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Secure Socket Layer (SSL) and Transport Layer Security (TLS) renegotiation are vulnerable to an attack in which the attacker forms a TLS connection with the target server, injects content of his choice, and then splices in a new TLS connection from a client. The server treats the client's initial TLS handshake as a renegotiation and thus believes that the initial data transmitted by the attacker is from the same entity as the subsequent client data. TLS protocol was extended to cryptographically tierenegotiations to the TLS connections they are being performed over. This is referred to as TLS secure renegotiation extension. This detection determines whether the TLS secure renegotiation extension is supported by the server or not.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
TLS Secure Renegotiation Extension Status: supported.

1 SSL Certificate - Information port 3389/tcp over SSL

QID:	86002
Category:	Web server
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/24/2003
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:

NAME	VALUE
(0)CERTIFICATE 0	
(0)Version	3 (0x2)
(0)Serial Number	2b:60:24:07:30:4a:da:a0:45:34:0f:8c:5f:94:f1:8d
(0)Signature Algorithm	sha1WithRSAEncryption
(0)ISSUER NAME	
commonName	S-HRT-P786-RM1.jsbl.com
(0)SUBJECT NAME	
commonName	S-HRT-P786-RM1.jsbl.com
(0)Valid From	Feb 16 16:47:29 2017 GMT
(0)Valid Till	Aug 18 16:47:29 2017 GMT
(0)Public Key Algorithm	rsaEncryption
(0)RSA Public Key	(2048 bit)
(0)	Public-Key: (2048 bit)
(0)	Modulus:
(0)	00:92:0e:7b:ab:e5:cd:96:7d:4c:87:64:30:1c:91:
(0)	2b:f0:51:db:2e:62:83:00:c6:1c:ca:9e:5a:55:5e:
(0)	84:f4:53:a0:55:fc:10:8d:6a:0b:90:c2:de:9a:ca:
(0)	fe:62:c0:53:9f:4a:50:30:94:14:e9:5b:08:2b:1a:
(0)	3c:50:2e:92:50:77:be:d8:2a:2a:98:d6:7e:e7:11:
(0)	dc:2c:77:c5:8f:81:17:b6:ac:fd:ab:6e:1f:13:a4:
(0)	56:01:58:9a:36:aa:7e:0a:19:e8:29:99:9a:21:1f:
(0)	ef:00:28:77:04:0d:7f:f2:48:5f:ee:02:fb:6b:9b:
(0)	c5:03:6a:3b:c0:c8:d9:18:99:1c:86:c5:ec:b5:9a:
(0)	00:b9:86:ec:44:a0:44:6c:dd:01:70:c6:fa:aa:94:
(0)	c1:6e:87:46:dc:18:a3:01:33:74:e7:f5:fe:44:20:
(0)	59:ca:9d:5d:57:a5:54:32:41:b2:d5:c7:20:2a:14:
(0)	37:db:8b:8f:05:bb:e6:28:dc:34:05:2d:99:62:ea:
(0)	48:bf:a7:e2:0d:28:a0:d4:d9:aa:aa:b5:b8:bd:e9:
(0)	58:c2:60:14:ae:01:56:90:8f:16:cc:65:6e:ad:32:
(0)	92:c9:d0:cc:1d:5d:23:f3:d3:92:c1:61:13:54:48:
(0)	d8:b7:3c:d9:91:77:b1:81:ce:b3:52:bb:89:4a:02:
(0)	2d:a1
(0)	Exponent: 65537 (0x10001)
(0)X509v3 EXTENSIONS	
(0)X509v3 Extended Key Usage	TLS Web Server Authentication
(0)X509v3 Key Usage	Key Encipherment, Data Encipherment
(0)Signature	(256 octets)
(0)	3e:19:32:f6:a4:4c:9a:ec:e8:f5:17:a7:9f:0b:11:6b
(0)	56:00:00:16:ef:f5:33:9a:9b:04:0c:37:75:9f:49:85
(0)	05:4d:21:06:3f:ea:91:04:61:80:36:dc:5e:57:aa:fe
(0)	a6:0f:ac:57:20:52:75:f3:a7:94:e8:d1:22:dd:4e:82
(0)	c9:c2:e6:7c:b4:c9:e0:51:7f:bf:06:26:e9:07:ca:cd
(0)	5c:f3:29:b9:52:68:dc:26:3a:b1:9c:a4:5f:94:fd:fc
(0)	c5:b0:8c:57:75:a4:4a:5e:03:b7:7b:f8:f4:f2:90:b3
(0)	85:af:48:2d:f0:e0:21:af:f6:a9:9b:e9:90:f3:64:90
(0)	e8:69:2b:1b:49:c8:fe:0e:81:c9:b6:d5:7c:7e:92:83
(0)	3b:2e:e3:98:ec:d6:46:40:ed:e1:13:ef:12:5e:6f:8f
(0)	15:31:e7:2b:61:90:6b:ac:66:10:f0:45:04:cc:3e:94
(0)	4a:a8:e0:86:ee:e5:e0:07:29:f2:d4:ea:1c:09:e3:6a
(0)	2e:48:d2:ff:43:49:c0:6b:d1:37:2f:9c:73:9d:07:5b
(0)	f0:ed:0e:6b:05:6b:95:a8:ad:d5:64:70:46:a8:6d:b9

(0)	b9:63:65:3a:b6:67:33:1a:68:11:78:36:be:27:b7:5b
(0)	37:23:54:2d:ca:d2:02:1c:c0:7d:cd:eb:b0:cc:58:e5

1 HTTP Methods Returned by OPTIONS Request

homeremituat.jsbl.com:443/tcp

QID:	45056
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/17/2006
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The HTTP methods returned in response to an OPTIONS request to the Web server detected on the target host are listed.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Allow: OPTIONS, TRACE, GET, HEAD, POST

1 Microsoft IIS Server Detected

homeremituat.jsbl.com:443/tcp

QID:	45104
Category:	Information gathering
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	07/14/2009
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Microsoft Internet Information Services (IIS) Web Server was detected on the target host.

IMPACT:
N/A

SOLUTION:
N/A

COMPLIANCE:

Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:
Microsoft-IIS/8.5

1 SSL Web Server Version homeremituat.jsbl.com:443/tcp

QID:	86001
Category:	Web server
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	01/01/1999
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Server Version	Server Banner
Microsoft-IIS/8.5	Microsoft-IIS/8.5

1 Microsoft IIS ASP.NET Version Obtained homeremituat.jsbl.com:443/tcp

QID:	86484
Category:	Web server
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	06/26/2004
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
The ASP.NET version running on the Microsoft IIS Server has been retrieved.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:

There is no malware information for this vulnerability.

RESULTS:
X-AspNet-Version: 2.0.50727

1 List of Web Directories homeremituat.jsbl.com:443/tcp

QID:	86672
Category:	Web server
CVE ID:	-
Vendor Reference:	-
Bugtraq ID:	-
Service Modified:	09/11/2004
User Modified:	-
Edited:	No
PCI Vuln:	No
Ticket State:	

THREAT:
Based largely on the HTTP reply code, the following directories are most likely present on the host.

COMPLIANCE:
Not Applicable

EXPLOITABILITY:
There is no exploitability information for this vulnerability.

ASSOCIATED MALWARE:
There is no malware information for this vulnerability.

RESULTS:

Directory	Source
/aspnet_client/	brute force

Appendix

Hosts Scanned (IP)

10.111.200.118

Target distribution across scanner appliances

JSScan : 10.111.200.118

Windows authentication was successful for these hosts (1)

Instance os:
10.111.200.118

Options Profile

Authenticated Scan v.1

Scan Settings

Ports:	
Scanned TCP Ports:	Standard Scan
Scanned UDP Ports:	Standard Scan
Scan Dead Hosts:	Off
Load Balancer Detection:	Off
Perform 3-way Handshake:	Off
Vulnerability Detection:	Complete
Password Brute Forcing:	
System:	Disabled
Custom:	Disabled
Authentication:	
Windows:	Enabled
Unix/Cisco:	Enabled
Oracle:	Enabled
Oracle Listener:	Enabled
SNMP:	Enabled
VMware:	Disabled
DB2:	Disabled
HTTP:	Disabled
MySQL:	Disabled
Overall Performance:	Normal
Authenticated Scan Certificate Discovery:	Disabled
Hosts to Scan in Parallel:	
Use Appliance Parallel ML Scaling:	Off
External Scanners:	15
Scanner Appliances:	30
Processes to Run in Parallel:	
Total Processes:	10
HTTP Processes:	10
Packet (Burst) Delay:	Medium
Port Scanning and Host Discovery:	
Intensity:	Normal
Dissolvable Agent:	

Dissolvable Agent (for this profile):	Disabled
Windows Share Enumeration:	Disabled
Windows Directory Search:	Disabled
Lite OS Discovery:	Enabled

Advanced Settings

Host Discovery:	TCP Standard Scan, UDP Standard Scan, ICMP On
Ignore firewall-generated TCP RST packets:	Off
Ignore all TCP RST packets:	Off
Ignore firewall-generated TCP SYN-ACK packets:	Off
Do not send TCP ACK or SYN-ACK packets during host discovery:	Off

Report Legend

Vulnerability Levels

A Vulnerability is a design flaw or mis-configuration which makes your network (or a host on your network) susceptible to malicious attacks from local or remote users. Vulnerabilities can exist in several areas of your network, such as in your firewalls, FTP servers, Web servers, operating systems or CGI bins. Depending on the level of the security risk, the successful exploitation of a vulnerability can vary from the disclosure of information about the host to a complete compromise of the host.

Severity	Level	Description
1	Minimal	Intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities.
2	Medium	Intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions.
3	Serious	Intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying.
4	Critical	Intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example, vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host.
5	Urgent	Intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors.

Potential Vulnerability Levels

A potential vulnerability is one which we cannot confirm exists. The only way to verify the existence of such vulnerabilities on your network would be to perform an intrusive scan, which could result in a denial of service. This is strictly against our policy. Instead, we urge you to investigate these potential vulnerabilities further.

Severity	Level	Description
1	Minimal	If this vulnerability exists on your system, intruders can collect information about the host (open ports, services, etc.) and may be able to use this information to find other vulnerabilities.
2	Medium	If this vulnerability exists on your system, intruders may be able to collect sensitive information from the host, such as the precise version of software installed. With this information, intruders can easily exploit known vulnerabilities specific to software versions.
3	Serious	If this vulnerability exists on your system, intruders may be able to gain access to specific information stored on the host, including security settings. This could result in potential misuse of the host by intruders. For example, vulnerabilities at this level may include partial disclosure of file contents, access to certain files on the host, directory browsing, disclosure of filtering rules and security mechanisms, denial of service attacks, and unauthorized use of services, such as mail-relaying.
4	Critical	If this vulnerability exists on your system, intruders can possibly gain control of the host, or there may be potential leakage of highly sensitive information. For example,

Severity	Level	Description
		vulnerabilities at this level may include full read access to files, potential backdoors, or a listing of all the users on the host.
5	Urgent	If this vulnerability exists on your system, intruders can easily gain control of the host, which can lead to the compromise of your entire network security. For example, vulnerabilities at this level may include full read and write access to files, remote execution of commands, and the presence of backdoors.

Information Gathered

Information Gathered includes visible information about the network related to the host, such as traceroute information, Internet Service Provider (ISP), or a list of reachable hosts. Information Gathered severity levels also include Network Mapping data, such as detected firewalls, SMTP banners, or a list of open TCP services.

Severity	Level	Description
1	Minimal	Intruders may be able to retrieve sensitive information related to the host, such as open UDP and TCP services lists, and detection of firewalls.
2	Medium	Intruders may be able to determine the operating system running on the host, and view banner versions.
3	Serious	Intruders may be able to detect highly sensitive data, such as global system user lists.

CONFIDENTIAL AND PROPRIETARY INFORMATION.
Qualys provides the QualysGuard Service "As Is," without any warranty of any kind. Qualys makes no warranty that the information contained in this report is complete or error-free. Copyright 2017, Qualys, Inc.