DBMS Unit 3 - Normalisation notes

Dr. Meena Krishnan - B.E. CSE Sem 5

Functional dependencies

Closure of attributes

Candidate keys

Page 2

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 1.

Page 3

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 2.

Page 4

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 3.

Page 5

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 4.

Page 6

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 5.

Page 7

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 6.

Page 8

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 7.

Page 9

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 8.

Page 10

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 9.

Page 11

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 10.

Page 12

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 11.

Page 13

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 12.

Page 14

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 13.

Page 15

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 14.

Page 16

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 15.

Page 17

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 16.

Page 18

Normal forms: 1NF, 2NF, 3NF and BCNF.

Worked example 17.