

```

stud2 = fail ;
stud3 = atkt ;
printf ( "\n%d %d %d", stud1, stud2, stud3 );
}

```

```

(b) #include <stdio.h>
void main( )
{
    printf ( "%f", ( float ) ( ( int ) 3.5 / 2 ) );
}

```

```

(c) #include <stdio.h>
void main( )
{
    float i, j;
    i = ( float ) 3 / 2;
    j = i * 3;
    printf ( "\n%d", ( int ) j );
}

```

[B] Point out the error, if any, in the following programs:

```

(a) #include <stdio.h>
void main( )
{
    typedef struct patient
    {
        char name[20];
        int age;
        int systolic_bp;
        int diastolic_bp;
    } ptt;
    ptt p1 = { "anil", 23, 110, 220 };
    printf ( "\n%s %d", p1.name, p1.age );
    printf ( "\n%d %d", p1.systolic_bp, p1.diastolic_bp );
}

```

```

(b) #include <stdio.h>

```

```

void show( );
void main( )
{
    void ( *s )( );
    s = show;
    ( *s )( );
}
void show( )
{
    printf ( "\ndon't show off. It won't pay in the long run" );
}

```

```

(c) #include <stdio.h>
int show( );
void main( )
{
    int ( *s )( );
    s = show( );
    ( *s )( );
}
float show( )
{
    printf ( "\nControl did reach here" );
    return ( 3.33 );
}

```

```

(d) #include <stdio.h>
void show ( int, float );
void main( )
{
    void ( *s )( int, float );
    s = show;
    ( *s )( 10, 3.14 );
}
void show ( int i, float f )
{
    printf ( "\n %d %f", i, f );
}

```