

File Edit View Query Database Server Tools Scripting Help

SQL File 4*

Limit to 1000 rows

```

89 • DESC Departments;
90 • DESC Locations;
91 • DESC Employees;
92 • DESC Locations;
93 • DESC Departments;
94 • DESC Locations;
95 • SHOW TABLES;
96 • DESC Employees;
97 • SHOW TABLES;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Tables_in_employee
▶	departments
	employees
	locations

Administration Schemas

Information

No object selected

Object Info Session

Result 19 x

Read Only

Output

Action Output

#	Time	Action	Message
✓ 48	15:04:14	DESC Employees	9 row(s) returned
✓ 49	15:11:37	SHOW TABLES	3 row(s) returned

SQL File 4*

Limit to 1000 rows

```

90 • DESC Locations;
91 • DESC Employees;
92 • DESC Locations;
93 • DESC Departments;
94 • DESC Locations;
95 • SHOW TABLES;
96 • DESC Employees;
97 • SHOW TABLES;
98 • DESC Departments;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Field	Type	Null	Key	Default	Extra
▶ department_id	int	NO	PRI	NULL	
department_name	varchar(25)	NO	UNI	NULL	

Administration Schemas

Information

No object selected

Object Info Session

Result 20 x

Read Only

Output

Action Output

#	Time	Action	Message
✓ 49	15:11:37	SHOW TABLES	3 row(s) returned
✓ 50	15:13:56	DESC Departments	2 row(s) returned

Navigator: SQL File 4*

SCHEMAS

Filter objects

▼ employee

- Tables
- Views
- Stored Procedures
- Functions

Administration Schemas

Information

No object selected

Object Info Session

Result Grid

Field	Type	Null	Key	Default	Extra
location_id	int	NO	PRI	NULL	auto_increment
location_name	varchar(50)	NO	UNI	NULL	

Result 21

Output

Action Output

#	Time	Action	Message
50	15:13:56	DESC Departments	2 row(s) returned
51	15:14:40	DESC Locations	2 row(s) returned

Navigator: SQL File 4*

SCHEMAS

Filter objects

▼ employee

- Tables
- Views
- Stored Procedures
- Functions

Administration Schemas

Information

No object selected

Object Info Session

Result Grid

Field	Type	Null	Key	Default	Extra
employee_id	int	NO	PRI	NULL	
employee_name	varchar(50)	NO		NULL	
gender	enum('M','F')	YES		NULL	
age	int	YES		NULL	
hire_date	date	YES		curdate()	DEFAULT_GENERATED
designation	varchar(100)	YES		NULL	
salary	decimal(10,2)	YES		NULL	
department_id	int	YES	MUL	NULL	
location_id	int	YES	MUL	NULL	

Result 22

Output

Action Output

#	Time	Action	Message
51	15:14:40	DESC Locations	2 row(s) returned
52	15:15:25	DESC Employees	9 row(s) returned

The screenshot displays the MySQL Workbench interface. On the left, the 'SCHEMAS' pane shows a database named 'employee' with tables, views, stored procedures, and functions. The main editor window, titled 'SQL File 4*', contains the following SQL commands:

```

93 • DESC Departments;
94 • DESC Locations;
95 • SHOW TABLES;
96 • DESC Employees;
97 • SHOW TABLES;
98 • DESC Departments;
99 • DESC Locations;
100
101 • SHOW CREATE TABLE Employees;

```

Below the editor, the 'Result Grid' shows the output of the 'SHOW CREATE TABLE Employees;' command:

Table	Create Table
Employees	CREATE TABLE `employees` (`employee_id` ...

At the bottom, the 'Output' pane shows the execution results of the commands:

#	Time	Action	Message
52	15:15:25	DESC Employees	9 row(s) returned
53	15:16:09	SHOW CREATE TABLE Employees	1 row(s) returned

MySQL Assignment 1 – DDL Commands & Constraints

- Database Created Successfully
- Tables Created Successfully
- Constraints Implemented Successfully
- Foreign Keys Established
- ALTER Commands Executed
- Final Table Structure Verification