

TemplateSyntaxError at /dashboard/

Could not parse the remainder: ' if project.manager' from
'project.manager.first_name|default:project.manager.username if project.manager'

Request Method: GET
Request URL: http://127.0.0.1:8000/dashboard/
Django Version: 5.2.8
Exception Type: TemplateSyntaxError
Exception Value: Could not parse the remainder: ' if project.manager' from
'project.manager.first_name|default:project.manager.username if project.manager'
Exception Location: C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 710, in `__init__`
Raised during: core.views.dashboard
Python Executable: C:\Users\iBand\Desktop\GP2 - VS Code\venv\Scripts\python.exe
Python Version: 3.11.3
Python Path: ['C:\\Users\\iBand\\Desktop\\GP2 - VS Code',
'C:\\Users\\iBand\\AppData\\Local\\Programs\\Python\\Python311\\python311.zip',
'C:\\Users\\iBand\\AppData\\Local\\Programs\\Python\\Python311\\DLLs',
'C:\\Users\\iBand\\AppData\\Local\\Programs\\Python\\Python311\\Lib',
'C:\\Users\\iBand\\AppData\\Local\\Programs\\Python\\Python311',
'C:\\Users\\iBand\\Desktop\\GP2 - VS Code\\venv',
'C:\\Users\\iBand\\Desktop\\GP2 - VS Code\\venv\\Lib\\site-packages']
Server time: Tue, 25 Nov 2025 03:18:03 +0000

Error during template rendering

In template C:\Users\iBand\Desktop\GP2 - VS Code\core\templates\dashboard.html, error at line 166

Could not parse the remainder: ' if project.manager' from
'project.manager.first_name|default:project.manager.username if project.manager'

| | |
|-----|---|
| 156 | <th>المشروع</th> |
| 157 | <th>المدير</th> |
| 158 | <th>تاريخ البداية</th> |
| 159 | <th>تاريخ النهاية</th> |
| 160 | </tr> |
| 161 | </thead> |
| 162 | <tbody> |
| 163 | {% for project in projects %} |
| 164 | <tr> |
| 165 | <td class="project-name">{{ project.name }}</td> |
| 166 | <td>{{ project.manager.first_name default:project.manager.username if project.manager }}</td> |
| 167 | <td>{{ project.start_date default:"- " }}</td> |
| 168 | <td>{{ project.end_date default:"- " }}</td> |
| 169 | </tr> |
| 170 | {% endfor %} |
| 171 | </tbody> |
| 172 | </table> |
| 173 | {% else %} |
| 174 | <p class="empty-text">لا يوجد مشاريع حتى الآن.</p> |
| 175 | {% endif %} |
| 176 | |

Traceback [Switch to copy-and-paste view](#)

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\core\handlers\exception.py, line 55, in inner

```
55.         response = get_response(request)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\core\handlers\base.py, line 197, in _get_response

```
197.         response = wrapped_callback(request, *callback_args, **callback_kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\contrib\auth\decorators.py, line 59, in _view_wrapper

```
59.         return view_func(request, *args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\core\views.py, line 66, in dashboard

```
66.         return render(request, "dashboard.html", context)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\shortcuts.py, line 25, in render

```
25.         content = loader.render_to_string(template_name, context, request, using=using)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\loader.py, line 61, in render_to_string

```
61.         template = get_template(template_name, using=using)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\loader.py, line 15, in get_template

```
15.         return engine.get_template(template_name)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\backends\django.py, line 79, in get_template

```
79.         return Template(self.engine.get_template(template_name), self)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\engine.py, line 177, in get_template

```
177.         template, origin = self.find_template(template_name)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\engine.py, line 159, in find_template

```
159.         template = loader.get_template(name, skip=skip)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\loaders\cached.py, line 57, in get_template

```
57.         template = super().get_template(template_name, skip)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\loaders\base.py, line 28, in get_template

```
28.         return Template(
```


► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 518, in parse

```
518.                 raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 516, in parse

```
516.                 compiled_result = compile_func(self, token)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\defaulttags.py, line 962, in do_if

```
962.     nodelist = parser.parse(("elif", "else", "endif"))
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 518, in parse

```
518.                 raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 516, in parse

```
516.                 compiled_result = compile_func(self, token)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\defaulttags.py, line 862, in do_for

```
862.     nodelist_loop = parser.parse(
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 489, in parse

```
489.                 raise self.error(token, e)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 487, in parse

```
487.                 filter_expression = self.compile_filter(token.contents)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 609, in compile_filter

```
609.     return FilterExpression(token, self)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

...

► Local vars

C:\Users\iBand\Desktop\GP2 - VS Code\venv\Lib\site-packages\django\template\base.py, line 710, in __init__

```
710.         raise TemplateSyntaxError(
            ^
```

...

► Local vars

Request information

USER admin

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

| Variable | Value |
|-----------|---------|
| csrftoken | '*****' |
| sessionid | '*****' |

META

| Variable | Value |
|--------------------------------|--|
| ALLUSERSPROFILE | 'C:\\ProgramData' |
| APPDATA | 'C:\\Users\\iBand\\AppData\\Roaming' |
| BUNDLED_DEBUGPY_PATH | 'c:\\Users\\iBand\\.vscode\\extensions\\ms-python.debugpy-2025.16.0-win32-x64\\bundled\\libs\\debugpy' |
| CHROME_CRASHPAD_PIPE_NAME | '\\\\.\\pipe\\crashpad_10896_YGRKQDQYDYNUBQSP' |
| COLORTERM | 'truecolor' |
| COMMONPROGRAMFILES | 'C:\\Program Files\\Common Files' |
| COMMONPROGRAMFILES(X86) | 'C:\\Program Files (x86)\\Common Files' |
| COMMONPROGRAMW6432 | 'C:\\Program Files\\Common Files' |
| COMPUTERNAME | 'DESKTOP-KACAB12' |
| COMSPEC | 'C:\\Windows\\system32\\cmd.exe' |
| CONTENT_LENGTH | ' ' |
| CONTENT_TYPE | 'text/plain' |
| CSRF_COOKIE | 'WQEIEhXQgHgW7w7B9Z0BvLZe0H4zRafa' |
| DJANGO_SETTINGS_MODULE | 'stad_system.settings' |
| DRIVERDATA | 'C:\\Windows\\System32\\Drivers\\DriverData' |
| GATEWAY_INTERFACE | 'CGI/1.1' |
| GIT_ASKPASS | '*****' |
| HOMEDRIVE | 'C: ' |
| HOMEPATH | '\\Users\\iBand' |
| HTTP_ACCEPT | 'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7' |
| HTTP_ACCEPT_ENCODING | 'gzip, deflate, br, zstd' |
| HTTP_ACCEPT_LANGUAGE | 'en-US,en;q=0.9' |
| HTTP_CACHE_CONTROL | 'max-age=0' |
| HTTP_CONNECTION | 'keep-alive' |
| HTTP_COOKIE | '*****' |
| HTTP_HOST | '127.0.0.1:8000' |
| HTTP_REFERER | 'http://127.0.0.1:8000/login/' |
| HTTP_SEC_CH_UA | '"Chromium";v="142", "Microsoft Edge";v="142", "Not_A Brand";v="99"' |
| HTTP_SEC_CH_UA_MOBILE | '?0' |
| HTTP_SEC_CH_UA_PLATFORM | '"Windows"' |
| HTTP_SEC_FETCH_DEST | 'document' |
| HTTP_SEC_FETCH_MODE | 'navigate' |
| HTTP_SEC_FETCH_SITE | 'same-origin' |
| HTTP_SEC_FETCH_USER | '?1' |
| HTTP_UPGRADE_INSECURE_REQUESTS | '1' |
| HTTP_USER_AGENT | ('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0') |
| LANG | 'en_US.UTF-8' |
| LOCALAPPDATA | 'C:\\Users\\iBand\\AppData\\Local' |
| LOGONSERVER | '\\\\DESKTOP-KACAB12' |
| NUMBER_OF_PROCESSORS | '8' |
| ONEDRIVE | 'C:\\Users\\iBand\\OneDrive' |
| ONEDRIVECONSUMER | 'C:\\Users\\iBand\\OneDrive' |
| ORIGINAL_XDG_CURRENT_DESKTOP | 'undefined' |
| OS | 'Windows_NT' |
| PATH | ('C:\\Users\\iBand\\Desktop\\GP2 - VS ' 'Code\\venv\\Scripts;c:\\Users\\iBand\\AppData\\Roaming\\Code\\User\\globalStorage\\github.copilot-chat\\debugCommand;c:\\Users\\iBand\\AppData\\Roaming\\Code\\User\\globalStorage\\github.copilot-chat\\copilotCli;C:\\Program ' 'Files (x86)\\Common ') |

| Variable | Value |
|----------------------------------|--|
| | 'Files\\Oracle\\Java\\javapath;C:\\Windows\\system32;C:\\Windows;C:\\Windows\\System32\\Wbem;C:\\Windows\\System32\\WindowsPowerShell\\v1.0\\;C:\\Windows\\System32\\OpenSSH\\;C:\\Program ' 'Files\\dotnet\\;C:\\Program ' |
| | 'Files\\Git\\cmd;C:\\Users\\iBand\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\iBand\\AppData\\Local\\Programs\\Microsoft ' 'VS ' 'Code\\bin;c:\\Users\\iBand\\.vscode\\extensions\\ms-python.debugpy-2025.16.0-win32-x64\\bundled\\scripts\\noConfigScripts') '.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL ' '/dashboard/' |
| PATHEXT | |
| PATH_INFO | '/dashboard/' |
| PROCESSOR_ARCHITECTURE | 'AMD64' |
| PROCESSOR_IDENTIFIER | 'Intel64 Family 6 Model 140 Stepping 1, GenuineIntel' |
| PROCESSOR_LEVEL | '6' |
| PROCESSOR_REVISION | '8c01' |
| PROGRAMDATA | 'C:\\ProgramData' |
| PROGRAMFILES | 'C:\\Program Files' |
| PROGRAMFILES(X86) | 'C:\\Program Files (x86)' |
| PROGRAMW6432 | 'C:\\Program Files' |
| PSMODULEPATH | ('C:\\Users\\iBand\\Documents\\WindowsPowerShell\\Modules;C:\\Program ' 'Files\\WindowsPowerShell\\Modules;C:\\Windows\\system32\\WindowsPowerShell\\v1.0\\Modules') |
| PUBLIC | 'C:\\Users\\Public' |
| PYDEVD_DISABLE_FILE_VALIDATION | '1' |
| PYTHONSTARTUP | 'c:\\Users\\iBand\\AppData\\Roaming\\Code\\User\\workspaceStorage\\75e2fdd5a3133937435531f439a9973e\\ms-python.python\\pythonrc.py' |
| PYTHON_BASIC_REPL | '1' |
| QUERY_STRING | '' |
| REMOTE_ADDR | '127.0.0.1' |
| REMOTE_HOST | '' |
| REQUEST_METHOD | 'GET' |
| RUN_MAIN | 'true' |
| SCRIPT_NAME | '' |
| SERVER_NAME | 'DESKTOP-KACAB12' |
| SERVER_PORT | '8000' |
| SERVER_PROTOCOL | 'HTTP/1.1' |
| SERVER_SOFTWARE | 'WSGIServer/0.2' |
| SESSIONNAME | 'Console' |
| SYSTEMDRIVE | 'C:' |
| SYSTEMROOT | 'C:\\Windows' |
| TEMP | 'C:\\Users\\iBand\\AppData\\Local\\Temp' |
| TERM_PROGRAM | 'vscode' |
| TERM_PROGRAM_VERSION | '1.106.2' |
| TMP | 'C:\\Users\\iBand\\AppData\\Local\\Temp' |
| USERDOMAIN | 'DESKTOP-KACAB12' |
| USERDOMAIN_ROAMINGPROFILE | 'DESKTOP-KACAB12' |
| USERNAME | 'iBand' |
| USERPROFILE | 'C:\\Users\\iBand' |
| VBOX_MSI_INSTALL_PATH | 'C:\\Program Files\\Oracle\\VirtualBox\\' |
| VIRTUAL_ENV | 'C:\\Users\\iBand\\Desktop\\GP2 - VS Code\\venv' |
| VIRTUAL_ENV_PROMPT | 'venv' |
| VSCODE_DEBUGPY_ADAPTER_ENDPOINTS | 'c:\\Users\\iBand\\.vscode\\extensions\\ms-python.debugpy-2025.16.0-win32-x64\\.noConfigDebugAdapterEndpoints\\endpoint-1a365d1041197812.txt' |
| VSCODE_GIT_ASKPASS_EXTRA_ARGS | '*****' |
| VSCODE_GIT_ASKPASS_MAIN | '*****' |
| VSCODE_GIT_ASKPASS_NODE | '*****' |
| VSCODE_GIT_IPC_HANDLE | '\\\\.\\pipe\\vscode-git-bbeeaeff5f-sock' |
| VSCODE_INJECTION | '1' |
| VSCODE_PYTHON_AUTOACTIVATE_GUARD | '1' |
| WINDIR | 'C:\\Windows' |
| ZES_ENABLE_SYSMAN | '1' |
| _OLD_VIRTUAL_PATH | ('c:\\Users\\iBand\\AppData\\Roaming\\Code\\User\\globalStorage\\github.copilot-chat\\debugCommand;c:\\Users\\iBand\\AppData\\Roaming\\Code\\User\\globalStorage\\github.copilot-chat\\copilotCli;C:\\Program ' |

| Variable | Value |
|-------------------|--|
| | 'Files (x86)\\Common ' |
| | 'Files\\Oracle\\Java\\javapath;C:\\Windows\\system32;C:\\Windows;C:\\Windows\\System32\\wbem;C:\\Windows\\System32\\WindowsPowerShell\\v1.0\\;C:\\Windows\\System32\\OpenSSH\\;C:\\Program ' |
| | 'Files\\dotnet\\;C:\\Program ' |
| | 'Files\\Git\\cmd;C:\\Users\\iBand\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\iBand\\AppData\\Local\\Programs\\Microsoft ' |
| | 'VS ' |
| | 'Code\\bin;c:\\Users\\iBand\\.vscode\\extensions\\ms-python.debugpy-2025.16.0-win32-x64\\bundled\\scripts\\noConfigScripts') |
| wsgi.errors | <_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'> |
| wsgi.file_wrapper | <class 'wsgiref.util.FileWrapper'> |
| wsgi.input | <django.core.handlers.wsgi.LimitedStream object at 0x000001E11284BA00> |
| wsgi.multiprocess | False |
| wsgi.multithread | True |
| wsgi.run_once | False |
| wsgi.url_scheme | 'http' |
| wsgi.version | (1, 0) |

Settings

Using settings module stad_system.settings

| Setting | Value |
|-------------------------------|--|
| ABSOLUTE_URL_OVERRIDES | {} |
| ADMINS | [] |
| ALLOWED_HOSTS | [] |
| APPEND_SLASH | True |
| AUTHENTICATION_BACKENDS | '*****' |
| AUTH_PASSWORD_VALIDATORS | '*****' |
| AUTH_USER_MODEL | '*****' |
| BASE_DIR | WindowsPath('C:/Users/iBand/Desktop/GP2 - VS Code') |
| CACHES | {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}} |
| CACHE_MIDDLEWARE_ALIAS | 'default' |
| CACHE_MIDDLEWARE_KEY_PREFIX | '*****' |
| CACHE_MIDDLEWARE_SECONDS | 600 |
| CSRF_COOKIE_AGE | 31449600 |
| CSRF_COOKIE_DOMAIN | None |
| CSRF_COOKIE_HTTPONLY | False |
| CSRF_COOKIE_NAME | 'csrftoken' |
| CSRF_COOKIE_PATH | '/' |
| CSRF_COOKIE_SAMESITE | 'Lax' |
| CSRF_COOKIE_SECURE | False |
| CSRF_FAILURE_VIEW | 'django.views.csrf.csrf_failure' |
| CSRF_HEADER_NAME | 'HTTP_X_CSRFTOKEN' |
| CSRF_TRUSTED_ORIGINS | [] |
| CSRF_USE_SESSIONS | False |
| DATABASES | {'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_HEALTH_CHECKS': False, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.mysql', 'HOST': '127.0.0.1', 'NAME': 'stad_db', 'OPTIONS': {'init_command': "SET sql_mode='STRICT_TRANS_TABLES'", 'PASSWORD': '*****', 'PORT': '3306', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'root'}} |
| DATABASE_ROUTERS | [] |
| DATA_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| DATA_UPLOAD_MAX_NUMBER_FIELDS | 1000 |
| DATA_UPLOAD_MAX_NUMBER_FILES | 100 |
| DATETIME_FORMAT | 'N j, Y, P' |

| Setting | Value |
|-----------------------------------|--|
| DATETIME_INPUT_FORMATS | ['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M'] |
| DATE_FORMAT | 'N j, Y' |
| DATE_INPUT_FORMATS | ['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y'] |
| DEBUG | True |
| DEBUG_PROPAGATE_EXCEPTIONS | False |
| DECIMAL_SEPARATOR | '.' |
| DEFAULT_AUTO_FIELD | 'django.db.models.BigAutoField' |
| DEFAULT_CHARSET | 'utf-8' |
| DEFAULT_EXCEPTION_REPORTER | 'django.views.debug.ExceptionReporter' |
| DEFAULT_EXCEPTION_REPORTER_FILTER | 'django.views.debug.SafeExceptionReporterFilter' |
| DEFAULT_FROM_EMAIL | 'webmaster@localhost' |
| DEFAULT_INDEX_TABLESPACE | '' |
| DEFAULT_TABLESPACE | '' |
| DISALLOWED_USER_AGENTS | [] |
| EMAIL_BACKEND | 'django.core.mail.backends.smtp.EmailBackend' |
| EMAIL_HOST | 'localhost' |
| EMAIL_HOST_PASSWORD | '*****' |
| EMAIL_HOST_USER | '' |
| EMAIL_PORT | 25 |
| EMAIL_SSL_CERTFILE | None |
| EMAIL_SSL_KEYFILE | '*****' |
| EMAIL_SUBJECT_PREFIX | '[Django] ' |
| EMAIL_TIMEOUT | None |
| EMAIL_USE_LOCALTIME | False |
| EMAIL_USE_SSL | False |
| EMAIL_USE_TLS | False |
| FILE_UPLOAD_DIRECTORY_PERMISSIONS | None |
| FILE_UPLOAD_HANDLERS | ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler'] |
| FILE_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| FILE_UPLOAD_PERMISSIONS | 420 |
| FILE_UPLOAD_TEMP_DIR | None |
| FIRST_DAY_OF_WEEK | 0 |
| FIXTURE_DIRS | [] |
| FORCE_SCRIPT_NAME | None |
| FORMAT_MODULE_PATH | None |
| FORMS_URLFIELD_ASSUME_HTTPS | False |
| FORM_RENDERER | 'django.forms.renderers.DjangoTemplates' |
| IGNORABLE_404_URLS | [] |
| INSTALLED_APPS | ['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'core'] |
| INTERNAL_IPS | [] |
| LANGUAGES | [('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), |

| Setting | Value |
|---------|---|
| | ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('ckb', 'Central Kurdish (Sorani)'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('ig', 'Igbo'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('ky', 'Kyrgyz'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('ms', 'Malay'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), |

| Setting | Value |
|-----------------------------------|--|
| | (<code>'tg'</code> , <code>'Tajik'</code>), (<code>'th'</code> , <code>'Thai'</code>), (<code>'tk'</code> , <code>'Turkmen'</code>), (<code>'tr'</code> , <code>'Turkish'</code>), (<code>'tt'</code> , <code>'Tatar'</code>), (<code>'udm'</code> , <code>'Udmurt'</code>), (<code>'ug'</code> , <code>'Uyghur'</code>), (<code>'uk'</code> , <code>'Ukrainian'</code>), (<code>'ur'</code> , <code>'Urdu'</code>), (<code>'uz'</code> , <code>'Uzbek'</code>), (<code>'vi'</code> , <code>'Vietnamese'</code>), (<code>'zh-hans'</code> , <code>'Simplified Chinese'</code>), (<code>'zh-hant'</code> , <code>'Traditional Chinese'</code>)] |
| LANGUAGES_BIDI | [<code>'he'</code> , <code>'ar'</code> , <code>'ar-dz'</code> , <code>'ckb'</code> , <code>'fa'</code> , <code>'ug'</code> , <code>'ur'</code>] |
| LANGUAGE_CODE | <code>'en-us'</code> |
| LANGUAGE_COOKIE_AGE | None |
| LANGUAGE_COOKIE_DOMAIN | None |
| LANGUAGE_COOKIE_HTTPONLY | False |
| LANGUAGE_COOKIE_NAME | <code>'django_language'</code> |
| LANGUAGE_COOKIE_PATH | <code>'/'</code> |
| LANGUAGE_COOKIE_SAMESITE | None |
| LANGUAGE_COOKIE_SECURE | False |
| LOCALE_PATHS | [] |
| LOGGING | {} |
| LOGGING_CONFIG | <code>'logging.config.dictConfig'</code> |
| LOGIN_REDIRECT_URL | <code>'/accounts/profile/'</code> |
| LOGIN_URL | <code>'/accounts/login/'</code> |
| LOGOUT_REDIRECT_URL | None |
| MANAGERS | [] |
| MEDIA_ROOT | <code>''</code> |
| MEDIA_URL | <code>'/'</code> |
| MESSAGE_STORAGE | <code>'django.contrib.messages.storage.fallback.FallbackStorage'</code> |
| MIDDLEWARE | [<code>'django.middleware.security.SecurityMiddleware'</code> , <code>'django.contrib.sessions.middleware.SessionMiddleware'</code> , <code>'django.middleware.common.CommonMiddleware'</code> , <code>'django.middleware.csrf.CsrfViewMiddleware'</code> , <code>'django.contrib.auth.middleware.AuthenticationMiddleware'</code> , <code>'django.contrib.messages.middleware.MessageMiddleware'</code> , <code>'django.middleware.clickjacking.XFrameOptionsMiddleware'</code>] |
| MIGRATION_MODULES | {} |
| MONTH_DAY_FORMAT | <code>'F j'</code> |
| NUMBER_GROUPING | 0 |
| PASSWORD_HASHERS | <code>'*****'</code> |
| PASSWORD_RESET_TIMEOUT | <code>'*****'</code> |
| PREPEND_WWW | False |
| ROOT_URLCONF | <code>'stad_system.urls'</code> |
| SECRET_KEY | <code>'*****'</code> |
| SECRET_KEY_FALLBACKS | <code>'*****'</code> |
| SECURE_CONTENT_TYPE_NOSNIFF | True |
| SECURE_CROSS_ORIGIN_OPENER_POLICY | <code>'same-origin'</code> |
| SECURE_HSTS_INCLUDE_SUBDOMAINS | False |
| SECURE_HSTS_PRELOAD | False |
| SECURE_HSTS_SECONDS | 0 |
| SECURE_PROXY_SSL_HEADER | None |
| SECURE_REDIRECT_EXEMPT | [] |
| SECURE_REFERRER_POLICY | <code>'same-origin'</code> |
| SECURE_SSL_HOST | None |
| SECURE_SSL_REDIRECT | False |
| SERVER_EMAIL | <code>'root@localhost'</code> |
| SESSION_CACHE_ALIAS | <code>'default'</code> |
| SESSION_COOKIE_AGE | 1209600 |
| SESSION_COOKIE_DOMAIN | None |
| SESSION_COOKIE_HTTPONLY | True |
| SESSION_COOKIE_NAME | <code>'sessionid'</code> |
| SESSION_COOKIE_PATH | <code>'/'</code> |
| SESSION_COOKIE_SAMESITE | <code>'Lax'</code> |
| SESSION_COOKIE_SECURE | False |

| Setting | Value |
|---------------------------------|---|
| SESSION_ENGINE | 'django.contrib.sessions.backends.db' |
| SESSION_EXPIRE_AT_BROWSER_CLOSE | False |
| SESSION_FILE_PATH | None |
| SESSION_SAVE_EVERY_REQUEST | False |
| SESSION_SERIALIZER | 'django.contrib.sessions.serializers.JSONSerializer' |
| SETTINGS_MODULE | 'stad_system.settings' |
| SHORT_DATETIME_FORMAT | 'm/d/Y P' |
| SHORT_DATE_FORMAT | 'm/d/Y' |
| SIGNING_BACKEND | 'django.core.signing.TimestampSigner' |
| SILENCED_SYSTEM_CHECKS | [] |
| STATICFILES_DIRS | [WindowsPath('C:/Users/iBand/Desktop/GP2 - VS Code/core/static')] |
| STATICFILES_FINDERS | ['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder'] |
| STATIC_ROOT | None |
| STATIC_URL | '/static/' |
| STORAGES | {'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}} |
| TEMPLATES | [{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': ['django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}] |
| TEST_NON_SERIALIZED_APPS | [] |
| TEST_RUNNER | 'django.test.runner.DiscoverRunner' |
| THOUSAND_SEPARATOR | ',' |
| TIME_FORMAT | 'P' |
| TIME_INPUT_FORMATS | ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M'] |
| TIME_ZONE | 'UTC' |
| USE_I18N | True |
| USE_THOUSAND_SEPARATOR | False |
| USE_TZ | True |
| USE_X_FORWARDED_HOST | False |
| USE_X_FORWARDED_PORT | False |
| WSGI_APPLICATION | 'stad_system.wsgi.application' |
| X_FRAME_OPTIONS | 'DENY' |
| YEAR_MONTH_FORMAT | 'F Y' |

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.