# STATEMENT OF VALUES (SOV)

Commercial Property Insurance | Azul Biscayne Resort & Spa | Effective April 1, 2026

## SOV IDENTIFICATION & VALUATION BASIS

| | |
|---|---|
| **Named Insured** | Azul Biscayne Resort & Spa, LLC |
| **DBA / Trade Name** | Azul Biscayne Resort & Spa |
| **Property Address** | 2900 Biscayne Boulevard, Miami, FL 33137 (Miami-Dade County, FL) |
| **Policy Period** | April 1, 2026 – April 1, 2027 |
| **US Valuation Basis** | Full Replacement Cost Value (RCV) — Rimkus Consulting Group / Marshall & Swift Boeckh |
| **Appraisal Provider** | Rimkus Consulting Group, Inc. (Miami, FL) — Thomas R. Brinkley, PE, RPA |
| **Appraisal Date** | February 12, 2026 (current; within 12 months of requested effective date) |
| **Insurance-to-Value** | 100% or greater — full RCV confirmed; no coinsurance deficiency; Agreed Value basis |
| **Inflation Guard** | 4% annual indexing applied per appraiser recommendation |
| **Mortgage / Lienholder** | Truist Commercial Real Estate — First Mortgage Lien; DSCR 1.38x (2025) |
| **Requesting Broker** | Harbor Point Commercial Insurance Brokers, LLC — Caroline M. Dupree, CPCU, ARM |
| **SOV Prepared By** | Harbor Point Commercial Insurance Brokers, LLC on behalf of Insured |
| **SOV Date** | March 18, 2026 |

## SECTION 1 — MASTER STATEMENT OF VALUES

| Loc # | Description / Occupancy | Location Address | Construction Type | Yr Built | Sq Ft | Building RCV | BPP / Contents | BI / Extra Expense | Total Insured Value |
|---|---|---|---|---|---|---|---|---|---|
| **001** | Main Hotel Tower (19 Floors) — 388 Guest Rooms & Suites; Lobby; 3 F&B Outlets; Spa; Fitness Center | 2900 Biscayne Blvd, Miami, FL 33137 | Fire Resistive (Class 6) — Cast-in-Place Reinforced | 2008 | 412,000 | $128,500,000 | $9,200,000 | $28,160,000 | **$165,860,000** |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | Concrete Frame; TPO Roof (2023) | | | | | | |
| **002** | Conference & Event Center (1-Story Annex) — 32,000 SF; 18 Meeting Rooms; 600-Person Ballroom | 2900 Biscayne Blvd, Miami, FL 33137 | Fire Resistive (Class 6) — Concrete Tilt-Up; Glass-Steel Enclosed Walkway to Main Tower | 2008 | 32,000 | $14,200,000 | $1,800,000 | $2,560,000 | **$18,560,000** |
| **003** | Structured Parking Garage (6 Levels) — 520 Spaces; Attached to Main Tower; Flood Barriers Installed | 2900 Biscayne Blvd, Miami, FL 33137 | Non-Combustible (Light Steel Frame, Class 3) — Open-Air; No Critical MEP Below Grade | 2008 | 320,000 | $11,800,000 | $400,000 | $1,024,000 | **$13,224,000** |
| **004** | Rooftop Pool Deck & Cabana Structures — Infinity Pool; Pool Bar; Cabana Units (Reno'd 2023) | 2900 Biscayne Blvd, Miami, FL 33137 | Non-Combustible (Light Steel Frame, Class 3) — Flashing Fully Replaced 2023 Renovation | 2023 | 6,200 | $2,100,000 | $350,000 | $256,000 | **$2,706,000** |
| **TOTAL** | **All Locations — 4 Structures** | **2900 Biscayne Boulevard, Miami, FL 33137** | **Mixed (Fire Resistive Primary)** | **2008 / 2023** | **770,200** | **$156,600,000** | **$11,750,000** | **$32,000,000** | **$200,350,000** |

*Note: BI/EE column represents allocation of the $32,000,000 combined BI + EE limit across all locations. Building RCV and BPP values are per the February 12, 2026 Rimkus/Marshall & Swift appraisal. TIV in Master SOV = Building RCV + BPP + BI Allocation.*

## SECTION 2 — LOCATION DETAIL SHEETS

| LOC 001 \| Main Hotel Tower (19 Floors) \| 2900 Biscayne Boulevard, Miami, FL 33137 | |
|---|---|
| **Full Address** | 2900 Biscayne Boulevard, Miami, FL 33137 (Miami-Dade County) |
| **Occupancy Type** | Hospitality / Full-Service Luxury Hotel — ISO Code 66121; NAICS 721110 |
| **Property Use** | 388 Guest Rooms & Suites across 19 Floors; 3 F&B Outlets (Marea Rooftop Bar, Sal Restaurant, La Palma Café); 9,800 SF Destination Spa; 3,000 SF Fitness Center; Rooftop Infinity Pool |
| **Construction Type** | Fire Resistive — ISO Class 6; Cast-in-Place Reinforced Concrete Frame; Architectural Precast Concrete + Insulated Glass Curtain Wall |
| **Number of Stories** | 19 Stories (Main Tower) |

| | |
|---|---|
| **Year Built** | 2008 |
| **Last Major Renovation** | 2023 — $31.5M Comprehensive Renovation (All Guestrooms, Lobby, F&B, Spa, HVAC, Electrical, Plumbing, Roof) |
| **Gross Building Area** | 412,000 Sq. Ft. |
| **Roof Type & Age** | Flat / TPO (Thermoplastic Polyolefin Membrane) — Fully Replaced 2023; 20-Year Manufacturer's Warranty |
| **Building Code Compliance** | 2023 Florida Building Code (8th Ed.) — Recertified Post-Renovation; All Permits Closed |
| **Sprinkler System** | NFPA 13 Wet Pipe — 100% Coverage Throughout; Heads Replaced 2023; Last Inspected October 2025 (No Deficiencies) |
| **Fire Alarm** | UL-Listed Central Station Monitored — SimplexGrinnell / ADT Commercial; 24/7; Last Tested October 2025 |
| **Security** | 88-Camera IP CCTV (120-Day Cloud Storage); 24/7 Uniformed Guards (3–4 Officers); Hotel-Grade Key Card Access |
| **Backup Power** | 650kW Caterpillar Diesel Generator; Auto Transfer Switch; 10-Day Fuel On-Site; Monthly Load Testing |
| **FEMA Flood Zone** | Zone AE/A — BFE 8.0 ft NAVD88; FFE 11.2 ft NAVD88 (3.2 ft above BFE); Elevation Certificate on File |
| **Wind Zone** | HVHZ — High-Velocity Hurricane Zone; Design Wind Speed 175 mph (ASCE 7-16 / 2023 FBC); Impact Glazing Throughout |
| **Seismic Zone** | USGS Zone A — Very Low Hazard (<5% PML) |
| **Occupancy Rate** | 74% Average (TTM December 2025); ~104,000 Room Nights (2025); ADR $389 |
| **Building RCV** | $128,500,000 ($312/sq. ft.) — Rimkus Consulting / Marshall & Swift Boeckh, February 2026; +12% South Florida Regional Adjustment; +5% High-Rise Complexity Factor |
| **BPP / Contents** | $9,200,000 — FF&E, Guest Room Furnishings, PMS/IT Systems, F&B Equipment, Spa Equipment, Artwork |
| **Business Income / EE** | $28,160,000 (Allocated from $32,000,000 BI Limit — 88% Allocation) — 24-Month Extended Indemnity; $2.5M EE Sublimit |
| **Total Insured Value (TIV)** | $165,860,000 |
| **ITV Status** | 100% — Full Replacement Cost Confirmed; No Coinsurance Deficiency; Agreed Value Basis Requested |

| **LOC 002 \| Conference & Event Center (1-Story Annex) \| 2900 Biscayne Boulevard, Miami, FL 33137** | |
|---|---|
| **Full Address** | 2900 Biscayne Boulevard, Miami, FL 33137 (Miami-Dade County) — Attached Annex to Main Tower |
| **Occupancy Type** | Conference / Event Center — 32,000 SF; 18 Meeting Rooms; 600-Person Grand Ballroom Capacity |
| **Construction Type** | Fire Resistive — ISO Class 6; Concrete Tilt-Up Structure; Connected to Main Tower via Fire-Rated Glass-Steel Walkway |
| **Number of Stories** | 1 Story |
| **Year Built** | 2008 |
| **Last Major Renovation** | 2023 — Included in $31.5M Renovation Scope (AV/IT Systems, Finishes, HVAC, Lighting) |
| **Gross Building Area** | 32,000 Sq. Ft. |
| **Roof Type** | Flat / TPO Membrane — Replaced 2023 |
| **Sprinkler System** | NFPA 13 Wet Pipe — 100% Coverage |

| | |
|---|---|
| **Fire Alarm** | UL-Listed Central Station — Integrated with Main Tower System |
| **FEMA Flood Zone** | Zone AE/A — Same Site as Main Tower; Passive Flood Barriers at Garage Entry |
| **Building RCV** | $14,200,000 ($444/sq. ft.) — Rimkus Consulting / Marshall & Swift Boeckh, February 2026 |
| **BPP / Contents** | $1,800,000 — AV/Event Equipment, Banquet Furniture & Fixtures, Kitchen Equipment, Staging |
| **Business Income / EE** | $2,560,000 (Allocated from BI Limit — 8% Allocation for Event/Banquet Revenue Segment) |
| **Total Insured Value (TIV)** | $18,560,000 |
| **ITV Status** | 100% — Full Replacement Cost Confirmed |

| **LOC 003 \| Structured Parking Garage (6 Levels) \| 2900 Biscayne Boulevard, Miami, FL 33137** | |
|---|---|
| **Full Address** | 2900 Biscayne Boulevard, Miami, FL 33137 (Miami-Dade County) — Attached to Main Tower |
| **Occupancy Type** | Structured Parking Facility — 520 Spaces; 6 Levels; Valet & Self-Park Operations |
| **Construction Type** | Non-Combustible — Light Steel Frame (ISO Class 3); Open-Air Structure; No Combustible Structural Elements |
| **Number of Stories/Levels** | 6 Levels |
| **Year Built** | 2008 |
| **Gross Building Area** | 320,000 Sq. Ft. |
| **Flood Mitigation** | FloodBreak Passive Flood Barriers at All Vehicle Entries (Rated 3 ft Inundation); No Critical MEP Below Grade |
| **Fire Protection** | Dry Standpipe System per NFPA; Portable Extinguishers Throughout; Open-Air Design Limits Sprinkler Requirement |
| **FEMA Flood Zone** | Zone AE/A — Flood Barriers Installed; Below-Grade Area Protected |
| **Wind Zone** | HVHZ — Open-Air Structure; Non-Enclosed; Wind Load per ASCE 7-16 |
| **Building RCV** | $11,800,000 ($37/sq. ft.) — Rimkus Consulting / Marshall & Swift Boeckh, February 2026 |
| **BPP / Contents** | $400,000 — Parking Control Equipment, Signage, Safety Systems, Valet Equipment |
| **Business Income / EE** | $1,024,000 (Allocated from BI Limit — 3% Allocation for Parking Revenue) |
| **Total Insured Value (TIV)** | $13,224,000 |
| **ITV Status** | 100% — Full Replacement Cost Confirmed |

| **LOC 004 \| Rooftop Pool Deck & Cabana Structures \| 2900 Biscayne Boulevard, Miami, FL 33137** | |
|---|---|
| **Full Address** | 2900 Biscayne Boulevard, Miami, FL 33137 (Miami-Dade County) — 19th Floor Rooftop Level |
| **Occupancy Type** | Rooftop Amenity / Hotel Recreation Area — Infinity Pool; Pool Bar (Marea Rooftop); Cabana Units |
| **Construction Type** | Non-Combustible — Light Steel Frame (ISO Class 3); Pool Deck Pavers; Cabana Structures; Reno'd 2023 |

| | |
|---|---|
| **Year Renovated** | 2023 — Full Flashing Replacement; Cabana Reconstruction; Deck Resurfacing; Pool Equipment Replacement |
| **Gross Building Area** | 6,200 Sq. Ft. |
| **Prior Loss Note** | September 2023 wind-driven rain loss ($30,600) at this location; flashing deficiency fully remediated in 2023 renovation — loss is closed with no ongoing exposure |
| **Sprinkler / Suppression** | Not Required — Open-Air Rooftop Deck; Fire Extinguishers Positioned per Code |
| **FEMA Flood Zone** | Zone AE/A — Rooftop Location; No Flood Exposure at This Level |
| **Wind Zone** | HVHZ — Rooftop Exposure; TPO Roof Membrane Mechanically Attached; Enhanced Edge Metal; HVHZ Wind Uplift Rated |
| **Building RCV** | $2,100,000 ($339/sq. ft.) — Rimkus Consulting / Marshall & Swift Boeckh, February 2026 |
| **BPP / Contents** | $350,000 — Pool Equipment, Cabana Furniture, Bar Equipment (Marea Rooftop), Outdoor Audio/Visual |
| **Business Income / EE** | $256,000 (Allocated from BI Limit — 1% Allocation for Rooftop/Pool Revenue) |
| **Total Insured Value (TIV)** | $2,706,000 |
| **ITV Status** | 100% — Full Replacement Cost Confirmed; Renovation Scope Captured in Current Appraisal |

## SECTION 3 — BUILDING VALUE SCHEDULE & ITV CERTIFICATION

| Loc # | Occupancy | Construction | Sq Ft | Building RCV | BPP / Contents | Total Insured Value |
|---|---|---|---|---|---|---|
| **001** | Main Hotel Tower (19 Fl.) | FR — Class 6 | 412,000 | $128,500,000 | $9,200,000 | **$137,700,000** |
| **002** | Conference & Event Center | FR — Class 6 | 32,000 | $14,200,000 | $1,800,000 | **$16,000,000** |
| **003** | Structured Parking Garage | NC — Light Steel | 320,000 | $11,800,000 | $400,000 | **$12,200,000** |
| **004** | Rooftop Pool Deck & Cabana | NC — Light Steel | 6,200 | $2,100,000 | $350,000 | **$2,450,000** |
| **TOTAL** | **All Locations — 4 Structures** | **Mixed (FR Primary)** | **770,200** | **$156,600,000** | **$11,750,000** | **$168,350,000** |

*Note: TIV in Building Value Schedule = Building RCV + BPP only (per standard SOV convention; excludes BI which is a separate time-element coverage). Grand Total TIV Including BI: $200,350,000.*

### BUSINESS INCOME / EXTRA EXPENSE NOTE

BI Limit Requested: $32,000,000 (Combined Business Income + Extra Expense) — 24-Month Extended Indemnity Period | $2,500,000 EE Sublimit Included

Revenue Basis: 2025 Gross Revenue $41,300,000 | 2024: $38,700,000 | 2023: $34,100,000 (partial renovation year) | ADR $389 | Occupancy 74%

BI Allocation by Location: Loc 001 (Main Tower) 88% — $28,160,000 | Loc 002 (Conference) 8% — $2,560,000 | Loc 003 (Parking) 3% — $1,024,000 | Loc 004 (Pool/Rooftop) 1% — $256,000

Indemnity Period: 24 Months selected in recognition of Miami-Dade permitting timelines (4–6 months) and high-rise reinforced concrete reconstruction timeline (20–26 months). Fully supported by three years of audited financial statements.

## SECTION 4 — INSURANCE-TO-VALUE (ITV) CERTIFICATION

| Loc # | Occupancy | Appraised RCV | Requested Limit | ITV % | Valuation Basis |
|---|---|---|---|---|---|
| 001 | Main Hotel Tower | $128,500,000 | $128,500,000 | 100% — Agreed Value | Rimkus / Marshall & Swift; Feb 2026 |
| 002 | Conference Center | $14,200,000 | $14,200,000 | 100% — Agreed Value | Rimkus / Marshall & Swift; Feb 2026 |
| 003 | Parking Garage | $11,800,000 | $11,800,000 | 100% — Agreed Value | Rimkus / Marshall & Swift; Feb 2026 |
| 004 | Rooftop Pool & Cabana | $2,100,000 | $2,100,000 | 100% — Agreed Value | Rimkus / Marshall & Swift; Feb 2026 |
| **TOTAL** | **All 4 Locations** | **$156,600,000** | **$156,600,000** | **100% — No Coinsurance Deficiency** | **Independent Appraisal on File** |

### SOV CERTIFICATION & BROKER ATTESTATION

I, the undersigned authorized representative of Harbor Point Commercial Insurance Brokers, LLC, certify that this Statement of Values is a complete and accurate representation of the insured property values for Azul Biscayne Resort & Spa, LLC as of the SOV date below. Values are based upon the independent appraisal report prepared by Rimkus Consulting Group, Inc. (Thomas R. Brinkley, PE, RPA) dated February 12, 2026. BPP values are based upon the schedule of personal property provided by the Insured and reviewed by this office. All values are represented at full replacement cost basis with no depreciation applied.

Authorized Signature: _____ Date: March 18, 2026

*Caroline M. Dupree, CPCU, ARM — Senior Vice President, Commercial Lines | Harbor Point Commercial Insurance Brokers, LLC | 801 Brickell Avenue, Suite 1400, Miami, FL 33131 | FL Broker License #L040892*

**— END OF STATEMENT OF VALUES —**

*Confidential — Prepared for Insurance Underwriting Purposes Only | Not for Distribution*