

Automated Lead Management System

Workflow Screenshots & Test Evidence

Project	Automated Lead Management System
Platform	n8n (Webhook → Validation → Scoring → Routing → Notification)
Assignment	Day 12 — Week 2 — Practical Task
Intern Name	Musadiqa Fiaz
University / Institute	Hazara University
Internship Domain	AI Automation
Mode	Online / Remote
Organization	Petalnex Pvt. Ltd.
Supervisor / Team Lead	Sohail Anwar

Contents Overview


#	Screenshot	Stage	Description
1	Postman — Sample Lead Submission	1. Sample API Request	A POST request is sent to the webhook endpoint (http://localhost:5678/webhook-test/lead-management) with a sample lead payload (name, email, company, service, budget). The workflow responds with 200 OK and confirms the workflow was started.
2	Validation Node — Output	2. Webhook & Validation	The Webhook node receives the raw request, and the Validate Lead code node checks all required fields are present. Since all fields are valid, the output is marked valid: true and the lead data is passed forward.
3	Lead Processing Node — Output	3. Lead Processing & Scoring	The Lead Processing node normalizes the budget to a number, tags the lead status as "New", and stamps a processedAt timestamp. The lead (Ali Khan, budget 150000) is then scored by the Lead Scoring node, resulting in Score: 80 and Priority: High.
4	Workflow Canvas — End-to-End Run	4. Full Workflow Execution	The complete canvas view of the Automated Lead Management System after a successful execution (610ms). All nodes — Webhook, Validate Lead, If, Lead Processing, Lead Scoring, Route Lead (Switch), and the three routing branches — completed successfully.
5	Sales Notification Node — Gmail Config & Output	5. High Priority Routing	For High priority leads, the Route Lead switch sends the item to the Sales Notification Gmail node. It emails the sales inbox with the lead's full details, score, and priority so the team can follow up immediately.
6	Gmail Inbox — High Priority Lead Alert	6. High Priority Notification Received	The sales team receives the "High Priority Lead — Ali Khan" email in real time, containing the lead's name, email, company, service, budget, score (80), and priority (High), with an instruction to contact the lead ASAP.
7	Google Sheets — Automated Lead Management (Medium List)	7. Medium Priority Routing	Medium priority leads (e.g., Sara Ahmed — Web Development, budget 75000, score 50) are appended to the main Lead Database sheet with Status: New, ready for the sales team to review on their own schedule.
8	Google Sheets — Lead Nurture List	8. Low Priority Routing	Low priority leads (e.g., Usman Ali — Other service, budget 30000, score 20) are appended to the dedicated Lead Nurture List sheet with Follow Up: Yes, for inclusion in a long-term nurture campaign.

#	Screenshot	Stage	Description
9	Gmail — Acknowledgment Email Received by Lead	9. Automatic Acknowledgment	Regardless of priority tier, every valid lead automatically receives a “Thank you for contacting us” acknowledgment email confirming their request was received and will be reviewed by the team.

Screenshot 1 of 9 — 1. Sample API Request

Postman — Sample Lead Submission

A POST request is sent to the webhook endpoint (<http://localhost:5678/webhook-test/lead-management>) with a sample lead payload (name, email, company, service, budget). The workflow responds with 200 OK and confirms the workflow was started.



Screenshot 2 of 9 — 2. Webhook & Validation

Validation Node — Output

The Webhook node receives the raw request, and the Validate Lead code node checks all required fields are present. Since all fields are valid, the output is marked valid: true and the lead data is passed forward.

The screenshot displays a web browser window with the address bar showing `localhost:5678/workflow/f2MqzmzWJJaBq4vuY/85b028?projectId=Usf16OEfrytzOyJR&uiContext=workflow_list`. The browser tabs include 'New tab', 'Petalnexus AI Automation Internship', 'Automated Lead Management', and 'http://localhost:5678/webhook-test'. The browser interface shows various icons and a search bar.

The main content area displays a workflow editor interface. The 'Code in JavaScript' node is selected, showing the following JavaScript code:

```
27  
28  
29 }  
30  
31 return [  
32 {  
33   json: {  
34     valid: true,  
35     ...lead  
36   }  
37 }  
38 ];
```

The 'OUTPUT' panel shows the result of the code execution, displaying a single item with the following data:

Field	Value
valid	true
name	Ali Khan
email	ali@example.com
company	ABC Solutions
service	AI Automation
# budget	150000

The workflow editor interface also shows the 'Webhook' node configuration, including headers and settings. The 'Webhook' node is configured with the following headers:

Header	Value
content-type	application/json
user-agent	PostmanRuntime/7.56.0
accept	*/*
cache-control	no-cache
postman-token	8647fec0-8f80-40ffa9be-e16740755a24
host	localhost:5678
accept-encoding	gzip, deflate, br
connection	keep-alive
content-length	140

Screenshot 3 of 9 — 3. Lead Processing & Scoring

Lead Processing Node — Output

The Lead Processing node normalizes the budget to a number, tags the lead status as "New", and stamps a processedAt timestamp. The lead (Ali Khan, budget 150000) is then scored by the Lead Scoring node, resulting in Score: 80 and Priority: High.

The screenshot displays a web browser window with a workflow editor. The browser's address bar shows the URL: `localhost:5678/workflow/f2MqzmzWJJBq4vuY/8fbbd1?projectId=Usf16OEfrytzOyJR&uiContext=workflow_list`. The workflow editor is titled "Code in JavaScript" and shows a list of steps on the left: "lead processing", "If", "Validate lead", and "Webhook". The "lead processing" step is selected, and its configuration is shown in the center. The configuration includes a "Parameters" tab with the following input parameters:

- valid: true
- name: Ali Khan
- email: ali@example.com
- company: ABC Solutions
- service: AI Automation
- budget: 150000
- leadStatus: New
- processedAt: 2026-08-15T08:05:24.092Z

The "JavaScript" tab shows the following code:

```
29 priority = "Low";
30 }
31
32 return [
33   {
34     json: {
35       ...$json,
36       score,
37       priority
38     }
39   }
40 ];
```

The "OUTPUT" tab on the right shows the output of the node, which is a single item with the following data:


- valid: true
- name: Ali Khan
- email: ali@example.com
- company: ABC Solutions
- service: AI Automation
- budget: 150000
- leadStatus: New
- processedAt: 2026-08-15T08:05:24.092Z
- score: 80
- priority: High

The Windows taskbar at the bottom shows the system clock as 1:07 AM on 8/15/2026, with a temperature of 32°C and a sunny weather forecast.

Screenshot 4 of 9 — 4. Full Workflow Execution

Workflow Canvas — End-to-End Run

The complete canvas view of the Automated Lead Management System after a successful execution (610ms). All nodes — Webhook, Validate Lead, If, Lead Processing, Lead Scoring, Route Lead (Switch), and the three routing branches — completed successfully.



Screenshot 5 of 9 — 5. High Priority Routing

Sales Notification Node — Gmail Config & Output

For High priority leads, the Route Lead switch sends the item to the Sales Notification Gmail node. It emails the sales inbox with the lead's full details, score, and priority so the team can follow up immediately.

The screenshot displays a web browser window with a workflow configuration interface. The browser's address bar shows the URL: `localhost:5678/workflow/f2MqzmzWJJaBq4vuY/d0f235?projectId=Usf16OEfrytzOyJR&uiContext=workflow_list`. The workflow configuration is for a 'Send a message' node, which is part of a 'route lead' step. The 'Parameters' tab is selected, showing the following input data:

Field	Value
valid	true
name	Ali Khan
email	ali@example.com
company	ABC Solutions
service	AI Automation
budget	150000
leadStatus	New
processedAt	2026-08-15T08:05:24.092Z
score	80
priority	High

The 'Parameters' tab also shows the following configuration for the 'Send a message' node:

- Credential: Gmail account
- Resource: Message
- Operation: Send
- To: musaddiqafiaz@gmail.com
- Subject: High Priority Lead - {{\$.name}}
- Email Type: Text

The 'OUTPUT' tab shows the result of the 'Send a message' step, which is a single item with the following data:


Field	Value
id	1a0047d241528c7f
threadId	1a0047d241528c7f
labelIds	[UNREAD, SENT, INBOX]

The bottom of the screenshot shows a Windows taskbar with the search bar, task view button, and several application icons. The system tray displays the date and time as 1:15 AM on 8/15/2026, along with the weather as 32°C Sunny.

Screenshot 6 of 9 — 6. High Priority Notification Received

Gmail Inbox — High Priority Lead Alert

The sales team receives the “High Priority Lead — Ali Khan” email in real time, containing the lead's name, email, company, service, budget, score (80), and priority (High), with an instruction to contact the lead ASAP.



Screenshot 7 of 9 — 7. Medium Priority Routing

Google Sheets — Automated Lead Management (Medium List)

Medium priority leads (e.g., Sara Ahmed — Web Development, budget 75000, score 50) are appended to the main Lead Database sheet with Status: New, ready for the sales team to review on their own schedule.

The screenshot displays a Google Sheet titled "Automated Lead Management" with the following data:

	A	B	C	D	E	F	G	H	I	J	K	L
	Name	Email	Company	Service	Budget	Score	Priority	Status	Created At			
1												
2	Sara Ahmed	sara@example.c	XYZ Company	Web Developme	75000	50	Medium	New	2026-08-15T08:38:52.741Z			
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												

The interface includes a menu bar (File, Edit, View, Insert, Format, Data, Tools, Extensions, Help), a toolbar with various editing tools, and a status bar at the bottom showing "Sheet1" and system information (32°C Sunny, 1:47 AM, 8/15/2026).

Screenshot 8 of 9 — 8. Low Priority Routing

Google Sheets — Lead Nurture List

Low priority leads (e.g., Usman Ali — Other service, budget 30000, score 20) are appended to the dedicated Lead Nurture List sheet with Follow Up: Yes, for inclusion in a long-term nurture campaign.

The screenshot shows a Google Sheet titled "Lead Nurture List" with the following data:

	A	B	C	D	E	F	G	H	I	J	K	L
1	Name	Email	Company	Service	Budget	Score	Priority	Follow Up	Created At			
2	Usman Ali	usman@example.com	Small Business	Other	30000	20	Low	Yes	2026-08-15T08:40:44.021Z			
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												

The interface includes a menu bar (File, Edit, View, Insert, Format, Data, Tools, Extensions, Help), a toolbar with various editing tools, and a status bar at the bottom showing "Sheet1" and system information (32°C Sunny, 1:46 AM, 8/15/2026).

Screenshot 9 of 9 — 9. Automatic Acknowledgment

Gmail — Acknowledgment Email Received by Lead

Regardless of priority tier, every valid lead automatically receives a “Thank you for contacting us” acknowledgment email confirming their request was received and will be reviewed by the team.

