

Lead Processing Workflow

New Lead → Webhook → Validate → API Lookup/Enrich → Save Lead →
Notify Sales Team


Intern Name	Musaddiqa Fiaz
University / Institute	Hazara University
Internship Domain	AI Automation
Mode	Online / Remote
Organization	Petalnex Pvt. Ltd.
Supervisor / Team Lead	Sohail Anwar

This document walks through each stage of the Lead Processing Workflow in order, with a screenshot of that stage actually running: an inbound webhook request, field validation, an external API enrichment lookup, the enriched record saved to Google Sheets, and the resulting notification email sent to the sales team.

1

Webhook — new lead received

A POST request is sent to the workflow's webhook endpoint (<http://localhost:5678/webhook-test/lead-processing>) with the lead's raw details in the JSON body. The workflow responds with confirmation that it started.



Postman request/response: name, email, phone, company and country submitted; workflow returns "Workflow was started".

Validate — required fields checked

The If node checks that email, company, and name are all present before the lead is allowed to continue to enrichment. A lead missing any of these is routed to the false branch instead.


The screenshot displays a web browser window with a workflow editor. The workflow is an 'If' node with the following configuration:

- INPUT:** Webhook (1 item)
- Parameters:** Headers (content-type: application/json, user-agent: PostmanRuntime/7.56.0, accept: */*, cache-control: no-cache, postman-token: 208e9aad-720a-40b4-9ba1-b1022c8c8d8c, host: localhost:5678, accept-encoding: gzip, deflate, br, connection: keep-alive)
- Conditions:** Three conditions are listed, all connected by 'AND':
 - Condition 1: `{{ $json.body.email }}` is not empty
 - Condition 2: `{{ $json.body.company }}` is not empty
 - Condition 3: `{{ $json.body.name }}` is not empty
- OUTPUT:** True Branch (1 item) shows the following data:
 - params: {}
 - query: {}
 - body: {name: Ali Khan, email: ali@gmail.com, phone: 03001234567, company: ABC Ltd, country: Pakistan, webhookUrl: http://localhost:5678/webhook-test/lead-processing, executionMode: test}

If node conditions (email / company / name all "is not empty") evaluated against the incoming webhook body, routed to the True Branch.

API lookup / enrich


The HTTP Request node calls the REST Countries API to enrich the lead with country data, returning structured details (common name, native name, alternates) for the submitted country.



HTTP Request node output: country lookup for "Pakistan" returning common/native/alternate names from the external API.

Save lead — written to the data store

The enriched record is appended as a new row in the "Lead Database" Google Sheet, combining the original webhook fields with the enrichment result and a status flag.



Node execution view: the row about to be appended, with Name, Email, Phone, Company, Country, API info and Status all populated.


The screenshot shows a Google Sheet titled "Lead Database" with the following data:

	A	B	C	D	E	F	G	H	I	J	K	L
	Name	Email	Phone	Company	Country	API info	Status					
1	Ali Khan	musaddiqafiaz@	3001234567	ABC Ltd	Pakistan	Pakistan	Sucess					
2	Ali Khan	ali@gmail.com	3001234567	ABC Ltd	Pakistan	Pakistan	Sucess					

Resulting Google Sheet: two leads saved with their enrichment data and a "Sucess" status.

Notify sales team

Once the lead is saved, a Gmail notification is sent to the sales inbox summarizing the new lead so the team can follow up immediately.



Received email: "New Lead Received" — name, email, company and country, sent automatically via n8n.