

Day 23

Multi-Tool Agents & MCP

Petalnexus AI Automation Internship — Deliverable Report

Contents Overview

- Objective & Tools
- Tool Routing & Safety Boundary
 - Employee Data Table
 - Test Cases
 - Workflow Architecture
 - Deliverables Checklist
 - Execution Screenshots

Table of Contents

Part A — Overview

3

1. Objective

3

2. Tools Used

3

3. Tool Routing

3

Part B — Data & Safety

5

4. Employee Data Table

5

5. Human Confirmation Boundary

5

Part C — Testing

6

6. Test Cases

6

Part D — Architecture & Deliverables

7

7. Workflow Architecture

7

8. Deliverables

7

Part E — Evidence

8

9. Execution Screenshots

8

Part A — Overview

1. Objective

The objective of this task was to extend an AI Agent by providing multiple tools and enabling it to select the appropriate tool according to the user's request. The agent was also given a safety boundary requiring human confirmation for sensitive actions.

2. Tools Used

2.1 Calculator

Performs mathematical calculations including addition, subtraction, multiplication, division, percentages, totals, averages, and other numerical operations.

```
User: What is 25% of 800?  
Agent: Uses Calculator  
Result: 200
```

2.2 HTTP Request / API Tool

Retrieves information from external APIs using HTTP requests. This tool is used when information needs to be obtained from an external API.

```
User: Get user information from the external API.  
Agent: Uses HTTP/API Tool  
Result: API data
```

2.3 Data Table / Data Store

Retrieves internal employee and business records stored in the employees data table. This tool is used for internal stored information and should not be used for external information or mathematical calculations.

```
User: Which department does Sara work in?  
Agent: Uses Data Table  
Result: Sara works in HR.
```

2.4 MCP Client Tool

Connects the AI Agent to a remote MCP server and allows the agent to use tools exposed by that MCP server.

```
User: Use the remote MCP tool.  
Agent: Uses MCP Client Tool  
Result: Response from MCP server
```

3. Tool Routing

The AI Agent was configured to select tools according to the user's request.

User Request	Selected Tool
Mathematical calculation	Calculator
External API information	HTTP/API
Internal employee data	Data Table
Remote MCP capability	MCP Client
Sensitive action	Human confirmation

Part B — Data & Safety

4. Employee Data Table

The **employees** table was created for testing the Data Store tool.

ID	Name	Department	Status
1	Ali	IT	Active
2	Sara	HR	Active
3	Hamza	Sales	Inactive
4	Ayesha	Marketing	Active
5	Usman	Finance	Active
6	Hira	IT	Inactive
7	Bilal	Sales	Active
8	Zainab	HR	Active
9	Ahmed	Finance	Inactive
10	Maryam	Marketing	Active

5. Human Confirmation Boundary

A safety boundary was added for sensitive actions.

Sensitive action: Deleting an employee record

The AI Agent must not automatically delete the record. Example:

```
User:
Delete employee ID 3.

Agent:
Employee ID 3 is Hamza from Sales.
Deleting this record is a sensitive action.
Do you want me to proceed?
```

The action can only proceed after explicit confirmation from the user.

Part C — Testing


6. Test Cases

#	Test Case	Input	Expected Tool	Expected Result / Behavior
1	Calculator	Calculate 125 x 48.	Calculator	6000
2	Percentage	Calculate 15% of 8500.	Calculator	1275
3	Data Store	Which department does Sara work in?	Data Table	HR
4	Active Employees	Which employees are currently active?	Data Table	List of active employees
5	HTTP/API	Get information from the external API.	HTTP/API Tool	API data returned
6	MCP	Use the remote MCP tool to check its availability.	MCP Client Tool	Response from MCP server
7	Sensitive Action	Delete employee ID 3.	—	Human confirmation required; no auto-delete

Part D — Architecture & Deliverables

7. Workflow Architecture

Simplified n8n workflow showing how the AI Agent routes requests to each connected tool.



8. Deliverables

Files and items submitted for this task:

```

Day23/
  day23_multi_tool_agent.json
  day23_mcp_server.json
  README.md
  Screenshots/
    calculator.png
    http_api.png
    data_table.png
    mcp_client.png
    human_confirmation.png
  
```

Final Checklist

- ✓ Multi-tool AI Agent
- ✓ HTTP/API tool
- ✓ MCP Client Tool
- ✓ Tool routing
- ✓ Multiple test cases
- ✓ Workflow JSON
- ✓ Calculator tool
- ✓ Data Store / Data Table
- ✓ Tool descriptions
- ✓ Human confirmation boundary
- ✓ Screenshots
- ✓ README

Part E — Evidence

9. Execution Screenshots

Execution evidence captured from the n8n workflow.

This screenshot shows the n8n workflow editor and execution logs for a workflow titled "Day 23 - Multi Tool AI Agent". The workflow starts with a trigger "When chat message received", followed by an "AI Agent" node. The AI Agent is connected to a "Grok Chat Model" node, which then connects to a "Calculator" tool node. The "Calculator" tool node is connected to an "MCP Client" node. The execution logs show the AI Agent successfully processing the input "What is 15% of 8,500?" and returning the output "15% of 8,500 is 1,275".

Workflow Diagram:

- When chat message received (Trigger)
- AI Agent (Agent)
- Grok Chat Model (Model)
- Calculator (Tool)
- MCP Client (Client)

Execution Logs:

Session	Action	Input	Output
7d28f...	sendMessage	What is 15% of 8,500?	15% of 8,500 is 1,275

Calculator tool — percentage calculation test (15% of 8,500 = 1,275).

This screenshot shows the n8n workflow editor and execution logs for the same workflow. The workflow starts with a trigger "When chat message received", followed by an "AI Agent" node. The AI Agent is connected to a "Grok Chat Model" node, which then connects to a "Data Table" tool node. The "Data Table" tool node is connected to an "MCP Client" node. The execution logs show the AI Agent successfully processing the input "Sara works in the IT department." and returning the output "Sara works in the IT department".

Workflow Diagram:

- When chat message received (Trigger)
- AI Agent (Agent)
- Grok Chat Model (Model)
- Data Table (Tool)
- MCP Client (Client)

Execution Logs:

Session	Action	Input	Output
434f8...	sendMessage	Sara works in the IT department.	Sara works in the IT department.

Data Table tool — internal lookup test (Sara's department returned as IT).

The screenshot displays the n8n workflow editor for a workflow titled "Day 23 - Multi Tool AI Agent". The workflow is configured with the following steps:

- When chat message received**: Trigger event.
- AI Agent**: Main processing node.
- Groq Chat Model**: Connected to the AI Agent.
- Calculator**: Connected to the AI Agent.
- HTTP Request**: Connected to the AI Agent.
- Insert row in Data table**: Connected to the AI Agent.

The chat window shows the following interaction:

Session: 434f8...
make the request and bring the data back for you. Let me know!

Success... 530 ...
When chat...
AI Ag...
Groq...

INPUT: 1 item
T sessionId 434f8acfc34d444fad5d928c5abbf4f6
T chatinput Get the user data from the external API.

OUTPUT: 1 item
output Sure! I can retrieve the user data for you, but I'll need a bit more information to call the correct API endpoint. **API endpoint** (or the name of the service you want to connect) ... ? Any authentication details? (e.g. API key, token, etc.)

HTTP/API tool — insert-row request routed correctly, awaiting external API details.

The screenshot displays the n8n workflow editor for the same workflow. The chat window shows the following interaction:

Session: 434f8...
deletion.
How can I assist you today?

Success... 510 ...
When chat...
AI Ag...
Groq...

INPUT: 1 item
T action sendMessage
T sessionId 434f8acfc34d444fad5d928c5abbf4f6
T chatinput Delete

OUTPUT: 1 item
output Got it. I'll follow that procedure for any request to delete an employee record: I'll first identify the record that would be affected, let you know which one it is, and then ask you for explicit confirmation before.

Human confirmation boundary — agent confirms before proceeding with a deletion.