

# Package ‘nandb’

October 6, 2018

**Type** Package

**Title** Number and Brightness Image Analysis

**Version** 1.0.1

**Maintainer** Rory Nolan <rorynolan@gmail.com>

**URL** <https://github.com/rorynolan/nandb>

**BugReports** <https://github.com/rorynolan/nandb/issues>

**Description** Functions for calculation of molecular number and brightness from images, as detailed in Digman et al. 2008 <doi:10.1529/biophysj.107.114645>.

**License** BSD\_3\_clause + file LICENSE

**LazyData** TRUE

**LinkingTo** Rcpp

**Imports** Rcpp, filestrings (>= 2.2.0), magrittr, autothresholdr (>= 1.2.0), dplyr, stringr, purrr, checkmate, detrendr (>= 0.5.0),  
ijtiff (>= 1.1.0), rlang, stats, MASS

**RoxygenNote** 6.0.1

**Suggests** knitr, rmarkdown, covr, testthat, tidyverse, abind

**VignetteBuilder** knitr

**NeedsCompilation** yes

**Author** Rory Nolan [aut, cre, cph],  
Luis Alvarez [ctb],  
Sergi Padilla-Parra [ctb, ths, cph]

**Repository** CRAN

**Date/Publication** 2018-05-08 15:26:39 UTC

## R topics documented:

brightness . . . . .	2
brightness_folder . . . . .	3
brightness_timeseries . . . . .	4
brightness_timeseries_folder . . . . .	6
cc-nb-img-classes . . . . .	7
cc-nb-ts-img-classes . . . . .	8
cc_brightness . . . . .	9

cc_brightness_folder . . . . .	10
cc_brightness_timeseries . . . . .	11
cc_brightness_timeseries_folder . . . . .	13
cc_number . . . . .	14
cc_number_folder . . . . .	15
cc_number_timeseries . . . . .	16
cc_number_timeseries_folder . . . . .	17
cross_var . . . . .	19
cross_var_pillars . . . . .	20
median_filter . . . . .	20
nandb . . . . .	21
nb-img-classes . . . . .	22
nb-ts-img-classes . . . . .	23
number . . . . .	24
number_folder . . . . .	25
number_timeseries . . . . .	26
number_timeseries_folder . . . . .	28

<b>Index</b>	<b>30</b>
--------------	-----------

---

brightness	<i>Calculate brightness from image series.</i>
------------	--

---

## Description

Given a time stack of images, `brightness()` performs a calculation of the brightness for each pixel.

## Usage

```
brightness(img, def, tau = NULL, thresh = NULL, filt = NULL,
           correct = FALSE, s = 1, offset = 0, readout_noise = 0,
           parallel = FALSE)
```

## Arguments

<code>img</code>	A 4-dimensional array in the style of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, channel, frame]</code> ) or a 3-dimensional array which is a single channel of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, frame]</code> ).
<code>def</code>	A character. Which definition of brightness do you want to use, "B" or "epsilon"?
<code>tau</code>	The <i>tau</i> parameter for <i>exponential filtering</i> detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
<code>thresh</code>	The threshold or thresholding method (see <a href="#">autothreshldr::mean_stack_thresh()</a> ) to use on the image prior to detrending and brightness calculations.
<code>filt</code>	Do you want to smooth ( <code>filt = 'mean'</code> ) or median ( <code>filt = 'median'</code> ) filter the number image using <a href="#">smooth_filter()</a> or <a href="#">median_filter()</a> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option <code>na_count = TRUE</code> . If you want to smooth/median filter the number image in a

	different way, first calculate the numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
<code>correct</code>	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the <code>tau</code> parameter.
<code>s</code>	A number. The <i>S</i> -factor of microscope acquisition.
<code>offset</code>	Microscope acquisition parameters. See reference Dalal et al.
<code>readout_noise</code>	Microscope acquisition parameters. See reference Dalal et al.
<code>parallel</code>	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

### Value

A matrix, the brightness image.

### References

Digman MA, Dalal R, Horwitz AF, Gratton E. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. *Biophysical Journal*. 2008;94(6):2320-2332. doi: [10.1529/biophysj.107.114645](https://doi.org/10.1529/biophysj.107.114645).

Dalal, RB, Digman, MA, Horwitz, AF, Vetri, V, Gratton, E (2008). Determination of particle number and brightness using a laser scanning confocal microscope operating in the analog mode. *Microsc. Res. Tech.*, 71, 1:69-81. doi: [10.1002/jemt.20526](https://doi.org/10.1002/jemt.20526).

Hur K-H, Macdonald PJ, Berk S, Angert CI, Chen Y, Mueller JD (2014) Quantitative Measurement of Brightness from Living Cells in the Presence of Photodepletion. *PLoS ONE* 9(5): e97440. doi: [10.1371/journal.pone.0097440](https://doi.org/10.1371/journal.pone.0097440).

### Examples

```
img <- ijttiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijttiff::display(img[, , 1, 1])
b <- brightness(img, "e", tau = NA, thresh = "Huang")
b <- brightness(img, "B", tau = 10, thresh = "tri")
```

---

brightness_folder	<i>Brightness calculations for every image in a folder.</i>
-------------------	---

---

### Description

Perform `brightness()` calculations on all tif images in a folder and save the resulting brightness images to disk.

### Usage

```
brightness_folder(folder_path = ".", def, tau = NULL, thresh = NULL,
  filt = NULL, correct = FALSE, s = 1, offset = 0, readout_noise = 0,
  parallel = FALSE)
```

**Arguments**

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of brightness do you want to use, "B" or "epsilon"?
tau	The <i>tau</i> parameter for <i>exponential filtering</i> detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
thresh	The threshold or thresholding method (see <a href="#">autothreshldr::mean_stack_thresh()</a> ) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using <a href="#">smooth_filter()</a> or <a href="#">median_filter()</a> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
s	A number. The <i>S</i> -factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

**See Also**

[number\(\)](#)

**Examples**

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img1.tif')
ijtiff::write_tif(img, 'img2.tif')
brightness_folder(def = "B", tau = NA, thresh = "Huang", parallel = 2)

## End(Not run)
```

---

brightness\_timeseries *Create a brightness time-series.*

---

**Description**

Given a stack of images `img`, use the first `frames_per_set` of them to create one brightness image, the next `frames_per_set` of them to create the next brightness image and so on to get a time-series of brightness images.

## Usage

```
brightness_timeseries(img, def, frames_per_set, tau = NULL, thresh = NULL,
    filt = NULL, correct = FALSE, s = 1, offset = 0, readout_noise = 0,
    parallel = FALSE)
```

## Arguments

img	A 4-dimensional array in the style of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, channel, frame]</code> ) or a 3-dimensional array which is a single channel of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, frame]</code> ).
def	A character. Which definition of brightness do you want to use, "B" or "epsilon"?
frames_per_set	The number of frames with which to calculate the successive brightnesses. This may discard some images, for example if 175 frames are in the input and <code>frames_per_set = 50</code> , then the last 25 are discarded. If bleaching correction is selected, it is performed on the whole image stack before the sectioning is done for calculation of numbers.
tau	The <i>tau</i> parameter for <i>exponential filtering</i> detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
thresh	The threshold or thresholding method (see <a href="#">autothresholdr::mean_stack_thresh()</a> ) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth ( <code>filt = 'mean'</code> ) or median ( <code>filt = 'median'</code> ) filter the number image using <a href="#">smooth_filter()</a> or <a href="#">median_filter()</a> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option <code>na_count = TRUE</code> . If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
s	A number. The <i>S</i> -factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

## Value

An object of class [brightness\\_ts\\_img](#).

- If `img` is 3-dimensional (i.e. 1-channel), a 3-dimensional array `arr` is returned with `arr[y, x, t]` being pixel  $(x, y)$  of the  $t$ th brightness image in the brightness time series.
- If `img` is 4-dimensional (i.e. 2-channel), a 4-dimensional array `arr` is returned with `arr[y, x, c, t]` being pixel  $(x, y)$  of the  $c$ th channel of the  $t$ th brightness image in the brightness time series.

**See Also**

[brightness\(\)](#).

**Examples**

```
img <- ijttiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
bts <- brightness_timeseries(img, "e", frames_per_set = 20,
                             tau = NA, thresh = "Huang", parallel = 2)
```

---

brightness\_timeseries\_folder

*Brightness time-series calculations for every image in a folder.*

---

**Description**

Perform [brightness\\_timeseries\(\)](#) calculations on all tif images in a folder and save the resulting number images to disk.

**Usage**

```
brightness_timeseries_folder(folder_path = ".", def, frames_per_set,
                             tau = NULL, thresh = NULL, filt = NULL, correct = FALSE, s = 1,
                             offset = 0, readout_noise = 0, parallel = FALSE)
```

**Arguments**

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of brightness do you want to use, "B" or "epsilon"?
frames_per_set	The number of frames with which to calculate the successive brightnesses. This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching correction is selected, it is performed on the whole image stack before the sectioning is done for calculation of numbers.
tau	The <i>tau</i> parameter for <i>exponential filtering</i> detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
thresh	The threshold or thresholding method (see <a href="#">autothresholdr::mean_stack_thresh()</a> ) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using <a href="#">smooth_filter()</a> or <a href="#">median_filter()</a> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.

s	A number. The $S$ -factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

### See Also

[brightness\\_timeseries\(\)](#)

### Examples

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img1.tif')
ijtiff::write_tif(img, 'img2.tif')
brightness_timeseries_folder(def = "e", tau = NA, thresh = "Huang",
                             frames_per_set = 20, parallel = 2)

## End(Not run)
```

---

cc-nb-img-classes	<i>Cross-correlated number and brightness image classes.</i>
-------------------	--

---

### Description

The `cc_number_img` and `cc_brightness_img` classes are designed to hold objects which are images calculated from the *cross-correlated number and brightness* technique.

### Usage

```
cc_number_img(img, thresh, tau, filt)

cc_brightness_img(img, thresh, tau, filt)
```

### Arguments

img	The calculated cross-correlated number or brightness image.
thresh	A positive integer, possibly an object of class <a href="#">autothresholdr::th</a> . If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class <a href="#">autothresholdr::th</a> ), one element for each channel.
tau	A positive number with an attribute <code>auto</code> . If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes <code>auto</code> ), one element for each channel.
filt	A string, the filtering method used. Must be either <code>"mean"</code> or <code>"median"</code> , or <code>NA</code> for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

## Details

An object of class `cc_number_img` or `cc_brightness_img` is a 4-dimensional array of real numbers in the mould of an `ijtiff_img` (indexed as `img[y, x, channel, frame]`) with 3 attributes:

`thresh` A positive integer, possibly an object of class `autothreshldr::th` detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).

`tau` A positive number indicating the tau parameter used for detrending with an attribute `auto` which is a logical indicating whether or not the tau parameter was chosen automatically.

`filt` Was mean or median filtering used in postprocessing?

## Value

An object of class `cc_number_img` or `cc_brightness_img`.

---

`cc-nb-ts-img-classes`    *Cross-correlated number and brightness time series image classes.*

---

## Description

The `cc_number_ts_img` and `cc_brightness_ts_img` classes are designed to hold objects which are images calculated from the *cross-correlated number and brightness* technique.

## Usage

```
cc_number_ts_img(img, frames_per_set, thresh, tau, filt)
```

```
cc_brightness_ts_img(img, frames_per_set, thresh, tau, filt)
```

## Arguments

<code>img</code>	The calculated cross-correlated number or brightness time series image series.
<code>frames_per_set</code>	The number of frames used in the calculation of each point in the cross-correlated number or brightness time series.
<code>thresh</code>	A positive integer, possibly an object of class <code>autothreshldr::th</code> . If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class <code>autothreshldr::th</code> ), one element for each channel.
<code>tau</code>	A positive number with an attribute <code>auto</code> . If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes <code>auto</code> ), one element for each channel.
<code>filt</code>	A string, the filtering method used. Must be either "mean" or "median", or NA for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.



## Details

An object of class `cc_number_ts_img` or `cc_brightness_ts_img` is a 4-dimensional array of real numbers in the mould of an [ijtiff\\_img](#) with 3 attributes:

**thresh** A positive integer, possibly an object of class [autothreshdr::th](#) detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).

**tau** A positive number indicating the tau parameter used for detrending with an attribute `auto` which is a logical indicating whether or not the tau parameter was chosen automatically (in the multi-channel case, one tau per channel is given).

**frames\_per\_set** A positive integer detailing how many frames were used in the calculation of each point in the number or brightness time series.

## Value

An object of class `cc_number_ts_img` or `cc_brightness_ts_img`.

## See Also

[cc\\_number\\_timeseries\(\)](#), [cc\\_brightness\\_timeseries\(\)](#).

---

cc_brightness	<i>Cross-correlated brightness.</i>
---------------	-------------------------------------

---

## Description

Given a time stack of images and two channels, calculate the cross-correlated brightness of those two channels for each pixel.

## Usage

```
cc_brightness(img, ch1 = 1, ch2 = 2, tau = NULL, thresh = NULL,
             filt = NULL, parallel = FALSE)
```

## Arguments

<b>img</b>	A 4-dimensional array in the style of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, channel, time]</code> ). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
<b>ch1</b>	A natural number. The index of the first channel to use.
<b>ch2</b>	A natural number. The index of the second channel to use.
<b>tau</b>	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <a href="#">detrendr::img_detrend_exp()</a> with parameter <code>tau</code> . If this is set to 'auto', then the value of <code>tau</code> is calculated automatically via <a href="#">detrendr::best_tau()</a> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, <code>tau[[1]]</code> is used to detrend <code>ch1</code> and <code>tau[[2]]</code> is used to detrend <code>ch2</code> .

thresh	Do you want to apply an intensity threshold prior to calculating <code>cc_brightness</code> (via <code>autothreshldr::mean_stack_thresh()</code> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth ( <code>filt = 'smooth'</code> ) or median ( <code>filt = 'median'</code> ) filter the cross-correlated brightness image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option <code>na_count = TRUE</code> . A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

### Value

A numeric matrix, the cross-correlated brightness image.

### Examples

```
img <- ijttiff::read_tif(system.file("extdata", "two_ch.tif",
                                   package = "nandb"))
ijttiff::display(detrendr::mean_pillars(img[, , 1, ]))
ijttiff::display(detrendr::mean_pillars(img[, , 2, ]))
b <- brightness(img, def = "e", thresh = "Huang", filt = "median")
ijttiff::display(b[, , 1, 1])
ijttiff::display(b[, , 2, 1])
cc_b <- cc_brightness(img, tau = "auto", thresh = "Huang")
ijttiff::display(cc_b[, , 1, 1])
```

---

`cc_brightness_folder`    *Cross-correlated brightness calculations for every image in a folder.*

---

### Description

Perform `cc_brightness()` calculations on all TIFF images in a folder and save the resulting images to disk.

### Usage

```
cc_brightness_folder(folder_path = ".", ch1 = 1, ch2 = 2, tau = NULL,
                    thresh = NULL, filt = NULL, parallel = FALSE)
```

### Arguments

<code>folder_path</code>	The path (relative or absolute) to the folder you wish to process.
<code>ch1</code>	A natural number. The index of the first channel to use.
<code>ch2</code>	A natural number. The index of the second channel to use.

tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <code>detrendr::img_detrend_exp()</code> with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via <code>detrendr::best_tau()</code> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_brightness (via <code>autothresholdr::mean_stack_thresh()</code> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated brightness image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

## Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_brightness_folder()
list.files()

## End(Not run)
```

---

cc\_brightness\_timeseries

*Create a cross-correlated brightness time-series.*

---

## Description

Given a stack of images img, use the first frames\_per\_set of them to create one cross-correlated brightness image, the next frames\_per\_set of them to create the next and so on to get a time-series of cross-correlated brightness images.

## Usage

```
cc_brightness_timeseries(img, frames_per_set, ch1 = 1, ch2 = 2, tau = NA,
  thresh = NULL, filt = NULL, parallel = FALSE)
```

**Arguments**

<code>img</code>	A 4-dimensional array in the style of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, channel, time]</code> ). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
<code>frames_per_set</code>	The number of frames with which to calculate the successive cross-correlated brightnesses.  This may discard some images, for example if 175 frames are in the input and <code>frames_per_set = 50</code> , then the last 25 are discarded. If bleaching or/and thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated brightnesses.
<code>ch1</code>	A natural number. The index of the first channel to use.
<code>ch2</code>	A natural number. The index of the second channel to use.
<code>tau</code>	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <a href="#">detrendr::img_detrend_exp()</a> with parameter <code>tau</code> . If this is set to 'auto', then the value of <code>tau</code> is calculated automatically via <a href="#">detrendr::best_tau()</a> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, <code>tau[[1]]</code> is used to detrend <code>ch1</code> and <code>tau[[2]]</code> is used to detrend <code>ch2</code> .
<code>thresh</code>	Do you want to apply an intensity threshold prior to calculating <code>cc_brightness</code> (via <a href="#">autothresholdr::mean_stack_thresh()</a> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
<code>filt</code>	Do you want to smooth ( <code>filt = 'smooth'</code> ) or median ( <code>filt = 'median'</code> ) filter the cross-correlated brightness image using <a href="#">smooth_filter()</a> or <a href="#">median_filter()</a> respectively? If selected, these are invoked here with a filter radius of 1 and with the option <code>na_count = TRUE</code> . A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
<code>parallel</code>	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

**Value**

An array where the *i*th slice is the *i*th cross-correlated brightness image.

**See Also**

[brightness\(\)](#).

**Examples**

```
img <- ijtiff::read_tif(system.file('extdata', 'two_ch.tif',
                                   package = 'nandb'))
cc_bts <- cc_brightness_timeseries(img, 10, thresh = "Huang",
                                   filt = 'median', parallel = 2)
ijtiff::display(cc_bts[, , 1, 1])
```

---

cc\_brightness\_timeseries\_folder

*Cross-correlated brightness time-series calculations for every image in a folder.*

---

## Description

Perform `cc_brightness_timeseries()` calculations on all tif images in a folder and save the resulting images to disk.

## Usage

```
cc_brightness_timeseries_folder(folder_path = ".", frames_per_set, ch1 = 1,
                                ch2 = 2, tau = NULL, thresh = NULL, filt = NULL, parallel = FALSE)
```

## Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
frames_per_set	The number of frames with which to calculate the successive cross-correlated brightnesses.  This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching or/and thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated brightnesses.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <code>detrendr::img_detrend_exp()</code> with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via <code>detrendr::best_tau()</code> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_brightness (via <code>autothresholdr::mean_stack_thresh()</code> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated brightness image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

**See Also**

[cc\\_brightness\\_timeseries\(\)](#)

**Examples**

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_brightness_timeseries_folder(frames_per_set = 25)
list.files()

## End(Not run)
```

---

cc\_number

*Cross-correlated number.*


---

**Description**

Given a time stack of images and two channels, calculate the cross-correlated number of those two channels for each pixel.

**Usage**

```
cc_number(img, ch1 = 1, ch2 = 2, tau = NULL, thresh = NULL,
          filt = NULL, parallel = FALSE)
```

**Arguments**

img	A 4-dimensional array in the style of an <a href="#">ijtiff_img</a> (indexed by <code>img[y, x, channel, time]</code> ). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <a href="#">detrendr::img_detrend_exp()</a> with parameter <code>tau</code> . If this is set to 'auto', then the value of <code>tau</code> is calculated automatically via <a href="#">detrendr::best_tau()</a> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, <code>tau[[1]]</code> is used to detrend <code>ch1</code> and <code>tau[[2]]</code> is used to detrend <code>ch2</code> .
thresh	Do you want to apply an intensity threshold prior to calculating <code>cc_number</code> (via <a href="#">autothresholdr::mean_stack_thresh()</a> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.

filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option <code>na_count = TRUE</code> . A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

### Value

A numeric matrix, the cross-correlated number image.

### Examples

```
img <- ijrtiff::read_tif(system.file("extdata", "two_ch.tif",
                                   package = "nandb"))
ijrtiff::display(detrendr::mean_pillars(img[, , 1, ]))
ijrtiff::display(detrendr::mean_pillars(img[, , 2, ]))
n <- number(img, def = "n", thresh = "Huang", filt = "median")
ijrtiff::display(n[, , 1, ])
ijrtiff::display(n[, , 2, ])
cc_n <- cc_number(img, tau = "auto", thresh = "Huang")
ijrtiff::display(cc_n[, , 1, ])
```

---

cc_number_folder	<i>Cross-correlated number calculations for every image in a folder.</i>
------------------	--

---

### Description

Perform `cc_number()` calculations on all TIFF images in a folder and save the resulting images to disk.

### Usage

```
cc_number_folder(folder_path = ".", ch1 = 1, ch2 = 2, tau = NULL,
                 thresh = NULL, filt = NULL, parallel = FALSE)
```

### Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <code>detrendr::img_detrend_exp()</code> with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via <code>detrendr::best_tau()</code> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, <code>tau[[1]]</code> is used to detrend ch1 and <code>tau[[2]]</code> is used to detrend ch2.

thresh	Do you want to apply an intensity threshold prior to calculating cc_number (via <code>autothresholdr::mean_stack_thresh()</code> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth ( <code>filt = 'smooth'</code> ) or median ( <code>filt = 'median'</code> ) filter the cross-correlated number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option <code>na_count = TRUE</code> . A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

### Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_number_folder()
list.files()

## End(Not run)
```

---

cc\_number\_timeseries    *Create a cross-correlated number time-series.*

---

### Description

Given a stack of images `img`, use the first `frames_per_set` of them to create one cross-correlated number image, the next `frames_per_set` of them to create the next and so on to get a time-series of cross-correlated number images.

### Usage

```
cc_number_timeseries(img, frames_per_set, ch1 = 1, ch2 = 2, tau = NA,
  thresh = NULL, filt = NULL, parallel = FALSE)
```

### Arguments

<code>img</code>	A 4-dimensional array in the style of an <code>ijtiff_img</code> (indexed by <code>img[y, x, channel, time]</code> ). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
<code>frames_per_set</code>	The number of frames with which to calculate the successive cross-correlated numbers.  This may discard some images, for example if 175 frames are in the input and <code>frames_per_set = 50</code> , then the last 25 are discarded. If bleaching or/and



	thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated numbers.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <code>detrendr::img_detrend_exp()</code> with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via <code>detrendr::best_tau()</code> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_number (via <code>autothresholdr::mean_stack_thresh()</code> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

**Value**

An array where the *i*th slice is the *i*th cross-correlated number image.

**See Also**

`number()`.

**Examples**

```
img <- ijttiff::read_tif(system.file('extdata', 'two_ch.tif',
                                   package = 'nandb'))
cc_nts <- cc_number_timeseries(img, 10, thresh = "Huang",
                              filt = 'median', parallel = 2)
ijttiff::display(cc_nts[, , 1, 1])
```

---

cc\_number\_timeseries\_folder

*Cross-correlated number time-series calculations for every image in a folder.*

---

## Description

Perform `cc_number_timeseries()` calculations on all tif images in a folder and save the resulting images to disk.

## Usage

```
cc_number_timeseries_folder(folder_path = ".", frames_per_set, ch1 = 1,
    ch2 = 2, tau = NULL, thresh = NULL, filt = NULL, parallel = FALSE)
```

## Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
frames_per_set	The number of frames with which to calculate the successive cross-correlated numbers.  This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching or/and thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated numbers.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with <code>detrendr::img_detrend_exp()</code> with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via <code>detrendr::best_tau()</code> . If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_number (via <code>autothresholdr::mean_stack_thresh()</code> )? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

## See Also

`cc_number_timeseries()`

## Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_number_timeseries_folder(frames_per_set = 25)
list.files()

## End(Not run)
```

---

cross\_var

*Calculate the cross-variance of two vectors.*

---

## Description

The cross-variance function is defined in the reference.

## Usage

```
cross_var(x, y)
```

## Arguments

x	A numeric vector.
y	A numeric vector with the same length as x.

## Value

A number

## References

Digman, MA, Wiseman, PW, Choi, C, Horwitz, AR, Gratton, E (2009). Stoichiometry of molecular complexes at adhesions in living cells. Proc. Natl. Acad. Sci. U.S.A., 106, 7:2170-5.

## Examples

```
cross_var(0:3, 2:5)
```

---

cross_var_pillars	<i>Calculate the cross-variance of corresponding pillars of 3d arrays.</i>
-------------------	--

---

### Description

The cross-variance function is defined in the reference.

### Usage

```
cross_var_pillars(x, y)
```

### Arguments

x	A 3-dimensional array.
y	A 3-dimensional array with the same dimensions as x.

### Details

Pillar *i*, *j* of the 3-dimensional array *arr* is `arr[i, j, ]`.

### Value

A matrix.

### Examples

```
x <- array(1:27, dim = rep(3, 3))
y <- array(0:26, dim = rep(3, 3))
cross_var_pillars(x, y)
```

---

median_filter	<i>Smooth and median filters with options for handling NAs.</i>
---------------	---

---

### Description

These are alternatives to `EImage::filter2()` and `EImage::medianFilter()` for smooth and median filtering respectively. These functions have many options for dealing with NA values which `EImage`'s functions lack.

### Usage

```
median_filter(mat, size = 1L, na_rm = FALSE, na_count = FALSE)

smooth_filter(mat, size = 1L, na_rm = FALSE, na_count = FALSE)
```

## Arguments

mat	A matrix (representing an image).
size	An integer; the median filter radius.
na_rm	Should NAs be ignored?
na_count	If this is TRUE, in each median calculation, if the majority of arguments are NAs, NA is returned but if the NAs are in the minority, they are ignored as in <code>median(x, na.rm = TRUE)</code> .

## Details

The behavior at image boundaries is such as the source image has been padded with pixels whose values equal the nearest border pixel value.

## Value

A matrix (the median filtered image).

## Examples

```
m <- matrix(1:9, nrow = 3)
m[2:3, 2:3] <- NA
print(m)
median_filter(m)
median_filter(m, na_rm = TRUE)
median_filter(m, na_count = TRUE)

smooth_filter(m)
smooth_filter(m, na_rm = TRUE)
smooth_filter(m, na_count = TRUE)
```

---

nandb

*nandb: Number and brightness in R.*

---

## Description

The nandb package gives functions for calculation of molecular number and brightness from images, as detailed in Digman et al. 2008. It comes with an implementation of the novel 'automatic detrending' technique.

## References

Digman MA, Dalal R, Horwitz AF, Gratton E. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. Biophysical Journal. 2008;94(6):2320-2332. doi: [10.1529/biophysj.107.114645](https://doi.org/10.1529/biophysj.107.114645).

---

nb-img-classes

*Number and brightness image classes.*


---

### Description

The `number_img` and `brightness_img` classes are designed to hold objects which are images calculated from the *number* and *brightness* technique.

### Usage

```
number_img(img, def, thresh, tau, filt)
```

```
brightness_img(img, def, thresh, tau, filt)
```

### Arguments

<code>img</code>	The calculated number or brightness image.
<code>def</code>	The number or brightness definition used.
<code>thresh</code>	A positive integer, possibly an object of class <code>autothresholdr::th</code> . If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class <code>autothresholdr::th</code> ), one element for each channel.
<code>tau</code>	A positive number with an attribute <code>auto</code> . If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes <code>auto</code> ), one element for each channel.
<code>filt</code>	A string, the filtering method used. Must be either "mean" or "median", or NA for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

### Details

An object of class `number_img` or `brightness_img` is a 4-dimensional array of real numbers in the mould of an `ijtiff_img` (indexed as `img[y, x, channel, frame]`) with 4 attributes:

`def` Are we using the "N" or "n" definition of number, or the "B" or "epsilon" definition of brightness?

`thresh` A positive integer, possibly an object of class `autothresholdr::th` detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).

`tau` A positive number indicating the tau parameter used for detrending with an attribute `auto` which is a logical indicating whether or not the tau parameter was chosen automatically.

`filt` Was mean or median filtering used in postprocessing?

### Value

An object of class `number_img` or `brightness_img`.

---

nb-ts-img-classes	<i>Number and brightness time series image classes.</i>
-------------------	---

---

## Description

The `number_ts_img` and `brightness_ts_img` classes are designed to hold objects which are images calculated from the *number and brightness* technique.

## Usage

```
number_ts_img(img, def, frames_per_set, thresh, tau, filt)
```

```
brightness_ts_img(img, def, frames_per_set, thresh, tau, filt)
```

## Arguments

<code>img</code>	The calculated number or brightness time series image series.
<code>def</code>	The number or brightness definition used.
<code>frames_per_set</code>	The number of frames used in the calculation of each point in the number or brightness time series.
<code>thresh</code>	A positive integer, possibly an object of class <code>autothreshldr::th</code> . If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class <code>autothreshldr::th</code> ), one element for each channel.
<code>tau</code>	A positive number with an attribute <code>auto</code> . If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes <code>auto</code> ), one element for each channel.
<code>filt</code>	A string, the filtering method used. Must be either "mean" or "median", or NA for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

## Details

An object of class `number_ts_img` or `brightness_ts_img` is a 3- or 4-dimensional array of real numbers with 4 attributes:

<code>def</code>	Are we using the "N" or "n" definition of number, or the "B" or "epsilon" definition of brightness?
<code>thresh</code>	A positive integer, possibly an object of class <code>autothreshldr::th</code> detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).
<code>tau</code>	A positive number indicating the tau parameter used for detrending with an attribute <code>auto</code> which is a logical indicating whether or not the tau parameter was chosen automatically (in the multi-channel case, one tau per channel is given).
<code>frames_per_set</code>	A positive integer detailing how many frames were used in the calculation of each point in the number or brightness time series.

## Value

An object of class `number_ts_img` or `brightness_ts_img`.

**See Also**

[number\\_timeseries\(\)](#), [brightness\\_timeseries\(\)](#).

---

number	<i>Calculate number from image series.</i>
--------	--

---

**Description**

Given a time stack of images, `number()` performs a calculation of the number for each pixel.

**Usage**

```
number(img, def, tau = NULL, thresh = NULL, filt = NULL,
       correct = FALSE, s = 1, offset = 0, readout_noise = 0, gamma = 1,
       parallel = FALSE)
```

**Arguments**

img	A 4-dimensional array of images indexed by <code>img[y, x, channel, frame]</code> (an object of class <code>ijtiff::ijtiff_img</code> ). The image to perform the calculation on. To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
def	A character. Which definition of number do you want to use, "n" or "N"?
tau	The exponential detrending parameter to be passed to <code>detrendr::img_detrend_exp()</code> . This can be a positive number or "auto". Default is no detrending.
thresh	The threshold or thresholding method (see <code>autothresholdr::mean_stack_thresh()</code> ) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth ( <code>filt = 'mean'</code> ) or median ( <code>filt = 'median'</code> ) filter the number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option <code>na_count = TRUE</code> . If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
s	A number. The <i>S</i> -factor of microscope acquisition.
offset, readout_noise	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number <i>n</i> due to the illumination profile. The default ( <code>gamma = 1</code> ) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with <code>gamma = 0.5</code> is two times the result with <code>gamma = 1</code> . For a Gaussian illumination profile, use <code>gamma = 0.3536</code> ; for a Gaussian-Lorentzian illumination profile, use <code>gamma = 0.0760</code> .
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .



**Value**

A matrix, the number image.

**References**

Digman MA, Dalal R, Horwitz AF, Gratton E. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. Biophysical Journal. 2008;94(6):2320-2332. doi: [10.1529/biophysj.107.114645](https://doi.org/10.1529/biophysj.107.114645).

Dalal, RB, Digman, MA, Horwitz, AF, Vetri, V, Gratton, E (2008). Determination of particle number and brightness using a laser scanning confocal microscope operating in the analog mode. Microsc. Res. Tech., 71, 1:69-81. doi: [10.1002/jemt.20526](https://doi.org/10.1002/jemt.20526).

Hur K-H, Macdonald PJ, Berk S, Angert CI, Chen Y, Mueller JD (2014) Quantitative Measurement of Brightness from Living Cells in the Presence of Photodepletion. PLoS ONE 9(5): e97440. doi: [10.1371/journal.pone.0097440](https://doi.org/10.1371/journal.pone.0097440).

**Examples**

```
img <- ijttiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijttiff::display(img[, , 1, 1])
num <- number(img, "N", tau = NA, thresh = "Huang")
num <- number(img, "n", tau = 10, thresh = "tri")
```

---

number\_folder

*Number calculations for every image in a folder.*

---

**Description**

Perform `number()` calculations on all tif images in a folder and save the resulting number images to disk.

**Usage**

```
number_folder(folder_path = ".", def, tau = NULL, thresh = NULL,
  filt = NULL, s = 1, offset = 0, readout_noise = 0, gamma = 1,
  parallel = FALSE)
```

**Arguments**

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of number do you want to use, "n" or "N"?
tau	The exponential detrending parameter to be passed to <code>detrendr::img_detrend_exp()</code> . This can be a positive number or "auto". Default is no detrending.
thresh	The threshold or thresholding method (see <code>autothresholdr::mean_stack_thresh()</code> ) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth ( <code>filt = 'mean'</code> ) or median ( <code>filt = 'median'</code> ) filter the number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option <code>na_count = TRUE</code> . If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.

s	A number. The $S$ -factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number $n$ due to the illumination profile. The default ( $\text{gamma} = 1$ ) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with $\text{gamma} = 0.5$ is two times the result with $\text{gamma} = 1$ . For a Gaussian illumination profile, use $\text{gamma} = 0.3536$ ; for a Gaussian-Lorentzian illumination profile, use $\text{gamma} = 0.0760$ .
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

### Note

Extreme number values (of magnitude greater than  $3.40282\text{e}+38$ ) will be written to the TIFF file as NA, since TIFF files cannot handle such huge numbers.

### See Also

[number\(\)](#)

### Examples

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img2.tif')
number_folder(def = "n", tau = NA, thresh = "Huang", parallel = 2)

## End(Not run)
```

---

number_timeseries	<i>Create a number time-series.</i>
-------------------	-------------------------------------

---

### Description

Given a stack of images `img`, use the first `frames_per_set` of them to create one number image, the next `frames_per_set` of them to create the next number image and so on to get a time-series of number images.

### Usage

```
number_timeseries(img, def, frames_per_set, tau = NULL, thresh = NULL,
  filt = NULL, correct = FALSE, s = 1, offset = 0, readout_noise = 0,
  gamma = 1, parallel = FALSE)
```

## Arguments

<code>img</code>	A 4-dimensional array of images indexed by <code>img[y, x, channel, frame]</code> (an object of class <code>ijtiff::ijtiff_img</code> ). The image to perform the calculation on. To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
<code>def</code>	A character. Which definition of number do you want to use, "n" or "N"?
<code>frames_per_set</code>	The number of frames with which to calculate the successive numbers.
<code>tau</code>	The exponential detrending parameter to be passed to <code>detrendr::img_detrend_exp()</code> . This can be a positive number or "auto". Default is no detrending.
<code>thresh</code>	The threshold or thresholding method (see <code>autothresholdr::mean_stack_thresh()</code> ) to use on the image prior to detrending and number calculations.
<code>filt</code>	Do you want to smooth ( <code>filt = 'mean'</code> ) or median ( <code>filt = 'median'</code> ) filter the number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option <code>na_count = TRUE</code> . If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
<code>correct</code>	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
<code>s</code>	A number. The <i>S</i> -factor of microscope acquisition.
<code>offset</code>	Microscope acquisition parameters. See reference Dalal et al.
<code>readout_noise</code>	Microscope acquisition parameters. See reference Dalal et al.
<code>gamma</code>	Factor for correction of number <i>n</i> due to the illumination profile. The default ( <code>gamma = 1</code> ) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with <code>gamma = 0.5</code> is two times the result with <code>gamma = 1</code> . For a Gaussian illumination profile, use <code>gamma = 0.3536</code> ; for a Gaussian-Lorentzian illumination profile, use <code>gamma = 0.0760</code> .
<code>parallel</code>	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

## Details

This may discard some images, for example if 175 frames are in the input and `frames_per_set = 50`, then the last 25 are discarded. If bleaching correction is selected, it is performed on the whole image stack before the sectioning is done for calculation of numbers.

## Value

An object of class `number_ts_img`.

- If `img` is 3-dimensional (i.e. 1-channel), a 3-dimensional array `arr` is returned with `arr[y, x, t]` being pixel  $(x, y)$  of the  $t$ th number image in the number time series.
- If `img` is 4-dimensional (i.e. 2-channel), a 4-dimensional array `arr` is returned with `arr[y, x, c, t]` being pixel  $(x, y)$  of the  $c$ th channel of the  $t$ th number image in the number time series.

## See Also

`number()`.

## Examples

```
img <- ijttiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
nts <- number_timeseries(img, "n", frames_per_set = 20,
                        tau = NA, thresh = "Huang", parallel = 2)
```

---

number\_timeseries\_folder

*Number time-series calculations for every image in a folder.*

---

## Description

Perform `number_timeseries()` calculations on all tif images in a folder and save the resulting number images to disk.

## Usage

```
number_timeseries_folder(folder_path = ".", def, frames_per_set, tau = NULL,
                        thresh = NULL, filt = NULL, s = 1, offset = 0, readout_noise = 0,
                        gamma = 1, parallel = FALSE)
```

## Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of number do you want to use, "n" or "N"?
frames_per_set	The number of frames with which to calculate the successive numbers.
tau	The exponential detrending parameter to be passed to <code>detrendr::img_detrend_exp()</code> . This can be a positive number or "auto". Default is no detrending.
thresh	The threshold or thresholding method (see <code>autothresholdr::mean_stack_thresh()</code> ) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth ( <code>filt = 'mean'</code> ) or median ( <code>filt = 'median'</code> ) filter the number image using <code>smooth_filter()</code> or <code>median_filter()</code> respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option <code>na_count = TRUE</code> . If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering ( <code>filt = NULL</code> ) using this function and then perform your desired filtering routine on the result.
s	A number. The <i>S</i> -factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number <i>n</i> due to the illumination profile. The default ( <code>gamma = 1</code> ) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with <code>gamma = 0.5</code> is two times the result with <code>gamma = 1</code> . For a Gaussian illumination profile, use <code>gamma = 0.3536</code> ; for a Gaussian-Lorentzian illumination profile, use <code>gamma = 0.0760</code> .
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use <code>parallel = TRUE</code> .

**Note**

Extreme number values (of magnitude greater than  $3.40282e+38$ ) will be written to the TIFF file as NA, since TIFF files cannot handle such huge numbers.

**See Also**

[number\\_timeseries\(\)](#)

**Examples**

```
## Not run:
setwd(tempdir())
img <- ijttiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijttiff::write_tif(img, 'img1.tif')
ijttiff::write_tif(img, 'img2.tif')
number_timeseries_folder(def = "n", tau = NA, thresh = "Huang",
                        frames_per_set = 20, parallel = 2)

## End(Not run)
```

# Index

`autothresholdr::mean_stack_thresh()`, 2, 4–6, 10–14, 16–18, 24, 25, 27, 28  
`autothresholdr::th`, 7–9, 22, 23

`brightness`, 2  
`brightness()`, 3, 6, 12  
`brightness_folder`, 3  
`brightness_img` (`nb-img-classes`), 22  
`brightness_timeseries`, 4  
`brightness_timeseries()`, 6, 7, 24  
`brightness_timeseries_folder`, 6  
`brightness_ts_img`, 5  
`brightness_ts_img` (`nb-ts-img-classes`), 23

`cc-nb-img-classes`, 7  
`cc-nb-ts-img-classes`, 8  
`cc_brightness`, 9  
`cc_brightness()`, 10  
`cc_brightness_folder`, 10  
`cc_brightness_img` (`cc-nb-img-classes`), 7  
`cc_brightness_timeseries`, 11  
`cc_brightness_timeseries()`, 9, 13, 14  
`cc_brightness_timeseries_folder`, 13  
`cc_brightness_ts_img` (`cc-nb-ts-img-classes`), 8  
`cc_number`, 14  
`cc_number()`, 15  
`cc_number_folder`, 15  
`cc_number_img` (`cc-nb-img-classes`), 7  
`cc_number_timeseries`, 16  
`cc_number_timeseries()`, 9, 18  
`cc_number_timeseries_folder`, 17  
`cc_number_ts_img` (`cc-nb-ts-img-classes`), 8  
`cross_var`, 19  
`cross_var_pillars`, 20

`detrendr::best_tau()`, 9, 11–15, 17, 18  
`detrendr::img_detrend_exp()`, 9, 11–15, 17, 18, 24, 25, 27, 28

`ijtiff::ijtiff_img`, 24, 27  
`ijtiff_img`, 2, 5, 8, 9, 12, 14, 16, 22

`median_filter`, 20  
`median_filter()`, 2, 4–6, 10–13, 15–18, 24, 25, 27, 28

`nandb`, 21  
`nandb-package` (`nandb`), 21  
`nb-img-classes`, 22  
`nb-ts-img-classes`, 23  
`number`, 24  
`number()`, 4, 17, 25–27  
`number_folder`, 25  
`number_img` (`nb-img-classes`), 22  
`number_timeseries`, 26  
`number_timeseries()`, 24, 28, 29  
`number_timeseries_folder`, 28  
`number_ts_img`, 27  
`number_ts_img` (`nb-ts-img-classes`), 23

`smooth_filter` (`median_filter`), 20  
`smooth_filter()`, 2, 4–6, 10–13, 15–18, 24, 25, 27, 28