

What is Neuroconductor?

Neuroconductor (<https://neuroconductor.org/>) is a centralized repository of R software dedicated to medical image analysis.


Goals of Neuroconductor

- Disseminate quickly software updates
- Educate a large, diverse community of scientists using detailed tutorials and short courses
- Ensure quality via automatic and manual quality controls
- Promote the reproducibility of image data analysis

Benefits of Imaging in R

Allow medical imaging to use all R has to offer:

- Statistics and Machine Learning
- Package versioning, testing, and distribution
- Reproducible reports and analyses (knitr and rmarkdown)
- Shiny applications for the web




Current Neuroconductor Capabilities

Capabilities	Packages
DICOM Images	oro.dicom, dcm2niir, divest, ANTsR
NIFTI Images	oro.nifti, RNifti, ANTsR
Image Registration	spm12r, fsrl, ANTsR, freesurfer
Inhomogeneity Correction	spm12r, fsrl, ANTsR
Brain Extraction	spm12r, fsrl, ANTsR, extrantsr
Structure Segmentation	spm12r, fsrl, ANTsR, extrantsr, freesurfer
Intensity Normalization	WhiteStripe, neurobase, ANTsR
3D Smoothing	ANTsR, spm12r, fsrl
Temporal Filtering	spm12r, fsrl, ANTsR
Slice-timing correction	spm12r, fsrl
DTI models	rcamino, oro.dti, fsrl

References

- Bennett A Landman et al. "Multi-parametric neuroimaging reproducibility: a 3-T resource study". In: *Neuroimage* 54.4 (2011), pp. 2854–2866.
- Kenichi Oishi et al. "Atlas-based whole brain white matter analysis using large deformation diffeomorphic metric mapping: application to normal elderly and Alzheimer's disease participants". In: *Neuroimage* 46.2 (2009), pp. 486–499.
- Vladimir Fonov et al. "Unbiased average age-appropriate atlases for pediatric studies". In: *Neuroimage* 54.1 (2011), pp. 313–327.
- Vladimir S Fonov et al. "Unbiased nonlinear average age-appropriate brain templates from birth to adulthood". In: *Neuroimage* 47 (2009), S102.
- Bennett Allan Landman et al. *MICCAI 2012 Workshop on Multi-Atlas Labeling*. CreateSpace Independent Publishing Platform, 2012.
- David C Van Essen et al. "The WU-Minn human connectome project: an overview". In: *Neuroimage* 80 (2013), pp. 62–79.

Example Imaging Workflow




Data Packages

Package	Description
kirby21	Scan-rescan data for 42 subjects with structural and functional MRI and diffusion data [1]
EveTemplate, MNITemplate	Templates for population-level analyses [2, 3, 4]
malf.templates	Templates [5] for Multi-Atlas Label Fusion (MALF) and Skull Stripping
hcp	Download data from the Human Connectome Project [6]

Sources of Funding

The project described and data used were supported by the NIH grants R01EB012547, T32AG000247, R01NS046309, R01NS060910, R01NS085211, R01NS046309, U01NS080824, U01NS080824 and U01NS062851 and R01MH095836.

Neuroconductor Developer Workflow



Potential Downsides to Neuroconductor

- More control over the workflow = more work (e.g. for statisticians)
- Users need external software (versions/installation)
- No control over external software
 - if maintainer changes something, not much recourse
- Need the content (buy-in from the imaging/R communities)