Sass Nested Rules

Sass lets you nest CSS selectors in the same way as HTML.

Look at an example of some Sass code for a site's card:

_card.scss file :

```scss
.card {
  display: block;
  padding: $base-padding;
  border: $base-border-thickness solid #ddd;
  box-shadow: $base-box-shadow;
  margin: 20px;
  width: 20rem;

  .card-title {
    font-size: $base-font-size;
    padding-bottom: $base-padding;
    font-weight: bold;
  }
  .card-body {
    font-size: $base-font-size;

    a {
      text-decoration: underline;
    }
  }
}
```

Index.html:

```html
    <div>
        <!-- cards -->
      <h2>Cards</h2>
      <div class="card">
        <h1 class="card-title">This is a title</h1>
        <p class="card-body">Lorem ipsum dolor sit, amet consectetur
adipisicing elit. In sunt, quo totam aliquam praesentium ducimus tempore
sapiente quia nulla optio? Lorem ipsum, dolor sit amet consectetur <a
href="">adipisicing elit</a>. Libero laboriosam laborum exercitationem autem
commodi voluptas odio aliquid ut velit doloremque minima, quaerat dolores,
corporis consequuntur totam nam id veniam maxime.</p>
      </div>
    </div>
```

Output

Cards

This is a title

Lorem ipsum dolor sit, amet consectetur adipisicing elit. In sunt, quo totam aliquam praesentium ducimus tempore sapiente quia nulla optio? Lorem ipsum, dolor sit amet consectetur adipisicing elit. Libero laboriosam laborum exercitationem autem commodi voluptas odio aliquid ut velit doloremque minima, quaerat dolores, corporis consequuntur totam nam id veniam maxime.