EE2211 Introduction to Machine Learning

Lecture 2

Yueming Jin
ymjin@nus.edu.sg

Office Hour (Hybrid): Monday 11:00am - 12:00nn
(Week 2-4, Week 11-13)

© Copyright EE, NUS. All Rights Reserved.

Course Contents

- Introduction and Preliminaries (Yueming)
  - Introduction
  - Data Engineering
  - Introduction to Probability and Statistics
- Fundamental Machine Learning Algorithms I (Shaojing)
  - Systems of linear equations
  - Least squares, Linear regression
  - Ridge regression, Polynomial regression
- Fundamental Machine Learning Algorithms II (Shaojing)
  - Over-fitting, bias/variance trade-off
  - Optimization, Gradient descent
  - Decision Trees, Random Forest
- Performance and More Algorithms (Yueming)
  - Performance Issues
  - K-means Clustering
  - Neural Networks

© Copyright EE, NUS. All Rights Reserved.

Summary of Lec 1

Three Components in ML Definition

Task T, Performance P, Experience E

Two Types of Supervised Learning

Classification, Regression

Three Types of in ML

Supervised Learning
Unsupervised Learning
Reinforcement Learning

One Type of Unsupervised Learning

Clustering

Inductive and Deductive

Inductive: Probable
Deductive: Rule-based

Example of a Classifier Model

Nearest Neighbor Classifier

© Copyright EE, NUS. All Rights Reserved.

Outline

Types of data

Data wrangling and cleaning

Data integrity and visualization

© Copyright EE, NUS. All Rights Reserved.

Types of Data



© Copyright EE, NUS. All Rights Reserved.

Ways of Viewing Data

- Based on Levels/Scales of Measurement:
  - Nominal Data
  - Ordinal Data
  - Interval Data
  - Ratio Data

- Based on Numerical/Categorical
  - Numerical, also known as Quantitative
  - Categorical, also known as Qualitative

- Other aspects
  - Available or Missing Data

© Copyright EE, NUS. All Rights Reserved.

Levels/Scales of Measurement

NOIR

Nominal

Named

Ordinal

Named + Ordered

Interval

Named + Ordered
+ Equal Interval

Ratio

Named + Ordered
+ Equal Interval +
Has "True" Zero

Highest

Lowest

© Copyright EE, NUS. All Rights Reserved.

A Quick Recap: Mean, Median, Mode

- If we are given a sequence of numbers:

1, 3, 4, 6, 6, 7, 8

Mean: computing the average

(1+3+4+6+6+7+8)/7 = 5

Median: number in the middle (after sorting)

1, 3, 4, 6, 6, 7, 8

*In case of even number of elements

1, 3, 4, 6, 7, 8

(4+6)/2=5

Mode: number with highest frequency

1, 3, 4, 6, 6, 7, 8

6



© Copyright EE, NUS. All Rights Reserved.

Nominal Data

- Lowest Level of Measurement
- Discrete Categories
- **NO** natural order
- Estimating a mean, median, or standard deviation, would be meaningless.
- Possible Measure: mode, frequency distribution

- Example:

Gender

1:man 2:woman

Occupation

Doctor Police Teacher

© Copyright EE, NUS. All Rights Reserved.

Ordinal Data

- **Ordered** Categories
- Relative Ranking
- Unknown "distance" between categories: orders matter but not the difference between values
- Possible Measure: mode, frequency distribution + median

- Example:
  - Evaluate the difficulty level of an exam
    - 1: Very Easy, 2: Easy, 3: About Right, 4: Difficulty, 5: Very Difficulty

© Copyright EE, NUS. All Rights Reserved.

Interval Data

- Ordered Categories
- Well-defined "**unit**" measurement:
  - Distances between points on the scale are measurable
  - Can measure differences!
- **Equal Interval** (between two consecutive unit points)
- **Zero is arbitrary** (not absolute), in many cases human-defined
  - If the variable equals zero, it does not mean there is none of that variable
- **Ratio is meaningless**
- Possible Measure: mode, frequency distribution + median + mean, standard deviation, addition/subtraction

- Example:
  - Temperature measured in Celsius
    - 10 degrees C, 20 degrees C, 30 degrees C
  - Year of someone's birth
    - 1990, 2000, 2010, 2020

© Copyright EE, NUS. All Rights Reserved.

Ratio Data

- Most precise and highest level of measurement
- Ordered
- Equal Intervals
- **<u>Natural Zeros:</u>**
  - When the variable equals zero, it means there is <u>none</u> of that variable
  - Not arbitrary
- Possible Measure: mode, frequency distribution + median + mean, standard deviation, addition/subtraction + multiplication and division (ratio)

- Example:
  - Weights
    - 10 KG, 20 KG, 30 KG

  - Time
    - 10 Seconds, 1 Hour, 1 Day

© Copyright EE, NUS. All Rights Reserved.

NOIR

We can estimate	Nominal	Ordinal	Interval	Ratio
Frequency Distribution	Yes	Yes	Yes	Yes
Median	No	Yes	Yes	Yes
Add or subtract	No	No	Yes	Yes
Mean, standard deviation	No	No	Yes	Yes
Ratios	No	No	No	Yes

© Copyright EE, NUS. All Rights Reserved.

NOIR



© Copyright EE, NUS. All Rights Reserved.

- Which level of measurement?

<u>Nominal, Ordinal, Interval, Ratio</u>



1. **Favorite Restaurant**
   - Mcdonald's, Burger King, Subway, KFC, …
2. **Weight of luggage measured in KG**
3. **SAT Scores: note that, SAT ranges is [400, 1600]**
4. **Size of Packed Eggs in supermarkets**
   - Small, Medium, Large, Extra Large, …
5. **Military rank**
   - General, Major, Captain, …
6. **Number of people in a household**
   - 1, 2, 3, 4, 5, …
7. **Credit Score in United States: the range is [300, 850]**
8. 

© Copyright EE, NUS. All Rights Reserved.

Ways of Viewing Data

- Based on Levels/Scales of Measurement:
  - Nominal Data
  - Ordinal Data
  - Interval Data
  - Ratio Data

- Based on Numerical/Categorical
  - Numerical, also known as Quantitative
  - Categorical, also known as Qualitative

- Other aspects
  - Available or Missing Data

© Copyright EE, NUS. All Rights Reserved.

Numerical or Categorical

Variable

Categorical (qualitative)

Numerical (quantitative)



Nominal (Unordered categories)

Ordinal (Ordered categories)

Discrete (Whole numerical values) **Example:** outcome of tossing a die

Continuous (Can take any value within a rage) **Example:** temperature in day

OR

Numerical (quantitative)

Interval (may compute difference but no absolute zero)

Ratio (may compute difference, real zero exists)

© Copyright EE, NUS. All Rights Reserved.

Ways of Viewing Data

- Based on Levels/Scales of Measurement:
  - Nominal Data
  - Ordinal Data
  - Interval Data
  - Ratio Data

- Based on Numerical/Categorical
  - Numerical, also known as Quantitative
  - Categorical, also known as Qualitative

- Other aspects
  - Available or Missing Data

© Copyright EE, NUS. All Rights Reserved.

Missing Data

- Missing data: data that are missing and you do not know the mechanism.
  - You should use a single common code for all missing values (for example, “NA”), rather than leaving any entries blank.

NUS student	Age	Country of birth
Olivia Tan	20	Singapore
Hendra Setiawan	19	Indonesia
John Smith	19	NA

© Copyright EE, NUS. All Rights Reserved.

Outline

Types of data

Data wrangling and cleaning

Data integrity and visualization

© Copyright EE, NUS. All Rights Reserved.

Data Wrangling

- Data wrangling
  - The process of transforming and mapping data from one "raw" data form into another format with the intent of making it more appropriate and valuable for a variety of downstream purposes such as analytics.
  - In short, transforms data to gain insight
  - It is a general process



Credit:https://en.wikipedia.org/wiki/Data_wrangling

© Copyright EE, NUS. All Rights Reserved.

Data Wrangling

Determine your goal

Make the most of dataset

Example: customer data stored in SQL; social network stored as graphs

Remove invalid data

Ensure data correctness

Use data (training/test)



Women

Men

Unifying format to .png

Remove noisy samples

Checking that all images have labels.

Use data to train your face detector!

Collect Human Face Images for Face Detector

Credit:https://understandingdata.com/what-is-data-wrangling/

© Copyright EE, NUS. All Rights Reserved.

Formatting Data

- **Binary Coding** to convert categories into binary form
  - One-hot encoding: unify several entities within one vector
    - Example: the color of a pixel can be red, yellow, or green
    - Very common in classification tasks!

$$\text{red} = [1, 0, 0]$$
$$\text{yellow} = [0, 1, 0]$$
$$\text{green} = [0, 0, 1]$$

- **Normalization**
  - Linear Scaling:
    scale each variable to [0 1]

$$x_i = \frac{x_i^{raw} - x^{min}}{x^{max} - x^{min}}, \quad i = 1, 2, ..., M$$

  - Z-score standardization:
    each independent dimension of data is normally distributed

$$x_i = \frac{x_i^{raw} - E[X]}{\sigma(X)}, \quad i = 1, 2, ..., M.$$

© Copyright EE, NUS. All Rights Reserved.

Data Cleaning

- The process of detecting and correcting (or removing) corrupt or inaccurate records from a record set, table, or database.
- Example:
  - Clipping outliers



  - Handling missing features

Students	Year of Birth	Gender	Height	GPA
Tan Ah Kow	1995	M	1.72	4.2
Ahmad Abdul	X	M	1.65	4.1
John Smith	1995	M	1.75	X
Chen Lulu	1995	F	X	4.0
Raj Kumar	1995	M	1.73	4.5
Li Xiuxiu	1994	F	1.70	3.8

© Copyright EE, NUS. All Rights Reserved.

Data Cleaning: Handling missing features

1. Removing the examples with missing features from the dataset
   - Can be done if the dataset is big enough so we can sacrifice some training examples

2. Using a learning algorithm that can deal with missing feature values
   - Example: random forest

3. Using a data imputation technique

© Copyright EE, NUS. All Rights Reserved.

Data Cleaning: Handling missing features: Imputation

- Method 1. Replace the missing value of a feature by an average value of this feature in the dataset:

$$\hat{x}^{(j)} \leftarrow \frac{1}{N}\sum_{i=1}^{N} x_i^{(j)}$$

- Method 2. Highlight the missing value
  - Replace the missing value with a value outside the normal range of values.
  - For example, if the normal range is [0, 1], then you can set the missing value to 2 or −1.
  - Enforce the learning algorithm to learn what is best to do when the feature has a value significantly different from regular values.

© Copyright EE, NUS. All Rights Reserved.

Outline

Types of data

Data wrangling and cleaning

Data integrity and visualization

© Copyright EE, NUS. All Rights Reserved.

Data Integrity

- Data integrity is the maintenance and the assurance of data accuracy and consistency;
  - A critical aspect to the design, implementation, and usage of any system that stores, processes, or retrieves data.
  - Very broad concept!
- Example:
  - In a dataset, numeric columns/cells should not accept alphabetic data.
  - A binary entry should only allow binary inputs



Organization	User Type	Is Emergency	Extenal Profile Entered	Subject Areas		Bid	Relevance	Candidate Suggestion Rank	Tpms Rank	Quota	Number Of Assignments
				Primary	Secondary						
filter...	click here...		click h	filter...	filter...	click h	e.g. <3	e.g. <3	e.g.	e.g. <	e.g. <3
National University of Singapore	Student, >3 times as reviewer for CVPR, ICCV, or ECCV		DBLP	Machine learning	3D from single images; Adversarial attack and defense; Computer vision theory; Explainable computer vision; Self- & semi-& meta- & unsupervised learning; Transfer/ low-shot/ long-tail learning; Vision + graphics	Not Entered	0.08	1	1434		4
Zhejiang University	Faculty/Researcher, 3-10 times as reviewer for CVPR, ICCV, or ECCV	No		Transfer/ low-shot/ long-tail learning	Efficient learning and inferences; Explainable computer vision; Image and video synthesis and generation; Recognition: detection, categorization,	Not Entered	0.16	7			2

© Copyright EE, NUS. All Rights Reserved.

Data Integrity



© Copyright EE, NUS. All Rights Reserved.

Data Visualization



Graphical Representation of data!

© Copyright EE, NUS. All Rights Reserved.

Visualization: Distribution



Probability Mass Function



Probability Density Function

Visualization: Bars



© Copyright EE, NUS. All Rights Reserved.

Visualization: Boxplots



Maximum (100th percentile)

Third Quartile (75th percentile)

Medium (50th percentile)

First Quartile (25th percentile)

Minimum (0th percentile)

© Copyright EE, NUS. All Rights Reserved.

Why Visualization is Necessary



Four datasets with **identical** means, variances and regression lines.

© Copyright EE, NUS. All Rights Reserved.

Summary

- Types of data
  - NOIR
- Data wrangling and cleaning



- Data integrity and visualization
  - Integrity: Design
  - Visualization: Graphical Representation

© Copyright EE, NUS. All Rights Reserved.

Practice Question
(Type of Question to Expect in Exams)

Color	Size	Shape
Blue	Large	Ring
Red	Large	Triangle
Orange	Large	Diamond
Green	Small	Circle
Yellow	Small	Arrow
Blue	Large	Rectangle
Red	Large	Circle
Green	Small	Diamond

What are the NOIR data types of color, size, and shape in the table?

What about their label, yes/no?

© Copyright EE, NUS. All Rights Reserved.

© Copyright EE, NUS. All Rights Reserved.