

Nama : Muhammad Mushab Umair

NRP : 5026211078

Website : <https://anoboy.watch/>

URL : <https://62.182.83.93/>

No.	Syntax	Penjelasan
1.	<code><meta charset="utf-8"></code>	<ul style="list-style-type: none">• The <meta> tag defines metadata about an HTML document. Metadata is data (information) about data.• The charset attribute specifies the character encoding for the HTML document.
2.	<code><script type="application/ld+json"></code>	<ul style="list-style-type: none">• The <script> tag is used to embed a client-side script (JavaScript).• The type attribute specifies the type of the script.
3.	<code><link rel="manifest" href="/superpwa-manifest.json"></code>	<ul style="list-style-type: none">• The <link> tag defines the relationship between the current document and an external resource.• The required rel attribute specifies the relationship between the current document and the linked document/resource.
4.	<code><style id='global-styles-inline-css' type='text/css'></code>	<ul style="list-style-type: none">• The <style> tag is used to define style information (CSS) for a document.• The type attribute specifies the Internet media type (formerly known as MIME type) of the <style> tag.
5.	<code></code>	<ul style="list-style-type: none">• The <a> tag defines a hyperlink, which is used to link from one page to another.• The href attribute specifies the URL of the page the link goes to.

6.	<code><ul class="sub-menu"></code>	The <code></code> tag defines an unordered (bulleted) list.
7.	<code><div id="popup_box"></code>	The <code><div></code> tag defines a division or a section in an HTML document.
8.	<code><form action="/" class="search"></code>	<ul style="list-style-type: none"> • The <code><form></code> tag is used to create an HTML form for user input. • The <code>action</code> attribute specifies where to send the form-data when a form is submitted.
9.	<code><option value="#"> </option></code>	<ul style="list-style-type: none"> • The <code><option></code> tag defines an option in a select list. • The <code>value</code> attribute specifies the value to be sent to a server when a form is submitted.
10.	<code></code>	The <code></code> tag is an inline container used to mark up a part of a text, or a part of a document.