




سُبْحَانَ اللَّهِ وَبِحَمْدِهِ سُبْحَانَ اللَّهِ الْعَظِيمِ

Anatomy test bank


Explore the human body. Discover its
structure. Understand life.

يَرْفَعُ اللَّهُ الَّذِينَ آمَنُوا مِنْكُمْ وَالَّذِينَ أُوتُوا الْعِلْمَ دَرَجَاتٍ.
(المجادلة: 11)





Topics Included in Each Assessment





FIRST MID

1. General Anatomy (6 Topics)
2. Upper Limb (First 7 Topics)
(Nerve Lesions and Joints + Radiology of Upper Limb NOT included)

SECOND MID

1. Upper Limb (Last 2 Topics)
(Nerve Lesions and Joints + Radiology of Upper Limb)
2. Lower Limb (First 7 Topics)
(Last 2 Topics Nerve Lesions and Joints + Radiology of Lower Limb NOT included)

FINAL

1. Upper Limb (All 9 Topics)
 2. Lower Limb (All 9 Topics)
 3. Back and Vertebral Column (All 2 Topics)
 4. Thoracic and Abdominal Walls (All 3 Topics)
- 
- 

First mid





Questions for the following lectures are found here:

GENERAL:

- 1) Anatomical terminology
- 2) Skeletal System
- 3) Articular System
- 4) Muscular System
- 5) Introduction to body systems (Blood vessels)
- 6) Nervous system

UPPER LIMB:

- 1) Pectoral region & Mammary Gland-lymph drainage of UL
- 2) Shoulder, Back and Scapular Region
- 3) The Axilla
- 4) Arm, Cubital Fossa & venous drainage of UL
- 5) Anterior compartment of Forearm
- 6) Lateral & Posterior compartments of Forearm
- 7) Anatomy of the hand



تجميعات اسئلة 2nd mid med25

Q1. Which part of the brain relays all sensory information except the sense of smell?

- A. Hypothalamus
- B. Thalamus
- C. Pons
- D. Medulla oblongata

Q2. Fluid-filled sac-like structures that act as shock absorbers and reduce friction are called:



- A. Menisci
- B. Bursae
- C. Ligaments
- D. Capsules

Q3. A patient has difficulty flexing the wrist and fingers—especially the thumb and index finger—due to a median nerve lesion. Which muscle is most affected?

- A. Flexor carpi radialis
- B. Flexor pollicis longus
- C. Flexor carpi ulnaris
- D. Palmaris longus

Q4. Which of the following arteries is a branch of the ulnar artery?

- A. Common interosseous artery
- B. Anterior interosseous artery
- C. Superior ulnar collateral artery
- D. Inferior ulnar collateral artery



تجميعات اسئلة 2nd mid med25

Q1.The upper lateral cutaneous nerve of the arm originates from which nerve?

- A. Axillary nerve
- B. Radial nerve
- C. Median nerve
- D. Ulnar nerve

Q2.Sensation at the tip of the index finger is carried by which nerve?



- A. Median nerve
- B. Radial nerve
- C. Ulnar nerve
- D. Axillary nerve

Q3.At which lumbar level does the abdominal aorta bifurcate into the right and left common iliac arteries?

- A. L2
- B. L3
- C. L4
- D. L5

Q4.The dorsal (posterior) root of the spinal cord carries which type of fibers?

- A. Motor
- B. Sensory
- C. Sympathetic
- D. Parasympathetic



تجميعات اسئلة 2nd mid med25

1. Which muscle originates from ulna, radius, and humerus?

- A. Flexor digitorum profundus
- B. Flexor digitorum superficialis
- C. Flexor pollicis longus
- D. Pronator teres

2. Which structure lies medially to the axillary artery?



- A. Axillary vein
- B. Axillary nerve
- C. Cephalic vein
- D. Radial nerve

3. Insertion of external oblique muscle:

- A. Aponeurosis
- B. Tendon
- C. Muscle fibers
- D. Raphe

4. Kyphosis is:

- A. Increased forward lumbar curvature
- B. Lateral thoracic curvature
- C. Increased backward thoracic curvature
- D. Lateral lumbar curvature



تجميعات اسئلة 2nd mid med25

1. Lateral upper limb drainage (following cephalic vein) drains to:

- A. Apical nodes
- B. Central nodes
- C. Pectoral nodes
- D. Subscapular nodes

2. Clavicle fracture most likely injures:



- A. Pectoralis minor
- B. Pectoralis major
- C. Teres major
- D. Teres minor

3. Falling on the radial side of the hand injures which carpal bone?

- A. Triquetrum
- B. Scaphoid
- C. Lunate
- D. Capitate

4. Pectoralis major fiber arrangement:

- A. Triangular
- B. Parallel
- C. Oblique
- D. Circular



تجميعات اسئلة 2nd mid med25

1. The brachial plexus is formed by:

- A. Posterior rami (C5–T1)
- B. Anterior rami (C5–T1)
- C. Anterior rami (C3–C7)
- D. Posterior rami (C3–C7)

2. Lower border of quadrangular space:



- A. Teres major
- B. Teres minor
- C. Long head of triceps
- D. Lateral head of triceps

3. Which bone is paired?

- A. Nasal
- B. Frontal
- C. Mandible
- D. Vomer

4. Which muscle has bipennate fibers?

- A. Deltoid
- B. Rectus femoris
- C. Biceps brachii
- D. Orbicularis oris



تجميعات اسئلة 2nd mid med25

1. Artery supplying medial breast quadrant:

- A. Infraclavicular artery
- B. Parasternal (internal thoracic) branches
- C. Pectoral branch
- D. Subscapular artery

2. Nerve passing through spiral groove of humerus:



- A. Radial nerve
- B. Ulnar nerve
- C. Musculocutaneous nerve
- D. Median nerve

3. Diffuse lymphatic structure:

- A. Tonsils
- B. Spleen
- C. Lymph node
- D. Appendix

4. Muscle with double innervation:

- A. Brachialis
- B. Biceps brachii
- C. Triceps
- D. Coracobrachialis



تجميعات اسئلة 2nd mid med25

1. Pulsation of axillary artery felt:

- A. Surgical neck of humerus
- B. Against first rib
- C. In front of latissimus dorsi
- D. Over subscapularis

2. Axillary vein begins at:



- A. Outer border of first rib
- B. Lower border of teres minor
- C. Basilic + brachial merge
- D. Medial border of coracobrachialis

3. Structure piercing clavipectoral fascia:

- A. Cephalic vein
- B. Internal thoracic artery
- C. Lateral pectoral nerve
- D. Basilic vein

4. Nerve supplying serratus anterior:

- A. Long thoracic nerve
- B. Thoracodorsal nerve
- C. Lateral pectoral nerve
- D. Medial pectoral nerve



تجميعات اسئلة 2nd mid med25

1. Vessel carrying oxygenated blood to heart:

- A. Coronary sinus
- B. Pulmonary veins
- C. Superior vena cava
- D. Pulmonary trunk

2. Group of axons in CNS:



- A. Tract
- B. Nerve
- C. Ganglion
- D. Nucleus

3. Fracture of 1st metacarpal affects:

- A. EPL
- B. EPB
- C. APL
- D. Opponens pollicis

4. A muscle that assists another muscle is a:

- A. Synergist
- B. Fixator
- C. Antagonist
- D. Prime mover



تجميعات اسئلة 2nd mid med25

1. Muscle with aponeurosis:

- A. External oblique
- B. Flexor digitorum longus
- C. Gastrocnemius
- D. Sartorius

2. Muscle from upper third lateral scapular border:



- A. Teres minor
- B. Rhomboid minor
- C. Rhomboid major
- D. Teres major

3. Muscle supplied by accessory nerve (XI):

- A. Trapezius
- B. Levator scapulae
- C. Rhomboid major
- D. Latissimus dorsi

4. Lateral to brachial artery in cubital fossa:

- A. Biceps tendon
- B. Ulnar nerve
- C. Median nerve
- D. Radial nerve



تجميعات اسئلة 2nd mid med25

1. Nerve from medial cord:

- A. Ulnar nerve
- B. Radial nerve
- C. Axillary nerve
- D. Musculocutaneous nerve

2. Dorsal ramus feature:



- A. Does not form plexuses
- B. Only motor
- C. Only sympathetic
- D. Joins intercostal nerves

3. Long thoracic nerve supplies:

- A. Serratus anterior
- B. Latissimus dorsi
- C. Pectoralis minor
- D. Subclavius

4. Clavicle fracture affects:

- A. Pectoralis major
- B. Pectoralis minor
- C. Coracobrachialis
- D. Biceps



تجميعات اسئلة 2nd mid med25

1. Muscle that abducts the fingers:

- A. Dorsal interossei
- B. Palmar interossei
- C. Lumbricals
- D. FDP

2. Difficulty initiating abduction indicates injury to:


- A. Supraspinatus
- B. Infraspinatus
- C. Deltoid
- D. Trapezius

3. Branch of aortic arch:


- A. Right subclavian artery
- B. Right common carotid
- C. Left subclavian artery
- D. Coronary artery

4. Intervertebral discs are:

- A. Secondary cartilaginous
- B. Primary cartilaginous
- C. Synovial
- D. Syndesmosis



1	2	3	4
A	A	C	A



تجميعات اسئلة 2nd mid med25

1. Artery supplying medial breast:

- A. Internal thoracic artery
- B. Lateral thoracic artery
- C. Thoracoacromial artery
- D. Intercostal arteries

2. Supplied by deep branch of radial nerve:


- A. FCR
- B. Pronator teres
- C. Supinator
- D. Palmaris longus

3. Inserts into medial lip of bicipital groove:


- A. Pectoralis major
- B. Teres major
- C. Teres minor
- D. Deltoid

4. Medial rotator of arm:

- A. Supraspinatus
- B. Infraspinatus
- C. Subscapularis
- D. Teres minor



1	2	3	4
A	C	B	C



تجميعات اسئلة 2nd mid med25

1. Carpal bone in proximal row:

- A. Trapezoid
- B. Triquetrum
- C. Capitate
- D. Hamate

2. Nerve supplying radial side of forearm skin:


- A. Radial
- B. Ulnar
- C. Axillary
- D. Musculocutaneous

3. Nerve piercing pronator teres:


- A. Radial
- B. Ulnar
- C. Median
- D. Musculocutaneous

4. Coracobrachialis is pierced by:

- A. Radial
- B. Ulnar
- C. Axillary
- D. Musculocutaneous



1	2	3	4
B	D	C	D



تجميعات اسئلة 2nd mid med25

1. Nerve affected in carpal tunnel syndrome:

- A. Radial
- B. Ulnar
- C. Median
- D. Axillary

2. Sesamoid bones are:



- A. Air-filled
- B. Cuboidal
- C. Irregular
- D. Embedded in tendons

3. Feature of hinge joints:

- A. Vertical axis movement
- B. Flexion & extension
- C. Rotation
- D. Gliding

4. Branch of 3rd part of axillary artery:



- A. Lateral thoracic
- B. Superior thoracic
- C. Subscapular
- D. Thoracoacromial



تجميعات اسئلة 2nd mid med25

1. Muscle that helps extend the elbow joint:

- A. Brachioradialis
- B. Anconeus
- C. Pronator teres
- D. ECU



2nd game anatomy quiz file (ملف24med)

1 • Which action is performed by the first dorsal interosseous muscle?

- a • Flexion of the little finger
- b • Abduction of the index finger
- c • Adduction of the middle finger
- d • Extension of the thumb

2 • Radial nerve precises which muscle?


- a • Flexor carpi ulnaris
- b • Triceps brachii
- c • Flexor digitorum superficialis
- d • Pronator teres

3 • Which of the following is a muscle of the thenar eminence?


- a • Abductor digiti minimi
- b • Adductor pollicis
- c • Abductor pollicis brevis
- d • Flexor digitorum superficialis

4 • Which muscle is a strong supinator of arm?

- a • Biceps brachii
- b • Brachioradialis
- c • Coracobrachialis
- d • Pronator teres



1	2	3	4
b	b	c	a



MED24

1.What is the scapula bone?

- A-flat bone
- B- irregular bone
- C-Short bone
- D-Long bone

2. Which of the following is pure sensory?



- A. Olfactory nerve
- B. Glossopharyngeal nerve
- C. Facial nerve
- D. Vagus

3. Which of the following joints can do Flexion, Extension & Adduction, Abduction?

- A-Ankle joint
- B-wrist joint
- C-Elbow joint
- D-Knee joint

5- How is blood transported from the heart to the lungs ?

- A. pulmonary trunk
- B. pulmonary vein
- C. Pulmonary lymph
- D. Pulmonary artery



MED24

6 - which of the following is triangle muscle?

- A . pectorals major
- B. deltoid
- C. sartorius
- D. levator muscle

8- What is meant by 'lordosis' ?


- A) Increased backward curvature of the thoracic region
- B) Increased forward curvature of the lumbar region
- C) Excessive outward curvature of the spine
- D) Natural inward curvature of the spine

9. which of these artery continues as a axillary artery?


- A) Subclavian artery
- B) Brachial artery
- C) Carotid artery
- D) Radial artery

10 - Which of the following characteristics is specific to cervical vertebrae?

- A) Presence of a large, triangular vertebral foramen
- B) Transverse foramina for the passage of vertebral arteries
- C) Large, kidney-shaped body
- D) Presence of costal facets for rib articulation



6	8	9	10
B	B	A	B



MED24

11 - In an adult, the spinal cord ends at which level of the vertebral column?

- A) The lower border of the third lumbar vertebra
- B) The lower border of the second lumbar vertebra
- C) The lower border of the first lumbar vertebra
- D) The lower border of the fourth lumbar vertebra

17-which statement is true according to the anatomical position ?



- A) The body is standing upright with the feet together.
- B) The body is lying down with the face up.
- C) The palms of the hands are facing backward.
- D) The body is facing forward with arms at the sides and palms facing forward.

18-Which of the following cranial nerves is a pure motor nerve?

- A) Trigeminal nerve (CN V)
- B) Facial nerve (CN VII)
- C) Oculomotor nerve (CN III)
- D) Vagus nerve (CN X)

19-pronation and supination occur in ?

- A-superior and inferior radioalnar
- B-only superior radioalnar
- C-superior and posterio radioalnar
- D- wrist and inferior radioulnar



MED24

21- A 20 -year-old woman sustains an injury that causes pain when she moves the sole of her foot medially. What movement is causing this pain?

- A-Evirsion
- B-invirsion
- C-Dorsal flexion
- D - plantar flexion

23-Which of the following muscles consist of triangular muscle fiber?


- A-pectoralis major
- B-orbicularis oris
- C-sartorius
- D-deltoid

24- What type of joint is the wrist joint?


- A) Ball-and-socket joint
- B) Hinge joint
- C) Pivot joint
- D) Condylloid joint

29- What is the arrangement of the biceps brachii muscle?

- A) Fusiform
- B) Bipennate
- C) Unipennate
- D) Parallel



21	23	24	29
B	A	D	A



MED24

36-the end of spinal cord called?

- A) Conus medullaris
- B) Cauda equina
- C) Filum terminale
- D) Dural sac

37- which of the following is true regarding to the sacrum ?


- A) It is part of the pelvic girdle
- B) It is composed of two bones
- C) It is the last portion of the vertebral column
- D) It is part of the axial skeleton

38 - Which of the following is a single skull bone ?


- a) Maxilla
- b) Vomer
- c) Mandible
- d) Frontal

41 - What do tension lines in the skin correspond to?

- A) Nerve pathways
- B) Direction of muscle fibers
- C) Orientation of collagen fibers
- D) Blood vessel distribution





36	37	38	41
A	D	C	C



MED24

43 - The term that means “farther from medial line” is

- A) lateral
- B) medial
- C) superior
- D) proximal



MED24

2. which of these muscles supinates the forearm

- A. brachioradialis
- B. brachialis
- C. biceps brachii
- D. Triceps

9. The origin of long head triceps is ?



- A. infragenoid tubercle
- B. supragenoid tubercle
- D. coracoid process
- D. Lateral border of the scapula

10. Which of the following is a thenar muscle

- A. adductor pollicis longus
- B. abductor pollicis brevis
- C. Flexor digitorum superficialis
- D. Opponens digiti minimi

16. Which action is performed by the first dorsal interosseous muscle?

- A. Flexion of the little finger
- B. Abduction of the index finger
- C. Adduction of the middle finger
- D. Extension of the thumb




MED24

19 . Which of the following is a muscle of the thenar eminence?


- A. Abductor digiti minimi
- B. Adductor pollicis
- C. Abductor pollicis brevis
- D. Flexor digitorum superficialis

20. which muscle is a strong supinator of arm

- A. biceps brachii
- B. brachioradialis
- C. coracobrachialis
- D. Pronator teres





19	20		
C	A		



MED24

1. snuffbox content



Medial border	
Lateral border	
Floor	



MED24




1. snuffbox content

Medial border	Extensor Pollicis Longus
Lateral border	Tendons of the Abductor Pollicis Longus (APL) and Extensor Pollicis Brevis (EPB).
Floor	Scaphoid and Trapezium.



MED24



2. List 4 contents of cubital fossa from medial to lateral :



MED24




2. List 4 contents of cubital fossa from medial to lateral :

Median nerve
Brachial artery
Biceps brachii tendon
Radial nerve





MED24

3. Enumerate 7 branches of brachial artery :





3. Enumerate 7 branches of brachial artery :

- 1- Deep brachial artery (profunda brachii)
- 2- Nutrient artery of the humerus
- 3- Superior ulnar collateral artery
- 4- Inferior ulnar collateral artery
- 5- Radial artery
- 6- Ulnar artery
- 7- Terminal branches (radial and ulnar arteries)



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

- 1 • Which of the following is a diffuse un-encapsulated lymphatic tissue ?
 - a • Platine tonsils
 - b • Thymus
 - c • Lymph nodes
 - d • Spleen
- 2 • Which is a direct branch of aortic arch?
 - a • Right subclavian artery
 - b • Coronary artery
 - c • Left subclavian artery
 - d • Right common carotid artery
- 3 • What is the blood vessel that opens in the marked number (left atrium)?
 - a • Pulmonary vein
 - b • Pulmonary vein
 - c • Pulmonary vein
 - d • Pulmonary vein
- 4 • What is the main artery of the arm?
 - a • Ulnar
 - b • Radial
 - c • Axillary
 - d • Brachial



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

5 • What muscle is supplied by the superior gluteal nerve?

- a • Gluteus Maximus
- b • Tensor fascia lata
- c • Rectos remoris
- d • Adductor magnus

6 • Which is a paired skull bone?


- a • Maxilla
- b • Vomer
- c • Mandible
- d • Frontal

7. Where are sweat glands found?


- a • Superfical fascia
- b • Dermis
- c • Epidermis
- d • Hypodermis

8 • Which of the following is a feature of pivot joints?

- a • Allow movement in vertical axis
- b • Allow flexion and extension
- c •
- d •



5	6	7	8
B	A	B	A



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

9 • What type of joints is the shoulder joint?

- a • Henge joint
- b • Pivot
- c • Ball and socket
- d • Ellipsoid

10 • Where does the femoral artery terminate?



- a • Mid inguinal ligment
- b • Adductor hiatus
- c • Upper border of the popliteal region
- d • Lower border of the popliteal region

11. What is the primary function of the liver in the GIT?

- a • Abosorption of the water and electrolytes
- b • Storge of digestive enzymes
- c • Produce bile to digest lipeds
- d •

12 • What is a brunch of the femoral artery?

- a • Profunda femoris
- b •
- c •
- d •



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

13 • Which of the following is a content of the adductor canal?

- a • Saphenous nerve
- b • Nerve to vastus lateralis
- c • Femoral nerve
- d •

14 • What nerve supplies the area below the medial part of the inguinal ligament?


- a • Genitofemoral nerve
- b • Ilioinguinal nerve
- c •
- d •

15. Which of the following muscles flex the hip?


- a • Rectus femoris
- b •
- c •
- d •

16 • Which is a feature of cardiac muscle?

- a • It is found in hollow organs
- b • It is striated
- c • It initiates peristalsis
- d •



13	14	15	16
A	B	A	B



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

17 • Where does gas exchange take place?

- a • Terminal bronchiols
- b • Respiratory bronchiols
- c •
- d •

18 • The main difference between the right and left lungs?



- a • The left lung is larger
- b • The left lung has more alveoli
- c • The right lung has 3 lobes while the left lung has 2
- d • The left lung is superior to the right lung

19. Which type of joint is syndesmosis?

- a • Fibrous
- b • Primary cartilagenous
- c • Secondary cartilaginous
- d • Synovial

20 • (X ray image of a bone and pointing at a the epipheseal plate)
what's a feature of the pointed structure?

- a • boney fibrous tissue to connect
- b • Ossify with age
- c •
- d •



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

21 • **Medial boundary to the femoral ring?**

- a • Femoral vein
- b • Superior ramus
- c • Inguinal ligament
- d • Lacunar ligament

22 • **What's in the intermediate compartment of the femoral sheath?**



- a • Femoral vein
- b •
- c •
- d •

23. **What's the lateral boundary of the femoral triangle?**

- a • Sartorius
- b •
- c •
- d •

24 • **what are the layers that are penetrated during cerebrospinal fluid aspiration?**

- a • Dura and pina
- b • Arachnoid only
- c • Dura and arachnoid
- d • Arachnoid and pina



تجميعات اسئلة كويز ١ (دفعه ٢٠٢٣)

25 • what helps you make dicisions? (picture of cerebrum and numberon the lobes)


- a • 1
- b • 2
- c • 3
- d • 4

1. Frontal lobe

2.parietal lobe

3.temporal lobe

4.occipital lobe




26 • what helps you move your arm in answering this test?


- a • General somatic efferent
- b • General somatic afferent
- c • General visceral efferent
- d • General visceral afferent

27. what is the most rostral part of the brain stem?

- a • Medulla oblongata
- b • Pons
- c • Mid brain
- d • Cerebrum




25	26	27	
A	A	C	




تجميعات اسئلة كويز ا (دفعه ٢٠٢٣)

- 1 • Which of the following muscles is innervated by the accessory nerve?
 - a • Trapezius
 - b • Deltoid
 - c • Serratus Anterior
 - d • Rhomboid Minor
- 2 • Which of the following muscles inserts into the floor of the bicipital groove?
 - a • Teres Major
 - b • Pectoralis Major
 - c • Subscapularis
 - d • Latissimus Dorsi
- 3 • What forms the medial wall of the apex of the axilla?
 - a • Inner border of the first rib
 - b • Outer border of the first rib
 - c • Subclavius
 - d • Posterior lymph node
- 4 • Which of the following muscles is inserted into the lateral lip of the intertubercular sulcus?
 - a • Latissimus Dorsi
 - b • Teres Minor
 - c • Teres Major
 - d • Pectoralis Major





1	2	3	4
a	d	b	d



تجميعات اسئلة كويز ا (دفعه ٢٠٢٣)

- 5 • Which of the following nerves supplies the nail bed of the index finger?
- a • Median nerve
 - b • Ulnar nerve
 - c • Radial nerve
 - d • Musculocutaneous nerve
- 6 • Which of the following structures accompanies the radial artery in forearm?
- a • Median nerve
 - b • Ulnar nerve
 - c • Radial nerve
 - d • Superficial branch of the radial nerve
- 7 • Which is a branch of the third part of the axillary artery?
- a • Lateral Thoracic Artery
 - b • Subscapular Artery
 - c • Highest Thoracic
 - d • Thoracoacromial



تجميعات اسئلة كويز ا (دفعه ٢٠٢٣)



Write two branches of the Medial Cord of the Brachial Plexus:

Your answer:

Write two branches of the Medial Cord of the Brachial Plexus:

Answer (any two of the following works):

1. **Ulnar Nerve**
2. **Median Nerve**
3. **Medial Pectoral Nerve**
4. **Medial Cutaneous Nerve of Arm (brachial)**
5. **Medial Cutaneous Nerve of Forearm (Antebrachial)**



تجميعات اسئلة كويز ا (دفعه ٢٠٢٣)



Enumerate the muscles that form the Rotator Cuff:

Your answer:

Enumerate the muscles that form the Rotator Cuff:

Answer:

1. **Supraspinatus**
2. **Infraspinatus**
3. **Subscapularis**
4. **Teres Minor**



تجميعات اسئلة كويز ا (دفعه ٢٠٢٣)



Enumerate the muscles that attach to the Greater Tubercle of the Humerus:

Your answer:

Enumerate the muscles that attach to the Greater Tubercle of the Humerus:


Answer:

1. **Teres Minor**
2. **Supraspinatus**
3. **Infraspinatus**




3-Netflix Last session anatomy final file (med22 ملف من)

- 1 • Which muscle medially rotates the knee?
 - a • Sartorius
 - b • Iliopsoas
 - c • Vastus Medialis
 - d • Gluteus Maximus
- 2 • Which of the following does the Musculocutaneous nerve continue as?
 - a • Lateral cutaneous of the forearm
 - b • Upper lateral cutaneous of the arm
 - c • Lower lateral cutaneous of the arm
 - d • Radial nerve
- 3 • What is the nerve supply of the little fingers on both sides?
 - a • Ulnar nerve
 - b • Ulnar and Radial Nerves
 - c • Radial Nerve
 - d • Median Nerve
- 4 • A patient had an inferior dislocation of his left shoulder, leading to nerve injury. Which of the following actions is maintained- spared ?
 - a • arm flexion
 - b • arm extension
 - c • arm adduction
 - d • arm abduction





1	2	3	4
a	a	a	c



3-Netflix Last session anatomy final file (med22 ملف من)


- 5 • Which nerve will be affected if a fracture happens in the middle of the shaft of the humerus
- a • Axillary
 - b • Radial
 - c • Ulnar
 - d • Musculocutaneous
- 6 • Which of the following nerves is a branch of the upper trunk of the brachial plexus:
- a • Dorsal thoracic
 - b • Suprascapular
 - c • Thoracodorsal
 - d • Lateral Pectoral Nerve
- 7 • A 35-year old man presented with the inability to retract his scapula. Which nerve is most likely to be injured?
- a • Dorsal scapular nerve
 - b • Subscapularis
 - c • Upper subscapular nerve
 - d • Lower subscapular nerve
- 8 • pulse of radial artery is from which structure?
- a • Radius
 - b • Ulna
 - c • Trapezium
 - d • Hamate

5	6	7	8
b	b	a	d




3-Netflix Last session anatomy final file (med22 ملف من)

- 9 • the muscle that has origin from the humerus, radius, and ulna
- a • Flexor digitorum profundus
 - b • Flexor digitorum superficialis
 - c •
 - d •
- 10 • Which of the following arteries supply the medial aspect of the breast?
- a • Lateral thoracic
 - b • Internal thoracic
 - c •
 - d •
- 11 • Which of the following structures make up the anterior axillary fold?
- a • Pectoralis major
 - b •
 - c •
 - d •
- 12 • Which of the following muscles rotates the forearm to the mid prone position?
- a • Biceps brachii
 - b • Triceps
 - c • Brachioradialis
 - d • Brachialis - anconeus



9	10	11	12
b	b	a	c



3-Netflix Last session anatomy final file (med22 ملف من)

13 • Origin of serratus anterior

- a • 3,4,5 ribs
- b • Upper 8 ribs
- c •
- d •

14 • which nerve will be affected if a fracture happens in the shaft of the humerus?

- a • Axillary
- b • Radial
- c • ulnar
- d •



15 • Which of the following nerves is a branch of the upper trunk of the brachial plexus:

- a • Dorsal thoracic
- b • Suprascapular
- c • thoracodorsal
- d •

16 • Muscle that is inserted into the lesser tuberosity of the humerus?

- a • teres minor
- b • ubscapularis
- c •
- d •

13	14	15	16
b	b	b	b



3-Netflix Last session anatomy final file (med22 ملف من)

17 • Which of the following is related medially to the axillary artery ?

- a • Cords of brachial plexus
- b • Axillary vein
- c • Cephalic vein
- d • Pectoralis minor

14 • which nerve will be affected if a fracture happens in the shaft of the humerus?

- a • Axillary
- b • Radial
- c • ulnar
- d •



15 • Which of the following nerves is a branch of the upper trunk of the brachial plexus:

- a • Dorsal thoracic
- b • Suprascapular
- c • thoracodorsal
- d •

16 • Muscle that is inserted into the lesser tuberosity of the humerus?


- a • teres minor
- b • ubscapularis
- c •
- d •

17	14	15	16
b	b	b	b




تجميعات اسئلة كويز ا LOCKER MED 21

- 1 • Which of the following is a branch of the second part of the axillary artery?
 - a • Anterior circumflex humeral
 - b • Lateral thoracic
 - c • subscapular
 - d • Highest thoracic
- 2 • Which of the following muscles form the anterior axillary fold ?
 - a • Latissimus dorsi
 - b • Subclavius
 - c • Teres major
 - d • Pectoralis major
- 3 • Which of the following structures pass through the quadriangular space?
 - a • Subscapular artery
 - b • Ulnar nerve
 - c • Axillary nerve
 - d • Brachial artery
- 4 • What is the action of the anterior fibers of deltoid muscle?
 - a • Flexion of the arm at the shoulder joint
 - b • Lateral rotation of the arm
 - c • Adduction of the arm
 - d • Extension of the arm at shoulder joint



1	2	3	4
B	D	C	A



تجميعات اسئلة كويز ا LOCKER MED 21

5 • What is the action of the anterior fibers of deltoid muscle?

- a • Flexion shoulder
- b • Medial rotation arm
- c • Extension shoulder
- d • Adduction arm

6 • Which of the following muscles is one of the rotator cuff muscles on the shoulder joint ?


- a • Infraspinatus
- b • Triceps brachii
- c • Biceps brachii
- d • Tapezius

7 • Where dose trapizus muscle inserted into ?


- a • Lateral $\frac{1}{3}$ of clavicle
- b • Medial $\frac{2}{3}$ of clavicle
- c • Medial $\frac{1}{3}$ of clavicle
- d • Nuchal line

8 • Which of the following nerves supplies the skin over the lower part of deltoid muscle ?

- a • Medial cutaneous nerve of the thigh
- b • Supraclavicular
- c • Upper lateral cutaneous nerve of the arm
- d • Lower lateral cutaneous nerve of the arm



5	6	7	8
B	A	A	C




تجميعات اسئلة كويز ا LOCKER MED 21

- 9 • Which of the following is a content of axilla ?
- a • Basilic vein
 - b • Subclavian artery
 - c • Brachial artery
 - d • Cord and branches of brachial plexus
- 10 • Which of the following nerves cause the scapula to retract?
- a • Lower subscapular nerve
 - b • Upper subscapular nerve
 - c • Dorsal scapular nerve
 - d • Long thoracic nerve
- 11 • What is the anterior boundary of apex of axilla ?
- a • Pectoralis major
 - b • Trapezius
 - c • Deltoid
 - d • Serratus anterior
- 12 • What is the anatomical boundary of breast from medial to lateral ?
- a • Sternum to mid axillary line
 - b • Sternum to lateral border of pectoralis major
 - c • Medial part of 1st rib to lateral border of pectoralis major
 - d • 2nd rib to 6th rib



9	10	11	12
D	C	A	A




تجميعات اسئلة كويز ا LOCKER MED 21

- 14 • Which of the following muscles abducts the arm from 90-15 degrees ?
- a • Trapezius
 - b • Deltoid
 - c • Supraspinatous
 - d • Serratus anterior
- 15 • Which of the following terms means palm facing backward ?
- a • Supination
 - b • Extension
 - c • Pronation
 - d • Dorsiflexion
- 16 • Which of the following is the action of the subscapularis muscle ?
- a • Extension of shoulder
 - b • Lateral rotation of shoulder
 - c • Medial rotation
 - d • Flexion of shoulder



14	15	16
B	C	C



Second mid





Questions for the following lectures are found here:

UPPER LIMB:

- 1) Nerves of upper limb and lesions
- 2) Joints of upper limb and Radiology

LOWER LIMB:

- 1) Anterior compartment of the thigh
- 2) Medial compartment of the thigh
- 3) Gluteal region
- 4) Posterior compartment of the thigh & popliteal fossa
- 5) Posterior compartment of the leg
- 6) Anterior & lateral compartment of the leg
- 7) Anatomy of the foot



تجميعات اسئلة 2nd mid med25

1. A mother came in with her three month old daughter. She described that her daughter suffers from abnormal movements of her left lower limb, after intermediate gluteal injection two days ago, on examination there was involuntary repetitive extension of the hip with flexion of knee, which structure will be affected?


- a. gluteus maximus
- b. Piriformis M.
- c. superior gluteal nerve.
- d. sciatic nerve

2. What passes below the piriformis and is superficial to the sciatic nerve?


- a. Posterior cutaneous nerve of thigh
- b. inferior gluteal nerve

3. Parents bring their son concerned over a gait in his walk, what is the most likely cause?

- a. Paralysis of gluteus maximus
- b. Superior gluteal nerve injury



1	2	3	
d	a	b	



تجميعات اسئلة 2nd mid med25

4. The patient has a bony projection below the pubic tubercle, the patient also has (pain/numbness) when adducting his right leg, what muscle is likely affected?

- a. Gracilis
- b. adductor longus
- c. adductor brevis
- d. adductor magnus




5. What is most likely to be affected by a tight cast over the lower limb?


- a. Saphenous nerve
- b. obturator nerve
- c. sciatic nerve
- d. Tibial nerve
- e. paroneal nerve

6. Which of the following shares in the upper lateral boundary of the sub-sartorial canal?

- a. Vastus medialis
- b. Vastus latralis
- c. Rectus femoris



4	5	6	
b	e	a	



تجميعات اسئلة 2nd mid med25

7. What nerve is damaged?

- a. Median nerve in the wrist
- b. Radial nerve
- c. Musculocutaneous nerve
- d. ulnar nerve



8. A woman loses sensation over her little finger and ring finger, what is affected?


- a. Ulnar
- b. Ulnar and Medial
- c. Radial
- d. Musculocutaneous nerve

9. What passes through the extensor retinaculum?


- a. Flexor tendons
- b. Tibial nerve
- c. Extensor tendons
- d. Popliteal artery

10. What is the upper medial boundary of the popliteal fossa?

- a. Semimembranosus
- b. Semitendinosus
- c. Biceps femoris
- d. Gastrocnemius (medial head)



7	8	9	10
a	a	c	a



تجميعات اسئلة 2nd mid med25

11. A man has a non-pitting oedema from his thigh to his leg, what is the likely cause?

- a. Femoral artery thrombosis
- b. Involvement of inguinal lymph
- c. Femoral vein occlusion

12. What provides superior stability to the shoulder joint?


- a. Coracoacromial ligament
- b. Long head of biceps
- c. Glenoid labrum
- d. Rotator cuff muscles

13. What provides the chief stability to the shoulder joint?


- a. Rotator cuff muscles
- b. Deltoid muscle
- c. Glenoid cavity depth
- d. Coracoclavicular ligament

14. Which of the following is a branch of the dorsalis pedis artery?

- a. Arcuate artery
- b. Lateral plantar artery
- c. Posterior tibial artery
- d. Fibular artery



11	12	13	14
b	a	a	a



تجميعات اسئلة 2nd mid med25

15. Which gives the plantar arch?

- a. Lateral plantar artery
- b. Medial plantar artery
- c. Dorsalis pedis artery
- d. Deep femoral artery

16. Which is part of the lateral longitudinal arch?



- a. Cuboid
- b. Navicular
- c. Medial cuneiform
- d. Talus head

17. What is the nerve supply of extensor hallucis brevis?

- a. Deep peroneal nerve
- b. Superficial peroneal (fibular) nerve
- c. Tibial nerve
- d. Sural nerve

18. Which of the following passes in both greater and lesser sciatic foramen?

- a. Superior gluteal nerve
- b. Sciatic nerve
- c. Pudendal nerve
- d. Posterior femoral cutaneous nerve



تجميعات اسئلة 2nd mid med25

19. Which of the following relates to the importance of the femoral canal?

- a. Passage of abdominal smth to adductor canal
- b. Passage of femoral artery
- c. Passage of obturator nerve
- d. Passage of sciatic nerve

20. The doctor wants to feel palpitation, he asks the patient to flex his thigh on his trunk. What is the reason?


- a. Due to continuation of abdomen transversalis to fascia lata
- b. Because iliopsoas is attached to lumbar vertebrae
- c. Continuation of fascia lata with inguinal ligament

21. The patient has inflammation of the iliopsoas membrane, what nerve is affected? He had pain during some action (hip flexion), what nerve is affected?


- a. Sciatic nerve
- b. Femoral nerve
- c. Obturator nerve
- d. Superior gluteal nerve

22. Where would you feel for the pulse of the dorsalis pedis artery?

- a. Between heads of extensor digitorum longus & extensor hallucis longus
- b. Behind the medial malleolus
- c. Behind the lateral malleolus
- d. In the popliteal fossa



19	20	21	22
a	a	b	a



تجميعات اسئلة 2nd mid med25

23. Which of the following muscles gains attachment from the anterior inferior iliac spine?

- a. Rectus femoris
- b. pectineus
- c. sartorius
- d. Vastus lateralis

24. Extension of the hip and flexion of the knee is performed by which of the following?


- a. Gluteus maximus
- b. tensor fascia lata
- c. Biceps femoris
- d. Gracilis

25. Plantar flexion and eversion of the foot is produced by which of the following?


- a. Peroneus brevis
- b. Tibialis posterior
- c. Extensor digitorum longus
- d. Gastrocnemius

26. Which of the following muscles flexes both the thigh and leg?

- a. Sartorius
- b. gracilis
- c. Rectus femoris**
- d. Biceps femoris



23	24	25	26
a	c	a	a



تجميعات اسئلة 2nd mid med25

27. A patient fell on an outstretched hand, and he has some tenderness over the scaphoid bone, what is affected?



- a. Radioulnar joint
- b. scapholunate ligament
- c. Radiocarpal joint
- d. Lunotriquetral ligament

28. Which of the following is attached to the medial condyle of tibia?

- a. Sartorius
- b. gracilis
- c. semitendinosus
- d. Semimembranosus

29. What deformity will this cause?


- a. Wrist drop
- b. Claw hand
- c. Foot drop
- d. Ape thumb



تجميعات اسئلة 2nd mid med25

30. What is the name of structure number 1?

- a. Subscapularis
- b. Infraspinatus
- c. Teres minor
- d. Acromion



31. Which of the following has an origin from ischial tuberosity?


- a. Adductor magnus
- b. Pectineus
- c. Vastus lateralis
- d. Tibialis anterior

32. Where is the adductor portion of the adductor magnus inserted?


- a. Adductor tubercle
- b. Linea aspera of femur
- c. Tibial tuberosity
- d. Greater trochanter of femur

33. A doctor wants to draw blood, which of the following is of importance?

- a. anterior iliac spine
- b. pubic tubercle
- c. Greater trochanter
- d. Ischial spine



30	31	32	33
a	a	a	a



تجميعات اسئلة 2nd mid med25

34. Where does the femoral vein lie?

- a. midpoint of inguinal ligament
- b. midinguinal ligament

35. What is the origin of the sural nerve?


- a. tibial nerve
- b. common peroneal nerve
- c. femoral nerve
- d. obturator nerve

36. Which of the following is a branch of profunda femoris artery?


- a. Superficial circumflex iliac artery
- b. anterior smth
- c. posterior smth

37. Which of the following is the most lateral in the femoral triangle floor?

- a. Iliacus
- b. Pectineus
- c. Adductor longus
- d. Psoas major



34	35	36	37
b	a	a	a





تجميعات اسئلة 2nd mid med25

38. Which of the following muscles is supplied by the posterior branch of the obturator nerve?

- a. Adductor longus and magnus
- b. Adductor longus and brevis
- c. Adductor longus and gracilis
- d. Adductor magnus and obturator externus

39. The patient gets stabbed in the (back/shoulders) and can't abduct his arm more than 90 degrees. What nerve is likely injured?

- a. Axillary nerve
- b. Lateral cord of brachial plexus
- c. Radial
- d. Median



تجميعات اسئلة 2nd mid med25



SHORT ESSAY

Q1- Enumerate the muscles of the third layer of of the foot and give their nerve supply

Q2-What are the motor and sensory supply of the musculocutaneous

Q3-Enumerate the small lateral rotator muscle of the thigh with their nerve supply

Q4-What are the muscles of the radio-ulnar joint with their nerve supply





1-1st game anatomy quiz file (ملف24med)

- 1 • Which muscle is innervated by the superior gluteal nerve?
 - a • Gluteus Maximus
 - b • Tensor Fascia Lata
 - c • Rectus Femoris
 - d • Adductor Magnus

- 2 • Where does the femoral artery terminate?
 - a • Mid-Inguinal Ligament
 - b • Adductor Hiatus
 - c • Upper border of popliteal region
 - d • Lower border of popliteal region

- 3 • Which of the following is a branch of the Femoral Nerve?
 - a • Obturator Nerve
 - b • Profunda Femoris
 - c • Saphenous Nerve
 - d • Nerve to Obturator Internus

- 4 • Which of the following is found in the adductor canal?
 - a • Sciatic Nerve
 - b • Nerve to Vastus Lateralis
 - c • Saphenous Nerve
 - d • Popliteal Artery





1-1st game anatomy quiz file (ملف24med)

- 1 • Which muscle is innervated by the superior gluteal nerve?
 - a • Gluteus Maximus
 - b • Tensor Fascia Lata
 - c • Rectus Femoris
 - d • Adductor Magnus

- 2 • Where does the femoral artery terminate?
 - a • Mid-Inguinal Ligament
 - b • Adductor Hiatus
 - c • Upper border of popliteal region
 - d • Lower border of popliteal region

- 3 • Which of the following is a branch of the Femoral Nerve?
 - a • Obturator Nerve
 - b • Profunda Femoris
 - c • Saphenous Nerve
 - d • Nerve to Obturator Internus

- 4 • Which of the following is found in the adductor canal?
 - a • Sciatic Nerve
 - b • Nerve to Vastus Lateralis
 - c • Saphenous Nerve
 - d • Popliteal Artery





1-1st game anatomy quiz file (ملف24med)

- 1 • Which muscle is innervated by the superior gluteal nerve?
 - a • Gluteus Maximus
 - b • Tensor Fascia Lata
 - c • Rectus Femoris
 - d • Adductor Magnus

- 2 • Where does the femoral artery terminate?
 - a • Mid-Inguinal Ligament
 - b • Adductor Hiatus
 - c • Upper border of popliteal region
 - d • Lower border of popliteal region

- 3 • Which of the following is a branch of the Femoral Nerve?
 - a • Obturator Nerve
 - b • Profunda Femoris
 - c • Saphenous Nerve
 - d • Nerve to Obturator Internus

- 4 • Which of the following is found in the adductor canal?
 - a • Sciatic Nerve
 - b • Nerve to Vastus Lateralis
 - c • Saphenous Nerve
 - d • Popliteal Artery



1-1st game anatomy quiz file (ملف24med)

5 • Which nerve supplies the area below the medial part of the inguinal ligament?

- a • Genitofemoral Nerve
- b • Ilioinguinal Nerve
- c • Lateral Femoral Cutaneous Nerve
- d • Obturator Nerve

6 • Which of the following muscles flexes the thigh at the hip?

- a • Rectus Femoris
- b • Vastus Intermedius
- c • Gluteus Maximus
- d • Biceps Femoris


7 • What is a feature of the structure indicated here?

- a • Made of fibrocartilage
- b • Connects two bones together
- c • Simple Fracture
- d • Ossifies with age




8 • Which of the following makes up the medial border of femoral ring?

- a • Femoral Vein
- b • Lacunar Ligament
- c • Superior ramus of pubis
- d • Inguinal Ligament




5	6	7	8
b	a	d	b




1-1st game anatomy
quiz file (ملف med24)

- 9 • Which one is found in the intermediate compartment of the femoral sheath?
- a • Femoral Vein
 - b • Femoral Artery
 - c • Lymphatics
 - d • Femoral Nerve
- 10 • What makes up the lateral boundary of the femoral triangle?
- a • Sartorius
 - b • Adductor Longus
 - c • Rectus Femoris
 - d • Inguinal Ligament

End of Questions



9	10		
a	a		



MED24

3. Which of the following nerves would be affected by inferior shoulder dislocation



- A. axillary nerve
- B. median nerve
- C. radial nerve
- D. Suprascapular nerve

4. deep branch of radial nerve pierces which muscle


- a. flexor carpi radialis muscle
- b. supinator muscle
- c. extensor carpi radialis brevis muscle
- d. Biceps brachii

5. Which nerve is responsible for the following deformity

- A. radial nerve
- B. posterior interosseus
- C. Median nerve
- D. Ulnar nerve



3	4	5	
A	B	A	



MED24

6. according to the photo, which nerve will be affected?

- A. median nerve
- B. musculoteneous nerve
- C. radial nerve
- D. Axillary nerve



11. Which of the following muscles has a double nerve supply



- A. Flexor digitorum profundus
- B. flexor carpi ulnaris
- C. flexor digitorum longus
- D. Pronator teres

12. Which muscle supply by superficial branch of ulnar nerve

- A. Palmaris brevis
- B. Lumbricals (1st and 2nd)
- C. Opponens pollicis
- D. Flexor digiti minimi brevis

21. Which of the following nerves supplies the nail bed of the index finger?


- A. Median nerve
- B. Ulnar nerve
- C. Radial nerve
- D. Musculocutaneous nerve




MED24

23. Which of the following structures accompanies the radial artery in forearm ?

- A. Median nerve
- B. Ulnar nerve
- C. Radial nerve
- D. Superficial branch of the radial nerve



23				
D				




2-Grey's Anatomy 1st , 2nd anatomy
quiz files (ملفات من med23)

- 1 • Which of the following actions is done by the gastrocnemius muscle ?
 - a • extension of the knee
 - b • medial rotation of the knee
 - c • dorsiflexion of the foot
 - d • plantarflexion of the foot


- 2 • Which of the following is the origin of the Piriformes muscle?
 - a • Anterior surface of the sacral vertebrae
 - b • Posterior Surface of the Sacral Vertebrae
 - c • Medial malleolus
 - d • Lateral malleolus

- 3 • Which of the following lies medial to femoral artery in the femoral triangle?
 - a • Femoral vein
 - b • Great saphenous vein
 - c • Femoral nerve
 - d • Sciatic nerve

- 4 • Which of these nerves does the Saphenous Nerve originate from?
 - a • Sciatic nerve
 - b • Femoral nerve
 - c • Ulnar nerve
 - d • Tibial nerve



1	2	3	4
d	a	a	b



2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)

5 . Which of the following is the insertion of the Semimembranosus muscle:

- a • medial condyle of tibia
- b • lesser trochanter
- c • greater trochanter
- d • lateral condyle of tibial

6. Which nerve innervates the extensor digitorum longus muscle?


- a • Superficial peroneal nerve
- b • Deep peroneal nerve
- c • Tibial nerve
- d • Femoral nerve

7. Where does the Great Saphenous Vein ascend from?

- a • Behind the medial malleolus
- b • In front of the medial malleolus
- c • In front of the lateral malleolus
- d • Behind the lateral malleolus

8. Which of following is the origin of the Sartorius muscle?

- a •Anterior Superior Iliac Spine
- b •Anterior Inferior Iliac Spine
- c •Posterior Superior Iliac Spine
- d •Posterior Inferior Iliac Spine



2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)

9. Which of the following is a branch of the Profunda Femoris artery?

- a • Medial circumflex artery
- b • Anterior circumflex artery
- c • Obturator artery
- d • Femoral artery

10. Which of the following structures lies anterior to the popliteal artery?

- a • knee joint
- b • Popliteal vein
- c • Tibial Nerve
- d • Superficial fascia

11. Which movement is performed by the Gluteus Medius muscle?


- a • Adduction of the thigh
- b • Medial rotation of the thigh
- c • Flexion of the thigh
- d • Lateral rotation of the thigh

12. Which of the following muscles maintains the lateral arch?

- a • Peroneus Longus
- b • Flexor Hallucis Longus
- c • Gastrocnemius
- d • Flexor Digitorum Longus



9	10	11	12
a	a	b	a



2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)

13. Which of the following actions is preformed by the Tibialis Posterior muscle?

- a • Inversion of the foot
- b • Eversion of the foot
- c • support lateral longitudinal arch of the foot
- d • Dorsiflexion of the foot

14. Where does the Tendon of Tibialis Anterior pass:

- a • Superficial to Flexor retinaculum
- b • Deep to Extensor retinaculum
- c • Deep to Flexor retinaculum
- d • Superficial to Extensor retinaculum

15. Which of the following is a branch of the Profunda Femoris artery ?


- a • Anterior circumflex
- b • Medial circumflex
- c • Deep circumflex
- d • Superior circumflex

16. Which section of the leg does the Superficial Peroneal nerve supply?:

- a • Upper medial of the leg
- b • Lower medial of the leg
- c • Lower anterolateral of the leg
- d • Upper anterolateral of the leg



13	14	15	16
a	b	b	c



2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)

21. Where does the Medial Plantar Artery arises from?

- a • Posterior Tibial
- b • Anterior Tibial
- c • Peroneal artery
- d • Saphenous artery

22. All Quadriceps muscles perform which of the following actions?


- a • Flexion of the knee
- b • Extension of the knee
- c • Lateral Rotation of the knee
- d • Medial Rotation of the knee

23 . Where does the Obturator nerve end?


- a • upper greater sciatic foramen
- b • lower greater sciatic foramen
- c • Lesser sciatic foramen
- d • upper part of obturator foramen

24. All of the following muscles lie posterior to the posterior tibial artery except:

- a • Tibialis posterior
- b • Soleus
- c • Gastrocnemius



21	22	23	24
a	b	d	a





2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)

25. The floor of femoral triangle is formed laterally to medialy of ?

- a • iliacus, psoas, pectineus, adductor longus
- b • iliacus, psoas major, adductor brevis, pectineus
- c • iliacus, psoas major, pectineus, adductor brevis
- d • adductor longus, pectineus, psoas major, iliacus

26. Which of the following gives origin to superior gemellus?

- a • ischial tuberosity
- b • ischial spine
- c • Sacral vertebrae
- d • Pubic tubercle



2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)

How many Tarsals are in a human foot?



Your answer:

How many Tarsals are in a human foot?

Answer:

7

(Calcaneum, Talus, Navicular, Medial, middle, & lateral cuneiforms, and cuboid)



2-Grey's Anatomy 1st , 2nd anatomy quiz files (ملفات من med23)



Enumerate the muscles that form the Anterior Compartment of the Leg:

Your answer:

Enumerate the muscles that form the Anterior Compartment of the Leg:

Answer:

1. **Supraspinatus**
2. **Infraspinatus**
3. **Subscapularis**
4. **Teres Minor**




3-Netflix Last session anatomy final file (med22 ملف من)

- 1 • Which muscle medially rotates the knee?
 - a • Sartorius
 - b • Iliopsoas
 - c • Vastus Medialis
 - d • Gluteus Maximus
- 2 • Which of the following does the Musculocutaneous nerve continue as?
 - a • Lateral cutaneous of the forearm
 - b • Upper lateral cutaneous of the arm
 - c • Lower lateral cutaneous of the arm
 - d • Radial nerve
- 3 • What is the nerve supply of the little fingers on both sides?
 - a • Ulnar nerve
 - b • Ulnar and Radial Nerves
 - c • Radial Nerve
 - d • Median Nerve
- 4 • A patient had an inferior dislocation of his left shoulder, leading to nerve injury. Which of the following actions is maintained- spared ?
 - a • arm flexion
 - b • arm extension
 - c • arm adduction
 - d • arm abduction



1	2	3	4
a	a	a	c




3-Netflix Last session anatomy final file (med22 ملف من)

- 5 • Which nerve will be affected if a fracture happens in the middle of the shaft of the humerus
- a • Axillary
 - b • Radial
 - c • Ulnar
 - d • Musculocutaneous
- 6 • Which of the following nerves is a branch of the upper trunk of the brachial plexus:
- a • Dorsal thoracic
 - b • Suprascapular
 - c • Thoracodorsal
 - d • Lateral Pectoral Nerve
- 7 • A 35-year old man presented with the inability to retract his scapula. Which nerve is most likely to be injured?
- a • Dorsal scapular nerve
 - b • Subscapularis
 - c • Upper subscapular nerve
 - d • Lower subscapular nerve



5	6	7
b	b	a



3-Netflix Last session anatomy final file (med22 ملف من)

8 • which of the following is a plantar flexor of the foot?

- a • EDL
- b • Tibialis anterior
- c • Popliteus muscle
- d • Gastrocnemius

9 • What is the upper lateral boundary of the popliteal fossa?


- a • Semitendinosus & semimembranosus
- b • Biceps femoris
- c • Gastrocnemius
- d •

10 • The floor of the adductor canal is made up of


- a • Adductor longus & adductor magnus
- b •
- c •
- d •

11 • What is superior to the sciatic nerve

- a • Piriformis
- b • Semitendinosus
- c • Quadratus femoris
- d • Gemellus superior



8	9	10	11
d	b	a	a



3-Netflix Last session anatomy final file (med22 ملف من)

12 • What originated from the posterior surface of the tibia?

- a • soleus
- b •
- c •
- d •

13 • What is attached to the distal phalanx?


- a • extensor digitorum longus
- b •
- c •
- d •

14 • which of the following gives origin to semitendinosus


- a • Ischial tuberosity
- b • Superior ramus of pubis
- c • Head of the femur
- d • Linea Aspera

15 • What original of the superior epigastric artery

- a • Musculocutaneous
- b • Internal thoracic
- c • External iliac
- d • Abdominal aorta




12	13	14	15
a	a	a	b




3-Netflix Last session anatomy final file (med22 ملف من)

- 16 • which gives insertion of the gluteus medius
- a • neck of femur
 - b • Obturator foramen
 - c • Posterior of femur
 - d • Greater trochanter
- 17 • a 35-years man presented with the inability to retract his scapula. Which nerve can be injured?
- a • Dorsal scapular
 - b • Subscapularis
 - c • Upper subscapularis
 - d • Lower subscapularis
- 18 • Which of the following concerns with lingual artery?
- a • It runs superficial to the hyoglossus muscle
 - b • Arises from the facial artery in the neck
 - c • It superior to the sublingual gland
 - d • Gives off the sublingual artery
- 19 • how does the dorsalis pedis artery begin?
- a • As a continuation of the anterior tibial artery
 - b •
 - c •
 - d •



16	17	18	19
d	a	d	a



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

1 • Which of the following action on the thigh done by sartorius muscle?

- a • Abduction of the thigh
- b • Medial rotation of the thigh
- c • Extend the thigh
- d • Adduction of the thigh

2 • which nerve supply the peroneal longus muscle?


- a • Superficial peroneal nerve
- b • Tibial nerve
- c • Deep peroneal nerve
- d • Saphenous nerve

3 • The muscle of the posterior compartment of the thigh are paralyzed because the sciatic nerve has been served, the patient can still flex his legs at the knee joint, which muscle is producing the action?


- a • Gastrocnemius
- b • Sartorius
- c • Short head of biceps femoris
- d • Semitendinosus

4 • Which quadriceps head acts on both hip and knee joints ?

- a • Vastus internedius
- b • Vastus medialis
- c • Vastus lateralis
- d • Recuts femoris



1	2	3	4
a	a	b	d



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

5 • What is the structure that found in adductor canal ?

- a • Profunda femoral nerve
- b • Nerve to vastus lateralis
- c • Saphenous nerve
- d • Femoral nerve

6 • Which of the following gives attachment to popliteus muscle ?


- a • Lateral condyle of femur
- b • Upper condyle of lateral surface of tibial
- c • Medial condyle of femur
- d • Anterior surface of tibial

7 • Which of the following action is preformed by obturator externus ?


- a • Medial rotation of the thigh
- b • Abduction the thigh
- c • Lateral rotation of the thigh
- d • Flexion of the thigh

8 • What is the nerve supply of gracilis muscle ?

- a • Sural nerve
- b • Obtrator nerve
- c • Femoral nerve
- d • Common peroneal nerve



5	6	7	8
c	a	c	b



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

9 • Which of the following is an origin of popliteus muscle ?

- a • Anterior surface of tibia
- b • Medial condyle of femur
- c • Upper lateral surface of tibia
- d • Lateral condyle of femur

10 • Which of the following muscles assists in maintaining the medial longitudinal arch of the foot ?


- a • Peroneus brevis
- b • Tibialis posterior
- c • Peroneus longus
- d • Abductor digiti minimi

11 • The patient has paralysis in the quadriceps femoris muscle. Which of the following movements should be affected ?


- a • Extension of the leg
- b • Dorsiflexion
- c • Flexion of the leg
- d • Abduction of the thigh

12 • Which nerve supplies the plantar surface of the foot

- a • Saphenous nerve
- b • Medial planter nerve
- c • Tibial nerve
- d • Anterior peroneal nerve



9	10	11	12
d	b	a	c



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

13 • What plexus dose the femoral nerve arise from ?

- a • L(2,3) S(1,2,3)
- b • L(2,3,4)
- c • L(2,3) S(1,2)
- d • S(1,2,3)

14 • What is the nerve supply of Peroneus longus ?


- a • Superficial peroneus nerve
- b • Deep Peroneus nerve
- c • Tibial nerve
- d • Saphenous nerve

15 • Which of the following muscles form the lateral wall of the adductor canal ?


- a • Vastus Lateralis
- b • Adductor longus
- c • Vastus medialis
- d • Sartorius

16 • The boundaries of femoral triangle include; inguinal ligament and sartorial muscle, what is the other boundary ?

- a • Vastus lateralis
- b • Vastus medialis
- c • Adductor longus
- d • Adductor magnus



13	14	15	16
b	a	c	c



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

17 • Lesion of which nerve will affect retraction of the scapula ?

- a • Lower subscapular nerve
- b • Upper subscapular nerve
- c • Dorsal scapular nerve
- d • Posterior division of brachial plexus

18 • Which of the following is a branch of the femoral artery ?

- a • Lateral circumflex iliac artery
- b • Deep external pudendal artery
- c • Obturator artery
- d • External pudendal artery


19 • Which of the following clinical indicates femoral nerve damage ?

- a • Paralysis of psoas major
- b • Loss sensation of skin in lateral side of the foot
- c • Paralysis of vastus lateralis
- d • Paralysis of gracilis

20 • If there an injury in the quadriceps femoris , which movement will be affect ?

- a • Adduction thigh
- b • Extension leg
- c • Abduction thigh
- d • Flexion leg

17	18	19	20
c	b	c	b



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

21 • A 71 yea old patient has been admitted to the intensive care unit his doctor needs to take an arterial blood sample from the femoral artery, where does he needs to insert the needle ?

- a • Between ASIS and pubic tubercle
- b • Between ASIS and pubic symphysis
- c • Apex of femoral triangle
- d •

22 • What is the origin of sural nerve ?


- a • Common peroneal nerve
- b • Deep peroneal nerve
- c • Tibial nerve
- d • Obturator nerve

23 • Dorsalis pedis artery is a continuation of which artery ?


- a • Anterior tibial artery
- b • Posterior tibial artery
- c • Deep peroneal artery
- d • Deep planter artery

24 • Which of the following nerves supplies gluteus maximus ?

- a • superio gluteal nerve
- b • Inferior gluteal nerve
- c • Obturator nerve
- d • Nerve to obturator interus



21	22	23	24
b	c	a	b



✧ —Locker21— ✧ anatomy mid file (ملف من med21)

25 • Which of the following is a content of adductor canal ?

- a • Femoral nerve
- b • Profunda artery
- c • Saphenous nerve
- d • Nerve to vastus lateralis

26 • Which of the following dose the saphenous vein drain into ?



- a • Femoral vein
- b • Popliteal vein
- c • Anterior Tibial vein
- d • Posterior Tibial vein

27 •

- a •
- b •
- c •
- d •

28 •

- a •
- b •
- c •
- d •



—Locker21— ✨ anatomy Quiz 2 (ملف من med21)

1. Which of the following structures accompanies radial nerve through the spiral groove

- A. Profunda brachii artery
- B. Median nerve
- C. Ulnar nerve

2. Which of the following gives origin to the medial head of the triceps muscle?



- A. Coracoid process of the scapula
- B. Supraglenoid tubercle of the scapula
- C. Infraglenoid tubercle of the scapula
- D. Posterior surface of the humerus

3. which of the following structures lies medially to brachial artery in the upper arm?

- A. Ulnar nerve
- B. Radial nerve
- C. Median nerve
- D. Tendon of biceps

4. Which of the following structures lies medially in the cubital fossa?

- A. Deep branch of radial nerve
- B. Brachial artery
- C. median nerve
- D. biceps brachii tendon



—Locker21— ✨ anatomy Quiz 2 (ملف من med21)

5. Which of the following axillary lymph nodes directly drains the deep lymphatics of the upper limb?

- A. Infraclavicular
- B. Apical
- C. Lateral
- D. Posterior

6. Which structure is superficial to flexor retinaculum?


- A. Tendon of flexor carpi radialis
- B. Median nerve
- C. Ulnar nerve

7. One of the following muscles does flexion and abduction of the wrist joint?


- A. Flexor carpi radialis
- B. Flexor carpi ulnaris
- C. Brachioradialis
- D. Pronator longus

8. What is the muscle that is supplied by ulnar and median nerve?

- A. Flexor digitorum profundus
- B. Flexor digitorum superficialis
- C. Flexor digitorum
- D. Pronator teres



5	6	7	8
C	C	A	A



—Locker21— ✨ anatomy Quiz 2 (ملف من med21)

9. Which of the following is a branch of ulnar artery?

- A. Profunda brachii
- B. Common interosseous
- C. Superior ulnar collateral
- D. Inferior ulnar collateral

10. The muscle rotate forearm on the mid-prone position?



- A. Brachioradialis
- B. Pronator quadratus
- C. Anconeus
- D. Pronator Teres

11. Abductor pollicis longus supplied by which of following nerves

- A. Median nerve
- B. Radial nerve
- C. Deep branch of radial nerve

12. What is the insertion of the extensor pollicis longus?

- A. Distal phalanx of the thumb
- B. Proximal phalanx of the thumb
- C. Extensor expansion



—Locker21— ✨ anatomy Quiz 2 (ملف من med21)

13. Which of the following structures passes deeply to extensor retinaculum in the 6th compartment?

- A. Extensor digiti minimi tendon
- B. Extensor carpi ulnaris tendon
- C. Extensor pollicis brevis tendon
- D. Extensor pollicis longus tendon

14. Which of the following muscle inserted into proximal phalanx of the thumb?


- A. Abductors pollicis longus
- B. Extensor pollicis brevis
- C. Extensor pollicis longus
- D. Flexor pollicis longus

15. What bone present in the floor of the snuff box?


- A. Scaphoid
- B. Lunate
- C. Triquetrum
- D. Pisiform

16. How does the radial artery terminate?

- A. By dividing into deep and superficial branch
- B. By dividing into anterior and posterior interosseous
- C. By forming deep palmar arch
- D. By forming superficial palmar arch



13	14	15	16
B	B	A	C



—Locker21— ✨ anatomy Quiz 2 (ملف من med21)

17. Which of the following nerves pierces coracobrachialis?

- A. Radial nerve
- B. Median nerve
- C. Ulnar nerve
- D. Musculocutaneous nerve

18. The ventral rami of C5 and C6 continues as which trunk or cord?

- A. Upper trunk
- B. Lower trunk
- C. Medial cord
- D. Middle trunk



19. What is the nerve that may be injured in case of fracture of the medial epicondyle?

- A. Radial nerve
- B. Median nerve
- C. Ulnar nerve
- D. Musculocutaneous nerve

20. Which of the following nerves supplies the skin of the lateral side of the forearm?

- A. Musculocutaneous
- B. Radial
- C. Ulnar
- D. Medial

17	18	19	20
D	A	C	A



—Locker21— ✨ anatomy Quiz 2 (ملف من med21)

21. Which nerve is responsible for the sensation of the upper surface of the little finger?

- A. Ulnar nerve
- B. Radial nerve
- C. Median nerve

22. What is the muscle that doesn't participate in formation of the thenar eminence?

- A. Adductor pollicis brevis
- B. Flexor pollicis brevis
- C. Opponens pollicis
- D. Adductor pollicis

Upper limb (5)

1- Arm and cubital fossa

2- Anterior compartment of the Forearm

3- Posterior compartment of the Forearm

4- Nerves of the upper limb



5- Anatomy of the hand

21

22

A

D





Med18-Anatomy-final (med18 ملف من)

- 1 • Which of the following muscles lies in the floor of the femoral triangle?
 - a • gluteus maximus
 - b • vastus medialis
 - c • adductor longus
 - d • sartorius

- 2 •
 - a •
 - b •
 - c •
 - d •

- 3 • Which of the following passes through both greater and lesser Sciatic foramina?
 - a • internal pudendal artery
 - b • Obturator internus tendon
 - c • Superior gluteal nerve
 - d • Inferior gluteal nerve

- 4 • Which of the following muscles flexes the hip and knee?
 - a • Sartorius
 - b • Vastus medialis
 - c • Rectus Femoris
 - d • Semitendinosus



Med18-Anatomy-final (med18 ملف من)

5 • A 20 year old had a fracture in the gluteal region and has Foot drop. Which nerve is affected?

- a • superior gluteal
- b • inferior gluteal
- c • obturator
- d • sciatic

6 • The skin of dorsum of 1st and 2nd toes of the foot are supplied by:



- a • Medial planter nerve
- b • Deep peroneal nerve
- c • Superficial peroneal nerve
- d • Tibial nerve

7 • the supraspinatus muscle is supplied by:

- a • lower subscapular nerve.
- b • upper subscapular nerve.
- c • suprascapular nerve
- d • dorsal scapular nerve.


8 • Inguinal ligament derived from?

- a • External oblique aponeurosis
- b • Internal oblique aponeurosis
- c • Transversus abdominis aponeurosis
- d • Fascia transversalis




Med18-Anatomy-final (ملف من med18)

- 9 • **The action of gluteus medius is:**
- a • Flexion of the thigh
 - b • Extension of the thigh
 - c • Abduction and medial rotation of the thigh
 - d • Adduction of the thigh
- 10 • **A Patient had a removal operation on his right side of the neck. Then he complained that he can't abduct his arm more than 90. What is the nerve that may be injured?**
- a • Axillary nerve
 - b • Suprascapular nerve
 - c • Long thoracic nerve
 - d • Spinal accessory nerve
- 11 • **Forms the lateral longitudinal arch of the foot:**
- a • Lateral cuneiform
 - b • 3rd metatarsal
 - c • Navicular
 - d • Cuboid
- 12 • **Which of the following takes origin from the tibia?**
- a • Popliteus
 - b • Flexor digitorum
 - c • Flexor hallucis
 - d • biceps femoris





9	10	11	12
C	d	d	b



Med18-Anatomy-final (med18 من ملف)

- 13 • **Semimembranous muscle is supplied by:**
- a • Sciatic nerve
 - b • Deep peroneal
 - c • Superior Gluteal
 - d • Inferior Gluteal
- 14 • **Arises from the upper trunk of brachial plexus:**
- a • Thoracodorsal nerve
 - b • nerve to subclavius
 - c • axillary nerve
 - d • musculocutaneous nerve
- 15 • **The popliteus muscle originated from:**
- a • medial condyle of femur
 - b • lateral condyle of femur
 - c • tibia above soleal line
 - d • tibia below soleal line



Med18-Anatomy-final (med18 ملف من)

17 • All of the following muscles cause dorsiflexion of the foot EXCEPT?

- a • Tibialis Anterior
- b • Tibialis posterior
- c • Extensor Hallucis Longus
- d • Extensor Digitorum Longus

18 • Injury of the spiral groove?

- a • Radial N.
- b • Axillary N.
- c • Median N.
- d • Ulnar N.

19. Which muscle originates from the olecranon process?


- a • Flexor carpi ulnaris
- b • Flexor carpi radialis
- c • Pronator teres
- d • Palmaris longus

20. The azygos vein drains into the:

- A. Superior vena cava
- B. Inferior vena cava
- C. Right brachiocephalic vein
- D. Coronary sinus



17	18	19	20
b	A	A	A



Med18-Anatomy-final (ملف من med18)

21. The axillary artery begins at the:

- a • Lateral border of 1st rib
- b • Lower border of 1st rib
- c • Upper border of teres major
- d • Lower border of teres minor

22. The inferior border of the quadrangular space is:


- a • Teres major
- b • Teres minor
- c • Humerus
- d • Long head of triceps

23. The lower third of the lateral border of the scapula gives attachment to:


- a • Teres major
- b • Teres minor
- c • Rhomboid major
- d • Rhomboid minor

24. Which of the following muscles is supplied by the radial nerve?

- A. Flexor digitorum longus
- B. Extensor digitorum longus
- C. Extensor carpi radialis brevis
- D. Extensor carpi radialis longus



21	22	23	24
A	A	A	D



Med18-Anatomy-final (ملف من med18)

25 The xiphisternal joint lies at the level of:

- a • T9
- b • T10
- c • T11
- d • T12

26. Content of the inguinal canal includes

- a • Genitofemoral nerve
- b • Ilioinguinal nerve
- c • Femoral branch of genitofemoral
- d • Deep circumflex iliac artery

27. The main action of gluteus medius is:


- a • Adduction
- b • Abduction
- c • Flexion
- d • Medial rotation

28. Which muscle is responsible for supination of the forearm :

- A. Biceps Brachii
- B. Brachialis
- C. Coracobrachialis
- D. Pronator quadratus



25	26	27	28
A	B	B	A



Med18-Anatomy-final (ملف من med18)

29. 75% of lymphatics of the breast drain into:

- a • Thoracic duct
- b • Axillary lymph nodes
- c • Internal mammary nodes
- d • Posterior mediastinal nodes

30. Which structure passes deep to the flexor retinaculum at the wrist?

- a • Tendon of palmaris longus
- b • Ulnar nerve
- c • Ulnar artery
- d • Tendon of flexor pollicis longus

31. Dorsiflexion of the foot is mainly performed by:


- a • Tibialis anterior
- b • Tibialis posterior
- c • Extensor hallucis longus
- d • Extensor digitorum longus

32. Which muscle is responsible for supination of the forearm :

- A. Biceps Brachii
- B. Brachialis
- C. Coracobrachialis
- D. Pronator quadratus



29	30	31	32
B	D	A	A



Med18-Anatomy-final (ملف من med18)

33. Give the origin, insertion, nerve supply, and action of pectoralis major.

Origin:

- Clavicular head: Medial half of the clavicle
- Sternocostal head:
 - Sternum
 - Upper six costal cartilages
 - Aponeurosis of external oblique muscle

Insertion


- Lateral lip of the intertubercular (bicipital) groove of the humerus

Nerve Supply


- Medial pectoral nerve (C8–T1)
- Lateral pectoral nerve (C5–C7)

Actions

- Adduction of the arm
- Medial rotation of the arm
- Flexion of the arm (clavicular head)
- Extension from flexed position (sternocostal head)



29	30	31	32
B	D	A	A



Med18-Anatomy-final (ملف من med18)

34:Branches of the Abdominal Aorta (Single & Paired)

Single (Unpaired) Branches – Visceral

- 1.Celiac trunk
- 2.Superior mesenteric artery (SMA)
- 3.Inferior mesenteric artery (IMA)

Single (Unpaired) Branch – Parietal


- Median sacral artery

Paired Branches – Visceral


- 1.Middle suprarenal arteries
- 2.Renal arteries
- 3.Gonadal arteries (testicular/ovarian)

Paired Branches – Parietal

- 1.Inferior phrenic arteries
- 2.Lumbar arteries (usually four pairs)



29	30	31	32
B	D	A	A



Med18-Anatomy-final (ملف من med18)

Brachial Artery – Beginning, Termination, Branches: Beginning


- Starts at the lower border of teres major
- It is the continuation of the axillary artery

Termination


- Ends at the level of the neck of the radius, in the cubital fossa
- Divides into:
 - Radial artery
 - Ulnar artery

Branches

1. Profunda brachii artery (deep artery of arm)
2. Superior ulnar collateral artery
3. Inferior ulnar collateral artery
4. Muscular branches (to anterior arm muscles)
5. Nutrient artery (to humerus)



29	30	31	32
B	D	A	A



med17-ANATOMY-MIDTERM med17-ANATOMY-quiz



(ملفات من med17)

- 1 • What is the lateral bone of the leg:
 - a • Tibia
 - b • Fibula
 - c • Femur
 - d • Humerus

- 2 • Which of the following joints performs flexion and extension:
 - a • Atlantoaxial
 - b • Wrist
 - c • Elbow
 - d • Intervertebral disc

- 3 • Which muscle extends the knee and flexes the thigh:
 - a • Sartorius
 - b • Rectus femoris
 - c • Adductor longus
 - d • Psoas major


- 4 • Which of the following is a Bipennate muscle:
 - a • Rectus femoris
 - b • Sartorius
 - c • Quadriceps femoris
 - d • Orbicularis oculi




med17-ANATOMY-MIDTERM med17-ANATOMY-quiz

(ملفات من med17)

- 5 • Which of the following strengthens synovial joints:
- a • Capsule
 - b • Cavity
 - c • Extra-capsular ligament
 - d • Membrane
- 6 • The continuation of femoral artery is:
- a • Axillary artery
 - b • Brachial artery
 - c • Subclavian artery
 - d • Popliteal artery
- 7 • The joint that moves in 2 or more planes:
- a • Plane
 - b • Hinge
 - c • Saddle
 - d • Ball and socket
- 8 • All of the following are contents of femoral sheath EXCEPT:
- a • Femoral artery
 - b • Femoral vein
 - c • Lymph nodes
 - d • Femoral nerve





5	6	7	8
c	d	d	d



med17-ANATOMY-MIDTERM med17-ANATOMY-quiz

(ملفات من med17)

- 9 • Which statement is INCORRECT about Adductor (subsartorial) Canal:
- a • Laterally is formed of vastus lateralis
 - b • Posteriorly made of adductor longus and adductor magnus
 - c • Begins from the apex of femoral sheath
 - d • Contains Femoral artery and Femoral vein
- 10 • Gracilis muscle:
- a • Originates from Medial part of the superior ramus of the pubis
 - b • Inserted in Linea aspera
 - c • Nerve supplied by Obturator nerve
 - d • Nerve supplied by femoral nerve
- 11 • Which muscle extends the knee and flexes the thigh:
- a • Sartorius
 - b • Rectus Femoris
 - c • Quadratus Femoris
 - d • Biceps Femoris
- 12 • Which of the following is true regarding the Gracilis muscle:
- a • Originates from Medial part of the superior ramus of the pubis
 - b • Inserted into the Linea aspera
 - c • Innervated by Obturator nerve
 - d • Innervated by femoral nerve



med17-ANATOMY-MIDTERM med17-ANATOMY-quiz



(ملفات من med17)

13 • The artery which continues as an axillary artery is:

- a • Brachial
- b • Common Carotid
- c • Subclavian
- d • Popliteal


14 • Carpals are:

- a • Long bones
- b • Irregular bones
- c • Short bones
- d • Sesamoid bones




Med15-Anatomy-Final (ملف من med15)

- 1 • Which of the following structures does not enter the femoral sheath?
 - a • Femoral nerve.
 - b • Femoral artery.
 - c • Femoral vein.
 - d • Lymph nodes.
- 2 • Which of the following nerves is a content of the adductor (subsartorial) canal:
 - a • Femoral nerve.
 - b • Saphenous nerve.
 - c • Tibial nerve.
 - d • Long saphenous vein.
- 3 • Which of the following muscles is supplied by the inferior gluteal nerve?
 - a • Gluteus minimus.
 - b • Gluteus maximus.
 - c • Gluteus medius.
 - d • Tensor fascia latae.
- 4 • The deepest structure in the popliteal fossa is the:
 - a • Common peroneal nerve.
 - b • Tibial nerve.
 - c • Popliteal vein.
 - d • Popliteal artery.




1	2	3	4
a	b	b	d




Med15-Anatomy-Final (ملف من med15)

- 5 • **ONE of the following is the nerve supply to the popliteus muscle:**
- a • Superficial peroneal nerve.
 - b • Deep peroneal nerve.
 - c • Tibial nerve.
 - d • Common peroneal nerve.
- 6 • **Dorsiflexion of the foot at the ankle joint, is an action of which muscle?**
- a • Tibialis anterior.
 - b • Tibialis posterior.
 - c • Peroneus longus.
 - d • Flexor digitorum longus.
- 7 • **Which of the following structures passes deep to the extensor retinaculum of the ankle?**
- a • Superficial peroneal nerve.
 - b • Anterior tibial artery.
 - c • Saphenous nerve.
 - d • Great saphenous vein.
- 8 • **The peroneal artery is a branch of which of the following?**
- a • Dorsalis pedis artery.
 - b • Popliteal artery.
 - c • Anterior tibial artery.
 - d • Posterior tibial artery.



5	6	7	8
c	a	b	d




Anatomy 2nd quiz (med???)

1. Which of the following gives origin to the piriformis muscle?
 - a • pelvic surface of obturator membrane& surrounding bones.
 - b • Anterior surface of the sacral vertebrae within the Pelvic surface.
 - c • upper border of ischial tuberosity.
 - d • lateral border of ischial tuberosity


- 2 • which of the following lies medial to femoral artery in femoral triangle :
 - a • femoral vein
 - b • sciatic nerve
 - c • Femoral nerve
 - d • Great Saphenous vein

- 3 • Which of following is the origin of Sartorius muscle ?
 - a • posterior superior iliac spine
 - b • Superior ramus of pubis
 - c • Iliac fossa of hip bone
 - d • anterior superior iliac spine

- 4 • The popliteus muscle arises from which of the following?
 - a • Head of fibula
 - b • medial malleolus
 - c • inside capsule of knee joint.
 - d • Outside capsule of knee joint.




1	2	3	4
B	A	D	C




Anatomy 2nd quiz (med???)

- 5 • The saphenous nerve is a branch of which of the following nerves?
- a • Obturator nerve
 - b • Femoral nerve
 - c • Sciatic nerve
 - d • Tibial nerve
- 6 • Which of the following arteries is a branch of the profunda femoris artery?
- a • Medial circumflex femoral artery
 - b • Anterior circumflex femoral artery
 - c • Femoral artery
 - d • Obturator artery
- 7 • The semimembranosus muscle is inserted into which of the following?
- a • Lateral condyle of tibia
 - b • Medial condyle of tibia
 - c • Medial condyle of femur
 - d • Head of fibula
- 8 • Which of the following actions is done by the gastrocnemius muscle?
- a • extension of the knee
 - b • medial rotation of the knee
 - c • dorsiflexion of the foot
 - d • planter flexion of the foot



5	6	7	8
B	A	B	D



Anatomy 2nd quiz (med???)

9 • Which of the following structures lies anterior to the popliteal artery?

- a • Popliteal vein
- b • Tibia
- c • Knee joint
- d • Superficial fascia

10 • Which movement is produced by the gluteus medius muscle?


- a • Adduction of the thigh
- b • Medial rotation (by anterior fibers)
- c • Flexion of the thigh
- d • Lateral rotation of the leg

11 • All of the following muscles help maintain the lateral longitudinal arch of the foot EXCEPT?


- a • Peroneus (fibularis) longus
- b • Flexor hallucis longus
- c • Peroneus (fibularis) brevis
- d • Flexor digitorum longus

12 • Which of the following regions is supplied by the obturator nerve?

- a • Anterior compartment of the thigh
- b • Medial compartment of the thigh
- c • Posterior compartment of the thigh
- d • Gluteal region



9	10	11	12
C	B	b	B



Anatomy 2nd quiz (med???)

13• flexion of the knee is performed by all the following muscles, except:

- a • Sartorius
- b • Gracilis
- c • adductor magnus
- d • Biceps femoris.

14• The posterior tibial artery begins as:


- a • A branch of the anterior tibial artery
- b • A terminal branch of the popliteal artery
- c • A branch of the femoral artery
- d • A continuation of the dorsalis pedis artery

15• The cruciate anastomosis is present at the level of:


- a • Linea aspera
- b • Lesser trochanter
- c • Gluteal tubercle
- d • Quadrate tubercle

16 • Which of the following structures forms the floor of the popliteal fossa?

- a • Popliteus muscle
- b • Lateral head of gastrocnemius
- c • Medial head of gastrocnemius
- d • Biceps femoris



13	14	15	16
C	B	B	A



Anatomy 2nd quiz (med???)

17• The sural nerve is a branch of :

- a • Pudendal nerve
- b • Femoral nerve
- c • common peroneal nerve
- d • tibial nerve

18 • Which of the following actions is preformed by tibialis posterior muscle?


- a • Inversion of the foot
- b • eversion of the foot
- c • support lateral longitudinal arch of the foot
- d • Flexion of distal phalanges

19 • The tendon of the tibialis anterior passes:


- a • Behind the extensor retinaculum
- b • Through the extensor retinaculum
- c • Lateral to the extensor retinaculum
- d • Superficial to the extensor retinaculum

20• Which of the following is a branch of profunda femoris artery?

- a • Anterior circumflex femoral artery
- b • Medial circumflex femoral artery
- c • Posterior circumflex femoral artery
- d • Obturator artery



17	18	19	20
D	A	B	B



Anatomy 2nd quiz (med???)

21• The superficial peroneal (fibular) nerve supplies:

- a • Upper medial part of the leg
- b • Lower medial part of the leg
- c • Lower anterolateral part of the leg
- d • Upper lateral part of the leg

22• which of the following muscles lies anteriorly to posterior tibial artery?


- a • tibialis posterior
- b • soleus
- c • gastrocnemius
- d • flexor hallucis longus

23 • Obturator nerve ends at the :


- a • upper Greater sciatic foramen
- b • lesser sciatic foramen
- c • upper part of obturator foramen
- d • ischial ramus

24 • Which of the following gives the origin of gemellus superior :

- a • pelvic surface of obturator membrane
- b • anterior surface of the 2nd,3rd,and 4th Sacral vertebrae
- c • ischeal tuberosity
- d • ischial spine



21	22	23	24
C	A	C	D



Anatomy 2nd quiz (med???)

25• The quadriceps mechanism performs which of the following actions?

- a • Flexion of the knee
- b • Extension of the knee
- c • Flexion of the hip
- d • Medial rotation of the leg

26• The medial plantar artery arises from:


- a • posterior Tibial artery
- b • peroneal artery
- c • anterior Tibial artery
- d • Dorsalis pedis artery

27 • All of the following structures pass through the lesser sciatic foramen except:


- a • Tendon of obturator internus
- b • Pudendal nerve
- c • Internal pudendal vessels
- d • Piriformis muscle

28 • The great saphenous vein ascends:

- a • Behind the medial malleolus
- b • In front of the medial malleolus
- c • In front of the lateral malleolus
- d • Behind the lateral malleolus



25	26	27	28
B	A	D	B





Anatomy 2nd quiz (med???)

29• The extensor digitorum longus muscle is supplied by which nerve?

- a • Superficial peroneal (fibular) nerve
- b • Deep peroneal (fibular) nerve
- c • Tibial nerve
- d • Sural nerve

30• The floor of the femoral triangle is formed (from lateral to medial) by:

- a • Iliacus, psoas major, pectineus, adductor longus
- b • Psoas major, iliacus, pectineus, adductor longus
- c • Iliacus, pectineus, adductor longus, gracilis
- d • Sartorius, pectineus, adductor longus, gracilis



Final

Questions for the following lectures are found here:

LOWER LIMB:





- 1) Nerves of lower limb and lesions
- 2) Joints of lower limb and Radiology

BACK AND VERTEBRAL COLUMN:

- 1) Back muscles and Vertebral column
- 2) Joints of vertebral column and Radiology

THORACIC AND ABDOMINAL WALLS:

- 1) Thoracic walls (anterior & posterior)
- 2) Anterolateral Abdominal Wall
- 3) Posterior Abdominal Wall



MED25

1. Gluteus maximus takes attachment from:

- a) between Anterior and Posterior gluteal line
- b) Iliac crest
- c) Sacrotuberous ligament
- d) Lesser sciatic notch

2. What forms the superficial palmar arch?


- a) Superficial branch of radial artery
- b) Ulnar artery
- c) Deep branch of ulnar artery
- d) Radial artery alone

3. Which of the following is a tributary of the inferior vena cava?


- a) Inferior phrenic vein
- b) Superior phrenic vein
- c) Superior epigastric vein
- d) Left suprarenal vein
- e) Left gonadal vein

4. Which of the following would cause complete loss of blood supply to the anterior thigh compartment?

- a) Occlusion of profunda femoris artery
- b) Occlusion of femoral artery below the inguinal ligament
- c) Occlusion of femoral artery above the inguinal ligament
- d) Occlusion of obturator artery



1	2	3	4
c	b	a	c



MED25

1. The rib facet articulates with:

- a) The corresponding vertebra only
- b) The vertebra above only
- c) The corresponding vertebra and the one above
- d) The corresponding vertebra and the one below

2. Which muscle is innervated by both anterior and posterior divisions of the obturator nerve?


- a) Pectineus
- b) Adductor brevis
- c) Obturator externus
- d) Adductor longus

3. Which of the following muscles performs lateral rotation of the shoulder?


- a) Teres major
- b) Pectoralis major
- c) Infraspinatus
- d) Latissimus dorsi

4. The obturator externus muscle is inserted into:

- a) Medial surface of greater trochanter
- b) Lateral surface of greater trochanter
- c) Trochanteric fossa
- d) Anterior border of greater trochanter



1	2	3	4
c	b	c	c



MED25

**1. A patient has loss of sensation over the upper anterolateral thigh.
Which nerve is affected?**

- a) Femoral branch of genitofemoral nerve
- b) Genital branch of genitofemoral nerve
- c) Ilioinguinal nerve
- d) Lateral femoral cutaneous nerve

2. The skin at the level of the umbilicus is innervated by:


- a) T8
- b) T9
- c) T10
- d) L1

3. (X-ray) The nerve affected is:


- a) Deep branch of radial nerve
- b) Superficial branch of radial nerve
- c) Deep branch of ulnar nerve
- d) Median nerve

**4. Cutaneous supply of the upper lateral quadrant of the gluteal region
is from:**

- a) Lateral cutaneous branch of iliohypogastric nerve
- b) Posterior rami of lumbar spinal nerves
- c) Posterior cutaneous nerve of thigh
- d) Lateral femoral cutaneous nerve



1	2	3	4
d	c	a	a



MED25

1. Which muscle attaches to the oblique line of the radius?

- a) Flexor digitorum superficialis
- b) Flexor digitorum profundus
- c) Pronator teres
- d) Supinator

2. Injury to the annular ligament affects:


- a) Elbow flexion
- b) Elbow extension
- c) Shoulder abduction
- d) Supination and pronation

3. Which ligament prevents hyperflexion of the knee?


- a) Anterior cruciate ligament
- b) Posterior cruciate ligament
- c) Tibial collateral ligament
- d) Fibular collateral ligament

4. A positive posterior drawer sign indicates injury to:

- a) Anterior cruciate ligament
- b) Posterior cruciate ligament
- c) Tibial collateral ligament
- d) Fibular collateral ligament



1	2	3	4
c	d	b	b



MED25

1. Which muscle has dual nerve supply?

- a) Pectineus
- b) Adductor longus
- c) Gracilis
- d) Adductor brevis

2. Pain along the sides of the vertebral column during lateral flexion indicates injury to:


- a) Iliocostalis muscle
- b) External oblique muscle
- c) Quadratus lumborum
- d) Multifidus

3. Which statement about the 6th intercostal nerve is true?


- a) It is an atypical intercostal nerve
- b) It supplies the abdominal wall
- c) It becomes the subcostal nerve
- d) It does not give a lateral cutaneous branch

4. Innervation of flexor digitorum profundus:

- a) Medial half by ulnar nerve, lateral half by median nerve
- b) Entire muscle by median nerve
- c) Entire muscle by ulnar nerve
- d) Medial half by median nerve, lateral half by ulnar nerve



1	2	3	4
a	a	b	a



MED25

1. Fine movements of the hand (writing, playing music) depend mainly on:

- a) Thenar and hypothenar muscles
- b) Interossei muscles
- c) Lumbricals only
- d) Extrinsic hand muscles

2. A characteristic feature of a saddle joint is:

- a) Opposition of the thumb
- b) High resistance to dislocation
- c) Pure hinge movement
- d) Limited range of motion

3. Which structure is superficial to the extensor retinaculum?


- a) Superficial branch of ulnar nerve
- b) Median nerve
- c) Radial artery
- d) Deep branch of radial nerve

4. Which structure lies lateral to the axillary artery in its third part?

- a) Axillary vein
- b) Musculocutaneous nerve
- c) Ulnar nerve
- d) Median nerve



1	2	3	4
b	a	c	b



MED25

1. A branch of the third part of the axillary artery is:

- a) Superior thoracic artery
- b) Thoracoacromial artery
- c) Subscapular artery
- d) Internal thoracic artery

**2. Injury to the lateral plantar nerve with loss of toe abduction.
Which muscle is spared?**


- a) Dorsal interossei
- b) Adductor hallucis
- c) Flexor digitorum brevis
- d) Lumbricals

3. Inability to adduct the middle finger indicates damage to:


- a) Second dorsal interosseous
- b) Second palmar interosseous
- c) Third dorsal interosseous
- d) Third palmar interosseous

**4. A radiological sign used to identify posterior shoulder
dislocation is:**

- a) Lightbulb sign
- b) Humeral head inferior to glenoid
- c) Widening of acromion
- d) Humerus anterior to glenoid cavity



1	2	3	4
c	c	b	a



MED25

1. Subacromial impingement syndrome most commonly involves:

- a) Coracoid process
- b) Acromion
- c) Coracobrachialis muscle
- d) Teres minor tendon

2. Which carpal bone is most prone to avascular necrosis and may not be clearly visible on X-ray?

- a) Pisiform
- b) Hamate
- c) Scaphoid
- d) Triquetrum

3. The angle of Louis corresponds to the level of:



- a) T2-T3
- b) T3-T4
- c) T4-T5
- d) T5-T6

4. (Hand position shown) Which nerve is being tested?

- a) Superficial ulnar nerve
- b) Deep radial nerve
- c) Median nerve
- d) Deep ulnar nerve



1	2	3	4
b	c	c	d



MED25

1. Which muscle is supplied by the spinal accessory nerve?

- a) Latissimus dorsi
- b) Levator scapulae
- c) Trapezius
- d) Rhomboid major

2. Pain between the shoulder blades during arm abduction above 90° suggests injury to:


- a) Deltoid
- b) Serratus anterior
- c) Trapezius
- d) Rhomboid minor

3. The posterior intercostal membrane is formed by:


- a) External intercostal muscle
- b) Internal intercostal muscle
- c) Innermost intercostal muscle
- d) Subcostal muscles

4. Lymph from the axillary tail of the breast drains mainly to:

- a) Parasternal nodes
- b) Pectoral nodes
- c) Apical nodes
- d) Infraclavicular nodes



1	2	3	4
c	c	a	b



MED25

1. Pain is referred to the hip joint in knee pathology because:

- a) Sciatic nerve supplies both joints
- b) Femoral and obturator nerves supply both joints
- c) Same arterial supply
- d) Same venous drainage

2. Low back pain worsened by forward bending suggests involvement of:


- a) Facet joints
- b) Lumbar intervertebral disc (L4–L5)
- c) Anterior longitudinal ligament
- d) Intertransverse ligaments

3. On X-ray, an epiphyseal plate is differentiated from a fracture by:


- a) Irregular jagged margins
- b) Smooth, regular margins
- c) Associated displacement
- d) Pain on movement

4. Which statement regarding sciatic nerve injury is true?

- a) Tibial nerve is more prone to injury
- b) Common peroneal nerve is more prone to injury
- c) Hip abduction is lost
- d) Knee extension is affected



1	2	3	4
b	b	b	b



MED25

1. Which muscles insert into the lateral aspect of the tibia?

- a) Gluteus medius and minimus
- b) Gluteus maximus and tensor fasciae latae
- c) Tensor fasciae latae and biceps femoris
- d) Gluteus maximus and biceps femoris

2. Which muscle originates from both the ischial tuberosity and pubic bone?


- a) Biceps femoris
- b) Adductor magnus
- c) Adductor brevis
- d) Gracilis

3. Injury near the quadrangular space results in:


- a) Loss of sensation over medial forearm
- b) Loss of deltoid tone and abduction
- c) Loss of elbow flexion
- d) Loss of wrist extension

4. Damage to the obturator nerve causes:

- a) Inability to adduct the thigh
- b) Trendelenburg gait
- c) Foot drop
- d) Loss of knee extension



1	2	3	4
b	b	b	a



MED25

1. Which ligament supports the ankle during eversion?

- a) Lateral ligament
- b) Deltoid ligament
- c) Calcaneofibular ligament
- d) Anterior talofibular ligament

2. The thoracic duct passes through the:


- a) Caval opening
- b) Esophageal hiatus
- c) Aortic hiatus
- d) Costal margin

3. Which muscle attaches to the posterior surface of the sternum?


- a) Internal intercostal muscles
- b) External intercostal muscles
- c) Transversus thoracis
- d) Subcostal muscles

4. Which muscle assists in deep inspiration?

- a) Serratus posterior inferior
- b) Rhomboid major
- c) Serratus posterior superior
- d) Levator scapulae



1	2	3	4
b	c	c	c



MED25

1. The deepest intrinsic back muscle is:

- a) Erector spinae
- b) Iliocostalis
- c) Multifidus
- d) Longissimus

2. (Spine X-ray shown) The diagnosis is:

- a) Kyphosis
- b) Lordosis
- c) Scoliosis
- d) Spondylolisthesis




3. Fracture of the surgical neck of the humerus affects:


- a) Radial nerve
- b) Median nerve
- c) Axillary nerve
- d) Ulnar nerve

4. Which muscle originates from the upper half of the posterior surface of the tibia?

- a) Extensor hallucis longus
- b) Flexor hallucis longus
- c) Soleus
- d) Extensor digitorum longus



1	2	3	4
C	C	C	C



MED25

1. Femoral vein collapses more easily than artery because:

- a) Thinner wall and lower pressure
- b) It is medial
- c) Outside femoral sheath
- d) No valves

2. Posterior membrane of thoracic wall is formed by:


- a) Internal intercostal muscle
- b) External intercostal muscle
- c) Innermost intercostal muscle
- d) Subcostal muscles

3. Ligament preventing hyperflexion of vertebral column:


- a) Posterior longitudinal ligament
- b) Anterior longitudinal ligament
- c) Interspinous ligament
- d) Intertransverse ligament

Which structure connects the pelvis to the knee?

- a) Semitendonosis
- b) Semimembrnosis
- c) Iliotibial tract
- d) Lateral collateral ligament



1	2	3	4
a	b	a	c



MED25

Which muscle supports the pubic arch?

- a) Sartorius
- b) Gracilis
- c) Adductor longus
- d) Pectineus

Which muscle is responsible for eversion of the foot?


- a) Tibialis anterior
- b) Tibialis posterior
- c) Peroneus (fibularis) longus
- d) Flexor hallucis longus

Which nerve supplies flexor digiti minimi?


- a) Median nerve
- b) Superficial branch of ulnar nerve
- c) Deep branch of ulnar nerve
- d) Radial nerve

Which muscle contributes to the formation of the rectus sheath?

- a) Latissimus dorsi
- b) Pyramidalis muscle
- c) Internal oblique muscle
- d) Erector spinae



1	2	3	4
C	C	C	C



MED25

Which structure passes superficial to the flexor retinaculum of the hand?


- a) Median nerve
- b) Ulnar nerve
- c) Palmar cutaneous branch of median nerve
- d) Flexor digitorum profundus tendon

Why is the medial meniscus of the elbow more commonly injured?


- a) Because it is poorly vascularized
- b) Because it is attached to the medial collateral ligament
- c) Because it moves freely during flexion
- d) Because it is not supported by muscles

Injury to the radial nerve results in:

- a) Claw hand
- b) Ape hand
- c) Wrist drop
- d) Loss of thumb opposition



1	2	3	4
c	b	c	



MED25

Describe the ulnar nerve in the hand including its beginning, course, and distribution.

Beginning:



The ulnar nerve enters the hand through Guyon's canal, superficial to the flexor retinaculum, between the pisiform and the hook of hamate.

Course:

Within the hand, the ulnar nerve divides into a superficial branch and a deep branch. The deep branch passes across the palm with the deep palmar arch.

Distribution:

- **Motor:** Supplies the intrinsic muscles of the hand (interossei, medial two lumbricals, adductor pollicis, and deep head of FPD).
- **Sensory:** Supplies the palmar surface of the little finger and the medial half of the ring finger.



MED25

Describe the axilla including its walls, base, apex, and contents.

Walls:

- Anterior wall: Pectoralis major and pectoralis minor, subclavius
- Posterior wall: Subscapularis, teres major, and latissimus dorsi
- Medial wall: Serratus anterior ,upper4-5 ribs, inter-costal spaces
- Lateral wall: coracobrachialis,biceps muscles,bicipital groove of humerus

Base:

The lower end of the axilla formed by skin stretching between the anterior and posterior walls.

Bounded:

- Medially by the chest wall
- Anteriorly by the anterior axillary fold
- Posteriorly by the posterior axillary fold

Apex:



Anteriorly: clavicle

posteriorly: upper border of scapula

medially: outer border of first rib

Contents:

- Axillary artery and its branches
- Axillary vein and its tributaries
- Cords and branches of the brachial plexus
- Axillary lymph nodes
- Axillary fat
- Axillary tail



MED25

Describe the wrist joint including its type, capsule, ligaments, movements, and nerve supply.

Type:

The wrist joint (radiocarpal joint) is a synovial joint of ellipsoid type.

Articulating surfaces:

- Proximally: distal end of the radius and articular disc of ulna
- Distally: proximal row of carpal bones (scaphoid, lunate, triquetrum)

Capsule:

The joint is enclosed by a fibrous capsule which is attached proximally to the radius and articular disc, and distally to the proximal row of carpal bones.

The capsule is lined by synovial membrane.

Ligaments:



- Palmar radiocarpal ligament
- Dorsal radiocarpal ligament
- Radial collateral ligament
- Ulnar collateral ligament

Movements (Actions):

- Flexion
- Extension
- Abduction (radial deviation)
- Adduction (ulnar deviation)
- Circumduction

Nerve supply:

- Median nerve
- Radial nerve
- Ulnar nerve



MED25

Describe the femoral sheath including its formation, clinical correlations ,compartments, boundarie.

Formation (Beginning):

The femoral sheath is a funnel-shaped fascial sheath formed as a downward prolongation of the fascia transversalis anteriorly and the iliac fascia posteriorly, below the inguinal ligament.

Clinical correlation :

It surrounds the proximal part of the femoral vessels and lymphatics for about 1 inch (2.5 cm) below the inguinal ligament.



Compartments:

The femoral sheath is divided by vertical septa into three compartments:

1. Lateral compartment: occupied by the femoral artery
2. Intermediate compartment: occupied by the femoral vein
3. Medial compartment: occupied by the femoral canal

Boundaries:

- Anterior wall: Fascia transversalis
- Posterior wall: Iliac fascia



MED25

Describe the popliteal artery including its beginning, branches, and termination.

Beginning:



The popliteal artery begins as a continuation of the femoral artery after it passes through the adductor hiatus.

Branches:

- Muscular branches
- Genicular branches, which form the genicular anastomosis:
 - Superior medial genicular artery
 - Superior lateral genicular artery
 - Inferior medial genicular artery
 - Inferior lateral genicular artery
 - Middle genicular artery

Termination:

The popliteal artery ends at the lower border of the popliteus muscle, where it divides into the anterior tibial and posterior tibial arteries.



MED25

Describe the arches of the foot, mentioning the bones forming each arch and their functions.

1) Medial longitudinal arch

Bones:

Calcaneus, talus, navicular, three cuneiforms, and first three metatarsals.

Function:

- Main weight-bearing arch
- Absorbs shock
- Provides elasticity during walking

2) Lateral longitudinal arch

Bones:

Calcaneus, cuboid, and fourth and fifth metatarsals.

Function:

- Provides stability
- Supports body weight
- Less elastic than the medial arch



3) Transverse arch

Bones:

Cuboid, three cuneiforms, and bases of the metatarsals.

Function:

- Maintains the concavity of the sole
- Distributes body weight across the foot
- Protects plantar vessels and nerves



MED25

Describe the intrinsic (deep) muscles of the back, mentioning their groups, muscles, and functions.

I. Superficial group

A. Splenius muscles (back of neck only):

- Splenius capitis
- Splenius cervicis

Action:

Extensors and rotators of the head and neck.

B. Superficial vertically running muscles

Erector spinae muscle (Sacrospinalis)

Formed of three columns:

1. Iliocostalis
2. Longissimus
3. Spinalis (thoracic region only)

Action:

Extensors and rotators of the vertebral column.

II. Intermediate group (Obliquely running muscles)

Transversospinalis, formed of:

1. Semispinalis (most superficial)
2. Multifidus (lies under semispinalis, mainly lumbar)
3. Rotatores (most deep & shortest, mainly thoracic)

Action:

- Semispinalis extends the head & vertebral column
- Multifidus & rotatores stabilize the vertebral column

III. Deepest intrinsic muscles (shortest muscles)

Lie between adjacent vertebrae:

1. Interspinalis
2. Intertransversarii

Action:

Stabilization of the vertebral column.

Levatores costarum

Action: Rib elevators.



MED25

Describe the inguinal canal including its boundaries, contents, and clinical correlations.

Boundaries:

Anterior wall:

Derived from aponeuroses

→ External oblique aponeurosis, reinforced laterally by the origin of internal oblique.

Posterior wall:

Conjoint tendon medially and transversalis fascia laterally.

Roof (superior wall):

Formed by arching fibers of internal oblique and transversus abdominis muscles.

Inferior wall (floor):


Formed by inguinal ligament and medially by the lacunar ligament.

Contents:

- In males: Spermatic cord
- In females: Round ligament of the uterus
- Ilioinguinal nerve

Clinical correlations:

- Site of inguinal hernia
- Weakness of the posterior wall predisposes to direct inguinal hernia
- Indirect inguinal hernia passes through the deep inguinal ring



3-Netflix Last session anatomy final file (med22 ملف من)

1 • Which muscle prevents the action of lordosis?

- a • Rectus abdominus
- b •
- c •
- d •

2 • Which action does the combination of diaphragm and abdominal muscles contraction

- a • Straining down effort
- b • Deep inspiration
- c •
- d •



3 • Which forms the anterolateral fascia?

- a • transversales fascia
- b • rectus abdominis
- c • fascia iliaca
- d • camper's fascia

4 • Which of the following muscles fixes the 12th rib during inspiration?

- a • quadriceps lumborum
- b • transversus abdominis
- c • external oblique
- d • internal oblique

1	2	3	4
a	a	d	a



@ Locker Med 21

1 • Which of the following is a false rib ?


- a • Sixth
- b • First
- c • Seventh
- d • Tenth

2 • Which vertebrae has a bifid spine


- a • Cervical
- b • Lumbar
- c • Thoracic
- d • Sacrum

3. Azygos vein drains in?

- a • SVC
- b • IVC
- c • right brachicephalic
- d •



1	2	3	
D	A	A	



اللهم اجعل هذا العمل خالصًا لوجهك الكريم،
ووفقنا لما تحب وترضى.

