Coding standards

1. Content

2. Purpose

This document provides a guidance to good programming style and design to obtain readable and maintainable code.

Readable: code should be written in a manner that is easy to read and understand.

Maintainable: code should be written in a manner that is consistent, readable and simple in design.

It only handles rules regarding programming seen in this module.

Remarks made in labs and lectures still apply.

3. Code style

3.1. Naming conventions

Using naming conventions reduces the effort needed to read and understand code.

3.1.1. Example

```
class MyClass
{
public:
        MyClass();
        void DoSomething();
        int GetProperty();
        void SetProperty(int value);
protected:

private:
    int m_Property{};
    std::vector<int> m_Grades;
    OtherClass *m_pOtherClass{ };
}
```

3.1.2. Naming identifiers

An identifier is a name which is used to refer to a variable, constant, method or type (e.g. class, enumeration, struct).

a. General

Rules	Examples
The name of an identifier should suggest the usage of it. It should consist of a meaningful descriptive name. Note: Conventional usage of simple identifiers (i, x, y…) in small scopes can lead to cleaner code and will therefore be permitted	**CreateWindow**: it is obvious that this method contains the code that creates a window.
The name can include abbreviations that are generally accepted.	nrLives
When the name consists of more words, they are written as one without underscores and each new word starts with a capital letter. Exception: an underscore is used in the prefix that indicates a class	DoSomething(); ProcessKeyDownEvent()

member or a global variable (see further)	

b. Variables

Rules	Examples
Always start with a **lower case** letter.	bool **i**sDown int **b**ulletCntr int **w**idth
The **class member** variables always start with the prefix **m_. The name starts with a upper case letter**	int **m_**Width int **m_**Height
The **struct member** variables follow the local variables rules	e.g. in Point2f struct float x; float y;
The **global** variables always start with the prefix **g_**	std::string g_WindowWidth
Pointer variables have the lowercase prefix **p**	Hero * m_**p**Hero Enemy * m_**p**Enemy
	Hero * pHero Enemy * pEnemy
For the **bool** variables, choose a name that corresponds with the true value.	**bool m_IsHuman** says more than **bool m_Form**
Container (std::vector or array) names are always plural form	m_Numbers m_pEnemies

c. Methods/functions

Rules	Examples
Always start with a **capital letter**. First word is a verb. The name of the method describes what it does. Exception to this rule is the **main** function.	ProcessKeyDownEvent CreateRenderer

Start with the word **Get** if the method returns the value of a variable, however, in case of a **bool** variable, start with **Is** instead. Or just give the method the same name as the variable, exception to the verb rule	**Get**Width **Get**Height **Is**KeyPressed Length
Start with the word **Set** if the method changes the value of a data member. The method needs a (default) argument.	**Set**Color **Set**Font **Set**KeyPressed(bool state)

d. Types: Classes, structures and enumerated types

Rules	Examples
The name starts with an uppercase letter and has an uppercase letter for each new word, with no underscores The name reflects the logical entity for which it provides the definition.	**H**ero **E**nemy
Is **singular** when the class describes **one** entity (note that we can make more objects of one class).	Class, which contains - among others - a data member to hold the x position (m_X) and a data member to hold the y position (m_Y) of an enemy: **Enemy**
A class is **plural** if the class describes a collection of entities. This type of class often contains a container data member to keep track of those entities.	Class that manages the enemies in a game: **Enemies**
Enumerated types follow the same rules as classes.	enum class **LightState** { on, off, defect};

e. Namespaces

Start with lower case letter, e.g. dae

3.1.3. Naming files

Header files have the extension .h, implementation files the extension .cpp.

The files have the same name as the containing entity definition.

3.2. Format and appearance of code

You can customize the code formatting in Visual Studio via Tools/Options/Text Editor/C++

Imposing constraints on the format makes code easier to read due to consistency in form and appearance.

1. Code lines should not be too long, because long lines can be difficult to read and understand.
2. Each expression statement should be on a separate line.
3. All indentations should be consistent.
4. The statements forming the body of an if, else if, else, while, do… while or for statement shall always be enclosed in braces {}, even if they contain only one statement.
5. The public, protected and private sections of a class will be declared in that order (public, protected, private), because this is the order from most to least general interest.
6. All operators should be enclosed by spaces.

`a+=b;` ⟶ `a += b;`

7. The operands of a logical && or || shall be parenthesized if the operands contain binary operators. Binary operators are operators with 2 operands, for example the less than operator: a < b

`a < b && c < d` ⟶ `( a < b ) && ( c < d )`

4. Classes

The class design has to be simple. Do not create complex class hierarchies.

Classes should have clearly defined responsibilities, for example don't paint the level image in the avatar's paint method.

4.1. Constructors – destructors

A constructor fully initializes the object and makes it ready to use.

Initialization of non-static member variables will be done in the initializer list or through initialization in the header file rather than through assignment in the body of the constructor, unless it cannot be initialized by a simple expression.

Every object created on the heap should be deleted, there should be no memory leaks. There should be a clear notion of ownership of objects.

4.2. Inheritance

Public inheritance should only be applied for "**is a**" relationships and when run-time selection of implementation (polymorphism) is required.

An inherited non-virtual method should not be redefined in a derived class.

4.3. Access control

Only allow public access to methods when it is absolutely necessary. Anything that doesn't fit this criteria should be private. For example helper methods - used for splitting up a complex method in smaller ones - should be private.

Make all data members private, and provide access to them through accessor methods as needed. Exceptions:

– Data members of an aggregate may be public (e.g. the x and y data members of a Point2f struct)

5. Methods or functions

Method definitions should be put in the implementation file of the class (cpp) and not in the header file.

Avoid huge methods by splitting up the functionality in smaller methods.

Methods should not have too many parameters because this is difficult to read.

Small arguments should be passed by value if changes made to them should not reflect in the calling code.

Large arguments should be passed by reference. Indicate with **const** that a reference parameter is not changed by the method.

There should be no dead code in the methods. Dead code is code that is never executed. Unused methods should be removed.

Overloaded methods should have the same purpose and only differ by the parameters.

Methods that don't changed the state of an object should be const.

6. Comments

Code that is not used (commented out) must be deleted.

Comment should describe **what** the code does and not how it is done, unless to explain very complicated code. Avoid stating in a comment what is clearly stated in code, do not simply repeat what is in the code. The following example illustrates an unnecessary comment.

++i; // increment i

7. Variables and constants

There should be no unused variables in the code.

All variables must be initialized before use.

Don't use the same variable to accomplish different purposes.

If a variable never changes its value, make it const.

Use an array, std::vector or another container instead of many variables of the same type.

Enumeration types shall be used instead of integer types or constants to select from a limited series of possibilities.

Numeric values – magic numbers - shall not be used in the code; rather enumerator, const values, size… should be used.

```
std::vector<int> numbers = { 1,5,8,6 };
for ( size_t idx = 0; idx < 4; ++idx )
{
    std::cout << numbers[idx] << std::endl;
}

                    numbers.size( )
```

Variables in an inner scope should not use the same name as a variable in an outer scope, and therefore hide that variable because this can be very confusing.

```
int x = 0;    nok
  for ( int x = 0; x < 100; x += 10 )
  {
      std::cout << x << std::endl;
  }
std::cout << x << std::endl;
```

Variable declarations should be at the smallest feasible scope.

8.   Operators

Signed and unsigned values should not be mixed in arithmetic or comparison operations.

```
std::vector<int> numbers ={ 1,5,8,6 };

for ( int idx = 0; idx < numbers.size( ); ++idx )
{
    std::cout << numbers[idx] << std::endl;
}


    size_t
```

9.   Flow control

There should be no unreachable code.

There will be no **goto** statements because they make the code both difficult to read and maintain.

Prefer a **switch** statement to test the content of an **enumerated** type against the possible values.

Variables used within a **for-loop** for iteration counting, should not be modified in the body of the loop.

```
for ( int i = 0; i < 10; ++i )
{
    if ( i % 2 == 0 )
    {
        ++i;      nok
    }
    std::cout << i << std::endl;
}
```

For-loops without initialize and increment expressions will not be used; a **while-loop** should be used instead.

```
// Generate 2 different random numbers in the interval [0,9]      int nr1 = rand( ) % 10;
int nr1 = rand( ) % 10;                                           int nr2;
int nr2 = rand( ) % 10;                                           do
for ( ; nr1 == nr2; )                                            {
{                                                                    nr2 = rand( ) % 10;
    nr2 = rand( ) % 10;                                          }
}                                                                while ( nr1 == nr2 );
```

10. Performance

Your code should be performant. For example:

- Special care should be taken for code that is executed each frame. For example there should be no code that doesn't need to be executed each frame.
- Unnecessary temporary objects should be avoided especially when they are large or when the construction takes a lot of time.

11. Miscellaneous

11.1. Compile-warnings

There should be no level 3 warnings because warnings point out potential problems.

```cpp
int randNr = rand( );
if ( randNr < 100 );        ';': empty controlled statement found; is this the intent?
{
    std::cout << "Random number is less than 100";
}
```