# Kalman Filter Theory and Applications Heuristic Overview

Michael L. Carroll

September 9, 2020

©2020 by Michael L. Carroll

• Understanding the Equations: Heuristic Introduction

- Understanding the Equations: Heuristic Introduction
- Equation Drilldown: Taking the Equations Apart

- Understanding the Equations: Heuristic Introduction
- Equation Drilldown: Taking the Equations Apart
- State Space Concepts

- Understanding the Equations: Heuristic Introduction
- Equation Drilldown: Taking the Equations Apart
- State Space Concepts

Understanding the Equations: Heuristic Introduction Subtopics

• Recursive Predictor-Corrector Algorithms

- Recursive Predictor-Corrector Algorithms
- Running Averages

- Recursive Predictor-Corrector Algorithms
- Running Averages
- Prediction (Extrapolation)

- Recursive Predictor-Corrector Algorithms
- Running Averages
- Prediction (Extrapolation)
- Correction (Measurement Update)

- Recursive Predictor-Corrector Algorithms
- Running Averages
- Prediction (Extrapolation)
- Correction (Measurement Update)
- Gain Computation

- Recursive Predictor-Corrector Algorithms
- Running Averages
- Prediction (Extrapolation)
- Correction (Measurement Update)
- Gain Computation

 Technically, the Kalman Gain is computed before the measurement update is performed

- Technically, the Kalman Gain is computed before the measurement update is performed
- To blend information from previous estimate and current measurement, we need to calculate the Kalman gain, denoted by K(k)

- Technically, the Kalman Gain is computed before the measurement update is performed
- To blend information from previous estimate and current measurement, we need to calculate the Kalman gain, denoted by K(k)
- Recall running average example:  $K(k) = \frac{1}{k}$ , a simple scalar

- Technically, the Kalman Gain is computed before the measurement update is performed
- To blend information from previous estimate and current measurement, we need to calculate the Kalman gain, denoted by K(k)
- Recall running average example:  $K(k) = \frac{1}{k}$ , a simple scalar
  - If we have k pieces of information of equal quality, then, intuitively, it makes sense weight each piece equally using a factor of 1/k

- Technically, the Kalman Gain is computed before the measurement update is performed
- To blend information from previous estimate and current measurement, we need to calculate the Kalman gain, denoted by K(k)
- Recall running average example:  $K(k) = \frac{1}{k}$ , a simple scalar
  - If we have k pieces of information of equal quality, then, intuitively, it makes sense weight each piece equally using a factor of 1/k

• Quantity to be weighted is the measurement residual:

$$z(k) - H\hat{x}^{-}(k)$$

• Quantity to be weighted is the **measurement residual**:

$$z(k) - H\hat{x}^{-}(k)$$

i.e., the difference between the **actual** and **predicted** measurements

 Residual contains all new information, i.e., new information from most recent measurement minus what we think we already knew, i.e., the prediction based on previous estimate

• Quantity to be weighted is the **measurement residual**:

$$z(k) - H\hat{x}^{-}(k)$$

- Residual contains all new information, i.e., new information from most recent measurement minus what we think we already knew, i.e., the prediction based on previous estimate
- Gain computation occurs after the prediction step but before the update step; sometimes thought of a preliminary sub-step within the update step

Quantity to be weighted is the measurement residual:

$$z(k) - H\hat{x}^{-}(k)$$

- Residual contains all new information, i.e., new information from most recent measurement minus what we think we already knew, i.e., the prediction based on previous estimate
- Gain computation occurs after the prediction step but before the update step; sometimes thought of a preliminary sub-step within the update step
- Sometimes referred to as the 'innovation gain' (since the residual is somethimes called the 'innovation'

Quantity to be weighted is the measurement residual:

$$z(k) - H\hat{x}^{-}(k)$$

- Residual contains all new information, i.e., new information from most recent measurement minus what we think we already knew, i.e., the prediction based on previous estimate
- Gain computation occurs after the prediction step but before the update step; sometimes thought of a preliminary sub-step within the update step
- Sometimes referred to as the 'innovation gain' (since the residual is somethimes called the 'innovation'

Kalman gain computation is the heart of the Kalman algorithm

- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality

- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality
- Intuitively, gain is a function of two kinds of uncertainty:

- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality
- Intuitively, gain is a function of two kinds of uncertainty:
  - Uncertainty in previous estimate: How precise was our last estimate?


- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality
- Intuitively, gain is a function of two kinds of uncertainty:
  - Uncertainty in previous estimate: How precise was our last estimate?
    - Dependent on uncertainty in the process model: How well have we actually modeled the system dynamics and how much do uncontrollable disturbances influence our estimates?

- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality
- Intuitively, gain is a function of two kinds of uncertainty:
  - Uncertainty in previous estimate: How precise was our last estimate?
    - Dependent on uncertainty in the process model: How well have we actually modeled the system dynamics and how much do uncontrollable disturbances influence our estimates?
  - Uncertainty in the measurement: How precise are the measurements?


- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality
- Intuitively, gain is a function of two kinds of uncertainty:
  - Uncertainty in previous estimate: How precise was our last estimate?
    - Dependent on uncertainty in the process model: How well have we actually modeled the system dynamics and how much do uncontrollable disturbances influence our estimates?
  - Uncertainty in the measurement: How precise are the measurements?
- Gain weights the innovation, and these two kinds of uncertainty are all implicity present in the innovation

- Kalman gain computation is the heart of the Kalman algorithm
  - Guarantees optimality
- Intuitively, gain is a function of two kinds of uncertainty:
  - Uncertainty in previous estimate: How precise was our last estimate?
    - Dependent on uncertainty in the process model: How well have we actually modeled the system dynamics and how much do uncontrollable disturbances influence our estimates?
  - Uncertainty in the measurement: How precise are the measurements?
- Gain weights the innovation, and these two kinds of uncertainty are all implicity present in the innovation

# Recursive Predictor-Corrector Algorithm Discrete System



# Kalman Gain within Correction (or Update) Block



• Where are we?

- Where are we?
  - Examined the concept of Kalman gain in more detail

- Where are we?
  - Examined the concept of Kalman gain in more detail
  - Considered gain as weight for measurement residual / innovation

- Where are we?
  - Examined the concept of Kalman gain in more detail
  - Considered gain as weight for measurement residual / innovation
- What's next?

- Where are we?
  - Examined the concept of Kalman gain in more detail
  - Considered gain as weight for measurement residual / innovation
- What's next?
  - In the next playlist we will present in more detail the Five Kalman equations

- Where are we?
  - Examined the concept of Kalman gain in more detail
  - Considered gain as weight for measurement residual / innovation
- What's next?
  - In the next playlist we will present in more detail the Five Kalman equations
  - We will analyze what the five equations mean

- Where are we?
  - Examined the concept of Kalman gain in more detail
  - Considered gain as weight for measurement residual / innovation
- What's next?
  - In the next playlist we will present in more detail the Five Kalman equations
  - We will analyze what the five equations mean